Dinitrogen Binding at a Trititanium Chloride Complex and Its **Conversion to Ammonia under Ambient Conditions**

Estefanía del Horno, [a] Jesús Jover, *[b] Miguel Mena, [a] Adrián Pérez-Redondo, [a] and Carlos Yélamos*[a]

Dedication ((optional))

E. del Horno, Dr. M. Mena, Dr. A. Pérez-Redondo, Prof. Dr. C. Yélamos Departamento de Química Orgánica y Química Inorgánica Instituto de Investigación Química "Andrés M. del Río" (IQAR) Universidad de Alcalá 28805 Alcalá de Henares-Madrid (Spain)

E-mail: carlos.yelamos@uah.es

Dr. J. Jover.

Secció de Química Inorgànica, Departament de Química Inorgànica i Orgànica Institut de Química Teòrica i Computacional (IQTC-UB)

Universitat de Barcelona,

Martí i Franquès 1-11, 08028 Barcelona (Spain)

E-mail: iiovermo@ub.edu

Supporting information and the ORCID identification number(s) for the author(s) of this article can be found under: https://doi.org/10.1002/anie.2022xxxxxx.

Abstract: Reaction of [TiCp*Cl₃] (Cp* = η^5 -C₅Me₅) with one equivalent of magnesium in tetrahydrofuran at room temperature affords the paramagnetic trinuclear complex [{TiCp*(μ -Cl)}₃(μ ₃-Cl)], which reacts with dinitrogen under ambient conditions to give the diamagnetic derivative [$\{TiCp^*(\mu-CI)\}_3(\mu_3-\eta^1:\eta^2:\eta^2-N_2)$] and the titanium(III) dimer [$\{TiCp^*Cl(\mu-Cl)\}_2$]. The structure of the trinuclear mixed-valence complexes has been studied by experimental and theoretical methods and the latter compound represents the first well-defined example of the μ_3 - η^1 : η^2 : η^2 coordination mode of the dinitrogen molecule. The reaction of $[{TiCp^*(\mu-CI)}_3(\mu_3-\eta^1:\eta^2:\eta^2-N_2)]$ with excess HCI in tetrahydrofuran results in clean NH₄Cl formation with regeneration of the starting material [TiCp*Cl₃]. Therefore, a cyclic ammonia synthesis under ambient conditions can be envisioned by alternating N2/HCl atmospheres in a [TiCp*Cl3]/Mg(excess) reaction mixture in tetrahydrofuran.

Introduction

The synthesis of ammonia constitutes one of most important chemical processes at the industrial level as illustrated by the production of about 150 million metric tons of this molecule in 2021.[1] Most of this amount is used to supply nitrogenous fertilizers for world-wide food production, but a smaller part is dedicated to several large-scale synthesis of derivatives in the explosives, plastics, and textiles industries, among others. While it is expected a further increase in the ammonia demand for these current uses due to the human population growth, ammonia is also gaining interest as the energy carrier of the future.[2] Today, the artificial synthesis of ammonia relies on the Haber-Bosch process, developed over 100 years ago, and performed in largescale plants where dinitrogen and dihydrogen gases are combined under harsh conditions (300-500 °C and 200-300 bar)

in the presence of a heterogeneous catalyst.[3] However, this extremely energy-intensive industrial process consumes about 2% of the world's total energy and generates ~1% of global CO₂ emissions annually and, unsurprisingly, the development of a sustainable production of ammonia has been identified as one of the IUPAC Top Ten Emerging Technologies in Chemistry 2021.^[4]

Inspired in the natural nitrogen fixation carried out under ambient conditions by certain microorganisms which convert N2 into ammonia using electrons and protons at nitrogenase enzymes, [5] chemists have long explored biological-models and homogenous catalysts capable of operating at milder conditions. [6] In particular, inorganic and organometallic researches have intensively investigated the coordination and activation of the dinitrogen molecule at one or multiple metal atoms in well-defined complexes.[7] As a result, various catalytic homogeneous systems for conversion of N2 to NH3 under mild conditions have been developed in the last two decades. [8,9] The methods in those catalytic systems involve the addition of a high excess of external reducing agents and protic acids to solutions of well-defined transition metal complexes in a dinitrogen atmosphere. While molybdenum and iron complexes have received traditionally most attention in the field since they are naturally present in nitrogenase enzymes, [8] catalysis using other metals is also known in the last years (e.g., Co, Ru, Os, V, and Ti). [9a] For instance, Liddle and co-workers have recently reported triamidoamine-ligated titanium dinitrogen complexes competent for catalytic ammonia formation, [10] and Okuda and co-workers used similar compounds for the catalytic conversion of N2 to N(SiMe₃)₃.[11]

The fixation of dinitrogen by titanium species has been known for decades, [12] and nowadays a variety of coordination modes of the N₂ unit to the titanium centers are well-documented.^[7] In addition to a few examples with end-on (η^1) binding mode, [13] the literature reveals multiple references of structurally characterized

end-on/end-on $(\mu-\eta^1:\eta^1),^{[14]}$ side-on/side-on $(\mu-\eta^2:\eta^2),^{[13c,15]}$ and end-on/side-on $(\mu-\eta^1:\eta^2)^{[16]}$ bridging dinitrogen in dinuclear complexes, and even the rare end-on/end-on/side-on $(\mu-\eta^1:\eta^1:\eta^2)$ coordination mode at three titanium centers have been reported. Moreover, the end-on/side-on/side-on $(\mu-\eta^1:\eta^1:\eta^2)$ coordination mode of dinitrogen is only known for titanium, and was characterized by NMR spectroscopy at low temperature $(-30\ ^{\circ}\text{C})$ in the intermediate $[\{Ti(\eta^5-C_5Me_4SiMe_3)(\mu-H)\}_3(\mu_3-\eta^1:\eta^2:\eta^2-N_2)]$ before the cleavage of the N–N bond at higher temperatures $(-10\ ^{\circ}\text{C})$ took place. Mean indeed, a recent theoretical study on the dissociative adsorption of N_2 on trinuclear carbide cluster anions $V_3C_4^-$ identified a key intermediate with a $\mu_3-\eta^1:\eta^2:\eta^2-N_2$ fragment which enables the facile cleavage of the N=N bond.

As part of our recent research program on low-valent titanium complexes, [20] we have reported the structure and properties of several half-sandwich titanium(III) derivatives [TiCp*Cl₂] (Cp* = n⁵-C₅Me₅) prepared by thermal decomposition or hydrogenolysis of [TiCp*Cl₂Me] or by treatment of [TiCp*Cl₃] with appropriated ratios of conventional reductants (Li₃N, LiAlH₄, Mg).^[21,22] For instance, the reduction of [TiCp*Cl3] with a half equivalent of magnesium in tetrahydrofuran afforded a blue solution of [TiCp*Cl2(thf)] (1), which under vacuum led to the dinuclear compound [$\{TiCp^*Cl(\mu-Cl)\}_2$] (2) (Scheme 1). While none of these titanium(III) species reacted with dinitrogen, here we report that further reduction with magnesium affords a mixed-valence trinuclear complex [$\{TiCp^*(\mu-CI)\}_3(\mu_3-CI)$] (3) capable of incorporating N2 under ambient conditions in solution to give a stable derivative with a μ_3 - η^1 : η^2 : η^2 - N_2 ligand. This dinitrogen complex reacts with excess HCl to regenerate [TiCp*Cl3] with NH₄Cl formation, and several cycles alternating N₂/HCl atmospheres on a [TiCp*Cl3]/Mg(excess)/thf system can be performed to produce NH₄Cl on a relatively large scale.

Results and Discussion

The treatment of [TiCp*Cl₃] with one equivalent of magnesium in tetrahydrofuran at room temperature gave the mixed-valence trinuclear complex [$\{TiCp^*(\mu-Cl)\}_3(\mu_3-Cl)\}$] (3) (Scheme 1). In view of the stoichiometry of the reaction, Mg metal is in a slight excess but this is easily removed, along with the [MgCl2(thf)2] by-product, after extraction with toluene to afford 3 as a brown solid in 87% yield. The ¹H NMR spectra of 3 in [D₆]benzene or [D8]tetrahydrofuran solutions revealed one broad resonance at δ = 11.0-10.9 ppm ($\Delta v_{1/2}$ = 50 Hz) for the η^5 -C₅Me₅ ligands. The paramagnetic nature of 3 was confirmed by an Evans method determination of its magnetic susceptibility (μ_{eff} = 2.17 μ_{B} , 293 K, C₆D₆ solution).^[23] Analogous reaction of [TiCp*Br₃] with magnesium (0.5 or 1 equiv) in tetrahydrofuran gave the titanium(III)-magnesium species [{TiCp*Br(μ-Br)₂}₂Mg(thf)₂] (4) as a brown-green solid in up to 77% yield. The ¹H NMR spectrum of 4 in [D₆]benzene is silent and its effective magnetic moment in solution at room temperature is 2.25 μ_B . The X-ray crystal structure of 4 shows two {TiCp*Br} units connected by two μ-Br ligands to a magnesium atom which completes a distorted octahedral geometry with two additional tetrahydrofuran ligands in a trans disposition (Figure S1 of the Supporting Information), [24] similar to that found in $[\{Ti(\eta^5-C_5H_5)_2(\mu-CI)_2\}_2Mg(thf)_2]$. [25]

The crystal structure of **3** shows a nearly equilateral triangle of titanium atoms with Ti–Ti separations in the range of 2.872(1)–3.033(1) Å (Figure 1a). Each edge of the triangle is bridged by

one chloride ligand and one face is capped by a fourth chloride. Therefore, each titanium is bonded to one η^5 -C₅Me₅ group and three chloride ligands to give a typical three-legged piano-stool geometry. Given the total negative charges (7–) of the η^5 -C₅Me₅ and

$$Cp^* = \eta^5 \cdot C_5 Me_5$$

$$Cp^*$$

ligands and the nearly C_{3v} symmetry of complex 3, a mixed-valence Ti^{II}/Ti^{II} complex with an average oxidation state of +2.33 for each metal could be anticipated.

Scheme 1. Reductions of [TiCp*X₃] with magnesium under argon atmosphere.

Nevertheless, the electronic structure was studied by density functional theory (DFT) calculations and several complexes with different electronic structures containing one Ti(III) and two Ti(II) centers were computed. As for the spin state of the calculations, different doublet structures have been calculated with varied initial electronic distributions. Some quartet structures have been also computed, but these were discarded because of their relatively high energies. The most stable doublet has the electronic structure shown in Figure 1b.




Figure 1. a) Perspective view of complex **3** (thermal ellipsoids at the 50% probability level). Hydrogen atoms of the η^5 -C₅Me₅ ligands are omitted for clarity. Selected lengths (Å) and angles (°): Ti–Ti 2.872(1)-3.033(1), Ti– μ Cl av. 2.383(7),

 $\label{eq:time_continuity} \begin{array}{lll} Ti-Cl(4) & 2.399(1)-2.423(1), & Cl-Ti-Cl & 95.7(1)-101.2(1), & Cl(4)-Ti-Cl & 99.0(1)-106.3(1), & Ti-Cl-Ti & 74.5(1)-78.8(1), & Ti-Cl(4)-Ti & 73.0(1)-78.3(1). & b) & Most stable computed doublet electronic structure for compound <math display="inline">{\bf 3}. \end{array}$

The electronic structure extracted from the computed NBO orbitals confirms that the complex should be considered a mixed-valence compound. While the Ti1 atom has two unpaired electrons in beta d-orbitals and should be considered a Ti(II) center, the other two titanium atoms have each one unpaired electron on alpha d-orbitals (Figure S3 of the Supporting Information). In addition, Ti2 and Ti3 atoms share an extra electron in a Ti–Ti alpha bonding orbital (Figure 2a) and should have a formal +2.5 oxidation state. Altogether, the average oxidation state for each Ti atom is +2.33. The spin density obtained for complex 3 (Figure 2b) shows the distribution of the unpaired electrons throughout the complex.





Figure 2. Computed a) half full Ti2–Ti3 alpha bonding orbital and b) spin density for compound 3. Methyl groups of the η^5 -C₅Me₅ ligands are omitted for clarity.

The mass spectrum (EI, 70 eV) of 3 shows the expected molecular ion for the trinuclear structure in the gas phase, although the base peak of the spectrum corresponds to the [TiCp*Cl] fragment. While compound 3 appears to be stable in [D₆]benzene solution even at high temperatures according to ¹H NMR spectroscopy, spectra taken of solutions of 3 in [D₈]tetrahydrofuran after 48 h at room temperature showed the broad resonance of the tetrahydrofuran adduct 1 (ca. 10% conversion) at δ = 14.1 ppm ($\Delta v_{1/2}$ = 186 Hz).[21] Indeed the reactivity of 3 in [D₆]benzene towards a variety of unsaturated substrates suggests a behavior as a source of titanium(II) and titanium(III) fragments (Scheme S1). Thus, reaction of 3 with bis(trimethylsilyl)acetylene at room temperature slowly gave a mixture of compound 2 and the previously described complex $\label{eq:continuous} [\{TiCp^*\{\eta^2\text{-}C_2(SiMe_3)_2\}(\mu\text{-}CI)\}_2].^{[26]} \quad Similarly, \quad treatment \quad of \quad a$ solution of 3 with N-(4-methylbenzylidene)aniline led to the of **2** and the monomeric diamagnetic diazatitanacyclopentane [TiCp*Cl{N(Ph)CH(p-tolyl)}2] reported by Beckhaus and co-workers.[27] Furthermore, addition of azobenzene to a solution of 3 generates a mixture of the imidobridged dinuclear complex [{TiCp*Cl(μ-NPh)}₂] (5) and [TiCp*Cl₃] (Scheme 1). The latter compound results from the reaction at room temperature of the titanium(III) complex 2 with PhN=NPh as showed by an independent experiment in [D₆]benzene which cleanly gave 5 and [TiCp*Cl₃]. The hitherto unknown brown complex 5 was isolated in a poor 48% yield due to its similar solubility to that of [TiCp*Cl3], and was characterized by analytical and spectroscopic methods, as well as by an X-ray crystal determination structure (Figure S2). The structural characterization of 5 reveals typical parameters of imido-bridged titanium complexes.[29]

Analogous four-electron reductive cleavage of the N=N double bond of azobenzene by low-valent titanium species is well-documented in the literature, $[^{28,29,30}]$ and we decided to explore the

possibility of reducing the N \equiv N bond of molecular nitrogen. Thus, exposure of solutions of the paramagnetic complex 3 to 1 atm of dinitrogen at room temperature resulted in formation of one diamagnetic species according to 1H NMR spectroscopy. Spectra of a [D6]benzene solution taken after 5 days revealed the complete consumption of 3 and the appearance of two sharp singlets in a 2:1 ratio at δ = 1.87 and 1.70 ppm attributable to the η^5 -C5Me5 ligands of a diamagnetic molecule along with resonances due to the titanium(III) dimer 2. [21] The reaction of 3 in [D6]tetrahydrofuran with N2 at room temperature is completed after 24 h and the spectra showed only two singlets in a 2:1 ratio (δ = 1.81 and 1.76 ppm) along with the broad resonance characteristic of complex 1.

Indeed, exposure of a tetrahydrofuran solution of complex 3, generated in situ by reaction of [TiCp*Cl3] with Mg (1 equiv) under argon, to N2 (1 atm) at room temperature for 16 h gave the trinuclear derivative [$\{TiCp^*(\mu-CI)\}_3(\mu_3-\eta^1:\eta^2:\eta^2-N_2)$] (6) in 87% yield (Scheme 2). The ¹H NMR spectrum of the isolated brown solid of 6 does not show any resonance signal attributable to complexes 1 or 2, since these titanium(III) species were further reduced with the slight excess of Mg used in the preparation of 3. The analogous treatment of generated 3 in tetrahydrofuran solution with isotopically enriched ¹⁵N₂ afforded **6-¹⁵N** in 72% isolated yield. Remarkably, the direct reduction of [TiCp*Cl3] with Mg under dinitrogen atmosphere also gave 6 as the major product but it is accompanied by minor amounts of paramagnetic species according to subsequent ¹H NMR analysis. Presumably, this is due to partial reaction of generated 6 with magnesium, as demonstrated by an independent treatment of isolated 6 with excess Mg which led to unidentified paramagnetic products.



Scheme 2. Reaction of [TiCp*Cl₃] with magnesium under N₂ atmosphere.

Compound **6** exhibits a good solubility and stability at room temperature in tetrahydrofuran, toluene or benzene but it is poorly soluble in hexane. 1H and $^{13}C\{^1H\}$ NMR spectra of **6** in $[D_6]$ benzene or $[D_8]$ tetrahydrofuran at room temperature showed resonance signals for two unequivalent $\eta^5\text{-}C_5\text{Me}_5$ ligands in accordance with a C_s symmetry in solution. The ^{15}N NMR spectrum of **6-**¹⁵N revealed two doublets at δ = 95.4 and -0.4 ppm ($^1J_{N\text{-N}}$ = 19.8 Hz) referenced to MeNO2. A comparison of the IR spectra (KBr) of **6** and **6-**¹⁵N allows the identification of the N-N stretching vibration ($^{14}N/^{15}N$ at 1277/1233 cm- 1) indicating a highly reduced N2 unit (cf. 1529 and 1076 cm- 1 for the N–N IR or Raman stretching vibrations of *trans*-N2H2 and N2H4, respectively). Brown crystals of **6** for an X-ray crystal structure determination were

grown from a toluene/hexane solution at -35 °C. The molecular structure of **6** shows an equilateral triangle of titanium atoms with Ti–Ti separations of 2.936(1) Å (Figure 3a). Each edge of the triangle is bridged by one chloride ligand and one face is capped by a μ_3 - η^1 : η^2 : η^2 - N_2 ligand. The structure exhibits a C_3 axis which crosses through the N(1) atom, while N(2) is disordered in three equally occupied positions located on the three edges of the triangle. The N–N bond distance of 1.099(9) Å is very similar to the 1.098(1) Å separation in free dinitrogen. However, the spectroscopic data of **6** (ν_{NN} frequency of 1277 cm⁻¹ and ¹⁵N NMR resonances in the IR and ¹⁵N NMR spectra) are very different from those of free N_2 (2330 cm⁻¹ in Raman spectroscopy and δ = -70.4 ppm, respectively). The symmetry and disorder observed in the crystal structure determination of **6** probably explain the ambiguities about the geometric parameters of the [N₂] unit.





Figure 3. a) Perspective view of complex 6 (thermal ellipsoids at the 50% probability level). Hydrogen atoms of the $n^5\text{-}C_5\text{Mes}$ ligands are omitted for clarity Selected lengths (Å) and angles (°): Ti–Ti 2.936(1), Ti–Cl av. 2.395(4), Ti(1)–N(1) 2.017(3), Ti(1)-N(2) 2.146(9), Ti(1)-N(2) 2.099(10), N(1)–N(2) 1.099(9), Cl-Ti-Cl 95.9(1), N(1)-Ti-Cl av. 95.5(1), Ti–Cl-Ti 75.6(1), Ti–N(1)-Ti 93.4(2), Ti-N(1)-N(2) 170.2(7), Ti-N(2)-Ti 87.5(4). Symmetry code: (i) 1-y, x-y, z; (ii) 1-x+y, 1-x, z. b) Most stable computed singlet electronic structure for compound

Since the crystal structure did not allow an accurate determination of the dinitrogen ligand, the electronic structure of $\bf 6$ was studied by DFT calculations. In spite of the diamagnetic character of this molecule, the charge assignment is complicated since the bridging N_2 unit can have a range of different charges (i.e., $[N_2]^0$, $[N_2]^{2^-}$, $[N_2]^{4^-}$) and, depending on that, different spin states combined with different metal charge distributions had to be tested. After many calculations, the most stable computed singlet showed one alpha unpaired electron on Ti1 and a beta unpaired electron shared between Ti2 and Ti3, hence forming a Ti–Ti bond (Figure 3b). Thus, the Ti1 atom exhibits a +3 oxidation state while the Ti2 and Ti3 atoms have fractional oxidation states of +3.5.

The computed NBO orbitals for this mixed-valence species show the alpha unpaired electron on Ti1 and the beta unpaired electron forming the Ti2–Ti3 bond (Figure 4a). In agreement with this metal–metal bond, the computed Ti2–Ti3 distance is 2.84 Å



while Ti1–Ti2 and Ti1–Ti3 are as long as 3.09 Å. This electronic arrangement produces the spin density picture shown in Figure 4b, where some spin delocalization in the N_2 unit can be observed, although this is mainly due to spin polarization.

Figure 4. Computed a) half full Ti2–Ti3 beta bonding orbital and b) spin density for compound 6. Methyl groups of the η^5 -C₅Me₅ ligands are omitted for clarity.

The NBO analysis shows that the N_2 moiety has one N–N bond (Figure 5a) and one lone pair on each nitrogen atom (Figure S4), accounting each of them for two electrons. Additionally, both N1 and N2 have one single bond with Ti2 and Ti3 mainly with N character (ca. 75%) (Figures 5b and 5c). All these data suggest that the dinitrogen unit should be considered an [N2]4- ligand although the computed N–N distance of 1.31 Å is shorter than that found in hydrazine (1.45 Å) and closer to that (1.25 Å) of [N2]2- in the diimine. These DFT calculations confirm that the experimentally determined structure does properly localize the position of the N(2) atom, thus producing a much shorter N-N distance close to that of N2. In contrast, the DFT analysis provides a more sensible geometrical arrangement of the N2 unit, in which the bond between nitrogen atoms has been reduced from triple to single character.




Figure 5. Compound **6** NBO orbitals within the N $_2$ unit: a) N–N bond; b and c) Ti3–N1 and Ti3–N5 bonds (analogous NBO orbitals for Ti2–N1 and Ti2–N5 bonds were also found). Methyl groups of the η^5 -C $_5$ Me $_5$ ligands are omitted for clarity.

For further validating the the computed structure of **6** in respect to that determined by X-ray crystallography, we have calculated the infrared and the ^{15}N NMR spectra for this species. The computed N–N stretching band was found at 1233 cm⁻¹ in good agreement with the experimental value of 1277 cm⁻¹. Similarly, the computed ^{15}N NMR resonances show a chemical shift difference of 93.1 ppm very similar to that found ($\Delta\delta$ = 95.8 ppm) between the doublets found in the experimental spectrum of **6** (95.4 and -0.4 ppm).

As mentioned above, the singular μ_3 - η^1 : η^2 : η^2 coordination mode of the dinitrogen ligand has been only described in the unstable intermediate [$\{Ti(\eta^5-C_5Me_4SiMe_3)(\mu-H)\}_3(\mu_3-\eta^1:\eta^2:\eta^2-N_2)$] characterized by NMR spectroscopy at low temperature. [18] Since the oxidation states of the titanium atoms in this species were assigned formally, we have also computed the electronic structure of the analogous hydride complex [{TiCp*(μ-H)}₃(μ₃- $\eta^1:\eta^2:\eta^2-N_2$)] (6'). The electronic structure of the most stable singlet species 6' is the same of that described above for 6, with one alpha unpaired electron on Ti1 and one beta unpaired electron shared between Ti2 and Ti3. The shape of the NBOs describing the Ti2-Ti3 bond, the unpaired electron on Ti1 and the spin density are pretty similar to those shown for compound 6 (Figure S5). In the same line, the NBOs representing the N4-N5 single bond, and the lone pairs on each N atom could be identified (Figure S6). In the calculated IR spectrum of 6', the N-N stretching band appeared at a lower wavenumber (1137 cm⁻¹) than that computed for 6 (1233 cm⁻¹). The calculated ¹⁵N NMR spectrum for 6' revealed a $\Delta\delta$ of 126.1 ppm between the two doublets of the μ_3 - η^1 : η^2 : η^2 - N_2 ligand, which is slightly larger than that for complex 6 but smaller than that reported in the literature for the analogous [{Ti(η^5 -C₅Me₄SiMe₃)(μ -H)}₃(μ ₃- η^1 : η^2 -N₂)] (Δδ = 189.8 ppm).[18]

Monitoring by ¹H and ¹⁵N NMR spectroscopy of a [D₆]benzene solution of 6 or 6-15N revealed complete decomposition at temperatures higher than 40 °C to give unidentified paramagnetic species, but release of 15N2 was not detected in the 15N NMR spectra. The reactivity of 6 in [D₆]benzene was explored by several NMR experiments at room temperature (Scheme S2). No apparent reaction between compound 6 and H2 (up to 5 atm), bis(trimethylsilyl)acetylene or chlorotrimethylsilane was observed. contrast, the treatment of 6 with N-(4methylbenzylidene)aniline and azobenzene cleanly afforded the previously described diazatitanacyclopentane $[\text{TiCp*Cl}\{N(\text{Ph})\text{CH}(\textit{p-tolyl})\}_2] \quad \text{and} \quad \text{imido-bridged} \quad [\{\text{TiCp*Cl}(\mu\text{-}$ NPh)}2] (5) complexes, respectively. These reactions presumably occur by release of N_2 as demonstrated by ^{15}N NMR spectroscopy characterization of $^{15}N_2$ (observed at δ = -70.4 ppm) in the reaction of 6-15N with 2,6-dimethylphenylisocyanide. In the latter experiment, formation of the titanium(IV) derivative [(TiCp*Cl)₂{µ- $N_2C_2(C_6H_3Me_2)_2$], reported by Teuben and co-workers, was stablished by ¹H and ¹³C{¹H} NMR spectroscopy. ^[31] Interestingly, exposure of [D₆]benzene solutions of 6 or 6-15N to anhydrous HCl (1 atm) immediately gave an orange suspension where, after removing the volatile components and dissolving the residue in [D₆]DMSO, NH₄Cl or ¹⁵NH₄Cl were characterized by ¹H NMR spectroscopy. Indeed, in a preparative scale reaction, exposure of a brown solution of complex 6 in tetrahydrofuran to HCI (1 atm) at room temperature resulted in the immediate formation of an orange suspension from which NH₄Cl and [TiCp*Cl₃] were isolated after work-up as white (86%) and red (75%) powders, respectively (Scheme 2).

On the basis of the recyclability of the titanium complex $[TiCp^*Cl_3]$, a catalytic synthesis of ammonia mediated by titanium can be envisaged (Equation 1). The system involves reduction of N_2 with magnesium in thf solution and protonolysis with HCl in presence of a commercially available, or easily prepared in multigram quantities, titanium catalysts to give two equivalents of NH₄Cl. The high solubility in tetrahydrofuran and poor solubility in toluene of the by-product $[MgCl_2(thf)_2]$ allows the easy separation of NH₄Cl and $[TiCp^*Cl_3]$ compounds in high purity. Thus, the treatment of a tetrahydrofuran solution of $[TiCp^*Cl_3]$ (0.86 mmol) with an excess of Mg (30 equiv) under alternating N_2 (30 min) / HCl (15 min) atmospheres for 9 cycles afforded NH₄Cl (0.20 g, 3.75 mmol) in 72% isolated yield (based on nine completed reactions of the titanium complex).

$$N_2 + 3 \text{ Mg} + 8 \text{ HCI} \xrightarrow{\text{[TiCp*Cl}_3], \text{ thf}} 2 \text{ NH}_4\text{Cl} + 3 \text{ MgCl}_2 (1)$$

Conclusion

In summary, we have shown that reduction of [TiCp*Cl3] with magnesium in tetrahydrofuran produces a trinuclear complex [$\{TiCp^*(\mu-CI)\}_3(\mu_3-CI)$] with an average oxidation state of +2.33 for each metal. This mixed-valence species behaves as a source of titanium(II) [TiCp*Cl] and titanium(III) [TiCp*Cl₂] fragments according to its reactivity with unsaturated molecules. Thus, it reacts with dinitrogen under ambient conditions to give the diamagnetic derivative [{TiCp*(μ -CI)}₃(μ ₃- η ¹: η ²: η ²-N₂)] and the titanium(III) dihalide species [TiCp*Cl2] which is unreactive towards N2. According to experimental and theoretical studies, the dinitrogen complex can be described as a mixed-valence compound with a [N2]4- unit bonded in a side-on fashion to two titanium atoms and through an important donor-acceptor interaction between the lone pair of one nitrogen and an empty dorbital of the third titanium atom. This compound presents the first structurally and electronically characterized μ_3 - η^1 : η^2 : η^2 bound dinitrogen in a stable trimetallic complex. The dinitrogen ligand is highly activated and upon protonolysis with HCl produces NH₄Cl in high yield with regeneration of the [TiCp*Cl₃] precursor. Thus, a practical synthesis of ammonia mediated by a titanium complex can be envisioned via reduction of N2 with magnesium and protonation with HCl under ambient conditions.

Acknowledgements

We thank the Spanish MCIU (PGC2018-094007-B-I00 and PGC2018-093863-B-C21) and Universidad de Alcalá (CCG20/CC-007) for financial support of this research. E.d.H. thanks the Universidad de Alcalá for a doctoral fellowship. J.J. acknowledges the Spanish Structures of Excellence María de Maeztu program through grant MDM-2017-0767.

Conflict of Interest

The authors declare the following competing financial interest: Universidad de Alcalá, E.d.H., A.P.-R., M.M., and C.Y. have filed patents related to this work.

Keywords: cluster compounds • density functional calculations • nitrogen fixation • reduction • titanium

References

- [1] Mineral Commodity Summaries 2022, U.S. Geological Survey, 2022.
- a) D. R. MacFarlane, P. V. Cherepanov, J. Choi, B. H. R. Suryanto, R. Y. Hodgetts, J. M. Bakker, F. M. Ferrero Vallana, A. N. Simonov, *Joule* 2020, 4, 1186–1205; b) C. Smith, A. K. Hill, L. Torrente-Murciano, *Energy Environ. Sci.* 2020, 13, 331–344; c) O. Elishav, B. Mosevitzky Lis, E. M. Miller, D. J. Arent, A. Valera-Medina, A. Grinberg Dana, G. E. Shter, G. S. Grader, *Chem. Rev.* 2020, 120, 5352–5436.
- H. Liu, Ammonia Synthesis Catalysts, Innovation and Practice, Chemical Industry Press and World Scientific, Singapore and Beijing, 2013.
- [4] F. Gomollón-Bel, Chem. Int. 2021, 43, 13-20.
- [5] L. C. Seefeldt, Z.-Y. Yang, D. A. Lukoyanov, D. F. Harris, D. R. Dean, S. Raugei, B. M. Hoffman, *Chem. Rev.* 2020, 120, 5082–5106.
- [6] a) H.-P. Jia, E. A. Quadrelli, Chem. Soc. Rev. 2014, 43, 547–564; b) S. L. Foster, S. I. Perez Bakovic, R. D. Duda, S. Maheshwari, R. D. Milton, S. D. Minteer, M. J. Janik, J. N. Renner, L. F. Greenlee, Nat. Catal. 2018, 1, 490–500; c) J. G. Chen, R. M. Crooks, L. C. Seefeldt, K. L. Bren, R. M. Bullock, M. Y. Darensbourg, P. L. Holland, B. Hoffman, M. J. Janik, A. K. Jones, M. G. Kanatzidis, P. King, K. M. Lancaster, S. V. Lymar, P. Pfromm, W. F. Schneider, R. R. Schrock, Science 2018, 360, eaar6611.
- [7] For selected recent reviews, see: a) M. D. Walter, Adv. Organometallic Chem. 2016, 65, 261–377; b) R. J. Burford, M. D. Fryzuk, Nat. Rev. Chem. 2017, 1, 0026; c) Y. Nishibayashi, (Ed.) Nitrogen Fixation in Top. Organomet. Chem., Springer, 2017, vol. 60; d) Y. Nishibayashi, (Ed.) Transition Metal-Dinitrogen Complexes, Wiley-VCH, Weinheim, Germany 2019; e) D. Singh, W. R. Buratto, J. F. Torres, L. J. Murray, Chem. Rev. 2020, 120, 5517–5581; f) S. Kim, F. Loose, P. J. Chirik, Chem. Rev. 2020, 120, 5637–5681; g) F. Masero, M. A. Perrin, S. Dey, V. Mougel, Chem. Eur. J. 2021, 27, 3892–3928; h) S. J. K. Forrest, B. Schluschaß, E. Y. Yuzik-Klimova, S. Schneider, Chem. Rev. 2021, 121, 6522–6587.
- [8] For landmark articles, see: a) D. V. Yandulov, R. R. Schrock, *Science* 2003, 301, 76–78; b) K. Arashiba, Y. Miyake, Y. Nishibayashi, *Nat. Chem.* 2011, 3, 120–125; c) J. S. Anderson, J. Rittle, J. C. Peters, *Nature* 2013, 501, 84–87; d) Y. Ashida, K. Arashiba, K. Nakajima, Y. Nishibayashi, *Nature* 2019, 568, 536–540.
- [9] For recent reviews, see: a) M. J. Chalkley, M. W. Drover, J. C. Peters, Chem. Rev. 2020, 120, 5582–5636; b) Y. Ashida, Y. Nishibayashi, Chem. Commun. 2021, 57, 1176–1189.
- [10] L. R. Doyle, A. J. Wooles, L. C. Jenkins, F. Tuna, E. J. L. McInnes, S. T. Liddle, *Angew. Chem. Int. Ed.* **2018**, *57*, 6314–6318; *Angew. Chem.* **2018**, *130*, 6422–6426.
- [11] P. Ghana, F. D. van Krüchten, T. P. Spaniol, J. van Leusen, P. Kögerler, J. Okuda. Chem. Commun. 2019, 55, 3231–3234.
- [12] For early studies of nitrogen fixation by titanium compounds, see: a) M. E. Vol´pin, B. V. Shur, Nature 1966, 209, 1236; b) M. Mori, J. Organomet. Chem. 2004, 689, 4210–4227; c) P. J. Chirik, Organometallics 2010, 29, 1500–1517; d) H. Seino, Y. Kajita, in Transition Metal-Dinitrogen Complexes, (Ed. Y. Nishibayashi), Wiley-VCH, Weinheim, Germany 2019, Ch 2; and references therein.
- [13] a) T. E. Hanna, E. Lobkovsky, P. J. Chirik, J. Am. Chem. Soc. 2004, 126, 14688–14689; b) T. E. Hanna, E. Lobkovsky, P. J. Chirik, J. Am. Chem. Soc. 2006, 128, 6018–6019; c) T. E. Hanna, W. H. Bernskoetter, M. W. Bouwkamp, E. Lobkovsky, P. J. Chirik, Organometallics 2007, 26, 2431–2438; d) T. E. Hanna, W. H. Bernskoetter, M. W. Bouwkamp, E. Lobkovsky, P. J. Chirik, Organometallics 2009, 28, 4079–4088.
- [14] For selected examples, see: a) R. D. Sanner, D. M. Duggan, T. C. Mckenzie, R. E. Marsh, J. E. Bercaw, J. Am. Chem. Soc. 1976, 98, 8358–8365; b) J. D. Zeinstra, J. H. Teuben, F. Jellinek, J. Organomet. Chem. 1979, 170, 39–50; c) J. M. de Wolf, R. Blaauw, A. Meetsma, J. H. Teuben, R. Gyepes, V. Varga, K. Mach, N. Veldman, A. L. Spek, Organometallics 1996, 15, 4977–4983; d) P. P. Fontaine, B. L. Yonke, P. Y. Zavalij, L. R. Sita, J. Am. Chem. Soc. 2010, 132, 12273–12285; e) T. Kurogi, Y. Ishida, H. Kawaguchi, Chem. Commun. 2013, 49, 11755–11757; f) Y. Nakanishi, Y. Ishida, H. Kawaguchi, Angew. Chem. Int. Ed. 2017, 56, 9193–9197;

- Angew. Chem. 2017, 129, 9321–9325; g) A. Reinholdt, D. Pividori, A. L. Laughlin, I. D. DiMucci, S. N. MacMillan, M. G. Jafari, M. R. Gau, P. J. Carroll, J. Krzystek, A. Ozarowski, J. Telser, K. M. Lancaster, K. Meyer, D. J. Mindiola, Inorg, Chem. 2020, 59, 17834–17850; h) D. Y. Bae, G. Lee, E. Lee, Inorg, Chem. 2021, 60, 12813–12822.
- [15] a) R. Duchateau, S. Gambarotta, N. Beydoun, C. Bensimon, J. Am. Chem. Soc. 1991, 113, 8986–8988; b) S. P. Semproni, C. Milsmann, P. J. Chirik, Organometallics 2012, 31, 3672–3682.
- [16] a) B. Wang, G. Luo, M. Nishiura, S. Hu, T. Shima, Y. Luo, Z. Hou, J. Am. Chem. Soc. 2017, 139, 1818–1821; b) Z. Mo, T. Shima, Z. Hou, Angew. Chem. Int. Ed. 2020, 59, 8635–8644; Angew. Chem. 2020, 132, 8713–8722
- [17] G. P. Pez, P. Apgar, R. K. Crissey, J. Am. Chem. Soc. 1982, 104, 482–490.
- [18] T. Shima, S. Hu, G. Luo, X. Kang, Y. Luo, Z. Hou, Science 2013, 340, 1549–1552.
- [19] Z.-Y. Li, Y. Li, L.-H. Mou, J.-J. Chen, Q.-Y. Liu, S.-G. He, H. Chen, J. Am. Chem. Soc. 2020, 142, 10747–10754.
- [20] a) M. Greño, E. del Horno, M. Mena, A. Pérez-Redondo, V. Varela-Izquierdo, C. Yélamos, *Inorg. Chem.* 2017, 56, 11220–11229; b) E. del Horno, J. Jover, M. Mena, A. Pérez-Redondo, C. Yélamos, *Chem. Eur. J.* 2019, 25, 7096–7100; c) E. del Horno, J. Jover, M. Mena, A. Pérez-Redondo, C. Yélamos, *Chem. Eur. J.* 2022, 28, e202103085.
- [21] M. García-Castro, C. García-Iriepa, E. del Horno, A. Martín, M. Mena, A. Pérez-Redondo, M. Temprado, C. Yélamos, *Inorg. Chem.* 2019, 58, 5314–5324.
- [22] E. del Horno, R. Jiménez-Aparicio, M. Mena, A. Pérez-Redondo, J. L. Priego, C. Yélamos, *Inorg. Chem.* 2020, 59, 3740–3752.
- [23] a) D. F. Evans, J. Chem. Soc. 1959, 2003–2005; b) S. K. Sur, J. Magn. Reson. 1989, 82, 169–173; c) G. A. Bain, J. F. Berry, J. Chem. Educ. 2008, 85, 532–536.
- [24] Deposition numbers xxx (for 3), xx (for 4), xxx (for 5) and xxx (for 6) contain(s) the supplementary crystallographic data for this paper. These data are provided free of charge by the joint Cambridge Crystallographic Data Centre and Fachinformationszentrum Karlsruhe Access Structures service.
- [25] D. W. Stephan, Organometallics 1992, 11, 996–999.
- [26] J. Hiller, U. Thewalt, J. Podlaha, V. Hanuš, K. Mach, Collect. Czech. Chem. Commun. 1997, 62, 1551–1561.
- [27] F. Loose, M. Schmidtmann, W. Saak, R. Beckhaus, Eur. J. Inorg. Chem. 2015, 5171–5187.
- [28] S. Gambarotta, C. Floriani, A. Chiesi-Villa, C. Guastini, J. Am. Chem. Soc. 1983, 105, 7295–7301.
- [29] C. Lorber, Coord. Chem. Rev. 2016, 308, 76-96.
- [30] For selected examples, see: a) R. Duchateau, A. J. Williams, S. Gambarotta, M. Y. Chiang, *Inorg. Chem.* 1991, 30, 4863–4866; b) K. Kaleta, P. Arndt, A. Spannenberg, U. Rosenthal, *Inorg. Chim. Acta* 2011, 370, 187–190; c) G. B. Wijeratne, E. M. Zolnhofer, S. Fortier, L. N. Grant, P. J. Carroll, C.-H. Chen, K. Meyer, J. Krzystek, A. Ozarowski, T. A. Jackson, D. J. Mindiola, J. Telser, *Inorg. Chem.* 2015, 54, 10380–10397.
- [31] B. Hessen, J. Blenkers, J. H. Teuben, G. Helgesson, S. Jagner, Organometallics 1989, 8, 830–835.

Entry for the Table of Contents



Text for Table of Contents: Reduction of [TiCp*Cl₃] with Mg leads to a mixed-valence titanium species capable of reacting with dinitrogen to form a stable trinuclear complex with a $\eta^1:\eta^2:\eta^2-N_2$ ligand. This dinitrogen complex cleanly reacts with HCl to produce NH₄Cl with regeneration of the titanium precursor and a cyclic ammonia synthesis at ambient conditions can be envisaged.

Institute and/or researcher Twitter usernames: ((optional))

