







(Cumulative Index to Nursing and Allied Health Literature)

Febrer de 2013





CINAHL Presentació

CINAHL (Cumulative Index to Nursing and Allied Health Literature) és la base de dades d'abast internacional produïda per **Cinahl Information Systems**, que correspon al repertori imprès del mateix nom publicat per l'**American Nurses Association** i la **National League for Nursing**.

Buida més de 4.500 títols de revistes i té actualment 2,3 milions de registres.

El CRAI de la UB proporciona fins a 5 accessos simultanis des d'ordinadors de la UB (o amb connexió *proxy*) a aquesta base de dades a través del proveïdor **EBSCOhost**.

CINAHL i **EBSCOhost** permeten:

- Personalitzar la cerca i visualització de la interfície de consulta
- Crear un compte d'usuari
- Disposar d'enllaços permanents a cerques
- Veure quins treballs han estat citats
- Extreure els documents en format codificat compatible amb el gestor de bibliografia **RefWorks**





CINAHL Presentació

CINAHL conté informació bibliogràfica d'articles de revistes, monografies, tesis, ponències i comunicacions, programari educatiu, publicacions especialitzades, estàndards, capítols de llibres, material audiovisual i documentació sobre evidència mèdica publicada majoritàriament en llengua anglesa.

Aquesta informació bibliogràfica prové de publicacions especialitzades en infermeria, biomedicina, biotecnologia, medicina alternativa i complementària, i fins a 17 disciplines més relacionades amb les ciències de la salut des de 1973. Inclou les publicacions de la **National League for Nursing** i de l'**American Nurses Association**.

A més, proporciona accés al text complet de 275 monografies i de 770 títols de revistes, 80 dels quals tracten sobre casos jurídics, innovacions clíniques, trajectòries crítiques, fàrmacs, instruments de recerca i assaigs clínics. Inclou, a més, referències citades de 1.340 revistes.

L'actualització de la base de dades per EBSCOhost és diària.





CINAHL Descripció de la pantalla

Les opcions per personalitzar la interfície, guardar resultats o trobar ajuda i informació addicional les trobem a la part dreta de la pantalla.

A la part esquerra tenim l'accés a les diferents opcions de cerca que ens permet la base de dades.

New Searc	1 Publications CINAHL Headings Cited References	More ~		Sign In 🎽 Folder Preferences Languages 🗸	New Features! Help
		Images			
	Searching: CINAHL with Full Text Choose Databases »	Indexes			
EBSCO	in Select a Field (o	ptional) 🔽 💌	Search Clear		R
	AND 💌 in Select a Field (or	otional) 💌		T	
	AND V in Salact a Field (ar	otional) 🔽	Add Bow		
	Basic Search Advanced Search Visual Search Search History	sts enllaços ens eten escollir el	ços ens ollir el	Aquests enllaços ens permeten personalitzar l'idioma de la interfície, guardar els resultats crear serveis d'alerta, entre d'altres.	i
	tipus volem	de cerca que 1 fer.			





CINAHL Consells de cerca

La base de dades permet l'ús de:

Operadors booleans:

AND, **OR** i **NOT** - per combinar els termes o les cerques

Comodins:

asterisc (*) - per cercar paraules que comencen amb la mateixa arrel
 p. ex.: child* (trobareu: child, children, childhood)

signe d'interrogació (?) - us permet substituir una lletra

p. ex.: Espa?a (trobareu: España, Espana) wom?n (trobareu: woman, women)





CINAHL Com cercar

Podem fer una cerca bibliogràfica a la base de dades de tres maneres diferents:

Cerca bàsica (Basic Search)

Searching: CINAHL with Full Text (Choose Databases » Search Clear (Clear (Clear) Search Options Basic Search (Neuronal Search (Search History)

Cerca avançada (Advanced Search)

	Searching: CINAHL with Full Text Choose Databases »							
EBSCO		in Select a Field (optional)	Search Clear					
	AND 💌	in Select a Field (optional)						
	AND 💌	in Select a Field (optional)	Add Row					
	Basic Search Advanced Search Visual Search	Search History						





CINAHL Com cercar

Cerca visual (Visual Search)

EBSCO	Searching: CINA	IL with Full Te	Search Clear 👔	
	Advanced Search	Visual Search	Search History	







La **Cerca bàsica** ens permet fer una cerca bibliogràfica per paraules clau (en anglès).







CINAHL Cerca bàsica

Si volem aplicar límits a la cerca realitzada podem fer-ho per **data de publicació**, **tipus de publicació**, **gènere**, etc.

	Searching: CINA	AHL with Full Text Cho	oose Databases »	
	EBSCO FOST	etes Basic Search Advanced S	earch Visual Search Search History	a) Fem clic a Search Options.
Search Options				
Search modes 🍞	Boolean/Phrase	Apply related words		
	 Find all my search terms Find any of my search terms SmartText Searching Hint 	Also search within the full text of the articles		
Limit your results]
Full Text		References Available		
Abstract Available		Published Date from	January Vear: 2004 to Month Vear: 2010	
Publication	b) I seleccionem limitacions que v aplicar.	olem r Reviewed		





CINAHL Cerca avançada

Aquesta opció avançada permet fer una cerca amb diversos termes simultanis en diferents camps de descripció dels articles: autors, títol, resum, títol de revista, etc.

New Sea	arch Publicatio	ns CINAHL Headings Cited	References Moi	re ~		Sign In 🛁 Folder Preferences Language	es 👻 New Features! Help
	Searching: C insulin AND V AND V Basic Search	INAHL with Full Text Choose D iabetes r Advanced Search Visur tearch Se	TI Title TI Title Select a Field (optional) earch History	Sea	rch Clear ⑦	c) I fem clic a <i>Search</i> per executar la cerca.	UNIVERSITAT DE BARCELONA B
Sea	rch Options						Reset
a) Introduïm els termes que volem cercar.		<i>b</i>) s on	Apply related words b) Seleccionem els camps on els volem buscar.				
Limit	your results						
	Full Text			References Available			
P	Abstract Available			Published Date from	Month Year: Month Year:	to	





CINAHL Cerca visual

Aquesta opció ens presenta els resultats de la cerca en format de mapa visual interactiu.

Searching: CINAHL with F	ull Text Choose Databases » rch P Search History References Available <u>« Search Opt</u>	earch Clear (?)				UNIVERSITAT DE BARCEL
Group Results	Sort Result	ts	Filter R	lesu	ts by Date	Display Style	Relevance Key
Diabetes Mellitus, Non-Insulin Human Insulin Female Male Diabetes Mellitus, Insulin-Depe Middle Age Adult	Human Male Diabetes Mellitus, Non-Insulin Insulin Middle Age Adult Diabetes Mellitus, Insulin-Depe Blood Glucose	Male Human Diabetes Mell Insulin Adult Aged Hypoglycemic Blood Glucose	itus, Non-Insulin Agents		Male Human Adult Diabetes Mellitus, Non-Insulin Insulin Hypoglycemic Agents Aged Blood Glucose	7 Results (2 - 7) Jul 22, 2010 New Er Medicine Full Text: Linked Ful Prolonged nocturnal None May 1, 2010 Diabet Full Text: Linked Ful A simple and promis Nadkarni A	Collect Articles To print, email, or save <u>Add to Folder</u> Summary
Hypoglycemic Agents Blood Glucose	Hypoglycemic Agents Aged	Diabetes Mell Hemoglobin A	itus, Insulin-Depe , Glycosylated		Hemoglobin A, Glycosylated Clinical Trials	Jul 1, 2010 Diabete: Clinical Practice Full Text: Linked Ful	
250 Results (1 - 3) Use of concentrated insulin human regu undefined Sep 15, 2010 American Journal of Health-System Pharmacy Full Text: PDF Adult onset type 1 diabetes mellitus ver Ballard E May 28, 2009 Internet Journal of Advanced Nursing Practice	138 Results (1 - 3) A practical guide to diagnosing type 2 di O'Shea L Jun 11, 2010 Practice Nurse Full Text: HTML Distinct association of serum FGF21 or a undefined Jul 1, 2010 Diabetes Research & Clinical Practice Full Text: Linked Full Text	84 Results (1 - Distinct associatio undefined Jul 1, 2010 Diabe Clinical Practice Full Text: Linked Zinc transporter 1 undefined Jan 1, 2010 Diab Full Text: Linked	3) on of serum FGF21 or a ites Research & Full Text 8 antibodies complem etes Care Full Text		29 Results (1 - 3) Distinct association of serum FGF21 or a undefined Jul 1, 2010 Diabetes Research & Clinical Practice Full Text: Linked Full Text Zinc transporter 8 antibodies complem undefined Jan 1, 2010 Diabetes Care Full Text: Linked Full Text	Diabetes Interactive undefined Jan 1, 2010 Diabete Full Text: Linked Ful No effect of the alter undefined Nov 1, 2009 Diabete Full Text: Linked Ful A randomised contro	





Els enllaços de la part superior de la pantalla permeten fer cerques per:

Publications si volem cercar les revistes incloses a CINAHL







CINAHL Headings permet cercar per les matèries assignades als documents i incloses al tesaurus de CINAHL.

New Search Publications CINAHL Headings Cited References More ~	
Database: CINAHL with Full Text Basic Search Advanced Search <u>Visual Search</u>	Results For: insulin Check box to view subheadings. Click linked term for tree view. Insulin
CINAHL Headings Tiew Tutorials	Insulin Coma
insulin Brows Image: Term Begins With Term Contains Relevancy Ranked	se Insulin Comas Use: Insulin Coma Insulin Infusion System Use: Insulin Infusion Systems
a) Introduïm el terme	Insulin Injection (Saba CCC) Insulin Injection (Saba HHCC) Use: Insulin Injection (Saba CCC) Insulin Like Growth Factor Use: Somatomedins
l'àrea temàtica que ens interessa.	Insulin Like Growth Factors Use: <u>Somatomedins</u> Insulin Lispro Insulin Pump Use: Insulin Infusion Systems Insulin Pumps Use: Insulin Infusion Systems
	Insulin Resistance





Utilitzem *Cited References* si volem saber tant el nombre de citacions que ha tingut un treball com els autors que l'han citat. Permet la cerca per títol, autor, any, etc.

	lew Search	Publications CINAHL Headings Searching: CINAHL with Full Text Cited Author:	Cited References More ~ Choose Databases » Cited Title H Cited Year: Search	alth related quality of life among	Sign In 🚅 Folde earch Clear 🕜	r Preferences Languages Y	New Features! Help
	Cited Re Searcher	ferences Citing articles 1-2 of d references for: WB Health related q citing articles, mark checkboxes and click F	2 Page: 1 uality of life among insulin ind Citing Articles.			Page Options	Add (1-2)
La pantalla us nostrarà tant el nombre de citacions com els articles que els citen.	Find Ci	Health-related quality of life amor (Article Citation) (ARTKEY: PEC.C Database: CINAHL Refs Add to folder Times Cited	g insulin-dependent diabetics; disease-r J.BAE.AALTO.HQLAID) in this Database: (6)	Nated and psychosocial correlates. Aalto A	; Uutela A; Aro A; Patient Ec	ducation and Counselling, 1997; :	30 (3); 215-25.
		2. <u>Health related quality of life amor</u> Citation) (ARTKEY: PEC.CJ.BAE.A	g insulin-dependent diabetics: disease-n ALTO.HRQLAI)	elated and psychosocial correlates. Aalto A	M; Uutela A; Aro AR; Patient	: Educ Counsel, 1997; 30; 215-2;	25. (Article





Images cerca dins la col·lecció d'imatges indexades a la base de dades: en blanc i negre o color, diagrames, il·lustracions, etc.







I la cerca per **Indexes** serveix per buscar dins d'una taula desplegable de termes indexats a la base de dades.







CINAHL Recuperar i combinar cerques

L'opció *Search History* ens permet tant recuperar cerques anteriors com combinar-les.

		New Se	earch Publications	CINAHL Headings	Cited References	More ~		
			Searching: CIN Basic Search	AHL with Full Text C	hoose Databases » Se arch Search History	arch Clear 🍞		
						a) Fo	em clic a l'opció <i>Search</i> ory.	
Sear	ch Histor	y/Alerts						
Print	Search Hi	story Retrieve Searches F	Retrieve Alerts Save Searc	hes / Alerts				
Se Se	elect / des	select all Search with AND	Search with OR D	elete Searches			Refresh Search Results	
	Search ID#	Search Terms		Search Options	Actio	ons		
	S2	tobacco or smoking		Search modes - Boolean/Ph	nrase 🔍	View Results (34736)	🚺 View Details 🛛 🖉 Edit	
	51	b reast and neoplasms		Search modes - Boolean/Ph	nrase 🔍	View Results (27577)	🚺 View Details 🛛 🖉 Edit	
b) S	eleccio	onem la cerca per vis	ualitzar-la o bé per	combinar-la amb ur	a altra cerca.			





CINAHL Recuperar i combinar cerques

Si volem combinar cerques:







CINAHL Recuperar i combinar cerques

La pantalla del Search History també ens permet:

New Search Publications CINAHL Heading	s Cited References More 👻	Sign In 🛁	Folder Preferences Languages ~ New Features! I
Searching: CINAHL with Full Text	Choose Databases » Search Clear ? Search I Search History		UNIVERSITAT DE BARCE
Search History/Alerts		a) Esborrar cerques.	
Print Search History Retrieve Searches Retrieve	ieve Alerts Save Searches / Alerts		
Search with AND	Search with R Delete Searches		Refresh Search Results
earch Search Terms	Search Options	Actions	
□ S1 and S2	b) Guardar o crear una alerta de	nrase Q View Results (4	43) 🚺 View Details 🗹 Edit
breast and cancer	la cerca a la nostra carpeta personal.	hrase Q View Results (2	2295) 🚺 View Details 🗹 Edit
c) Imprimir l'historial de cerca.	Search modes - Boolean/P	hrase Q View Results (3	4736) 🚺 View Details 🗹 Edit





CINAHL Aplicar límits a les cerques

CINAHL permet aplicar limitacions a les cerques per obtenir resultats més específics.

Les més habituals són:

- Limitar els resultats a articles a text complet.
- Limitar les cerques segons la **data de publicació** del document.
- Limitar les cerques per **tipus de document**: *review*, *clinical trial*, etc.
- Suprimir les referències sense resum.





CINAHL Aplicar límits a les cerques

Podem aplicar les limitacions des de dos entorns diferents:

1. Abans de fer la cerca. Introduint els termes a la finestra de cerca i seleccionant les limitacions que volem aplicar-hi.







CINAHL Aplicar límits a les cerques

2. **Després de fer la cerca**. Quan tenim a la pantalla la llista de resultats els límits aplicables se'ns presenten a la columna esquerra.







A la pantalla de **resultats** trobarem uns enllaços que ens permetran veure més informació de cada una de les referències:

Page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>Next</u> Re	levance Sort 🗸 🛛 Page Options 🗸 🛛 Alert / Save / Share 🗸
1. Timeliness of breast cancer diagnosis and initiation of treatment in the National Bre	ast and Cervical Cancer Early Detection Program,
<u>1996-2005.</u> 원 (includes abstract); Richardsc LC; Royalty J; Howe W; Helsel W; Kammerer W; Benard VB; American Journ:	< <u>Result List</u> <u>Refine Search</u>
- research, tables/charts) ISS <mark>:</mark> 0090-0036 PMID: 20019308 CINAHL AN: 2010754489 Subjects: Breast Neoplasms; reast Neoplasms; Early Intervention; Time Factors; Female	Timeliness of breast cancer diagnosis and initiation of treatment in the National Breast and Cervical Cancer Early Detection Program, 1996-2005.
Database: CINAHL with Full T xt	Authors: Richardson LC; Royalty J; Howe W; Helsel W; Kammerer W; Benard VB Images
Show all 4 images	Affiliation: Division of <i>Cancer</i> Prevention and Control, National Center for Chronic Disease Prevention and Health Promotion, Atlanta, GA, Irichardson@cdc.gov
a) Fent clic al títol de l'article veurem la	Source: American Journal of Public Health (AM J PUBLIC HEALTH), 2010 Sep; 100(9): 1769-76 (52 ref)
descripció completa o l'article complet.	Publication journal article - research, tables/charts Type:
© Consulta'I	Language: English
 Evaluation of the tyrer-cuzick (international breast cancer intervention study) model atypical hyperplasia. 	Major Subjects: Breast Neoplasms Diagnosis Breast Neoplasms Therapy Early Intervention Time Factors
(includes abstract); Boughey JC; Hartmann LC; Anderson SS; Degnim AC; Vierkant RA; Reynolds CA; Frost N (22): 3591-6 (iournal article - research) ISSN: 0732-183X PMID: 20606088 CINAHL AN: 2010730134	Minor Subjects: Benchmarking; Confidence Intervals; Descriptive Research; Education, Competency-Based; Female; Guideline Adherence; Human; Kruskal-Wallis Test; Logistic Regression; Mammography
Subjects: Breast; Breast Neoplasms; Hyperplasia; Models, Statistical; Risk Assessment; Aged: 65+ years; Mide	Abstract: OBJECTIVES: To determine the effects of program policy changes, we examined service delivery benchmarks for <i>breast cancer</i> screening in the National <i>Breast</i> and Cervical <i>Cancer</i> Early Detection Program (NBCCEDP). METHODS: We analyzed NBCCEDP data for women with abnormal mammogram or clinical <i>breast</i> examination (n = 382 416) from which 23 701 cancers were
Database: CINAHL with Full Text	diagnosed. We examined time to diagnosis and treatment for 2 time periods: 1996 to 2000 and 2001 to 2005. We compared median time for diagnostic, treatment initiation, and total intervals with the Kruskal-Walls test. We calculated adjusted
Add to folder Relevancy:	proportions (predicted marginals) with logistic regression to examine diagnosis and treatment within program benchmarks ($<$ /= 60 days) and time from screening to treatment ($<$ /= 120 days). RESULTS: Median diagnostic intervals decreased by 2 days (25



-



CINAHL Els resultats

age: 1	2 <u>3 4 5 Next</u> R	elevance Sort 🗸	Page Option	ns v	Alert / Save / Share 🗸	
1.	Timeliness of breast cancer diagnosis and initiation of treatment in the National Br 1996-2005. (includes absorbed), Richardson LC; Royalty J; Howe W; Helsel W; Kammerer W; Benard VB; American Jour - research, tables charts) ISSN: 0090-0036 PMID: 20019308 CINAHL AN: 2010754489 Subjects: Breast I eoplasms; Breast Neoplasms; Early Intervention; Time Factors; Female Database: CINAHL with Full Text Show all 4 images	east and Cervi	Cal Cancer E	Early D (9)	Detection Program, 1769-76 (journal article Full Text Add to folder ess of breast cancer diagno cional Breast and Cervical Ca 005. on LC,Royalty J,Howe W,Helse n Journal of Public Health	sis and initiation of treatment in ancer Early Detection Program, el W,Kammerer W,Benard VB
	veurem el resum de l'article.		Date: 2	2010		
	🖀 HTML Full Text 🏂 PDF Full Text	Publ	ication Type: /	Academi	ic Journal	
2.	Seconsulta'i Evaluation of the tyrer-cuzick (international breast cancer intervention study) mode atypical hyperplasia. (includes abstract); Boughey JC; Hartmann LC; Anderson SS; Degnim AC; Vierkant RA; Reynolds CA; Frost (22): 3591-6 (journal article - research) ISSN: 0732-183X PMID: 20606088 CINAHL AN: 2010730134 Subjects: Breast; Breast Neoplasms; Hyperplasia; Models, Statistical; Risk Assessment; Aged: 65+ years; Mic Database: CINAHL with Full Text Add to folder Relevancy:	el for t MH; Pai ddle Age	Abstract: (OBJECTJ examine National METHOE mammog cancers time per diagnost We calcu regressic CINAHL	IVES: To determine the effect d service delivery benchmarks Breast and Cervical Cancer Ear DS: We analyzed NBCCEDP dat gram or clinical breast examined were diagnosed. We examined riods: 1996 to 2000 and 2001 tic, treatment initiation, and to ulated adjusted proportions (p on to examine diagnosis and tre with Full Text	is of program policy changes, we for breast cancer screening in the ity Detection Program (NBCCEDP). a for women with abnormal tion (n = 382 416) from which 23 701 d time to diagnosis and treatment for 2 to 2005. We compared median time for ital intervals with the Kruskal-Wallis test. redicted marginals) with logistic eatment within program benchmarks
-		Detailed	d Record			
		6 Con	sulta'l			





Page: 1 2 3 4 5 Next Relevance Sort × Page Options × Alert / Save / Share × 1. Timeliness of breast cancer diagnosis and initiation of treatment in the National Breast and Cervical Cancer Early Detection Program, 1996-2005. (includes abstract); Richardson LC; Royalty J; Howe W; Helsel W; Kammerer W; Benard VB; American Journal of Public Health, 2010 Sep; 100 (9): 1769-76 (journal article - research, tables/charts) ISSN: 0090-0036 PMID: 20019308 CINAHL AN: 2010754489 Subjects: Breast Neoplasms; Breast Neoplasms; Early Intervention; Time Factors; Female Database: CINAHL with Full Text Show all 4 images





Screening for breast cancer reduces morbidiy and mortality from breast cancer when women receive timely follow-up and appropriate treatment.¹ There are few data to indicate what the optimal diagnostic and treatment intervals are that might ensure the best chances of survival from breast cancer detected by screening with mammography.^{2,3} Recent information from organized screening programs in Canada and the United Kingdom showed that women who waited longer than 6 to 12 months for diagnostic workup were more likely to have larger cancers and neuro norific hards hard the data.

Objectives. To determine the effects of program policy changes, we examined service delivery benchmarks for breast cancer screening in the National Breast and Cervical Cancer Early Detection Program (NBCCEDP).

Methods. We analyzed NBCCEDP data for women with abnormal mammogram or clinical breast examination (n = 382416) from which 23701 cancers were diagnosed. We examined time to diagnosis and treatment for 2 time periods: 1996 to 2000 and 2001 to 2005. We compared median time for diagnostic, treatment initiation, and total intervals with the Kruskal-Wallis test. We calculated adjusted proportions (predicted marginals) with logistic regression to examine diagnosis and treatment within program benchmarks (≤60 days) and time from screening to treatment (≤120 days).

Results. Median diagnostic intervals decreased by 2 days (25 vs 23; P<.001). Median treatment initiation intervals increased by 2 days (12 vs 14; P<.001).





Page: 1	2 3 4 5 <u>Next</u>		Relevance Sort	✓ Page Options ✓	Alert / Save / Share ~
1.	Timeliness of breast cancer 1996-2005. (includes abstract); Richardson LC; - research, tables/charts) ISSN: 00 Subjects: Breast Neoplasms; Breast Database: CINAHL with Full Text	r diagno: Royalty J; 190-0036 P t Neoplasm	is and initiation of treatment in the National Breast and Cer Howe W; Helsel W; Kammerer W; Benard VB; American Journal of Public Her IID: 20019308 CINAHL AN: 2010754489 ;; Early Intervention; Time Factors; Female	vical Cancer Early alth, 2010 Sep; 100 (9)	Detection Program, 1769-76 (journal article
	Show all 4 images				
		CEC Performent	racercador		
	Add to folder Relevancy:		erveis SFX per a aquesta revista		
	PDF Full	ll Text	Cliqueu la fletxa blava per accedir a la revista. (NO és necessari indicar, si no els s	abeu, l'any, el volum, el n	número o la pàgina d'inici).
	Consulta I		Títol: Timeliness of breast cancer diagnosis and initiation of treatm Font: American Journal of Public Health [0090-0036] any:2010 vol	ent in the National Br .:100 núm:9 pàg.:17	reast and Cervical Cancer E 69
2.	Evalution of the tyrer-cuzi	ick (inter	Servers basics		
Si <mark>fe</mark>	m clic a <i>Consulta'l</i>		Text complet (versió electrònica)		
acce	dim a la col·lecció	irtman L			
de re	ecursos electrònics		Text complet disponible via Journals@Ovid		
als q	uals està subscrita		Any: 2010 Vol.: 100 Núm.: 9 Pàgina inici: 1769		
la Ul	3.		Text complet disponible via ProQuest Health and Medical Com	plete	
		J	Any: 2010 Vol.: 100 Núm.: 9 Pàgina inici: 1769 📀		
			Informació de disponibilitat a les biblioteques (versió impr	esa)	
			Consulteu el Catàleg de la Universitat de Barcelona 🛛 🕒		





Page: 1 <u>2 3 4 5 Next</u>	Relevance Sort ~ Page	e Options v Alert / Save / Share v
 Timeliness of breast cancer diagnosis and initiation 1996-2005. (includes abstract); Richardson LC; Royalty J; Howe W; Helsel W - research, tables/charts) ISSN: 0090-0036 PMID: 20019308 CII Subjects: Breast Neoplasms; Breast Neoplasms; Early Intervention 	on of treatment in the National Breast and Cervical Car V; Kammerer W; Benard VB; American Journal of Public Health, 2010 NAHL AN: 2010754489 on; Time Factors; Female	ncer Early Detection Program, Sep; 100 (9): 1769-76 (journal article
Database: CINAHL with Full Text		
Show all 4 images	CINAHL Headings Cited References More ~ s	Sign In 🥞 Folder Pr ferences Languages - New Features! Help
	tems in the folder for a future session, Sign In to My EBSCOhost.	
HT ull Text DPF Full Text	Articles 1-5 of 5 Page: 1	Aquestes referències seleccionades queden guardades a <i>Folder</i> .
	Select / deselect al Delete Items	E-mail
Fent clic a Add to folder podem fer una selecció de les referències que ens interessen.	t 1. Cyclin B is an immunohistochemical proliferation r risk node negative breast cancer. A (includes abstract); Koladi A; Nilsson C; Holmqvist M; Holmberg L; 49 (6): 816-20 (journal article - research, tables/charts) ISSN: 02 Subjects: Biological Markers; Breast Neoplasms; Breast Neoplasms	marker which can predict for breast cancer death in low- ; de La Torre M; Wärnberg F; Fjälskog M; Acta Oncologica, 2010 Aug; 284-186X PMID: 20307242 CINAHL AN: 2010709124 s; Recurrence; Survival; Female
	Database: CINAHL with Full Text	
	2. Effect of concomitant CYP2D6 inhibitor use and ta -stage breast cancer.	amoxifen adherence on breast cancer recurrence in early





CINAHL Treballar amb les referències

Les referències seleccionades es troben a la carpeta Folder:







CINAHL Treballar amb les referències

Per seleccionar les referències que volem guardar, imprimir o enviar podem fer servir:

$\frac{\text{Relevance Soft } \vee \text{ Page Options }}{\text{Alert / Save / Share}}$
1. Timeliness of breast cancer diagnosis and initiation of treatment in t Early Detection Program, 1996-2005. (includes abstract); Richardson LC; Royalty J; Ho 100 (9): 1769-76 (journal article - research, table Subjects: Breast Neoplasms; Breast Neoplasms; Enny ancervencion, rime raccord, Female Database: CINAHL with Full Text Show all 4 images Image: Add to folder i Relevancy: Image: Relevancy: Image: Relevancy: Image: HTML Full Text Image: PDF Full Text





CINAHL Treballar amb les referències

Les referències seleccionades les podem **imprimir**, **enviar per correu electrònic**, **guardar en un fitxer** o **exportar** a un gestor bibliogràfic.

Per seleccionar les referències farem servir Select / deselect all per seleccionar-les totes o el quadre que hi ha associat a cada entrada.

Select	deselect all Delete Items
V	 Breast cancer risk by breast density, menopause, and postmenopausal hormone therapy use. A (includes abstract); Kerikowske K; Cook AJ; Buist DS; Cummings SR; Vachon C; Vacek P; Miglioretti DL; Journal of Clinical Oncology, 2010 Aug 20; 28 (24): 3830-7 (journal article - research) ISSN: 0732-183X PMID: 20644098 CINAHL AN: 2010752898 Subjects: Breast; Breast Neoplasms; Hormone Replacement Therapy; Mammography; Health Screening; Postmenopause; Aged: 65+ years; Middle Aged: 45-64 years; Female Database: CINAHL with Full Text
	2. Cyclin B is an immunohistochemical proliferation marker which can predict for breast cancer death in low- risk node negative breast cancer. A (includes abstract); Koliadi A; Nilsson C; Holmqvist M; Holmberg L; de La Torre M; Wärnberg F; Fjällskog M; Acta Oncologica, 2010 Aug; 49 (6): 816-20 (journal article - research, tables/charts) ISSN: 0284-186X PMID: 20307242 CINAHL AN: 2010709124 Subjects: Biological Markers; Breast Neoplasms; Breast Neoplasms; Recurrence; Survival; Female Database: CINAHL with Full Text
	3. Effect of concomitant CYP2D6 inhibitor use and tamoxifen adherence on breast cancer recurrence in early -stage breast cancer. Discrete Concerner (Includes abstract); Dezentje VO; van Bijderveen NJ; Gelderblom H; Putter H; van Herk-Sukel MP; Casparie MK; Egberts AC; Nortier JW; Guchelaar HJ; Journal of Clinical Oncology, 2010 May 10; 28 (14): 2423-9 (journal article - research) ISSN: 0732-183X PMID: 20385997 CINAHL AN: 2010647831 Subjects: Antineoplastic Agents, Hormonal; Breast Neoplasms; Breast Neoplasms, Male; Oxidoreductases; Enzyme Inhibitors; Medication Compliance; Neoplasm Recurrence, Local; Tamoxifen; Adult: 19-44 years; Aged: 65+ years; Aged, 80 and over; Middle Aged: 45-64 years; Female; Male





CINAHL Treballar amb les referències: imprimir







CINAHL Treballar amb les referències: enviar per correu electrònic

>>	a) Posem l'adreça de
Print	correu electrònic.
Save as File	E-mail from: ephost@epnet.com E-mail to: Separate each e-mail address with a semicolon. Subject: Comments: Comments:
b) Fem clic a	Format: Remove these items from folder after e-mailing
Send per	For information on e-mailing Linked Full Text, see onlir
enviar.	information on using Citation Formats, see online citat





CINAHL Treballar amb les referències: guardar en un fitxer







CINAHL Treballar amb les referències: exportar a un gestor bibliogràfic









CINAHL Algun dubte? Enquesta de satisfacció



Enquesta de satisfacció

Et demanem la teva opinió sobre aquesta **guia** d'ús de CINAHL.

Els teus comentaris ens ajuden a millorar. Gràcies!

Accés a l'enquesta









Moltes gràcies!



© CRAI, Universitat de Barcelona, 2013