

BIBLIOGRAFÍA

BIBLIOGRAFÍA

Aldasoro, J.J., De Hoyos, C. & Vega, J.C. (1991): El Lago de Sanabria (Estudio limnológico). Monografías de la Red de Espacios Naturales de Castilla y León. Consejería del Medio Ambiente y Ordenación del Territorio. 135 pp.

Alexander, M. A., & Deser, C. (1995): A mechanism for the recurrence of winter time midlatitude SST anomalies. *Journal of Physical Oceanography*, **25**, 122-137.

Allen, J.R.M., Huntley, B., & Watts, W.A. (1996): The vegetation and climate of northwest Iberia over the last 14,000 yr. *Journal of Quaternary Science* **11** (2), 125-147.

Alley, R.B. (1998): Icing the North Atlantic. *Nature*, **392**, 335-337.

Alley, R.B., Clark, P.U., Keigwin, L.D., Webb, R.S. (1999): Making sense of millennial-scale climate change. In: Mechanisms of global climate change at millennial time scales, *Geophysical Monograph* **112**.

Alley, R.B. (2000): The Younger Dryas cold interval as viewed from central Greenland. *Quat. Sci. Rev.*, **19**, 213-226.

Anderson, D.E. (1997): Younger Dryas research and its implications for understanding abrupt climatic change. *Progress in Physical Geography*, **21**, 230-249.

Appleby, P.G., and Oldfield, F. (1978): The calculation of ^{210}Pb dates assuming a constant rate of supply of unsupported ^{210}Pb to the sediment. *Catena* **5**: 1-8.

Appleby, P.G., Oldfield, F., Thompson, R., Huttunen, P., and Tolonen, K. (1979): ^{210}Pb dating of annually laminated lake sediments from Finland. *Nature*, **280**: 53-55.

Appleby, P.G. and Oldfield, F. (1983): The assessment of ^{210}Pb dates from sites with varying sediment accumulation rates. *Hydrobiologia* **103**: 29-35.

Appleby, P.G., Nolan, P., Gifford, D.W., Godfrey, M.J., Oldfield, F., Anderson, N.J., and Battarbee, R.W. (1986): ^{210}Pb dating by low background gamma counting. *Hydrobiologia*, **141**: 21-27.

Appleby, P.G., Nolan, P.J., Oldfield, F., Richardson, N., and Higgitt, S.R. (1988): ^{210}Pb dating of lake sediments and ombrotrophic peats by gamma assay. *Sci. Total Environ.* **69**: 157-177.

Appleby, P.G. and Oldfield, F. (1992): Application of ^{210}Pb to sedimentation studies. En: *Uranium-series Disequilibrium: Applications to Earth, Marine & Environmental Sciences* (eds. M. Ivanovich & R.S. Harmon), Oxford University Press, Oxford: 731-778.

Appleby, P.G., Richardson, N. and Smith, J.T. (1993): The use of radionuclides from Chernobyl and weapons test fallout for assessing the reliability of ^{210}Pb in dating very recent sediments. *Verh. int. Ver. Limnol.* **25**: 266-269.

Appleby, P.G., Jones, V.J., and Ellis-Evans, J.C. (1995): Radiometric dating of lake sediments from Signy Island (maritime Antarctic): evidence of recent climatic change. *Journal of Paleolim.*, **13**: 179-191.

Appenzeller, C., Stocker, T.F., & Anklin, M. (1998 a): North Atlantic oscillation dynamics recorded in Greenland ice cores. *Science*, **282**, 446-449.

Appenzeller, C., Schwander, J., Sommer, S., & Stocker, T.F. (1998 b): The North Atlantic oscillation and its imprint on precipitation and ice accumulation in Greenland. *Geophysical Research Letters*, **25**, 1939-1942.

Armentano, T.V., and Woodwell G.M. (1975): Sedimentation rates in Long Island marsh determined by ^{210}Pb dating. *Limnol Oceanogr* **20**: 452-455.

Baliunas, S., Frick, P., Sokoloff, D., & Soon, W. (1997): Time scales and trends in the Central England temperature data (1659-1990): a wavelet analysis. *Geophysical Research Letters*, **24**, 1351-1354.

Ball, D.F. (1964): Loss-on-ignition as an estimate of organic matter and organic carbon in non-calcareous soils. *J. Soil. Sci.* **15**; 84-92.

Barber, D.C., Dyke, A., Hillaire-Marcel, C., Jennings, A.E., Andrews, J.T., Kerwin, M.W., Bilodeau, G., McNeely, R., Southon, J., Morehead, M.D., & Gagnon, J-M. (1999): Forcing of the cold event of 8,200 years ago by catastrophic drainage of Laurentide lakes. *Nature*, **400**, 344-348.

Bard, E., Raisbeck, G., Yiou, F. & Jouzel, J., (1997): Solar modulation of cosmogenic nuclide production over the last millenium: comparison between ^{14}C and ^{10}Be records. *Earth Planet. Sci. Lett.* **150**, 453-462.

Barnett, T.P. (1985): Variations in Near-Global Sea Level Pressure. *J. Atmos. Sci.*, **42**, 478-501.

Barsugli, J. J., & Battisti, D.S. (1998): The basic effects of atmosphere-ocean thermal coupling on midlatitude variability. *Journal of Atmospheric Science*, **55**, 477-493.

Battarbee, R.W., Appleby, P.G., Odell, K., and Flower R.J. (1985): ^{210}Pb dating of Scottish lake sediments, afforestation and accelerated soil erosion. *Earth Surf Process Landform* **10**: 137-142.

Battisti, D. S., Bhatt, U.S., & Alexander, M.A. (1995): A modeling study of the interannual variability in the wintertime North Atlantic Ocean. *Journal of Climate*, **8**, 3067-3083.

Behl, R.J. & Kennett, J.P. (1996): Brief interstadial events in the Santa Barbara, NE Pacific, during the past 60 kyr. *Nature*, v. **379**, 243-246.

Belis, C.A., Lami, A., Guilizzoni, P., Ariztegui, D., & Geiger, W. (1999): The late Pleistocene ostracod record of the crater sediments from Lake Albano (Central Italy): changes in trophic status, water level and climate. *Journal of Paleolimnology* **21**; 151-169.

Bender, M., Sowers, T., Dickson, M-L., Orchado, J., Grootes, P., Mayewski, P.A., & Meese, D.A. (1994): Climate correlations between Greenland and Antarctica during the past 100,000 years. *Nature*, **327**, 663-666.

Bengtsson, L., & Enell, M. (1986): Chemical analysis. In Berglund B.E. (ed.), *Handbook of Holocene Palaeoecology and Palaeohydrology*. John Wiley & Sons Ltd., Chichester, 423-451.

Benner, T.C. (1999): Central England temperature: long term variability and teleconnections. *International Journal of Climatology*, **19**, 391-403.

Bennett, K.D., Haberle, S.G., & Lumley, S.H. (2000): The last Glacial-Holocene transition in Southern Chile. *Science*, **290**, 325-328.

Benninger, L.K., Lewis, D.M., and Turekian, K.K. (1975): The use of natural ^{210}Pb as a heavy metal tracer in the river-estuarine system. En: Church TM (Ed.), Marine Chemistry in the Coastal Environment. Washington, DC: ACS Symposium Series **18**: 202-210.

Benninger, L.K. (1978): ^{210}Pb balance in Long Island Sound. *Geochim. Cosmochim. Acta* **42**: 1165.

Benninger, L.K., Aller, R.C., Cochran, J.K., and Turekian, K.K. (1979): Effects of biological sediment mixing on the ^{210}Pb chronology and trace metal distribution in a Long Island Sound sediment core. *Earth Planet Sci. Lett.*, **43**: 241-259.

Benoit, G., and Hemond, H.F. (1990): ^{210}Pb and ^{210}Po remobilization from lake sediments in relation to iron and manganese cycling. *Environ. Sci. Technol.* **24**: 1224-1234.

Benoit, G., and Hemond, H.F. (1991): Evidence for diffusive redistribution of ^{210}Pb in lake sediments. *Geochim. Cosmochim. Acta* **55**: 1963-1975.

Berglund B.E. & Ralska-Jasiewiczowa, M. (1986): Pollen analysis and pollen diagrams. In: *Handbook of Holocene Palaeoecology and Palaeohydrology*. John Wiley and Sons, Chichester, 455-484.

Bianchi, G.G. & McCave, I.N. (1999): Holocene periodicity in North Atlantic climate and deep-ocean flow south of Iceland. *Nature* **397**, 515-517.

Blunier, T., Schwander, J., Stauffer, B., Stocker, T., Dallenbach, A., Indermühle, A., Tschumi, J., Chappelaz, J., Raynaud, D. & Barnola, J-M. (1997): Timing of the Antarctic cold reversal and the atmospheric CO₂ increase with respect to the Younger Dryas event. *Geophysical Research Letters*, **24**, 2683-2686.

Blunier, T., Chappelaz, J., Schwander, J., Dallenbach, A., Stauffer, B., Stocker, T.F., Raynaud, D., Jouzel, J., Clausen, H.B., Hammer, C.U., & Johnsen, S.J. (1998): Asynchrony of Antarctic and Greenland climate change during the last glacial period. *Nature*, v. **394**, 739-743.

Blunier, T., & Brook, E.J. (2001): Timing of millennial-scale climate change in Antarctica and Greenland during the last glacial period. *Science*, **291**, 109-111.

Bond, G., Broecker, W.S., Lotti, R.S., & McManus, J. (1992 a): Abrupt color changes in isotope stage 5 in North Atlantic deep sea cores: implications for rapid changes of climate-driven events. In: Start of a glacial (eds.; Kukla, G.J., & Went, E.), NATO ASI Series 1, 3, Springer-Verlag, Berlin and Heidelberg, 185-205.

Bond, G., Heinrich, H., Broecker, W., Labeyrie, L., McManus, J., Andrews, J., Huon, S., Jantschik, R., Clasen, S., Simet, C., Tedesco, K., Klas, M., Bonani, G., & Ivy, S. (1992): Evidence for massive discharges of icebergs into the North Atlantic during the last glacial period. *Nature*, v. **360**, 245-249.

Bond, G., Broecker, W., Johnsen, S., McManus, J., Labeyrie, L., Jouzel, J., & Bonani, G. (1993): Correlations between climate records from North Atlantic sediments and Greenland ice. *Nature*, v. **365**, 143-147.

Bond, G. & Lotti, R. (1995): Iceberg discharges into the North Atlantic on millennial time scales during the last glaciation. *Science*, v.**267**, 1005-1010.

Bond, G., Showers, W., Cheseby, M., Lotti, R., Almasi, P., deMenocal, P., Priore, P., Cullen, H., Hadjas, I., & Bonani, G., (1997): A pervasive millennial-scale cycle in North Atlantic Holocene and glacial climates. *Science*, v.**278**, 1257-1266.

Bond, G., Showers, W., Elliot, M., Evans, M., Lotti, R., Hajdas, I., Bonani, G., & Johnson, S. (1999): The North Atlantic's 1-2 kyr climate rhythm: relation to Heinrich events, Dansgaard/Oeschger cycles and the Little Ice Age. In: Mechanisms of global climate change at millennial time scales, Geophysical Monograph **112**, 35-58.

Bond, G., Kromer, B., Beer, J., Muscheler, R., Evans, M.N., Showers, W., Hoffmann, S., Lotti-Bond, R., Hajdas, I., & Bonani, G. (2001): Persistent solar influence on North Atlantic climate during the Holocene. *Science*, **294**, 2130-2136.

Broecker, W.S., Andree, M., Wolfli, W., Oeschger, H., Bonani, G., Kennett, J., & Peteet, D. (1988): The chronology of the last deglaciation: implications to the cause of the Younger Dryas event. *Paleoceanography*, **3**, 659-669.

Broecker, W.S., Kennett, J.P., Flower, B.P., Teller, J.T., Trumbore, S., Bonani, G., & Wolfli, W. (1989): Routing of meltwater from the Laurentide Ice Sheet during the Younger Dryas cold episode. *Nature*, **341**, 318-320.

Broecker, W.S. (1990): Salinity history of the northern Atlantic during the last deglaciation. *Paleoceanography*, **5**, 459-467.

Broecker, W.S., Bond, G., Klas, M., Bonani, G., & Wolfli, W. (1990): A salt oscillator in the glacial Atlantic? 1. The concept. *Paleoceanography*, **3**, 1-20.

Broecker, W.S., Bond, G., & Klas, M. (1990): A salt oscillator in the glacial North Atlantic? 1. The concept. *Paleoceanography*, **5**, 469-477.

Broecker, W.S. (1991): The great ocean conveyor. *Oceanography*, **4**, 79-89.

Broecker, W.S. (1994): Massive icebergs discharges as triggers for global climate change. *Nature*, **372**, 421-424.

Broecker, W.S. (1997): Thermohaline circulation, the achilles heel of our climate system. *Science*, **278**, 1582-1588.

Broecker, W.S. (1998): Paleocean circulation during the last deglaciation: a bipolar see-saw? *Paleoceanography*, **13**, 119-121.

Broecker, W.S. (2000): Abrupt climate change: causal constraints provided by the paleoclimate record. *Earth Science Reviews*, **51**, 137-154.

Broecker, W.S. (2001): Are we headed for a thermohaline catastrophe? In: Geological perspectives of global climate change, 83-95. Eds.: L.C. Gerhard, W.E. Harrison, and B.M. Hanson.

Broecker, W.S. (2001): Was the Medieval Warm Period global? *Science*, **291**, 1497-1499.

Broecker, W.S., & Hemming, S. (2001): Climate swings come into focus. *Science*, **294**, 2308-2309.

Brook, E.J., Harder, S., Severinghaus, J., & Bender, M. (1999): Atmospheric methane and millennial-scale climate change. In: Mechanisms of global climate change at millennial time scales, Geophysical Monograph **112**.

Bruland, K.W., Koide, M., Bowser C., Maher, L.J. and Goldberg, E.D. (1975): Lead-210 and pollen geochronology on Lake Superior sediments. *Quat. Res.*, **5**: 89-98.

- Cameron, N.G., Birks, H.J.B., Jones, V.J., Berge, F., Catalan, J., Flower, R.J., García, J., Kawecka, B., Koinig, K.A., Marchetto, A., Sánchez-Castillo, P., Schmidt, R., Sisko, M., Solovieva, N., Stefková, E., & Toro, M. (1999): Surface-sediment and epilithic diatom pH calibration sets for remote European mountain lakes (AL:PE Project) and their comparison with the Surface Waters Acidification Programme (SWAP) calibration set. *Journal of Paleolimnology*, **22**, 291-317.
- Campbell, I.D., Campbell, C., Apps, M.J., Rutter, N.W., & Bush, A.B.G. (1998): Late Holocene 1500 yr climatic periodicities and their implications. *Geology*, **26**, 471-473.
- Canberra Industries Inc., copyright (1996). GENIE-PC Gamma analysis v2.4.
- Cayan, D.R. (1992): Latent and sensible heat flux anomalies over the northern oceans: the connection to monthly atmospheric circulation. *J. Climate*, **5**, 354-369.
- Chapman, M.R., & Shackleton, N.J. (2000): Evidence of 550-year and 1000-year cyclicities in North Atlantic circulation patterns during the Holocene. *The Holocene*, **10**, 287-291.
- Chappellaz, J., Barnola, J.M., Raynaud, D., Korotkevich, Y.S., & Lorius, C. (1990): Ice-core record of atmospheric methane over the past 160,000 years. *Nature*, **345**, 127-131.
- Chappellaz, J., Blunier, T., Raynaud, D., Barnola, J.M., Schwander, J., & Stauffer, B. (1993): Synchronous changes in atmospheric CH₄ and Greenland climate between 40 and 8 kyr B.P. *Nature*, **366**, 443-445.
- Chapron, E., Beck, C., Pourchet, M., & Deconinck, J-F. (1999): 1822 earthquake-triggered homogenite in Lake Le Bourget (NW Alps). *Terra Nova* **11**, 86-92.
- Chung, F.H. (1974 a): Quantitative interpretation of X-ray diffraction patterns of mixtures: I. Matrix-flushing method for quantitative multicomponent analysis. *J. Appl. Crystallogr.*, **7**, 519-525.
- Chung, F.H. (1974 b): Quantitative interpretation of X-ray diffracction patterns of mixtures: II. Adiabatic principle of X-ray diffraction analysis of mixture. *J. Appl. Crystallogr.*, **7**, 526-531.
- Cita, M.B., Maccagni, A. & Pirovano, G. (1982): Tsunami as triggering mechanism of homogenites recorded in areas of the eastern Mediterranean characterized by the 'Cobblestone Topography'. In: S. Saxov and J.K. Neuwenhuis (Editors), *Marine Slides and Other Mass Movements*. Plenum Press, London, pp. 233-261.
- Cita, M.B., Camerlenghi, A., Kastens, K.A. & McCoy, F.W. (1984): News findings of Bronze age Homogenites in the Ionian Sea: geodynamic implications for the Mediterranean. *Mar. Geol.* **55**: 47-62.
- Cita, M.B., Camerlenghi, A., & Rimoldi, B. (1996): Deep-sea tsunami deposits in the esatern Mediterranean: new evidence and depositional models. *Sedim. Geol.*, **104**: 155-173.
- Clark, P.U., Alley, R.B., & Pollard, D. (1999): Northern hemisphere ice sheet influences on global climate change. *Science*, **286**, 1104-1111.
- Clark, P.U., Marshall, S.J., Clarke, G.K.C., Hostetler, S.W., Licciardi, J.M., & Teller, J.T. (2001): Freshwater forcing of abrupt climate change during the last glaciation. *Science*, **293**, 283-286.
- Clarke, G.K.C., & Marshall, S.J. (1999): A glaciological perspective on Heinrich events. In: *Mechanisms of global climate change at millennial time scales*, Geophysical Monograph, **112**.

COHMAP miembros (1988): Climatic changes of the last 18,000 years: Observations and model simulations. *Science* **241**, 1043-1052.

Crowley, T.J. (1992): North Atlantic deep water cools the southern hemisphere. *Paleoceanography*, **7**, 489-497.

Curry, W.B., Duplessy, J-C., Labeyrie, L., & Shackleton, N.J. (1988): Quaternary deep water circulation changes in the distribution of $\delta^{13}\text{C}$ of deep water ΣCO_2 between the last glaciation and the Holocene. *Paleoceanography*, **3**, 317-342.

Curry, W.B., & Oppo, D.W. (1997): Synchronous, high-frequency oscillations in tropical sea surface temperatures and North Atlantic deep water production during the last glacial cycle. *Paleoceanography*, **3**, 317-341.

Dansgaard, W., Johnsen, S.J., Moller, J., & Langway, C.C. Jr. (1969): One thousand centuries of climatic record from Camp Century on the Greenland ice sheet. *Science*, **166**, 377-381.

Dansgaard, W., Clausen, H.B., Gundestrup, N., Hammer, C.U., Johnsen, S.J., Kristindottir, P.M., & Reech, N. (1982): A new Greenland deep ice core. *Science*, **218**, 1273-1277.

Dansgaard, W., Johnsen, S.J., Clausen, H.B., Dahl-Jensen, D., Gundestrup, N., Hammer, C.U., & Oeschger, H. (1984): North Atlantic climatic oscillations revealed by deep Greenland ice cores. *Geophysical Monograph* **29**, 288-298.

Dansgaard, W., White, J.W.C., Johnsen, S.J. (1989): The abrupt termination of the Younger Dryas climate event. *Nature*, **339**, 532-534.

Dansgaard, W., Johnsen, S.J., Clausen, H.B., Dahl-Jensen, D., Gundestrup, N.S., Hammer, C.U., Hvidberg, C.S., Steffensen, J.P., Sveinbjörnsdóttir, A.E., Jouzel, J., & Bond, G. (1993): Evidence for general instability of past climate from a 250-kyr ice-core record. *Nature*, v. **364**, 218-220.

Dawson, A.G., Long, D. & Smith, D.E. (1988): The Storegga Slides: evidence from eastern Scotland for a possible tsunami. *Mar. Geol.* **82**: 271-276.

De Hoyos, C. (1996): Limnología del Lago de Sanabria: variabilidad interanual del fitoplancton. Univ. Salamanca, PhD Thesis, 438 pp.

De Hoyos, C., Aldasoro, J.J., Toro, M. & Comín, F.A. (1998): Specific composition and ecology of chrysophyte flagellates in Lake Sanabria (NW Spain). *Hydrobiologia*, **369/370**, 287-295.

De Hoyos, C., & Comín, F.A. (1999): The importance of inter-annual variability for management. *Hydrobiologia*, **395/396**, 281-291.

Dean, W.E. (1974): Determination of carbonate and organic matter in calcareous sediments and sedimentary rocks by loss on ignition: comparison with other methods. *J. Sed. Petrol.* **44**; 242-248.

Dean, W.E. (1999): The carbon cycle and biogeochemical dynamics in lake sediments. *Journal of Paleolimnology* **21**; 375-393.

Delworth, T. L. (1996): North Atlantic interannual variability in a coupled ocean-atmosphere model. *Journal of Climate*, **9**, 2356-2375.

deMenocal, P., Ortiz, J., Guilderson, T., & Sarnthein, M. (2000): Coherent high- and low-latitude climate variability during the Holocene warm period. *Science*, **288**, 2198-2202.

Denton, G.H., & Porter, S.C. (1970): Neoglaciation. *Scientific American*, **222**, 100-110.

Deser, C. & Blackmon, M.L. (1993): Surface climate variations over the North Atlantic Ocean during winter: 1900-1993. *J. Climate*, **6**, 1743-1753.

Deser, C., & Timlin, M.S. (1997): Atmosphere-ocean interaction on weekly time scales in the North Atlantic and Pacific. *Journal of Climate*, **10**, 393-408.

Dickson, R.R., & Brown, J. (1994): The production of North Atlantic Deep Water: sources, rates, and pathways. *Jour. Geophys. Research*, **99C**, 12319-12341.

Duplessy, J.C., Shackleton, N.J., Matthews, R.K., Prell, W., Ruddiman, W.F., Caralp, M., & Hendy, C.H. (1984): C-13 record of benthic foraminifera in the last interglacial ocean: implications for the carbon cycle and global deep water circulation. *Quat. Res.*, **21**, 225-243.

Duplessy, J.C., Shackleton, N.J., Fairbanks, R.G., Labeyrie, L., Oppo, D., & Kallel, N. (1988): Deep-water source variations during the last climatic cycle and their impact on the global deep water circulation. *Paleoceanography*, **3**, 343-360.

Duplessy, J.C. Labeyrie, L., Juillet-Leclerc, A., & Duprat, J. (1992): A new method to reconstruct sea surface salinity: application to the North Atlantic Ocean during the Younger Dryas. In: *The last deglaciation: absolute and radiocarbon chronologies* (Eds.: Bard E. & Broecker, W.S.), NATO ASI Series 1, 2, Springer-Verlag, Berlin, 201-217.

Dyer, T.G.J. (1976): An analysis of Manley's Central England temperature data. 1. *Quarterly Journal of the Royal Meteorological Society*, **102**, 871-888.

Enfield, D.A., Mestas-Nuñez, A.M., & Trimble, P.J. (2001): The Atlantic Multidecadal Oscillation and its relationships to rainfall and river flows in the continental US. *Geophysical Research Letters*, **28**, 2077-2080.

Engstrom D.R. & Wright, H.E. Jr. (1984): Chemical stratigraphy of lake sediments as a record of environmental change. En: *Lake sediments and environmental history*. E.Y. Hayworth and J.W.G. Lund, eds. University of Minnesota Minneapolis Press, 11-67.

Evans, J.E., Johnson, T.C., Alexander, E.C., Lively, R.S., and Eisenrich, S.J. (1981): Sedimentation rates and depositional processes in Lake Superior from ^{210}Pb geochronology. *J. Great Lakes Res* **7**: 299-310.

Faegri, K., & Iverson, I. (1989): Appendix A. In: Faegri, K., Kaland, P.E., & Krzywinski, K. (eds.) *Textbook of Pollen Analysis*. Blackwell, New York, 69-89.

Finkel, R. & Nishizumi, K. (1997): Be-10 concentrations in the GISP2 ice core from 3-40 ka BP. *J. Geophys. Res.*, **102**, C12, 26,699-26,706.

Folland, C.K. (1983): Regional scale-interannual variability of climate- a north-west European perspective. *Meteorological Magazine*, **112**, 161-183.

Frankignoul, C., Muller, P., & Zorita, E. (1997): A simple model of the decadal response of the ocean to stochastic wind forcing. *Journal of Physical Oceanography*, **8**, 1533-1546.

Friedrich, K., & Muller, K. (1992): Climate anomalies in Europe associated with ENSO extremes. *International Journal of Climatology*, **12**, 25-31.

Friis-Christensen, E. & Lassen, K (1991): Length of the solar-cycle: an indicator of solar-activity closely associated with climate. *Science*, **254**, 698-700.

Gaggeler, H., Von Gunten, H.R., and Nyffeler, U. (1976): Determination of ^{210}Pb in lake sediments and in air samples by direct gamma-ray measurements. *Earth Planet. Sci. Lett.*, **33**: 119-121.

Gambrell, R.P., Khalid, R.A. and Patrick, Jr., W.H. (1976): Physicochemical parameters that regulate mobilization and immobilization of toxic heavy metals. En: Proceedings of the Specialty Conference on Dredging and its Environmental Effects. American Society of Civil Engineers, New York, 418-434.

Ganopolski, A., & Rahmstorf, S. (2001): Rapid changes of glacial climate simulated in a coupled climate model. *Nature*, **409**, 153-158.

Gilmore, G., and Hemingway, J. (1995): Practical gamma-ray spectrometry. John Wiley and Sons (Ed.), 314 pp.

Goldberg, E.D. (1963): Geochronology with ^{210}Pb . In: Symposium on Radioactive Dating, 121-131. International Atomic Energy Agency (United Nations), Vienna, Austria.

Goodman, J. (1998): Statistics of North Atlantic Oscillation variability. <http://www.mit.edu/people/goodmanj/NAO1/index.html>.

Goodman, J., & Marshall, J. (1999): A model of decadal middle-latitude atmosphere-ocean coupled modes. *Journal of Climate*, **12**, 621-641.

Grimm, E.C., Jacobson, G.L., Watts, W.A., Hansen, B.C.S., & Maasch, K.A. (1993): A 50,000-year record of climatic oscillations from Florida and its temporal correlation with the Heinrich events. *Science*, **261**, 198-200.

Grootes, P.M., Stuiver, M., White, J.W.C., Johnsen, S.J., Jouzel, J. (1993): Comparison of oxygen isotope records from the GISP2 and GRIP Greenland ice cores. *Nature*, v. **366**, 552-554.

Grootes, P.M., & Stuiver, M. (1997): Oxygen 18/16 variability in Greenland snow and ice with 10^{-3} to 10^{-5} -year time resolution. *Jour. Geophys. Res.*, **102**, C12, 26,455 – 26,470.

Graf, H.-F., Perlwitz, J., Kirchner, I., & Schult, I. (1995): Recent northern winter climate trends, ozone changes and increased greenhouse gas forcing. *Contrib. Phys. Atmos.*, **68**, 233-248.

Guiot, J., Harrison, S.P., & Prentice, I.C. (1993): Reconstruction of Holocene precipitation patterns in Europe using pollen and lake-level data. *Quaternary Research* **40**, 139-149.

Gunten von, H.R. and Moser, R.N. (1993): How reliable is the ^{210}Pb dating method? Old and new results from Switzerland. *J.Paleolim.* **9**: 161-178.

Haigh, J.D. (2001): Climate variability and the influence of the Sun. *Science*, **294**, 2109-2111.

Hansen, D. V., & Bezdek, H.F. (1996): On the nature of decadal anomalies in North Atlantic sea surface temperature. *Journal of Geophysical Research*, **101**, 8749-8758.

Healey, F.P., & Hendzel, L.L. (1980): Physiological indicators of nutrient deficiency in lake phytoplankton. *Can. J. Fisheries Aquatic Sci.* **37**; 442-453.

Hecky, R.E. & Kilham, P. (1988): Nutrient limitation of phytoplankton in freshwater and marine environments. A review of recent evidence on the effects of enrichment. *Limnol. Oceanogr.* **33**; 796-822.

- Hecky, R.E., Campbell, P., & Hendzel, L.L. (1993): The stoichiometry of carbon, nitrogen and phosphorus in particulate matter of lakes and oceans. *Limnol. Oceanogr.* **38**; 709-724.
- Hedges, J.I. & Stern, J.H. (1984): Carbon and nitrogen determinations of carbonate-containing solids. *Limnology and Oceanography* **29**; 657-663.
- Heinrich, H. (1988): Origin and consequences of cyclic ice-raftering in the Northeast Atlantic Ocean during the past 130,000 years. *Quaternary Research*, **29**, 142-152.
- Heiri, O., Lotter, A.F., & Lemcke, G. (2001): Loss on ignition as a method for estimating organic and carbonate content in sediments: reproducibility and comparability of results. *Journal of Paleolimnology* **25**; 101-110.
- Hendy, I.L., & Kennett, J.P. (1999): Latest Quaternary North Pacific surface-water responses imply atmospheric-driven climatic instability. *Geology*, **27**, 291-294.
- Hendy, I.L., & Kennett, J.P. (2000): Dansgaard-Oeschger cycles and the California current system: planktonic foraminiferal response to rapid climate change in Santa Barbara Basin, Ocean Drilling Program hole 893 A. *Paleoceanography*, **15**, 30-42.
- Hostetler, S.W., Bartlein, P.J., Clark, P.U., Small, E.E., & Solomon, A.M. (2000): Simulated influences of Lake Agassiz on the climate of central North America 11,000 years ago. *Nature*, **405**, 334-337.
- Hoyt, D.V. & Schatten, K.H. (1997): The role of the Sun in climate change. Oxford University Press, Oxford, 279 pp.
- Hughen, K.A., Overpeck, J.T., Peterson, L.C., & Trumbore, S. (1996): Rapid climate changes in the Tropical Atlantic region during the last deglaciation. *Nature*, **380**, 51-54.
- Hurrell, J.W. (1995): Decadal trends in the North Atlantic Oscillation regional temperatures and precipitation. *Science*, **269**, 676-679.
- Hurrell, J. W., (1996): Influence of variations in extratropical wintertime teleconnections on Northern Hemisphere temperatures. *Geophysical Research Letters*, **23**, 665-668.
- Hurrell, J.W. & van Loon, H. (1997): Decadal variations in climate associated with the North Atlantic oscillation. *Clim. Change*, **36**, 301-326.
- Hutchinson, G.E. (1957): A treatise on Limnology. New York, John Wiley & Sons.
- IGME (1981): Mapa Geológico de España, Hoja 267 (Puebla de Sanabria) (E.1: 50.000).
- Jaworowski, Z. (1966): Temporal and geographical distribution of radium D (lead-210). *Nature* **212**: 886-889.
- Johnsen, S.J., Dansgaard, W., Clausen, H.B., & Langway, C.C. Jr. (1972): Oxygen isotope profiles through the Antarctic and Greenland ice sheets. *Nature*, **235**, 429-433.
- Johnsen, S.J., Clausen, H.B., Dansgaard, W., Gundestrup, N.S., Hammer, C.U., Andersen, U., Andersen, K.K., Hvidberg, C.S., Dahl-Jensen, D., Steffensen, J.P., Shoji, H., Sveinbjörnsdóttir, A., White, J., Jouzel, J., & Fisher, D. (1997): The $\delta^{18}\text{O}$ record along the Greenland ice core project deep ice core and the problem of possible Eemian climatic instability. *Journal of Geophysical Research*, **102**, C12, 26,397-26,410.

- Johnson, T.C., Brown, E.T., McManus, J., Barry, S., Barker, P. & Gasse, F. (2002): A high-resolution paleoclimate record spanning the past 25.000 years in southern East Africa. *Science*, **296**, 5565, 113-114.
- Keigwin, L.D., & Jones, G.A. (1994): Western North Atlantic evidence for millennial-scale changes in ocean circulation and climate. *Journal of Geophysical Research*, **99**, C6, 12,397-12,410.
- Kerr, R.A. (2000): A North Atlantic pacemaker for the centuries. *Science*, **288**, 1984-1986.
- Kitoh, A., Doide, H., Kodera, K., Yukimoto, S., & Noda, A. (1996): Interannual variability in the stratospheric-tropospheric circulation in a coupled ocean-atmosphere GCM. *Geophysical Research Letters*, **23**, 543-546.
- Kodera, K., (1994): Influence of volcanic eruptions on the troposphere through stratospheric dynamical processes in the Northern Hemisphere winter. *Journal of Geophysical Research*, **99**, 1273-1282.
- Kodera, K., Chiba, M., Koide, H., Kitoh, A., & Nikaidou, Y. (1996): Interannual variability of the winter stratosphere and troposphere in the Northern Hemisphere. *Journal of the Meteorological Society of Japan*, **74**, 365-382.
- Koide, M., Soutar, A., and Goldberg, E.D. (1972): Marine geochronology with ^{210}Pb . *Earth Planet. Sci. Lett.* **14**: 442-446.
- Koide, M., Bruland, K.W., and Goldberg, E.D. (1973): $^{228}\text{Th}/^{232}\text{Th}$ and ^{210}Pb geochronologies in marine and lake sediments. *Geochim. Cosmochim. Acta*, **37**: 1171-1187.
- Korsman, T., Nilsson, M.B., Landgren, K., & Renberg, I. (1999): Spatial variability in surface sediment composition characterised by near-infrared (NIR) reflectance spectroscopy. *Journal of Paleolimnology* **21**; 61-71.
- Krishnaswami, S., Lal, D., Martin, J.M. and Meybeck, M. (1971): Geochronology of lake sediments. *Earth Planet. Sci. Lett.* **11**: 407-414.
- Krishnaswami, S., and Lal, D. (1978): Radionuclide limnochronology. En: Lerman, A. (ed.), Lakes; Chemistry, Geology, Physics., Springer-Verlag, New York, 153-177.
- Kushnir, Y., (1994): Interdecadal variations in North Atlantic sea surface temperature and associated atmospheric conditions. *Journal of Climate*, **7**, 142-157.
- La Vanguardia (1959). Artículos periodísticos de la época, correspondientes a los días 10-13 de enero de 1959. Información sobre el evento catastrófico de la rotura de la Presa Vega de Tera.
- Labeyrie, L. (2000): Glacial climate instability. *Science*, **290**, 1905-1907.
- Labitzke, K., & van Loon, H. (1990): Associations between the 11-year solar cycle, the Quasi-Biennial Oscillation and the atmosphere- a summary of recent work. *Philosophical Transactions of the Royal Society of London, A* **330**, 577-589.
- Lamb, H.H. (1977): Climate: past, present and future. Vol. 2, Climatic History and the future. Methuen, London, 835 pp.
- Lamb, P.J. & Peppler, R.A. (1987): North Atlantic Oscillation concept and an application. *Bull. Am. Meteorol. Soc.*, **68**, 1218-1225.

Lamb, H., Roberts, N., Leng, M., Barker, P., Benkaddour A., van der Kaars, S. (1999): Lake evolution in a semi-arid montane environment: responses to catchment change and hydroclimatic variation. *Journal of Paleolimnology* **21**; 355-343.

Larocque, I., Hall, R.I., Grahn, E. (2001): Chironomids as indicators of climatic change: a 100-lake training set from a subarctic region of northern Sweden (Lapland). *Journal of Paleolimnology* **26**; 307-322.

Lau, N.C. & Nath, M.J. (1991): Variability of the baroclinic and barotropic transient eddy forcing associated with monthly changes in the midlatitude storm tracks. *Journal of Atmospheric Science*, **48**, 2589-2613.

Lean, J., & Rind, D. (1998): Climate forcing by changing solar radiation. *J. Climate*, **11**, 3069-3094.

Leira (2000). Paleolimnología en lagos postglaciares del Noroeste de la Península Ibérica. Ph.D. Thesis, Universidade de A Coruña, Spain, 227pp.

Lorius, C., Jouzel, J., Ritz, C., Merlivat, L., Barkov, N.I., Korotkevich, Y.S., & Kotlyakov, V.M. (1985): A 150,000 year climatic record from Antarctic ice. *Nature*, **316**, 591-596.

Luque, J.A. & Julià, R. (2001): Seismic events recorded in Sanabria lacustrine sequence (NW Spain). *Terra Nostra* **2001/2**; Intercomparison among the Mediterranean Holocene lacustrine sequences: temporal and spatial extension of environmental short events, 50-52.

Luque, J.A., Riera, S., Julià, R., Alejandro, J.A., & Negro, A.I. (2001): Response of the Lake Sanabria ecosystem to the 1959 AD catastrophic event. *Terra Nostra* **2001/3**; High-resolution lake sediment records in climate and environment variability studies, 132-136.

Luque, J.A. & Julià, R. (2002): Lake sediment response to land-use and climate change during the last 1000 years in the oligotrophic Lake Sanabria (northwest of Iberian Peninsula). *Sedimentary Geology*, **148** (1-2), 343-355.

Magny, M. (1993): Solar influences on holocene climatic changes illustrated by correlations between past lake-level fluctuations and the atmospheric ^{14}C record. *Quaternary Research*, **40**, 1, 1-9.

Martínez García, E. (1973): Deformación y metamorfismo en la zona de Sanabria. *Studia Geologica Salmanticensia*, **5**: 7-106.

Martínez García, E. & Quiroga, J.L. (1993): Estructura de la antiforma del Ollo de Sapo en el sector de Sanabria-Alcañices (Zamora, Orense, NW Spain). *Cuaderno Lab. Xeolóxico de Laxe*, **18**: 27-35.

Martínez Solares, J.M. (2001): Los efectos en España del terremoto de Lisboa (1 de noviembre de 1955). Dirección General del Instituto Geográfico Nacional, páginas 534-535.

Martinson, D., Pisias, N.G., Hays, J.D., Imbrie, J., Moore, T.C., & Shakleton, N. (1987): Age dating and the orbital theory of the ice ages: development of a high-resolution 0 to 300,000-year chronostratigraphy. *Quaternary Research*, **27**, 1-29.

Mathworks (1997): Matlab. Wavelet Toolbox (autores: Misiti, M; Misiti, Y.; Openheim, G.; Poggi, J.M.).

Matsumoto, E. (1975): ^{210}Pb geochronology of sediments from Lake Shinji. *Geochem. J.*, **9**: 167-172.

Mayewski, P.A., Meeker, L.D., Twickler, M.S., Whitlow, S., Yang, Q., Lyons, W.B., & Prentice, M. (1997): Major features and forcing of high-latitude northern hemispheric atmospheric circulation using a 110,000-year-long glaciochemical series. *Journal of Geophysical Research*, **102**, C12, 26,345-26,366.

McKenzie, J.A. (1985): Carbon isotopes and productivity in the lacustrine and marine environment. In Stumm, W (ed.). *Chemical Processes in Lakes*. Wiley, New York, 99-118.

Mélières, M.A., Pourchet, M., Pinglot, J.F., Bouchez, R., and Piboule, M.. (1988): Chernobyl ^{134}Cs , ^{137}Cs , and ^{210}Pb in high mountain lake sediment: measurements and modeling of mixing process. *J. Geophys. Res.*, **93**: 7055-7061.

Meyers, P.A. (1994): Preservation of elemental and isotopic source identification of sedimentary organic matter. *Chem. Geol. (Isotope Geoscience Section)*. **114**; 289-302.

Moore, P.D., Webb, J.A., & Collison, M.E. (1991): Pollen analysis. Blackwell, Oxford.

Muscheller, R., Beer, J., Wagner, G., & Finkel, R.C. (2000): Changes in deep water formation during the Younger Dryas event inferred from Be-10 and C-14 records. *Nature*, **408**, 567-570.

Mutti, E. (1984): Seismoturbidites: a new group of resedimented deposits. *Mar. Geol.*, **55**: 103-116.

Negro, A., De Hoyos, C. & Vega, J.C. (2000): Phytoplankton structure and dynamics in Lake Sanabria and Valparaíso reservoir (Zamora, NW Spain). *Hydrobiologia*, **424**, 25-37.

Nittrouer, C.A., Sternberg, R.W., Carpenter, R., and Bennet, J.T. (1979): The use of ^{210}Pb geochronology as a sedimentological tool: application to the Washington continental shelf. *Mar. Geol.* **31**: 297-316.

Nittrouer, C.A., DeMaster, D.J., McKee, B.A., Cutshall, N.H., and Larson I.L. (1984): The effect of sediment mixing on ^{210}Pb accumulation rates for the Washington continental shelf. *Mar. Geol.* **54**: 210-221.

NOAA (*National Oceanic and Atmospheric Administration*) (1996): <http://www.ngdc.noaa.gov>

Nolan, S.R., Bloemendal, J., Boyle, J.F., Jones, R.T., Oldfield, F., & Whitney, M. (1999): Mineral magnetic and geochemical records of Late Glacial climatic change from two northwest European carbonate lakes. *Journal of Paleolimnology* **22**; 97-107.

Norton, S.A., Bienert R.W. Jr., Binford, J., Kahl, S. (1992): Stratigraphy of total metals in PIRLA sediment cores. *J. Paleolimnol.* **4**: 1-22.

O'Brien, S.R., Mayewski, P.A., Meeker, L.D., Meese, D.A., Twickler, M.S., & Whitlow, S.I. (1995): Complexity of Holocene climate as reconstructed from a Greenland ice core. *Science*, **270**, 1962-1964.

O'Sullivan, P.E., Moyeed, R., Cooper, M.C., & Nicholson, M.J. (2002): Comparison between instrumental, observational and high resolution proxy sedimentary records of Late Holocene climatic change- a discussion. *Quaternary International*, **88**, 27-44.

Oldfield, F., and Appleby, P.G. (1984): Empirical testing of ^{210}Pb dating models for lake sediments. En: *Lake sediments and environmental history*. E.Y. Hayworth and J.W.G. Lund, eds. University of Minnesota Minneapolis Press, 93-124.

- Oppo, D.W., McManus, J.F., & Cullen, J.L. (1998): Abrupt climate events 500,000 to 340,000 years ago: evidence from subpolar North Atlantic sediments. *Science*, **279**, 1335-1338.
- Oviatt, C.G., & Thompson, R.S. (1996): Lake Bonneville water budget and the Laurentide Ice Sheet. In: Geological Society of America 28th annual meeting, Abstracts with Programs-Geological Society of America, **28**, 7, p. 232.
- Paillard, D. (2001): Glacial hiccups. *Nature*, v. **409**, 147-148.
- Pennington, W., Cambray, R.S. and Fisher, E.M. (1973): Observations on lake sediments using fallout ¹³⁷Cs as a tracer. *Nature* **242**, 324-326.
- Perlitz, J., & Graf, H.F. (1995): The statistical connection between tropospheric and stratospheric circulation of the Northern Hemisphere in winter. *Journal of Climate*, **8**, 2281-2295.
- Peñalba, M.C. (1994): The history of the Holocene vegetation in northern Spain from pollen analysis. *Journal of Ecology* **82**, 815-832.
- Pérez-Obiol, R., & Julià, R. (1994): Climatic change on the Iberian Peninsula recorded in a 30,000-yr pollen record from lake Banyoles. *Quaternary Research*, **41**, 91-98.
- Pinglot, J.F. and Pourchet, M. (1995): Radioactivity measurements applied to glaciers and lake sediments. *The Science Total Environ.* **173/174**: 211-223.
- Plaut, G., Ghil, M., & Vautard, R. (1995): Interannual and interdecadal variability in 335 years of central England temperatures. *Science*, **268**, 710-713.
- Pons, A. & Reille, M. (1988): The Holocene and Upper Pleistocene pollen record from Padul (Granada, Spain): a new study. *Palaeogeography, Palaeoclimatology, Palaeoecology* **66**, 243-263.
- Porter, S.C., & An, Z.S. (1995): Correlation between climatic events in the North Atlantic and China during the last glaciation. *Nature*, **375**, 305-308.
- Pourchet, M., Pinglot, J.F., and Gascard, J.C. (1986): The northly extent of Chernobyl contamination. *Nature*, **323**: 676-677.
- Pourchet, M., Pinglot, J.F., Reynaud, L., and Holdsworth, G. (1988): Identification of Chernobyl fallout as a new reference level in northern hemisphere glaciers. *J. Glaciol.*, **34**: 183-188.
- Pourchet, M., and Pinglot, J.F. (1989): Cesium-137 and Lead-210 in alpine lake sediments: measurements and modeling of mixing processes. *Journal of Geophys. Res.*, **94**, no.C9: 12,761-12,770.
- Prisenberg, S. J., Peterson, I.K., Narayanan, S., & Umoh, J.U. (1997): Interaction between atmosphere, ice cover, and ocean off Labrador and Newfoundland from 1962-1992. *Can. J. Aquat. Sci.*, **54**, 30-39.
- Psenner, R., & Catalan, J. (1994): Chemical composition of lakes in crystalline basins: a combination of atmospheric deposition, geologic background, biological activity and human action. In *Limnology Now*, R. Margalef (ed.), 255-314.
- Rahmstorf, S. (1994): Rapid climate transitions in a coupled ocean-atmosphere model. *Nature*, v. **372**, 82-85.

Rahmstorf, S. (1995): Bifurcations of the Atlantic thermohaline circulation in response to changes in the hydrological cycle. *Nature*, **378**, 145-149.

Rahmstorf, S. (1996): On the freshwater forcing and transport of the Atlantic thermohaline circulation. *Climate Dynamics*, **12**, 799-811.

Ram, M., Stoltz, M., & Koenig, G. (1997): Eleven year cycle of dust concentration variability observed in the dust profile of the GISP2 ice core from central Greenland: possible solar cycle connection. *Geophys. Res. Lett.*, **24**, 2359-2362.

Raymo, M.E., Ganley, K., Carter, S., Oppo, D.W., & McManus, J. (1998): Millennial-scale climate instability during the early Pleistocene epoch. *Nature*, **392**, 699-702.

Robbins, J.A., and Edgington, D.N. (1975): Determination of recent sedimentation rates in Lake Michigan using Pb-210 and Cs-137. *Geochim. Cosmochim. Acta*, **39**: 285-304.

Robbins, J.A., Kreuzski, J.R., and Mozley, S.C. (1977): Radioactivity in sediments of the Great Lakes: Post-depositional redistribution by deposit-feeding organisms. *Earth Planet Sci Lett* **36**: 325-333.

Robbins, J.A. (1978): Geochemical and geophysical applications of radioactive lead. En: *The Biogeochemistry of Lead in the Environment*. J. Nriagu, ed. Amsterdam: Elsevier, 284-393.

Robbins, J.A., Edgington, D.N., Kemp, A.L.W. (1978): Comparative ^{210}Pb , ^{137}Cs , and pollen geochronologies of sediments from Lakes Ontario and Erie. *Quat. Geol.*, **10**: 256-278.

Robock, A., & Mao, J. (1992): Winter warming from large volcanic eruptions. *Geophys. Res. Lett.*, **19**, 2405-2408.

Rodbell, D.T. (2000): The Younger Dryas: cold, cold everywhere? *Science*, **290**, 285-286.

Rodwell, M.J., Rowell, D.P. & Folland, C.K. (1999): Oceanic forcing of the wintertime North Atlantic oscillation and European climate. *Nature*, **398**, 320-323.

Rogers, J.C., (1984): The Association between the North Atlantic Oscillation and the Southern Oscillation in the Northern Hemisphere. *Mon. Wea. Rev.*, **112**, 1999-2015.

Rogers, J.C. (1997): North Atlantic storm track variability and its association to the North Atlantic Oscillation and climate variability of Northern Europe. *J. Clim.*, **10**, 1635-1647.

Rothlisberger, F. (1997): 10,000 Jahre gletschergeschichte der erde. Frankfurt, Sauerländ.

Rowan, D.J., Cornett, R.J., King, K. and Risto, B. (1995): Sediment focusing and ^{210}Pb dating: a new approach. *J. Paleolim.* **13**: 107-118.

Ruddiman, W.F. (2001): Millennial oscillations in climate. In: *Earth's climate: past and future*. Eds.: W.H. Freeman & Company, New York.

Sánchez Goñi, M.F., & Hannon, G. (1999): High altitude vegetational pattern on the Iberian Mountain Chain (North-Central Spain) during the Holocene. *The Holocene* **9**, 39-57.

Santos, L., Vidal Romaní, & Jalut, G. (2000): History of vegetation during the Holocene in the Courel and Queixa Sierras, Galicia, northwest Iberian Peninsula. *Journal of Quaternary Science* **15**, 621-632.

Saravanan, R. (1998): Atmospheric low frequency variability and its relationship to midlatitude SST variability: studies using the NCAR Climate System Model. *Journal of Climate*, **11**, 1386-1404.

Saravanan, R., & McWilliams, J.C. (1998): Advective ocean-atmosphere interaction: an analytical stochastic model with implications for decadal variability. *Journal of Climate*, **11**, 165-188.

Schaaf, M., & Thurow, J. (1997): Tracing short cycles in long records: the study of interannual to intercentennial change from long sediment records, examples from the Santa Barbara Basin. *Journal of the Geological Society of London*, **154**, 613-622.

Schelske, C.L. & Hodell, D.A. (1995): Using carbon isotopes of bulk sedimentary organic matter to reconstruct the history of nutrient loading and eutrophication in Lake Eire. *Limnol. Oceanogr.* **40**; 918-929.

Schery, S.D. (1980): Determination of Lead-210 in environmental samples by gamma spectrometry with high purity germanium detectors. *Anal. Chem.*, **52**: 1957-1958.

Schlesinger, M.E., & Ramankutty, N. (1994). An oscillation in the global climate system of 65-70 years. *Nature*, **367**, 723-726.

Schmittner, A., Yoshimori, M., & Weaver, A.J. (2002): Instability of glacial climate in a model of the Ocean-Atmosphere-Cryosphere system. *Science*, **295**, 1489-1492.

Schmitz, H. (1969): Glazialmorphologische Untersuchungen im Bergland Nord-Ouest Spaniens. *Kolner Geogr. Arb. H.*, 23, 5-157. Geographisch, Inst. Univ. Koln.

Schulz, H., von Rad, U., & Erlenkeuser, H. (1998): Correlation between Arabian Sea and Greenland climate oscillations of the past 110,000 years. *Nature*, **393**, 54-57.

Seidov, D., & Maslin, M. (1999): North Atlantic deep water circulation collapse during Heinrich events. *Geology*, **27**, 23-26.

Serreze, M.C., Carse, F., Barry, R.G., & Rogers, J.C. (1997): Icelandic low cyclone activity: climatological features, linkages with the NAO, relationships with recent changes in the Northern Hemisphere circulation. *J. Clim.*, **10**, 453-464.

Shabbar, A., Huang, J., & Higuchi, K. (2000): The relationship between the wintertime North Atlantic Oscillation and blocking in the North Atlantic. *Int. J. Climatol.*, **21**, 355-369.

Sharma, M. (2002): Variations in solar magnetic activity during the last 200,000 years: is there a Sun-climate connection? *Earth and Planetary Science Letters*, **199**, 459-472.

Shindell, D. T., Miller, R.L., Schmidt, G., & Pandolfo, L. (1999): Simulation of recent northern winter climate trends by greenhouse-gas forcing. *Nature*, **399**, 452-455.

Shindell, D.T., Schmidt, G.A., Mann, M.E., Rind, D., & Waple, A. (2001): Solar forcing of regional climate change during the Maunder Minimum. *Science*, **294**, 2149-2152.

Shukla, B.S. and Joshi, S.R. (1989): An evaluation of the CIC model of ^{210}Pb dating of sediments. *Environm. Geol. Water Sci.* **14**(1): 73-76.

Sirocko, F., Garbe-Schonberg, McIntyre, D., & Molino, A. (1996): Teleconnections between the subtropical monsoons and high-latitude climates during the last deglaciation. *Science*, **272**, 526-529.

- Sommers, L.E., Harris, R.F., Williams, J.D.H., Amstrong, D.E., & Syers, J.K. (1972): Fractionation of organic phosphorus in lake sediments. *Proc. Soil Sci. Soc. Am.* **36**; 51-54.
- Stein, R. (1991): Accumulation of organic carbon in marine sediments. Springer-Verla, Berlin, **34**, 217 pp.
- Stocker, T.F., & Wright, D.G. (1991): Rapid transitions of the ocean's deep circulation induced by changes in surface water fluxes. *Nature*, **351**, 729-732.
- Stocker, T.F., & Mysak, L.A. (1992): Climatic fluctuations on the century time scale- a review of high resolution proxy data and possible mechanisms. *Climatic Change*, **20**, 227-250.
- Stocker, T.F. (1998): The seesaw effect. *Science*, **282**, 61-62.
- Stocker, T.F. (2000): Past and future reorganizations in the climate system. *Quat. Sci. Rev.*, **19**, 301-319.
- Stratton Noller, J. (2000): Lead-210 geochronology. In: Quaternary geochronology methods and applications, 115-120.
- Stuiver, M. (1980): Solar variability and climatic change during the current millenium. *Nature*, **286**, 868-871.
- Stuiver, M. & Braziunas, T.F. (1989): Atmospheric ^{14}C and century-scale solar oscillations. *Nature*, **338**: 405-408.
- Stuiver, M., Braziunas, T.F., Becker, B., & Kromer, B. (1991): Climatic, solar, oceanic and geomagnetic influences on Late-Glacial and Holocene atmospheric $^{14}\text{C}/^{12}\text{C}$ change. *Quaternary Research*, **35**, 1-24.
- Stuiver, M., & Braziunas, T.F. (1993): Sun, ocean climate and atmospheric $^{14}\text{CO}_2$: an evaluation of causal relationships. *The Holocene*, **3**, 289-305.
- Stuiver, M., & Braziunas, T.F. (1995): Evidence of solar activity variations. In: Bradley, R.S., Jones, P.D. (Eds.). *Climate since AD 1500*. Routledge, London, 593-605.
- Stuiver, M., Grootes, P.M. & Braziunas, T.F. (1995): The GISP2 O-18 climate record of the past 16,500 years and the role of the sun, ocean and volcanoes. *Quaternary Research*, **44**, 341-354.
- Stuiver, M., Braziunas, T.F., Grootes, P.M., & Zielinski, G.A. (1997): Is there evidence for solar forcing of climate in the GISP2 oxygen isotope record? *Quaternary Research* **48**, 259-266.
- Sutherland, R.A. (1998): Loss-on-ignition estimates of organic matter and relationships to organic carbon in fluvial bed sediments. *Hydrobiologia* **389**: 153-167.
- Sutton, R. T., & Allen, M.R. (1997): Decadal predictability of North Atlantic sea surface temperature and climate. *Nature*, **388**, 563-567.
- Talbot, M.R., & Laerdal, T. (2000): The Late Pleistocene-Holocene palaeolimnology of Lake Victoria, East Africa, based upon elemental and isotopic analyses of sedimentary organic matter. *Journal of Paleolimnology* **23**; 141-164.
- Taylor, A.H., & Stephens, J.A. (1998): The North Atlantic Oscillation and the latitude of the Gulf Stream. *Tellus* **50 A**, 134-142.

Thouveny et al., (1994): Climate variations in Europe over the past 140 kyr deduced from rock magnetism. *Nature*, **371**, 503-506.

Timmermann, A., Latif, M., Voss, R., & Grätzner, A. (1998): Northern Hemisphere interdecadal variability: a coupled air-sea mode. *Journal of Climate*, **11**, 1906-1931.

Tyson, R.V. (1995): Sedimentary organic matter: organic facies and palynofacies. Chapman & Hall, London, 615 pp.

Ulbrich, U., Christoph, M., Pinto, J.G., & Corte-Real, J. (1999): Dependence of winter precipitation over Portugal on NAO and baroclinic wave activity. *Int. J. Climatol.*, **19**, 379-390.

van der Post, K.D., Oldfield, F., Haworth, E.Y., Crooks, P.R.J., & Appleby, P.G. (1997): A record of accelerated erosion in the recent sediments of Bleham Tarn in the English Lake district. *Journal of Paleolimnology* **18**; 103-120.

Vega, J.C., de Hoyos, C., & Aldasoro, J.J. (1991): Estudio del sistema de lagunas de las sierras Segundera y Cabrera. In: *Monografías de la Red de Espacios Naturales de Castilla y León*, Consejería de Medio Ambiente y Ordenación del Territorio (Junta de Castilla y León). Ed. Valladolid.

Vega, J.C., de Hoyos, C., & Aldasoro, J.J. (1992): The Sanabria Lake: the largest natural freshwater lake in Spain. *Limnetica*, **8**, 49-57.

Vega, J.C., & Aldasoro, J.J. (1994): Geología de Sanabria. In: *Monografías de la Red de Espacios Naturales de Castilla y León*, Consejería de Medio Ambiente y Ordenación del Territorio (Junta de Castilla y León). Ed. Valladolid.

Viau, A.E., Gajewski, K., Fines, P., Atkinson, D.E., & Sawada, M.C. (2002): Widespread evidence of 1500 yr climate variability in North America during the past 14000 yr. *Geology*, v.**30**, n.5, 455-458.

Virkanen, J., Korhola, A., Tikkainen, M., & Blom, T. (1997): Recent environmental changes in a naturally acidic rocky lake in southern Finland, as reflected in its sediment geochemistry and biostratigraphy. *J. Paleolimnol.* **17**: 191-213.

Visbeck, M., Cullen, H., Krahmann, G., & Naik, N. (1998): An ocean model's response to North Atlantic Oscillation-like wind forcing. *Geophys. Res. Lett.*, **25**, 4521-4524.

Watanabe, M. & Nitta, T. (1998): Relative impact of snow and sea surface temperature anomalies on an extreme phase in the winter atmospheric circulation. *Journal of Climate*, **11**, 2837-2857.

Watanabe, M. & Nitta, T. (1999): Decadal changes in the atmospheric circulation and associated surface climate variations in the Northern Hemisphere winter. *Journal of Climate*, **12**, 494-510.

Webb, R.S., Anderson, K.H., & Webb, T. III (1993): Pollen response-surface estimates of Late Quaternary changes in the moisture balance of the northeastern United States. *Quaternary Research* **40**, 213-227.

Weliky, K., Suess, E., Ungerer, C.A., Müller, P.J., & Fischer, K. (1983): Problems with accurate carbon measurements in marine sediments and particulate organic matter in sea water: a new approach. *Limnol. Oceanogr.* **28**; 1252-1259.

Weng, W., & Neelin, J.D. (1998): On the role of ocean-atmosphere interaction in midlatitude interdecadal variability. *Geophysical Research Letters*, **25**, 167-170.

White, J.W.C., Gorodetzky, D., Cook, E.R., & Barlow, L.K. (1996): Frequency analysis of an annually resolved, 700 year paleoclimate record from the GISP2 ice core. In: Jones, P.D., Bradley, R., Jouzel, J. (Eds.). Climatic variations and forcing mechanisms of the last 2000 years. NATO ASI Series, vol. 1(41). Springer, Berlin, 193-212.

Williams, J.D.H., Syers, J.K., Shukla, S.S., Harris, R.F., & Armstrong, D.E. (1971): Levels of inorganic and total phosphorus in lake sediments as related to other sediment parameters. *Environ. Sci. Technol.* **5**; 1113-1120.

Woillard, G.M., & Mook, W.G. (1984): Carbon-14 dates at Grande Pile: correlation of land and sea chronologies. *Science*, **215**, 159-161.

Wright, H.E. Jr. (1996): Global climatic changes since the last glacial maximum; evidence from paleolimnology and paleoclimate modeling. *Journal of Paleolimnology*, **15**, 2, 119-127.

Wunsch, C. (2000): On sharp spectral lines in the climate record and the millennial peak. *Paleoceanography*, v. **15**, n. 4, 417-424.

Yiou, P., Fuhrer, K., Meeker, L.D., Jouzel, J., Johnsen, S., & Mayewski, P.A. (1997 a): Paleoclimatic variability inferred from the spectral analysis of Greenland and Antarctic ice-core data. *Journal of Geophysical Research* **102**, C12, 26,441-26,454.

Yiou, F., Raisbeck, G.M., Baumgartner, S., Beer, J., Hammer, C., Johnsen, S., Jouzel, J., Kubik, P.W., Lestringuez, J., Stiévenard, M., Suter M., & Yiou, P. (1997 b): Beryllium 10 in the Greenland ice core project ice core at Summit, Greenland. *J. Geophys. Res.* **102**, C12, 26,783-26,794.

Zolitschka, B. (1996): Recent sedimentation in high arctic lake, northern Ellesmere Island, Canada. *Journal of Paleolimnology* **16**; 169-186.

Zorita, E., Kharin, V., & von Storch, H. (1992): The atmospheric circulation and sea surface temperature in the North Atlantic Area in winter: their interaction and relevance for Iberian precipitation. *J. Clim.* **5**, 1097-1108.