

4.- BIBLIOGRAFÍA.

BIBLIOGRAFIA

BIBLIOGRAFIA

1. Bert M., Missika P.: Implantes osteointegrados. 1993; Ed. Masson.
2. Fortzik C. ITI. Sistema de implantes dentales. 1994; Ed. Avances.
3. Albrektsson T., Sennerby L.: Actualización en implantes orales. *J. Clin. Periodontol.* 1991; 18: 174-81.
4. Lundskog J.: Heat and bone tissue. An experimental investigation of the thermal properties of bone tissue and threshold levels for thermal injury. Thesis, University of Göteborg, 1972.
5. Eriksson R.A., Adell R.: Temperatures during drilling for the placement of implants using the osseointegration technique. *J. Oral Maxillofac. Surg.* 1986; 44: 4-7.
6. Watanabe F., Tawada, Y., Komatsu S., Hata Y.: Heat distribution in bone during preparation of implant sites: heat analysis by real-time thermography. *Int. J. Oral Maxillofac. Implants.* 1992; 7: 212-219.
7. Ilzarbe L. M., Fernandez A.: El transductor de temperatura operativa (TTO). *Rev. Esp. Odontoestom. de Implantes.* 1997; 5, 1: 1-18.
8. Bränemark, P-J., Breine, U., Adell, R., Hansson, B.O., Lindstrom, J. y Ohlsson, A.: Intra-osseous anchorage of dental prostheses, I. Experimental studies. *Scand. J. Plast. Reconstr. Surg.*, 1969; 3: 81-100.
9. Lekholm U., Zarb G. A. : Patient selection and preparation. In Bränemark, P. I., Zarb G. A., Albrektsson T.: *Tissue-integrated Prostheses, Osseointegration in Clinical Dentistry*. Quintessenz, Berlin, 1985.

BIBLIOGRAFIA

- 10.** Misch C.E.: Density of bone: Effect on treatment plans,surgical approach, healing, and progressive bone loading. *Int J. Oral Implantology*, 1990; 6: 23-31.
- 11.** Fallschüssel G. K. H.: *Zahnärztliche Implantologie*. Quintessenz, Berlin,, 1986.
- 12.** Atwood D. A.: Bone loss of edentulous alveolar ridges. *J. Periodontology*, 1971; 50: 10-21.
- 13.** Ilzarbe L.M., Esteve E.L., Julián-Ortiz J.V.: Valoración del riesgo potencial de embolización aérea en implantología oral: análisis de los distintos sistemas de impulsión de suero fisiológico. *Rev Esp Odontoestom de Implantes*. 1996; 4, 3: 129-134.
- 14.** Ilzarbe L.M., Tolosa de Miedes A., Olmos J., Die R.: Una aparatoología nueva para la inserción de implantes dentales: el sistema T2DS. *Rev. Esp. Odontoestom. de Implantes*. 1995; 3: 115-26.
- 15.** Reingewirtz Y., Szmukler-Moncler S., Senger B.: Influence of different parameters on bone heating and drilling time in implantology. *Clin. Oral Implants Res.* 1997; 8 (3): 189-97.
- 16.** Bert M., Missika P.: *Implantología quirúrgica y protésica*. 1996; Ed.Masson.
- 17.** Norton M. *Implantes Dentales Sistema Astra Tech*. 1998; Ed. Marban Libros.
- 18.** Mc Kinney Jr. R. V.: *Implantes dentales endóseos*. 1993; Ed. Mosby.
- 19.** Herrero M., Herrero F.: *Atlas de procedimientos clínicos en implantología oral*. 1995; TRP Ediciones.
- 20.** Protocolo quirúrgico Klockner. *Klockner Implants*, 1996; Barcelona.
(www.klockner.com).

BIBLIOGRAFIA

- 21.** Bert M.: Complicaciones y fracasos en implantología. 1995; Ed. Masson.
- 22.** Adell R., Lekholm U., Rockler B., Branemark P.I.: A 15 years study of osseointegrated implants in the treatment of the edentulous jaw. *Int. J. Oral. Surg.* 1981; 10: 387-416.
- 23.** Lavelle C., Wedgood D.: Effect of internal irrigation on frictional heat generated from bone drilling. *J. Oral. Surg.* 1980; 38: 499-503.
- 24.** Matthews L. S., Hirsch C.: Temperature measured in human cortical bone when drilling. *J. Bone Joint Surg. (Am)* 1972; 54: 297-308.
- 25.** Eriksson R.A., Albrektsson T.: Temperature threshold levels for heat-induced bone tissue injury: a vital microscopic study in the rabbit. *J. Prosthet. Dent.* 1983; 50: 101-107.
- 26.** Rouiller C., and Majno G.: Morphologische und chemische Untersuchungen an Knochen nach Hitzeeinwirkung. *Beitr. Path. Anat.* 113: 100, 1953.
- 27.** Eriksson A., Albrektsson T., Grane B., McQueen D.: Thermal injury to bone. A vital-microscopic description of heat effects. *Int. J. Oral Surg.* 1982; 11: 151.
- 28.** Boyne PJ, Herford AS Effect of configuration of surgical burs on osseointegration of dental implants: a pilot study. *Implant Dent* 1994 Spring; 3(1):47-50.
- 29.** Haider R., Watzek G., Plenk H.: Effects of drill cooling and bone structure on IMZ implant fixation. *Int. J. Oral Maxillofac. Implants.* 1993; 8: 83-91.
- 30.** Yacker M. J., Klein M.: The effect of irrigation on osteotomy depth and bur diameter. *Int. J. Oral Maxillofac. Implants.* 1996; 11 (5): 634-638.

BIBLIOGRAFIA

- 31.** Iyer S., Weiss C., Mehta A.: Effects of drill speed on heat production and the rate and quality of bone formation in dental implant osteotomies. Part I: Relationship between drill speed and heat production. *Int. J. Prosthodont.* 1997; 10 (5): 411-4.
- 32.** Brisman DL.: The effect of speed, pressure, and time on bone temperature during the drilling of implant sites. **Int J Oral Maxillofac Implants** 1996 Jan-Feb;11(1):35-7.
- 33.** Cordioli G., Majzoub Z.: Heat generation during implant site preparation: an in vitro study. *Int. J. Oral Maxillofac. Implants.* 1997; 12(2): 186-93.
- 34.** Barak S., Horowitz I., Katz J., Oelgiesser D.: Thermal changes in endosseous root-form implants as a result of CO₂ laser application: an in vitro and in vivo study. *Int. J. Oral Maxillofac. Implants.* 1998; 13 (5): 666-71.
- 35.** Sutter F, Krekeler G, Schwammburger AE, Sutter FJ :Atraumatic surgical technique and implant bed preparation. *Quintessence Int* 1992 Dec;23(12):811-6.
- 36.** Wang RR., Li Y.: In vitro evaluation of biocompatibility of experimental titanium alloys for dental restorations. **J. Prosthet. Dent.** 1998; 80: 495-500.
- 37.** Walter M., Boning K.: Is titanium an alternative for base metal alloys? *Dtsch. Stomatol.* 1991; 4: 315-9.
- 38.** Wataha J.C., Malcom C.T.: Effect of alloy surface composition on release of elements from dental casting alloys. *J. Oral Rehabil.* 1996; 23 : 583-589.

BIBLIOGRAFIA

- 39.** Venugopalan R., Lucas LC.: Evaluation of restorative and implant alloys galvanically coupled to titanium. *Dent. Mater.* 1998; 14: 165-72.
- 40.** Wataha J.C., Lockwood P.E., Nelson S.K. y Bouillaguet S.: La citotoxicidad a largo plazo de las aleaciones dentales. *Labor-Dental.* 1999; 2: 825-830.
- 41.** Padulles E., Gil F. G.: Comportamiento mecánico y químico de prótesis implanto-soportadas amortiguadas con politetrafluoruro de etileno. *Rev.Esp.Odont. de Implantes.(REOI)* 1997; 4:167-180.
- 42.** Ravnholt. : Corrosion current and pH rinse arround titanium coupled to dental alloys. *Scand J Dent Res,* 1988; 96: 466-72.
- 43.** <http://www.webelements.com>
- 44.** Kaus T., Probster L., Weber H.: Clinical follow-up study of ceramic veneered titanium restorations--three-year results. *Int. J. Prosthodont.* 1996; 9: 9-15.
- 45.** Pang IC., Gilbert JL., Chai J., Lautenschlager EP.: Bonding characteristics of low-fusing porcelain bonded to pure titanium and palladium-copper alloy. *J. Prosthet. Dent.* 1995; 73: 17-25.
- 46.** Kimura H., Horng CJ., Okazaki M., Takahashi J.: Oxidation effects on porcelain-titanium interface reactions and bond strength. *J. Dent. Mater.* 1990; 9: 91-9.
- 47.** Taira Y., Matsumura H., Yoshida K., Tanaka T., Atsuta M.: Influence of surface oxidation of titanium on adhesion. *J. Dent.* 1998; 26: 69-73.

BIBLIOGRAFIA

- 48.** Valderrama S., Van Roekel N., Andersson M., Goodacre CJ., Munoz CA.: A comparison of the marginal and internal adaptation of titanium and gold-platinum-palladium metal ceramic crowns. *Int. J. Prosthodont.* 1995; 8: 29-37.
- 49.** Watanabe I., Watanabe E., Yoshida K., Okabe T.: Effect of surface contamination on adhesive bonding of cast pure titanium and Ti-6Al-4V alloy. *J. Prosthet. Dent.* 1999; 81(3): 270-6.
- 50.** <http://www.dcs-dental.com>
- 51.** White SN., Ho L., Caputo AA., Goo E.: Strength of porcelain fused to titanium beams. *J. Prosthet. Dent.* 1996; 75: 640-8.
- 52.** Gilbert JL., Covey DA., Lautenschlager EP.: Bond characteristics of porcelain fused to milled titanium. *Dent. Mater.* 1994; 10: 134-40.
- 53.** Wang RR., Welsch GE., Monteiro O.: Silicon nitride coating on titanium to enable titanium-ceramic bonding. *J. Biomed. Mater. Res.* 1999; 46: 262-70.
- 54.** Dérand T., Hero H.: Bond strength of porcelain on cast vs. wrought titanium. *Scand. J. Dent. Res.* 1992; 100: 184-8.
- 55.** Sommer MC., Schwickerath H., Marx R., Witt G.: Mechanical strength of ceramic materials for fusing on titanium restorations. *Dtsch. Zahnärztl. Z.* 1991; 46: 746-9.
- 56.** Esquivel JF., Chai J., Wozniak WT.: The physical properties of low-fusing porcelains for titanium. *Int. J. Prosthodont.* 1996; 9: 563-71.
- 57.** Cañada y cols.: El Titanio en Odontología. *Gaceta Dental* 1998; 90: 58-64.

BIBLIOGRAFIA

- 58.** Razzoog ME., Lang BR., Russell MM., May KB.: A comparison of the color stability of conventional and titanium dental porcelain. *J. Prosthet. Dent.* 1994; 72: 453-6.
- 59.** May KB, Van Putten MC, Bow DA, Lang BR.: 4-META polymethyl methacrylate shear bond strength to titanium. *Oper. Dent.* 1997; 22: 37-40.
- 60.** Cocco M.: Segunda parte: Experiencias prácticas con Targis/Vectris. *Labor-dental.* 1999; Vol. 2 (10); 764-773.
- 61.** Taira Y, Matsumura H, Yoshida K, Tanaka T, Atsuta M.: Adhesive bonding of titanium with a methacrylate-phosphate primer and self-curing adhesive resins. *J Oral Rehabil* 1995 Jun;22(6):409-12.
- 62.** Taira Y, Yoshida K, Matsumura H, Atsuta M.: Phosphate and thiophosphate primers for bonding prosthodontic luting materials to titanium *J Prosthet Dent* 1998;79(4):384-8.
- 63.** Kern M, Thompson VP.: Durability of resin bonds to pure titanium. *J. Prosthodontics* 1995; 4(1): 16-22.
- 64.** Charalambides P.G., Lund J., Evans A.G. y McMeeking R.M.: A test specimen for determining the fracture resistance of bimaterial interfaces. *J. Appl. Mech.* 1989, 56: 77-82.
- 65.** Probster L., Maiwald U., Weber H.: Three-point bending strength of ceramics fused to cast titanium. *Eur. J. Oral. Sci.* 1996; 104: 313-9.
- 66.** Persson M., Bergman M.: Metal-ceramic bond strength. *Acta Odontológica Scandinavica.* 1996; 54: 160-165.

BIBLIOGRAFIA

- 67.** Lenz J.: Comments on the article “Metal-ceramic bond strength”. *Acta Odontol. Scand.* 1996; 54: 398-400.
- 68.** Chung H.G.P., Swain M.V., Mori T.: Evaluation of the strain energy release rate for the fracture of titanium-porcelain interfacial bonding. *Biomaterials* 1997; 18(23): 1553-1557.
- 69.** Wang R.R., Fung K.K.: Oxidation behaviour of surface-modified titanium for titanium-ceramic restorations. *J. Prosthet. Dent.*; 1997; 77: 423-34.
- 70.** Blume A., Raser G., Lenz E., Dietz W.: Valoración experimental de la unión titanocerámica. *Quintessence técnica* (ed. Esp.) 1999; 10 (3): 156- 162. *Quintessenz Zahntech* 1998; 24:1.143-1.149.
- 71.** Yilmaz H, Dincer C.: Comparison of the bond compatibility of titanium and an NiCr alloy to dental porcelain. *J. Dent.* 1999; 27: 215-22
- 72.** Matsumura H, Yoshida K, Tanaka T, Atsuta M.: Adhesive bonding of titanium with a titanate coupler and 4-META/MMA-TBB opaque resin. *J. Dent. Res.* 1990; 69(9): 1614-6.
- 73.** Walter M., Reppel P.D., Böning K., Freesmeyer W.B.: Six-year follow-up of titanium and high-gold porcelain-fused-to-metal fixed partial dentures. *J. Oral Rehabil.* 1999; 26: 91-96.
- 74.** Godet C., Castany E., Tramini P. y Ségura D.: Étude in vitro de la résistance de trois résines pour bridges provisoires. *Les cahiers de la prothèse.* 2001;115: 39-48.

BIBLIOGRAFIA

Enric Pedemonte Roma

Barcelona, 3 de septiembre de 2003