

*DEPARTAMENT DE BIOLOGIA CEL·LULAR I ANATOMIA PATOLÒGICA
FACULTAT DE MEDICINA
UNIVERSITAT DE BARCELONA*

*Caracterización de efectores de
diferenciación GABAérgica en células
madre como herramienta terapéutica de
enfermedades neurodegenerativas*

*Tesis presentada por Raquel Martín Ibáñez
para optar al título de doctora por la Universidad de Barcelona*

VII. Bibliografía

BIBLIOGRAFÍA

- Abercrombie, M. Estimation of nuclear populations from microtome sections. 1946 *Anat. Rec.* **94**:239-247
- Aberg, M. A.; Aberg, N. D.; Hedbacker, H.; Oscarsson, J. y Eriksson, P. S. Peripheral infusion of IGF-I selectively induces neurogenesis in the adult rat hippocampus. 2000 *J. Neurosci* **20**:2896-2903
- Akerud, P.; Canals, J. M.; Snyder, E. Y. y Arenas, E. Neuroprotection through delivery of glial cell line-derived neurotrophic factor by neural stem cells in a mouse model of Parkinson's disease. 2001 *J. Neurosci.* **21**:8108-8118
- Akiyama, Y.; Radtke, C. y Kocsis, J. D. Remyelination of the rat spinal cord by transplantation of identified bone marrow stromal cells. 2002 *J. Neurosci.* **22**:6623-6630
- Alberch, J.; Perez-Navarro, E. y Canals, J. M. Neuroprotection by neurotrophins and GDNF family members in the excitotoxic model of Huntington's disease. 2002 *Brain Res. Bull.* **57**:817-822
- Alberch, J.; Perez-Navarro, E. y Canals, J. M. Neurotrophic factors in Huntington's disease. 2004 *Prog. Brain Res.* **146**:195-229
- Albin, R. L.; Reiner, A.; Anderson, K. D.; Dure, L. S.; Handelin, B.; Balfour, R.; Whetsell, W. O., Jr.; Penney, J. B. y Young, A. B. Preferential loss of striato-external pallidal projection neurons in presymptomatic Huntington's disease. 1992 *Ann. Neurol.* **31**:425-430
- Alexi, T.; Venero, J. L. y Hefti, F. Protective effects of neurotrophin-4/5 and transforming growth factor-alpha on striatal neuronal phenotypic degeneration after excitotoxic lesioning with quinolinic acid. 1997 *Neuroscience* **78**:73-86
- Alison, M. R.; Poulson, R.; Otto, W. R.; Vig, P.; Brittan, M.; Direkze, N. C.; Lovell, M.; Fang, T. C.; Preston, S. L. y Wright, N. A. Recipes for adult stem cell plasticity: fusion cuisine or readymade? 2004 *J. Clin. Pathol.* **57**:113-120
- Alvarez-Buylla, A. y Lim, D. A. For the long run: maintaining germinal niches in the adult brain. 2004 *Neuron* **41**:683-686

- Alvarez-Buylla, A.; Seri, B. y Doetsch, F. Identification of neural stem cells in the adult vertebrate brain. 2002 *Brain Res. Bull.* **57**:751-758
- Anderson, S. A.; Marin, O.; Horn, C.; Jennings, K. y Rubenstein, J. L. Distinct cortical migrations from the medial and lateral ganglionic eminences. 2001 *Development* **128**:353-363
- Anderson, S. A.; Qiu, M.; Bulfone, A.; Eisenstat, D. D.; Meneses, J.; Pedersen, R. y Rubenstein, J. L. Mutations of the homeobox genes *Dlx-1* and *Dlx-2* disrupt the striatal subventricular zone and differentiation of late born striatal neurons. 1997 *Neuron* **19**:27-37
- Arber, S.; Han, B.; Mendelsohn, M.; Smith, M.; Jessell, T. M. y Sockanathan, S. Requirement for the homeobox gene *Hb9* in the consolidation of motor neuron identity. 1999 *Neuron* **23**:659-674
- Arenas, E. Stem cells in the treatment of Parkinson's disease. 2002 *Brain Res. Bull.* **57**:795-808
- Arvidsson, A.; Collin, T.; Kirik, D.; Kokaia, Z. y Lindvall, O. Neuronal replacement from endogenous precursors in the adult brain after stroke. 2002 *Nat. Med.* **8**:963-970
- Assimacopoulos, S.; Grove, E. A. y Ragsdale, C. W. Identification of a Pax6-dependent epidermal growth factor family signaling source at the lateral edge of the embryonic cerebral cortex. 2003 *J. Neurosci.* **23**:6399-6403
- Aubert, J.; Dunstan, H.; Chambers, I. y Smith, A. Functional gene screening in embryonic stem cells implicates Wnt antagonism in neural differentiation. 2002 *Nat. Biotechnol.* **20**:1240-1245
- Aubert, J.; Stavridis, M. P.; Tweedie, S.; O'Reilly, M.; Vierlinger, K.; Li, M.; Ghazal, P.; Pratt, T.; Mason, J. O.; Roy, D. y Smith, A. Screening for mammalian neural genes via fluorescence-activated cell sorter purification of neural precursors from Sox1-gfp knock-in mice. 2003 *Proc. Natl. Acad. Sci. U. S. A* **100 Suppl 1**:11836-11841
- Avilion, A. A.; Nicolis, S. K.; Pevny, L. H.; Perez, L.; Vivian, N. y Lovell-Badge, R. Multipotent cell lineages in early mouse development depend on SOX2 function. 2003 *Genes Dev.* **17**:126-140
- Bachoud-Levi, A.; Bourdet, C.; Brugieres, P.; Nguyen, J. P.; Grandmougin, T.; Haddad, B.; Jeny, R.; Bartolomeo, P.; Boisse, M. F.; Barba, G. D.; Degos, J. D.; Ergis, A. M.; Lefaucheur, J. P.; Lisovoski, F.; Pailhous, E.; Remy, P.;

- Palfi, S.; Defer, G. L.; Cesaro, P.; Hantraye, P. y Peschanski, M. Safety and tolerability assessment of intrastriatal neural allografts in five patients with Huntington's disease. 2000a *Exp. Neurol.* **161**:194-202
- Bachoud-Levi, A. C.; Deglon, N.; Nguyen, J. P.; Bloch, J.; Bourdet, C.; Winkel, L.; Remy, P.; Goddard, M.; Lefaucheur, J. P.; Brugieres, P.; Baudic, S.; Cesaro, P.; Peschanski, M. y Aebischer, P. Neuroprotective gene therapy for Huntington's disease using a polymer encapsulated BHK cell line engineered to secrete human CNTF. 2000b *Hum. Gene Ther.* **11**:1723-1729
- Bachoud-Levi, A. C.; Gaura, V.; Brugieres, P.; Lefaucheur, J. P.; Boisse, M. F.; Maison, P.; Baudic, S.; Ribeiro, M. J.; Bourdet, C.; Remy, P.; Cesaro, P.; Hantraye, P. y Peschanski, M. Effect of fetal neural transplants in patients with Huntington's disease 6 years after surgery: a long-term follow-up study. 2006 *Lancet Neurol.* **5**:303-309
- Bain, G.; Kitchens, D.; Yao, M.; Huettner, J. E. y Gottlieb, D. I. Embryonic stem cells express neuronal properties in vitro. 1995 *Dev. Biol.* **168**:342-357
- Bain, G.; Ray, W. J.; Yao, M. y Gottlieb, D. I. Retinoic acid promotes neural and represses mesodermal gene expression in mouse embryonic stem cells in culture. 1996 *Biochem. Biophys. Res. Commun.* **223**:691-694
- Barberi, T.; Klivenyi, P.; Calingasan, N. Y.; Lee, H.; Kawamata, H.; Loonam, K.; Perrier, A. L.; Bruses, J.; Rubio, M. E.; Topf, N.; Tabar, V.; Harrison, N. L.; Beal, M. F.; Moore, M. A. y Studer, L. Neural subtype specification of fertilization and nuclear transfer embryonic stem cells and application in parkinsonian mice. 2003 *Nat. Biotechnol.* **21**:1200-1207
- Bartlett, P. F.; Reid, H. H.; Bailey, K. A. y Bernard, O. Immortalization of mouse neural precursor cells by the c-myc oncogene. 1988 *Proc. Natl. Acad. Sci. U. S. A* **85**:3255-3259
- Beal, M. F. Aging, energy, and oxidative stress in neurodegenerative diseases. 1995 *Ann. Neurol.* **38**:357-366
- Beal, M. F.; Kowall, N. W.; Ellison, D. W.; Mazurek, M. F.; Swartz, K. J. y Martin, J. B. Replication of the neurochemical characteristics of Huntington's disease by quinolinic acid. 1986 *Nature* **321**:168-171
- Beal, M. F.; Kowall, N. W.; Swartz, K. J.; Ferrante, R. J. y Martin, J. B. Differential sparing of somatostatin-neuropeptide Y and cholinergic neurons following striatal excitotoxin lesions. 1989 *Synapse* **3**:38-47

- Becher, M. W.; Kotzuk, J. A.; Sharp, A. H.; Davies, S. W.; Bates, G. P.; Price, D. L. y Ross, C. A. Intranuclear neuronal inclusions in Huntington's disease and dentatorubral and pallidoluysian atrophy: correlation between the density of inclusions and IT15 CAG triplet repeat length. 1998 *Neurobiol. Dis.* **4**:387-397
- Benraiss, A.; Chmielnicki, E.; Lerner, K.; Roh, D. y Goldman, S. A. Adenoviral brain-derived neurotrophic factor induces both neostriatal and olfactory neuronal recruitment from endogenous progenitor cells in the adult forebrain. 2001 *J. Neurosci* **21**:6718-6731
- Bentz, K.; Molcanyi, M.; Hess, S.; Schneider, A.; Hescheler, J.; Neugebauer, E. y Schaefer, U. Neural differentiation of embryonic stem cells is induced by signalling from non-neural niche cells. 2006 *Cell Physiol Biochem.* **18**:275-286
- Bhide, P. G. Cell cycle kinetics in the embryonic mouse corpus striatum. 1996 *J. Comp Neurol.* **374**:506-522
- Billon, N.; Jolicoeur, C.; Ying, Q. L.; Smith, A. y Raff, M. Normal timing of oligodendrocyte development from genetically engineered, lineage-selectable mouse ES cells. 2002 *J. Cell Sci.* **115**:3657-3665
- Bjorklund, A. Long distance axonal growth in the adult central nervous system. 1994 *J. Neurol.* **242**:S33-S35
- Bjorklund, A. y Lindvall, O. Cell replacement therapies for central nervous system disorders. 2000 *Nat. Neurosci.* **3**:537-544
- Bjornson, C. R.; Rietze, R. L.; Reynolds, B. A.; Magli, M. C. y Vescovi, A. L. Turning brain into blood: a hematopoietic fate adopted by adult neural stem cells in vivo. 1999 *Science* **283**:534-537
- Black, I. B. y Woodbury, D. Adult rat and human bone marrow stromal stem cells differentiate into neurons. 2001 *Blood Cells Mol. Dis.* **27**:632-636
- Bloch, J.; Bachoud-Levi, A. C.; Deglon, N.; Lefaucheur, J. P.; Winkel, L.; Palfi, S.; Nguyen, J. P.; Bourdet, C.; Gaura, V.; Remy, P.; Brugieres, P.; Boisse, M. F.; Baudic, S.; Cesaro, P.; Hantraye, P.; Aebischer, P. y Peschanski, M. Neuroprotective gene therapy for Huntington's disease, using polymer-encapsulated cells engineered to secrete human ciliary neurotrophic factor: results of a phase I study. 2004 *Hum. Gene Ther.* **15**:968-975

- Bolam, J. P.; Hanley, J. J.; Booth, P. A. y Bevan, M. D. Synaptic organisation of the basal ganglia. 2000 *J. Anat.* **196 (Pt 4)**:527-542
- Bolam, J. P.; Wainer, B. H. y Smith, A. D. Characterization of cholinergic neurons in the rat neostriatum. A combination of choline acetyltransferase immunocytochemistry, Golgi-impregnation and electron microscopy. 1984 *Neuroscience* **12**:711-718
- Bosch, M.; Pineda, J. R.; Sunol, C.; Petriz, J.; Cattaneo, E.; Alberch, J. y Canals, J. M. Induction of GABAergic phenotype in a neural stem cell line for transplantation in an excitotoxic model of Huntington's disease. 2004 *Exp. Neurol.* **190**:42-58
- Bottai, D.; Fiocco, R.; Gelain, F.; Defilippis, L.; Galli, R.; Gritti, A. y Vescovi, L. A. Neural stem cells in the adult nervous system. 2003 *J. Hematother. Stem Cell Res.* **12**:655-670
- Brasted, P. J.; Watts, C.; Robbins, T. W. y Dunnett, S. B. Associative plasticity in striatal transplants. 1999 *Proc. Natl. Acad. Sci. U. S. A* **96**:10524-10529
- Brazelton, T. R.; Rossi, F. M.; Keshet, G. I. y Blau, H. M. From marrow to brain: expression of neuronal phenotypes in adult mice. 2000 *Science* **290**:1775-1779
- Brouillet, E.; Conde, F.; Beal, M. F. y Hantraye, P. Replicating Huntington's disease phenotype in experimental animals. 1999 *Prog. Neurobiol.* **59**:427-468
- Brundin, P.; Karlsson, J.; Emgard, M.; Schierle, G. S.; Hansson, O.; Petersen, A. y Castilho, R. F. Improving the survival of grafted dopaminergic neurons: a review over current approaches. 2000 *Cell Transplant.* **9**:179-195
- Brustle, O.; Jones, K. N.; Learish, R. D.; Karram, K.; Choudhary, K.; Wiestler, O. D.; Duncan, I. D. y McKay, R. D. Embryonic stem cell-derived glial precursors: a source of myelinating transplants. 1999 *Science* **285**:754-756
- Bulfone, A.; Puelles, L.; Porteus, M. H.; Frohman, M. A.; Martin, G. R. y Rubenstein, J. L. Spatially restricted expression of Dlx-1, Dlx-2 (Tes-1), Gbx-2, and Wnt-3 in the embryonic day 12.5 mouse forebrain defines potential transverse and longitudinal segmental boundaries. 1993 *J. Neurosci.* **13**:3155-3172

- Cabanes, C.; Bonilla, S.; Tabares, L. y Martinez, S. Neuroprotective effect of adult hematopoietic stem cells in a mouse model of motoneuron degeneration. 2007 *Neurobiol. Dis.*
- Calvi, L. M.; Adams, G. B.; Weibrecht, K. W.; Weber, J. M.; Olson, D. P.; Knight, M. C.; Martin, R. P.; Schipani, E.; Divieti, P.; Bringhurst, F. R.; Milner, L. A.; Kronenberg, H. M. y Scadden, D. T. Osteoblastic cells regulate the haematopoietic stem cell niche. 2003 *Nature* **425**:841-846
- Cameron, H. A. y McKay, R. D. Restoring production of hippocampal neurons in old age. 1999 *Nat. Neurosci* **2**:894-897
- Campbell, K. Dorsal-ventral patterning in the mammalian telencephalon. 2003 *Curr. Opin. Neurobiol.* **13**:50-56
- Campbell, K.; Wictorin, K. y Bjorklund, A. Neurotransmitter-related gene expression in intrastriatal striatal transplants--I. Phenotypical characterization of striatal and non-striatal graft regions. 1995 *Neuroscience* **64**:17-33
- Canals, J. M.; Pineda, J. R.; Torres-Peraza, J. F.; Bosch, M.; Martin-Ibanez, R.; Munoz, M. T.; Mengod, G.; Ernfors, P. y Alberch, J. Brain-derived neurotrophic factor regulates the onset and severity of motor dysfunction associated with enkephalinergic neuronal degeneration in Huntington's disease. 2004 *J. Neurosci.* **24**:7727-7739
- Carpenter, M. K.; Cui, X.; Hu, Z. Y.; Jackson, J.; Sherman, S.; Seiger, A. y Wahlberg, L. U. In vitro expansion of a multipotent population of human neural progenitor cells. 1999 *Exp. Neurol.* **158**:265-278
- Carvey, P. M.; Ling, Z. D.; Sortwell, C. E.; Pitzer, M. R.; McGuire, S. O.; Storch, A. y Collier, T. J. A clonal line of mesencephalic progenitor cells converted to dopamine neurons by hematopoietic cytokines: a source of cells for transplantation in Parkinson's disease. 2001 *Exp. Neurol.* **171**:98-108
- Casarosa, S.; Fode, C. y Guillemot, F. Mash1 regulates neurogenesis in the ventral telencephalon. 1999 *Development* **126**:525-534
- Casper, K. B. y McCarthy, K. D. GFAP-positive progenitor cells produce neurons and oligodendrocytes throughout the CNS. 2006 *Mol. Cell Neurosci.* **31**:676-684

- Castelo-Branco, G. y Arenas, E. Function of Wnts in dopaminergic neuron development. 2006 *Neurodegener. Dis.* **3**:5-11
- Castelo-Branco, G.; Wagner, J.; Rodriguez, F. J.; Kele, J.; Sousa, K.; Rawal, N.; Pasolli, H. A.; Fuchs, E.; Kitajewski, J. y Arenas, E. Differential regulation of midbrain dopaminergic neuron development by Wnt-1, Wnt-3a, and Wnt-5a. 2003 *Proc. Natl. Acad. Sci. U. S. A* **100**:12747-12752
- Cattaneo, E.; Rigamonti, D.; Goffredo, D.; Zuccato, C.; Squitieri, F. y Sipione, S. Loss of normal huntingtin function: new developments in Huntington's disease research. 2001 *Trends Neurosci.* **24**:182-188
- Cecchi, C. Emx2: a gene responsible for cortical development, regionalization and area specification. 2002 *Gene* **291**:1-9
- Cha, J. H. Transcriptional dysregulation in Huntington's disease. 2000 *Trends Neurosci* **23**:387-392
- Chang, C. W.; Tsai, C. W.; Wang, H. F.; Tsai, H. C.; Chen, H. Y.; Tsai, T. F.; Takahashi, H.; Li, H. Y.; Fann, M. J.; Yang, C. W.; Hayashizaki, Y.; Saito, T. y Liu, F. C. Identification of a developmentally regulated striatum-enriched zinc-finger gene, Nolz-1, in the mammalian brain. 2004 *Proc. Natl. Acad. Sci. U. S. A* **101**:2613-2618
- Chen, G. J.; Jeng, C. H.; Lin, S. Z.; Tsai, S. H.; Wang, Y. y Chiang, Y. H. Fetal striatal transplants restore electrophysiological sensitivity to dopamine in the lesioned striatum of rats with experimental Huntington's disease. 2002 *J. Biomed. Sci.* **9**:303-310
- Chen, L.; Liao, G.; Waclaw, R. R.; Burns, K. A.; Linnquist, D.; Campbell, K.; Zheng, Y. y Kuan, C. Y. Rac1 controls the formation of midline commissures and the competency of tangential migration in ventral telencephalic neurons. 2007 *J. Neurosci.* **27**:3884-3893
- Chen, Q.; Veenman, C. L. y Reiner, A. Cellular expression of ionotropic glutamate receptor subunits on specific striatal neuron types and its implication for striatal vulnerability in glutamate receptor-mediated excitotoxicity. 1996 *Neuroscience* **73**:715-731
- Chesselet, M. F. y Robbins, E. Regional differences in substance P-like immunoreactivity in the striatum correlate with levels of preprotachykinin mRNA. 1989 *Neurosci. Lett.* **96**:47-53

- Chiang, C.; Litington, Y.; Lee, E.; Young, K. E.; Corden, J. L.; Westphal, H. y Beachy, P. A. Cyclopia and defective axial patterning in mice lacking Sonic hedgehog gene function. 1996 *Nature* **383**:407-413
- Chmielnicki, E.; Benraiss, A.; Economides, A. N. y Goldman, S. A. Adenovirally expressed noggin and brain-derived neurotrophic factor cooperate to induce new medium spiny neurons from resident progenitor cells in the adult striatal ventricular zone. 2004 *J. Neurosci* **24**:2133-2142
- Chung, S.; Hedlund, E.; Hwang, M.; Kim, D. W.; Shin, B. S.; Hwang, D. Y.; Jung, K. U.; Isacson, O. y Kim, K. S. The homeodomain transcription factor Pitx3 facilitates differentiation of mouse embryonic stem cells into AHD2-expressing dopaminergic neurons. 2005 *Mol. Cell Neurosci.* **28**:241-252
- Clarke, D. L.; Johansson, C. B.; Wilbertz, J.; Veress, B.; Nilsson, E.; Karlstrom, H.; Lendahl, U. y Frisen, J. Generalized potential of adult neural stem cells. 2000 *Science* **288**:1660-1663
- Conover, J. C. y Allen, R. L. The subventricular zone: new molecular and cellular developments. 2002 *Cell Mol. Life Sci.* **59**:2128-2135
- Conover, J. C.; Doetsch, F.; Garcia-Verdugo, J. M.; Gale, N. W.; Yancopoulos, G. D. y varez-Buylla, A. Disruption of Eph/ephrin signaling affects migration and proliferation in the adult subventricular zone. 2000 *Nat. Neurosci.* **3**:1091-1097
- Conti, L.; Sipione, S.; Magrassi, L.; Bonfanti, L.; Rigamonti, D.; Pettirossi, V.; Peschanski, M.; Haddad, B.; Pelicci, P.; Milanesi, G.; Pelicci, G. y Cattaneo, E. Shc signaling in differentiating neural progenitor cells. 2001 *Nat. Neurosci.* **4**:579-586
- Corbin, J. G.; Gaiano, N.; Machold, R. P.; Langston, A. y Fishell, G. The Gsh2 homeodomain gene controls multiple aspects of telencephalic development. 2000 *Development* **127**:5007-5020
- Corbin, J. G.; Nery, S. y Fishell, G. Telencephalic cells take a tangent: non-radial migration in the mammalian forebrain. 2001 *Nat. Neurosci.* **4 Suppl**:1177-1182
- Correa, F. M.; Innis, R. B.; Hester, L. D. y Snyder, S. H. Diffuse enkephalin innervation from caudate to globus pallidus. 1981 *Neurosci. Lett.* **25**:63-68

- Coucouvanis, E. y Martin, G. R. BMP signaling plays a role in visceral endoderm differentiation and cavitation in the early mouse embryo. 1999 *Development* **126**:535-546
- Craig, C. G.; Tropepe, V.; Morshead, C. M.; Reynolds, B. A.; Weiss, S. y van der, K. D. In vivo growth factor expansion of endogenous subependymal neural precursor cell populations in the adult mouse brain. 1996 *J. Neurosci* **16**:2649-2658
- Cudkowicz, M. y Kowall, N. W. Degeneration of pyramidal projection neurons in Huntington's disease cortex. 1990 *Ann. Neurol.* **27**:200-204
- Cuello, A. C. y Paxinos, G. Evidence for a long Leu-enkephalin striopallidal pathway in rat brain. 1978 *Nature* **271**:178-180
- Curtis, M. A.; Penney, E. B.; Pearson, A. G.; Roon-Mom, W. M.; Butterworth, N. J.; Dragunow, M.; Connor, B. y Faull, R. L. Increased cell proliferation and neurogenesis in the adult human Huntington's disease brain. 2003 *Proc. Natl. Acad. Sci. U. S. A* **100**:9023-9027
- De Carlos, J. A.; Lopez-Mascaraque, L. y Valverde, F. Dynamics of cell migration from the lateral ganglionic eminence in the rat. 1996 *J. Neurosci.* **16**:6146-6156
- Deacon, T. W.; Pakzaban, P. y Isacson, O. The lateral ganglionic eminence is the origin of cells committed to striatal phenotypes: neural transplantation and developmental evidence. 1994 *Brain Res.* **668**:211-219
- Deckel, A. W.; Robinson, R. G.; Coyle, J. T. y Sanberg, P. R. Reversal of long-term locomotor abnormalities in the kainic acid model of Huntington's disease by day 18 fetal striatal implants. 1983 *Eur. J. Pharmacol.* **93**:287-288
- del, T. D.; Canals, J. M.; Gines, S.; Kojima, M.; Egea, G. y Alberch, J. Mutant huntingtin impairs the post-Golgi trafficking of brain-derived neurotrophic factor but not its Val66Met polymorphism. 2006 *J. Neurosci.* **26**:12748-12757
- Deng, W.; Obrocka, M.; Fischer, I. y Prockop, D. J. In vitro differentiation of human marrow stromal cells into early progenitors of neural cells by conditions that increase intracellular cyclic AMP. 2001 *Biochem. Biophys. Res. Commun.* **282**:148-152

- Depew, M. J.; Liu, J. K.; Long, J. E.; Presley, R.; Meneses, J. J.; Pedersen, R. A. y Rubenstein, J. L. Dlx5 regulates regional development of the branchial arches and sensory capsules. 1999 *Development* **126**:3831-3846
- DiFiglia, M.; Sapp, E.; Chase, K.; Schwarz, C.; Meloni, A.; Young, C.; Martin, E.; Vonsattel, J. P.; Carraway, R.; Reeves, S. A. y . Huntingtin is a cytoplasmic protein associated with vesicles in human and rat brain neurons. 1995 *Neuron* **14**:1075-1081
- Dinsmore, J.; Ratliff, J.; Deacon, T.; Pakzaban, P.; Jacoby, D.; Galpern, W. y Isacson, O. Embryonic stem cells differentiated in vitro as a novel source of cells for transplantation. 1996 *Cell Transplant.* **5**:131-143
- Dobi, A.; Palkovits, M.; Ring, M. A.; Eitel, A.; Palkovits, C. G.; Lim, F. y Agoston, D. V. Sample and probe: a novel approach for identifying development-specific cis-elements of the enkephalin gene. 1997 *Brain Res. Mol. Brain Res.* **52**:98-111
- Doetsch, F. A niche for adult neural stem cells. 2003 *Curr. Opin. Genet. Dev.* **13**:543-550
- Doetsch, F.; Caille, I.; Lim, D. A.; Garcia-Verdugo, J. M. y varez-Buylla, A. Subventricular zone astrocytes are neural stem cells in the adult mammalian brain. 1999 *Cell* **97**:703-716
- Doetsch, F.; Garcia-Verdugo, J. M. y Alvarez-Buylla, A. Cellular composition and three-dimensional organization of the subventricular germinal zone in the adult mammalian brain. 1997 *J. Neurosci* **17**:5046-5061
- Doetschman, T. C.; Eistetter, H.; Katz, M.; Schmidt, W. y Kemler, R. The in vitro development of blastocyst-derived embryonic stem cell lines: formation of visceral yolk sac, blood islands and myocardium. 1985 *J. Embryol. Exp. Morphol.* **87**:27-45
- Dou, C. L.; Li, S. y Lai, E. Dual role of brain factor-1 in regulating growth and patterning of the cerebral hemispheres. 1999 *Cereb. Cortex* **9**:543-550
- Duman, R. S.; Malberg, J. y Thome, J. Neural plasticity to stress and antidepressant treatment. 1999 *Biol. Psychiatry* **46**:1181-1191
- Dumortier, A.; Jeannet, R.; Kirstetter, P.; Kleinmann, E.; Sellars, M.; dos Santos, N. R.; Thibault, C.; Barths, J.; Ghysdael, J.; Punt, J. A.; Kastner, P. y Chan, S. Notch activation is an early and critical event during T-Cell leukemogenesis in Ikaros-deficient mice. 2006 *Mol. Cell Biol.* **26**:209-220

- Duncan, A. W.; Rattis, F. M.; DiMascio, L. N.; Congdon, K. L.; Pazianos, G.; Zhao, C.; Yoon, K.; Cook, J. M.; Willert, K.; Gaiano, N. y Reya, T. Integration of Notch and Wnt signaling in hematopoietic stem cell maintenance. 2005 *Nat. Immunol.* **6**:314-322
- Duncan, I. D.; Grever, W. E. y Zhang, S. C. Repair of myelin disease: strategies and progress in animal models. 1997 *Mol. Med. Today* **3**:554-561
- Dunnett, S. B. Functional repair of striatal systems by neural transplants: evidence for circuit reconstruction. 1995 *Behav. Brain Res.* **66**:133-142
- Dunnett, S. B.; Nathwani, F. y Bjorklund, A. The integration and function of striatal grafts. 2000 *Prog. Brain Res.* **127**:345-380
- Duyao, M. P.; Auerbach, A. B.; Ryan, A.; Persichetti, F.; Barnes, G. T.; McNeil, S. M.; Ge, P.; Vonsattel, J. P.; Gusella, J. F.; Joyner, A. L. y . Inactivation of the mouse Huntington's disease gene homolog Hdh. 1995 *Science* **269**:407-410
- Echelard, Y.; Epstein, D. J.; St-Jacques, B.; Shen, L.; Mohler, J.; McMahon, J. A. y McMahon, A. P. Sonic hedgehog, a member of a family of putative signaling molecules, is implicated in the regulation of CNS polarity. 1993 *Cell* **75**:1417-1430
- Echevarria, D.; Belo, J. A. y Martinez, S. Modulation of Fgf8 activity during vertebrate brain development. 2005 *Brain Res. Brain Res. Rev.* **49**:150-157
- Eisenstat, D. D.; Liu, J. K.; Mione, M.; Zhong, W.; Yu, G.; Anderson, S. A.; Ghattas, I.; Puellas, L. y Rubenstein, J. L. DLX-1, DLX-2, and DLX-5 expression define distinct stages of basal forebrain differentiation. 1999 *J. Comp Neurol.* **414**:217-237
- Ekdahl, C. T.; Claasen, J. H.; Bonde, S.; Kokaia, Z. y Lindvall, O. Inflammation is detrimental for neurogenesis in adult brain. 2003 *Proc. Natl. Acad. Sci. U. S. A* **100**:13632-13637
- Ekdahl, C. T.; Mohapel, P.; Weber, E.; Bahr, B.; Blomgren, K. y Lindvall, O. Caspase-mediated death of newly formed neurons in the adult rat dentate gyrus following status epilepticus. 2002 *Eur. J. Neurosci* **16**:1463-1471
- Elder, G. A.; De, G. R. y Gama Sosa, M. A. Research update: neurogenesis in adult brain and neuropsychiatric disorders. 2006 *Mt. Sinai J. Med.* **73**:931-940

- Emerich, D. F.; Cain, C. K.; Greco, C.; Saydoff, J. A.; Hu, Z. Y.; Liu, H. y Lindner, M. D. Cellular delivery of human CNTF prevents motor and cognitive dysfunction in a rodent model of Huntington's disease. 1997a *Cell Transplant.* **6**:249-266
- Emerich, D. F.; Lindner, M. D.; Winn, S. R.; Chen, E. Y.; Frydel, B. R. y Kordower, J. H. Implants of encapsulated human CNTF-producing fibroblasts prevent behavioral deficits and striatal degeneration in a rodent model of Huntington's disease. 1996 *J. Neurosci.* **16**:5168-5181
- Emerich, D. F.; Winn, S. R.; Hantraye, P. M.; Peschanski, M.; Chen, E. Y.; Chu, Y.; McDermott, P.; Baetge, E. E. y Kordower, J. H. Protective effect of encapsulated cells producing neurotrophic factor CNTF in a monkey model of Huntington's disease. 1997b *Nature* **386**:395-399
- Ericson, J.; Briscoe, J.; Rashbass, P.; van, H., V y Jessell, T. M. Graded sonic hedgehog signaling and the specification of cell fate in the ventral neural tube. 1997 *Cold Spring Harb. Symp. Quant. Biol.* **62**:451-466
- Ericson, J.; Muhr, J.; Jessell, T. M. y Edlund, T. Sonic hedgehog: a common signal for ventral patterning along the rostrocaudal axis of the neural tube. 1995a *Int. J. Dev. Biol.* **39**:809-816
- Ericson, J.; Muhr, J.; Placzek, M.; Lints, T.; Jessell, T. M. y Edlund, T. Sonic hedgehog induces the differentiation of ventral forebrain neurons: a common signal for ventral patterning within the neural tube. 1995b *Cell* **81**:747-756
- Evans, M. J. y Kaufman, M. H. Establishment in culture of pluripotential cells from mouse embryos. 1981 *Nature* **292**:154-156
- Fallon, J.; Reid, S.; Kinyamu, R.; Opole, I.; Opole, R.; Baratta, J.; Korc, M.; Endo, T. L.; Duong, A.; Nguyen, G.; Karkehabadhi, M.; Twardzik, D.; Patel, S. y Loughlin, S. In vivo induction of massive proliferation, directed migration, and differentiation of neural cells in the adult mammalian brain. 2000 *Proc. Natl. Acad. Sci. U. S. A* **97**:14686-14691
- Ferland, R. J.; Cherry, T. J.; Preware, P. O.; Morrissey, E. E. y Walsh, C. A. Characterization of Foxp2 and Foxp1 mRNA and protein in the developing and mature brain. 2003 *J. Comp Neurol.* **460**:266-279
- Ferrante, R. J.; Kowall, N. W.; Beal, M. F.; Martin, J. B.; Bird, E. D. y Richardson, E. P., Jr. Morphologic and histochemical characteristics of a spared subset of striatal neurons in Huntington's disease. 1987 *J. Neuropathol. Exp. Neurol.* **46**:12-27

- Ferrante, R. J.; Kowall, N. W.; Beal, M. F.; Richardson, E. P., Jr.; Bird, E. D. y Martin, J. B. Selective sparing of a class of striatal neurons in Huntington's disease. 1985 *Science* **230**:561-563
- Ferrante, R. J.; Kowall, N. W.; Cipolloni, P. B.; Storey, E. y Beal, M. F. Excitotoxin lesions in primates as a model for Huntington's disease: histopathologic and neurochemical characterization. 1993 *Exp. Neurol.* **119**:46-71
- Ferrer, I.; Goutan, E.; Marin, C.; Rey, M. J. y Ribalta, T. Brain-derived neurotrophic factor in Huntington disease. 2000 *Brain Res.* **866**:257-261
- Ferron, S.; Mira, H.; Franco, S.; Cano-Jaimez, M.; Bellmunt, E.; Ramirez, C.; Farinas, I. y Blasco, M. A. Telomere shortening and chromosomal instability abrogates proliferation of adult but not embryonic neural stem cells. 2004 *Development* **131**:4059-4070
- Ferron, S. R.; Andreu-Agullo, C.; Mira, H.; Sanchez, P.; Marques-Torrejon, M. A. y Farinas, I. A combined ex/in vivo assay to detect effects of exogenously added factors in neural stem cells. 2007 *Nat. Protoc.* **2**:849-859
- Fishell, G. y van der, K. D. Pattern formation in the striatum: neurons with early projections to the substantia nigra survive the cell death period. 1991 *J. Comp Neurol.* **312**:33-42
- Flames, N.; Long, J. E.; Garratt, A. N.; Fischer, T. M.; Gassmann, M.; Birchmeier, C.; Lai, C.; Rubenstein, J. L. y Marin, O. Short- and long-range attraction of cortical GABAergic interneurons by neuregulin-1. 2004 *Neuron* **44**:251-261
- Fode, C.; Ma, Q.; Casarosa, S.; Ang, S. L.; Anderson, D. J. y Guillemot, F. A role for neural determination genes in specifying the dorsoventral identity of telencephalic neurons. 2000 *Genes Dev.* **14**:67-80
- Forster, E.; Tielsch, A.; Saum, B.; Weiss, K. H.; Johansen, C.; Graus-Porta, D.; Muller, U. y Frotscher, M. Reelin, Disabled 1, and beta 1 integrins are required for the formation of the radial glial scaffold in the hippocampus. 2002 *Proc. Natl. Acad. Sci. U. S. A* **99**:13178-13183
- Fraichard, A.; Chassande, O.; Bilbaut, G.; Dehay, C.; Savatier, P. y Samarut, J. In vitro differentiation of embryonic stem cells into glial cells and functional neurons. 1995 *J. Cell Sci.* **108 (Pt 10)**:3181-3188

- Frederiksen, K.; Jat, P. S.; Valtz, N.; Levy, D. y McKay, R. Immortalization of precursor cells from the mammalian CNS. 1988 *Neuron* **1**:439-448
- Freeman, T. B.; Cicchetti, F.; Hauser, R. A.; Deacon, T. W.; Li, X. J.; Hersch, S. M.; Nauert, G. M.; Sanberg, P. R.; Kordower, J. H.; Saporta, S. y Isacson, O. Transplanted fetal striatum in Huntington's disease: phenotypic development and lack of pathology. 2000 *Proc. Natl. Acad. Sci. U. S. A* **97**:13877-13882
- Frim, D. M.; Uhler, T. A.; Short, M. P.; Ezzedine, Z. D.; Klagsbrun, M.; Breakefield, X. O. y Isacson, O. Effects of biologically delivered NGF, BDNF and bFGF on striatal excitotoxic lesions. 1993 *Neuroreport* **4**:367-370
- Fuccillo, M.; Rallu, M.; McMahan, A. P. y Fishell, G. Temporal requirement for hedgehog signaling in ventral telencephalic patterning. 2004 *Development* **131**:5031-5040
- Furuta, Y.; Piston, D. W. y Hogan, B. L. Bone morphogenetic proteins (BMPs) as regulators of dorsal forebrain development. 1997 *Development* **124**:2203-2212
- Fusco, F. R.; Chen, Q.; Lamoreaux, W. J.; Figueredo-Cardenas, G.; Jiao, Y.; Coffman, J. A.; Surmeier, D. J.; Honig, M. G.; Carlock, L. R. y Reiner, A. Cellular localization of huntingtin in striatal and cortical neurons in rats: lack of correlation with neuronal vulnerability in Huntington's disease. 1999 *J. Neurosci.* **19**:1189-1202
- Gadisseux, J. F.; Evrard, P.; Misson, J. P. y Caviness, V. S. Dynamic structure of the radial glial fiber system of the developing murine cerebral wall. An immunocytochemical analysis. 1989 *Brain Res. Dev. Brain Res.* **50**:55-67
- Gage, F. H. Mammalian neural stem cells. 2000 *Science* **287**:1433-1438
- Gage, F. H.; Ray, J. y Fisher, L. J. Isolation, characterization, and use of stem cells from the CNS. 1995 *Annu. Rev. Neurosci.* **18**:159-192
- Gaiano, N.; Nye, J. S. y Fishell, G. Radial glial identity is promoted by Notch1 signaling in the murine forebrain. 2000 *Neuron* **26**:395-404
- Galceran, J.; Miyashita-Lin, E. M.; Devaney, E.; Rubenstein, J. L. y Grosschedl, R. Hippocampus development and generation of dentate gyrus granule cells is regulated by LEF1. 2000 *Development* **127**:469-482

- Garcia-Dominguez, M.; Poquet, C.; Garel, S. y Charnay, P. Ebf gene function is required for coupling neuronal differentiation and cell cycle exit. 2003 *Development* **130**:6013-6025
- Garel, S.; Marin, F.; Grosschedl, R. y Charnay, P. Ebf1 controls early cell differentiation in the embryonic striatum. 1999 *Development* **126**:5285-5294
- Garel, S.; Marin, F.; Mattei, M. G.; Vesque, C.; Vincent, A. y Charnay, P. Family of Ebf/Olf-1-related genes potentially involved in neuronal differentiation and regional specification in the central nervous system. 1997 *Dev. Dyn.* **210**:191-205
- Gaura, V.; Bachoud-Levi, A. C.; Ribeiro, M. J.; Nguyen, J. P.; Frouin, V.; Baudic, S.; Brugieres, P.; Mangin, J. F.; Boisse, M. F.; Palfi, S.; Cesaro, P.; Samson, Y.; Hantraye, P.; Peschanski, M. y Remy, P. Striatal neural grafting improves cortical metabolism in Huntington's disease patients. 2004 *Brain* **127**:65-72
- Gauthier, L. R.; Charrin, B. C.; Borrell-Pages, M.; Dompierre, J. P.; Rangone, H.; Cordelieres, F. P.; De Mey, J.; MacDonald, M. E.; Lessmann, V.; Humbert, S. y Saudou, F. Huntingtin controls neurotrophic support and survival of neurons by enhancing BDNF vesicular transport along microtubules. 2004 *Cell* **118**:127-138
- Gavalda, N.; Perez-Navarro, E.; Gratacos, E.; Comella, J. X. y Alberch, J. Differential involvement of phosphatidylinositol 3-kinase and p42/p44 mitogen activated protein kinase pathways in brain-derived neurotrophic factor-induced trophic effects on cultured striatal neurons. 2004 *Mol. Cell Neurosci.* **25**:460-468
- Georgopoulos, K. Haematopoietic cell-fate decisions, chromatin regulation and ikaros. 2002 *Nat. Rev. Immunol.* **2**:162-174
- Georgopoulos, K.; Bigby, M.; Wang, J. H.; Molnar, A.; Wu, P.; Winandy, S. y Sharpe, A. The Ikaros gene is required for the development of all lymphoid lineages. 1994 *Cell* **79**:143-156
- Georgopoulos, K.; Moore, D. D. y Derfler, B. Ikaros, an early lymphoid-specific transcription factor and a putative mediator for T cell commitment. 1992 *Science* **258**:808-812
- Gerfen, C. R. The neostriatal mosaic: multiple levels of compartmental organization. 1992 *Trends Neurosci* **15**:133-139

- Gerfen, C. R. Synaptic organization of the striatum. 1988 *J. Electron Microsc. Tech.* **10**:265-281
- Gerfen, C. R. The neostriatal mosaic: compartmentalization of corticostriatal input and striatonigral output systems. 1984 *Nature* **311**:461-464
- Gerfen, C. R. The neostriatal mosaic. I. Compartmental organization of projections from the striatum to the substantia nigra in the rat. 1985 *J. Comp Neurol.* **236**:454-476
- Gerfen, C. R. The neostriatal mosaic: striatal patch-matrix organization is related to cortical lamination. 1989 *Science* **246**:385-388
- Gerfen, C. R.; Baimbridge, K. G. y Miller, J. J. The neostriatal mosaic: compartmental distribution of calcium-binding protein and parvalbumin in the basal ganglia of the rat and monkey. 1985 *Proc. Natl. Acad. Sci. U. S. A* **82**:8780-8784
- Gerfen, C. R.; Engber, T. M.; Mahan, L. C.; Susel, Z.; Chase, T. N.; Monsma, F. J., Jr. y Sibley, D. R. D1 and D2 dopamine receptor-regulated gene expression of striatonigral and striatopallidal neurons. 1990 *Science* **250**:1429-1432
- Gerfen, C. R.; Herkenham, M. y Thibault, J. The neostriatal mosaic: II. Patch- and matrix-directed mesostriatal dopaminergic and non-dopaminergic systems. 1987 *J. Neurosci.* **7**:3915-3934
- Gerfen, C. R. y Young, W. S., III Distribution of striatonigral and striatopallidal peptidergic neurons in both patch and matrix compartments: an in situ hybridization histochemistry and fluorescent retrograde tracing study. 1988 *Brain Res.* **460**:161-167
- Gervais, F. G.; Singaraja, R.; Xanthoudakis, S.; Gutekunst, C. A.; Leavitt, B. R.; Metzler, M.; Hackam, A. S.; Tam, J.; Vaillancourt, J. P.; Houtzager, V.; Rasper, D. M.; Roy, S.; Hayden, M. R. y Nicholson, D. W. Recruitment and activation of caspase-8 by the Huntingtin-interacting protein Hip-1 and a novel partner Hippi. 2002 *Nat. Cell Biol.* **4**:95-105
- Goldman, S. A. Adult neurogenesis: from canaries to the clinic. 1998 *J. Neurobiol.* **36**:267-286
- Gomez-del, A. P.; Maki, K. y Georgopoulos, K. Phosphorylation controls Ikaros's ability to negatively regulate the G(1)-S transition. 2004 *Mol. Cell Biol.* **24**:2797-2807

- Goncalves, M. B.; Boyle, J.; Webber, D. J.; Hall, S.; Minger, S. L. y Corcoran, J. P. Timing of the retinoid-signalling pathway determines the expression of neuronal markers in neural progenitor cells. 2005 *Dev. Biol.* **278**:60-70
- Gratacos, E.; Perez-Navarro, E.; Tolosa, E.; Arenas, E. y Alberch, J. Neuroprotection of striatal neurons against kainate excitotoxicity by neurotrophins and GDNF family members. 2001 *J. Neurochem.* **78**:1287-1296
- Gratsch, T. E. y O'Shea, K. S. Noggin and chordin have distinct activities in promoting lineage commitment of mouse embryonic stem (ES) cells. 2002 *Dev. Biol.* **245**:83-94
- Graybiel, A. M. Neurotransmitters and neuromodulators in the basal ganglia. 1990 *Trends Neurosci.* **13**:244-254
- Graybiel, A. M. Compartmental organization of the mammalian striatum. 1983 *Prog. Brain Res.* **58**:247-256
- Graybiel, A. M. y Ragsdale, C. W., Jr. Histochemically distinct compartments in the striatum of human, monkeys, and cat demonstrated by acetylthiocholinesterase staining. 1978 *Proc. Natl. Acad. Sci. U. S. A.* **75**:5723-5726
- Graybiel, A. M.; Ragsdale, C. W., Jr.; Yoneoka, E. S. y Elde, R. P. An immunohistochemical study of enkephalins and other neuropeptides in the striatum of the cat with evidence that the opiate peptides are arranged to form mosaic patterns in register with the striosomal compartments visible by acetylcholinesterase staining. 1981 *Neuroscience* **6**:377-397
- Grigoriou, M.; Tucker, A. S.; Sharpe, P. T. y Pachnis, V. Expression and regulation of Lhx6 and Lhx7, a novel subfamily of LIM homeodomain encoding genes, suggests a role in mammalian head development. 1998 *Development* **125**:2063-2074
- Gritti, A.; Parati, E. A.; Cova, L.; Frolichsthal, P.; Galli, R.; Wanke, E.; Faravelli, L.; Morassutti, D. J.; Roisen, F.; Nickel, D. D. y Vescovi, A. L. Multipotential stem cells from the adult mouse brain proliferate and self-renew in response to basic fibroblast growth factor. 1996 *J. Neurosci.* **16**:1091-1100
- Grove, E. A.; Tole, S.; Limon, J.; Yip, L. y Ragsdale, C. W. The hem of the embryonic cerebral cortex is defined by the expression of multiple Wnt

- genes and is compromised in Gli3-deficient mice. 1998 *Development* **125**:2315-2325
- Guan, K.; Chang, H.; Rolletschek, A. y Wobus, A. M. Embryonic stem cell-derived neurogenesis. Retinoic acid induction and lineage selection of neuronal cells. 2001 *Cell Tissue Res.* **305**:171-176
- Gulacsi, A. y Anderson, S. A. Shh maintains Nkx2.1 in the MGE by a Gli3-independent mechanism. 2006 *Cereb. Cortex* **16 Suppl 1**:i89-i95
- Gusella, J. F. y MacDonald, M. E. Huntingtin: a single bait hooks many species. 1998 *Curr. Opin. Neurobiol.* **8**:425-430
- Gustafsson, E.; Andsberg, G.; Darsalia, V.; Mohapel, P.; Mandel, R. J.; Kirik, D.; Lindvall, O. y Kokaia, Z. Anterograde delivery of brain-derived neurotrophic factor to striatum via nigral transduction of recombinant adeno-associated virus increases neuronal death but promotes neurogenic response following stroke. 2003 *Eur. J. Neurosci* **17**:2667-2678
- Gutekunst, C. A.; Li, S. H.; Yi, H.; Ferrante, R. J.; Li, X. J. y Hersch, S. M. The cellular and subcellular localization of huntingtin-associated protein 1 (HAP1): comparison with huntingtin in rat and human. 1998 *J. Neurosci.* **18**:7674-7686
- Haber, S. N. y Watson, S. J. The comparative distribution of enkephalin, dynorphin and substance P in the human globus pallidus and basal forebrain. 1985 *Neuroscience* **14**:1011-1024
- Hall, A. C.; Mira, H.; Wagner, J. y Arenas, E. Region-specific effects of glia on neuronal induction and differentiation with a focus on dopaminergic neurons. 2003 *Glia* **43**:47-51
- Halliday, A. L. y Cepko, C. L. Generation and migration of cells in the developing striatum. 1992 *Neuron* **9**:15-26
- Hallonet, M.; Hollemann, T.; Wehr, R.; Jenkins, N. A.; Copeland, N. G.; Pieler, T. y Gruss, P. Vax1 is a novel homeobox-containing gene expressed in the developing anterior ventral forebrain. 1998 *Development* **125**:2599-2610
- Hamasaki, T.; Goto, S.; Nishikawa, S. y Ushio, Y. A role of netrin-1 in the formation of the subcortical structure striatum: repulsive action on the migration of late-born striatal neurons. 2001 *J. Neurosci.* **21**:4272-4280

- Hamasaki, T.; Goto, S.; Nishikawa, S. y Ushio, Y. Neuronal cell migration for the developmental formation of the mammalian striatum. 2003 *Brain Res. Brain Res. Rev.* **41**:1-12
- Handley, O. J.; Naji, J. J.; Dunnett, S. B. y Rosser, A. E. Pharmaceutical, cellular and genetic therapies for Huntington's disease. 2006 *Clin. Sci. (Lond)* **110**:73-88
- Hantraye, P.; Riche, D.; Maziere, M. y Isacson, O. Intrastratial transplantation of cross-species fetal striatal cells reduces abnormal movements in a primate model of Huntington disease. 1992 *Proc. Natl. Acad. Sci. U. S. A* **89**:4187-4191
- Hardcastle, Z. y Papalopulu, N. Distinct effects of XBF-1 in regulating the cell cycle inhibitor p27(XIC1) and imparting a neural fate. 2000 *Development* **127**:1303-1314
- Harlan, R. E.; Garcia, M. M. y Krause, J. E. Cellular localization of substance P- and neurokinin A-encoding preprotachykinin mRNA in the female rat brain. 1989 *J. Comp Neurol.* **287**:179-212
- Harlan, R. E.; Shivers, B. D.; Romano, G. J.; Howells, R. D. y Pfaff, D. W. Localization of preproenkephalin mRNA in the rat brain and spinal cord by in situ hybridization. 1987 *J. Comp Neurol.* **258**:159-184
- Harrower, T. P.; Tyers, P.; Hooks, Y. y Barker, R. A. Long-term survival and integration of porcine expanded neural precursor cell grafts in a rat model of Parkinson's disease. 2006 *Exp. Neurol.* **197**:56-69
- Hauser, R. A.; Furtado, S.; Cimino, C. R.; Delgado, H.; Eichler, S.; Schwartz, S.; Scott, D.; Nauert, G. M.; Soety, E.; Sossi, V.; Holt, D. A.; Sanberg, P. R.; Stoessl, A. J. y Freeman, T. B. Bilateral human fetal striatal transplantation in Huntington's disease. 2002 *Neurology* **58**:687-695
- He, Z.; Li, J. J.; Zhen, C. H.; Feng, L. Y. y Ding, X. Y. Effect of leukemia inhibitory factor on embryonic stem cell differentiation: implications for supporting neuronal differentiation. 2006 *Acta Pharmacol. Sin.* **27**:80-90
- Hebert, J. M.; Mishina, Y. y McConnell, S. K. BMP signaling is required locally to pattern the dorsal telencephalic midline. 2002 *Neuron* **35**:1029-1041
- Hedreen, J. C.; Peyser, C. E.; Folstein, S. E. y Ross, C. A. Neuronal loss in layers V and VI of cerebral cortex in Huntington's disease. 1991 *Neurosci. Lett.* **133**:257-261

- Heffron, D. S. y Golden, J. A. DM-GRASP is necessary for nonradial cell migration during chick diencephalic development. 2000 *J. Neurosci.* **20**:2287-2294
- Heins, N.; Malatesta, P.; Cecconi, F.; Nakafuku, M.; Tucker, K. L.; Hack, M. A.; Chapouton, P.; Barde, Y. A. y Gotz, M. Glial cells generate neurons: the role of the transcription factor Pax6. 2002 *Nat. Neurosci.* **5**:308-315
- Hitoshi, S.; Alexson, T.; Tropepe, V.; Donoviel, D.; Elia, A. J.; Nye, J. S.; Conlon, R. A.; Mak, T. W.; Bernstein, A. y van der, K. D. Notch pathway molecules are essential for the maintenance, but not the generation, of mammalian neural stem cells. 2002 *Genes Dev.* **16**:846-858
- Huh, S.; Hatini, V.; Marcus, R. C.; Li, S. C. y Lai, E. Dorsal-ventral patterning defects in the eye of BF-1-deficient mice associated with a restricted loss of shh expression. 1999 *Dev. Biol.* **211**:53-63
- Iacovitti, L.; Donaldson, A. E.; Marshall, C. E.; Suon, S. y Yang, M. A protocol for the differentiation of human embryonic stem cells into dopaminergic neurons using only chemically defined human additives: Studies in vitro and in vivo. 2007 *Brain Res.* **1127**:19-25
- Imura, T.; Kornblum, H. I. y Sofroniew, M. V. The predominant neural stem cell isolated from postnatal and adult forebrain but not early embryonic forebrain expresses GFAP. 2003 *J. Neurosci.* **23**:2824-2832
- Isacson, O.; Brundin, P.; Gage, F. H. y Bjorklund, A. Neural grafting in a rat model of Huntington's disease: progressive neurochemical changes after neostriatal ibotenate lesions and striatal tissue grafting. 1985 *Neuroscience* **16**:799-817
- Isacson, O.; Dunnett, S. B. y Bjorklund, A. Graft-induced behavioral recovery in an animal model of Huntington disease. 1986 *Proc. Natl. Acad. Sci. U. S. A* **83**:2728-2732
- Itskovitz-Eldor, J.; Schuldiner, M.; Karsenti, D.; Eden, A.; Yanuka, O.; Amit, M.; Soreq, H. y Benvenisty, N. Differentiation of human embryonic stem cells into embryoid bodies compromising the three embryonic germ layers. 2000 *Mol. Med.* **6**:88-95
- Ivanova, N. B.; Dimos, J. T.; Schaniel, C.; Hackney, J. A.; Moore, K. A. y Lemischka, I. R. A stem cell molecular signature. 2002 *Science* **298**:601-604

- Jacobowitz, D. M. y Winsky, L. Immunocytochemical localization of calretinin in the forebrain of the rat. 1991 *J. Comp Neurol.* **304**:198-218
- Jang, Y. K.; Park, J. J.; Lee, M. C.; Yoon, B. H.; Yang, Y. S.; Yang, S. E. y Kim, S. U. Retinoic acid-mediated induction of neurons and glial cells from human umbilical cord-derived hematopoietic stem cells. 2004 *J. Neurosci Res.* **75**:573-584
- Jessell, T. M. Neuronal specification in the spinal cord: inductive signals and transcriptional codes. 2000 *Nat. Rev. Genet.* **1**:20-29
- Jin, K.; Mao, X. O.; Sun, Y.; Xie, L. y Greenberg, D. A. Stem cell factor stimulates neurogenesis in vitro and in vivo. 2002 *J. Clin. Invest* **110**:311-319
- Jin, K.; Sun, Y.; Xie, L.; Peel, A.; Mao, X. O.; Bateur, S. y Greenberg, D. A. Directed migration of neuronal precursors into the ischemic cerebral cortex and striatum. 2003 *Mol. Cell Neurosci* **24**:171-189
- Johansson, C. B.; Momma, S.; Clarke, D. L.; Risling, M.; Lendahl, U. y Frisen, J. Identification of a neural stem cell in the adult mammalian central nervous system. 1999 *Cell* **96**:25-34
- Johnston, J. G.; Gerfen, C. R.; Haber, S. N. y van der, K. D. Mechanisms of striatal pattern formation: conservation of mammalian compartmentalization. 1990 *Brain Res. Dev. Brain Res.* **57**:93-102
- Jones, E. A.; Tosh, D.; Wilson, D. I.; Lindsay, S. y Forrester, L. M. Hepatic differentiation of murine embryonic stem cells. 2002 *Exp. Cell Res.* **272**:15-22
- Jones-Villeneuve, E. M.; McBurney, M. W.; Rogers, K. A. y Kalnins, V. I. Retinoic acid induces embryonal carcinoma cells to differentiate into neurons and glial cells. 1982 *J. Cell Biol.* **94**:253-262
- Jones-Villeneuve, E. M.; Rudnicki, M. A.; Harris, J. F. y McBurney, M. W. Retinoic acid-induced neural differentiation of embryonal carcinoma cells. 1983 *Mol. Cell Biol.* **3**:2271-2279
- Jonk, L. J.; de Jonge, M. E.; Kruyt, F. A.; Mummery, C. L.; van der Saag, P. T. y Kruijer, W. Aggregation and cell cycle dependent retinoic acid receptor mRNA expression in P19 embryonal carcinoma cells. 1992 *Mech. Dev.* **36**:165-172

- Kakita, A. y Goldman, J. E. Patterns and dynamics of SVZ cell migration in the postnatal forebrain: monitoring living progenitors in slice preparations. 1999 *Neuron* **23**:461-472
- Kanatani, S.; Tabata, H. y Nakajima, K. Neuronal migration in cortical development. 2005 *J. Child Neurol.* **20**:274-279
- Kanatsu-Shinohara, M.; Inoue, K.; Lee, J.; Yoshimoto, M.; Ogonuki, N.; Miki, H.; Baba, S.; Kato, T.; Kazuki, Y.; Toyokuni, S.; Toyoshima, M.; Niwa, O.; Oshimura, M.; Heike, T.; Nakahata, T.; Ishino, F.; Ogura, A. y Shinohara, T. Generation of pluripotent stem cells from neonatal mouse testis. 2004 *Cell* **119**:1001-1012
- Kawaguchi, Y.; Wilson, C. J.; Augood, S. J. y Emson, P. C. Striatal interneurons: chemical, physiological and morphological characterization. 1995 *Trends Neurosci.* **18**:527-535
- Kawasaki, H.; Mizuseki, K.; Nishikawa, S.; Kaneko, S.; Kuwana, Y.; Nakanishi, S.; Nishikawa, S. I. y Sasai, Y. Induction of midbrain dopaminergic neurons from ES cells by stromal cell-derived inducing activity. 2000 *Neuron* **28**:31-40
- Keller, G. M. In vitro differentiation of embryonic stem cells. 1995 *Curr. Opin. Cell Biol.* **7**:862-869
- Kempermann, G.; Kuhn, H. G. y Gage, F. H. More hippocampal neurons in adult mice living in an enriched environment. 1997 *Nature* **386**:493-495
- Kendall, A. L.; Rayment, F. D.; Torres, E. M.; Baker, H. F.; Ridley, R. M. y Dunnett, S. B. Functional integration of striatal allografts in a primate model of Huntington's disease. 1998 *Nat. Med.* **4**:727-729
- Kielman, M. F.; Rindapaa, M.; Gaspar, C.; van, P. N.; Breukel, C.; van, L. S.; Taketo, M. M.; Roberts, S.; Smits, R. y Fodde, R. Apc modulates embryonic stem-cell differentiation by controlling the dosage of beta-catenin signaling. 2002 *Nat. Genet.* **32**:594-605
- Kim, D. W.; Chung, S.; Hwang, M.; Ferree, A.; Tsai, H. C.; Park, J. J.; Chung, S.; Nam, T. S.; Kang, U. J.; Isacson, O. y Kim, K. S. Stromal cell-derived inducing activity, Nurr1, and signaling molecules synergistically induce dopaminergic neurons from mouse embryonic stem cells. 2006 *Stem Cells* **24**:557-567

- Kim, J. H.; Auerbach, J. M.; Rodriguez-Gomez, J. A.; Velasco, I.; Gavin, D.; Lumelsky, N.; Lee, S. H.; Nguyen, J.; Sanchez-Pernaute, R.; Bankiewicz, K. y McKay, R. Dopamine neurons derived from embryonic stem cells function in an animal model of Parkinson's disease. 2002 *Nature* **418**:50-56
- Kippin, T. E.; Martens, D. J. y van der, K. D. p21 loss compromises the relative quiescence of forebrain stem cell proliferation leading to exhaustion of their proliferation capacity. 2005 *Genes Dev.* **19**:756-767
- Kitajima, H.; Yoshimura, S.; Kokuzawa, J.; Kato, M.; Iwama, T.; Motohashi, T.; Kunisada, T. y Sakai, N. Culture method for the induction of neurospheres from mouse embryonic stem cells by coculture with PA6 stromal cells. 2005 *J. Neurosci. Res.* **80**:467-474
- KLEINSMITH, L. J. y Pierce, G. B. Multipotentiality of single embryonal carcinoma cells. 1964 *Cancer Res.* **24**:1544-1551
- Kohtz, J. D.; Baker, D. P.; Corte, G. y Fishell, G. Regionalization within the mammalian telencephalon is mediated by changes in responsiveness to Sonic Hedgehog. 1998 *Development* **125**:5079-5089
- Kohyama, J.; Abe, H.; Shimazaki, T.; Koizumi, A.; Nakashima, K.; Gojo, S.; Taga, T.; Okano, H.; Hata, J. y Umezawa, A. Brain from bone: efficient "meta-differentiation" of marrow stroma-derived mature osteoblasts to neurons with Noggin or a demethylating agent. 2001 *Differentiation* **68**:235-244
- Kondo, M.; Wagers, A. J.; Manz, M. G.; Prohaska, S. S.; Scherer, D. C.; Beilhack, G. F.; Shizuru, J. A. y Weissman, I. L. Biology of hematopoietic stem cells and progenitors: implications for clinical application. 2003 *Annu. Rev. Immunol.* **21**:759-806
- Kordower, J. H.; Chen, E. Y.; Winkler, C.; Fricker, R.; Charles, V.; Messing, A.; Mufson, E. J.; Wong, S. C.; Rosenstein, J. M.; Bjorklund, A.; Emerich, D. F.; Hammang, J. y Carpenter, M. K. Grafts of EGF-responsive neural stem cells derived from GFAP-hNGF transgenic mice: trophic and tropic effects in a rodent model of Huntington's disease. 1997 *J. Comp Neurol.* **387**:96-113
- Kordower, J. H.; Isacson, O. y Emerich, D. F. Cellular delivery of trophic factors for the treatment of Huntington's disease: is neuroprotection possible? 1999 *Exp. Neurol.* **159**:4-20

- Korematsu, K.; Nishi, T.; Okamura, A.; Goto, S.; Morioka, M.; Hamada, J. y Ushio, Y. Cadherin-8 protein expression in gray matter structures and nerve fibers of the neonatal and adult mouse brain. 1998 *Neuroscience* **87**:303-315
- Krampera, M.; Marconi, S.; Pasini, A.; Galie, M.; Rigotti, G.; Mosna, F.; Tinelli, M.; Lovato, L.; Anghileri, E.; Andreini, A.; Pizzolo, G.; Sbarbati, A. y Bonetti, B. Induction of neural-like differentiation in human mesenchymal stem cells derived from bone marrow, fat, spleen and thymus. 2007 *Bone* **40**:382-390
- Krushel, L. A.; Connolly, J. A. y van der, K. D. Pattern formation in the mammalian forebrain: patch neurons from the rat striatum selectively reassociate in vitro. 1989 *Brain Res. Dev. Brain Res.* **47**:137-142
- Krushel, L. A.; Fishell, G. y van der, K. D. Pattern formation in the mammalian forebrain: striatal patch and matrix neurons intermix prior to compartment formation. 1995 *Eur. J. Neurosci.* **7**:1210-1219
- Krushel, L. A. y van der, K. D. Pattern formation in the developing mammalian forebrain: selective adhesion of early but not late postmitotic cortical and striatal neurons within forebrain reaggregate cultures. 1993 *Dev. Biol.* **158**:145-162
- Kuhn, H. G.; Winkler, J.; Kempermann, G.; Thal, L. J. y Gage, F. H. Epidermal growth factor and fibroblast growth factor-2 have different effects on neural progenitors in the adult rat brain. 1997 *J. Neurosci* **17**:5820-5829
- Kuppers, E.; Sabolek, M.; Anders, U.; Pilgrim, C. y Beyer, C. Developmental regulation of glutamic acid decarboxylase mRNA expression and splicing in the rat striatum by dopamine. 2000 *Brain Res. Mol. Brain Res.* **81**:19-28
- Laeng, P.; Decimo, D.; Pettmann, B.; Janet, T. y Labourdette, G. Retinoic acid regulates the development of oligodendrocyte precursor cells in vitro. 1994 *J. Neurosci. Res.* **39**:613-633
- Lagasse, E.; Connors, H.; Al-Dhalimy, M.; Reitsma, M.; Dohse, M.; Osborne, L.; Wang, X.; Finegold, M.; Weissman, I. L. y Grompe, M. Purified hematopoietic stem cells can differentiate into hepatocytes in vivo. 2000 *Nat. Med.* **6**:1229-1234
- Lai, K.; Kaspar, B. K.; Gage, F. H. y Schaffer, D. V. Sonic hedgehog regulates adult neural progenitor proliferation in vitro and in vivo. 2003 *Nat. Neurosci.* **6**:21-27

- LaMantia, A. S.; Colbert, M. C. y Linney, E. Retinoic acid induction and regional differentiation prefigure olfactory pathway formation in the mammalian forebrain. 1993 *Neuron* **10**:1035-1048
- Lanca, A. J.; Boyd, S.; Kolb, B. E. y van der, K. D. The development of a patchy organization of the rat striatum. 1986 *Brain Res.* **392**:1-10
- Lavdas, A. A.; Grigoriou, M.; Pachnis, V. y Parnavelas, J. G. The medial ganglionic eminence gives rise to a population of early neurons in the developing cerebral cortex. 1999 *J. Neurosci.* **19**:7881-7888
- Le, M. C.; Normand, E.; Guitteny, A. F.; Fouque, B.; Teoule, R. y Bloch, B. Dopamine receptor gene expression by enkephalin neurons in rat forebrain. 1990 *Proc. Natl. Acad. Sci. U. S. A* **87**:230-234
- Lee, S. H.; Lumelsky, N.; Studer, L.; Auerbach, J. M. y McKay, R. D. Efficient generation of midbrain and hindbrain neurons from mouse embryonic stem cells. 2000a *Nat. Biotechnol.* **18**:675-679
- Lee, S. M.; Tole, S.; Grove, E. y McMahon, A. P. A local Wnt-3a signal is required for development of the mammalian hippocampus. 2000b *Development* **127**:457-467
- Leegwater-Kim, J. y Cha, J. H. The paradigm of Huntington's disease: therapeutic opportunities in neurodegeneration. 2004 *NeuroRx.* **1**:128-138
- Letinic, K. y Rakic, P. Telencephalic origin of human thalamic GABAergic neurons. 2001 *Nat. Neurosci.* **4**:931-936
- Levison, S. W. y Goldman, J. E. Both oligodendrocytes and astrocytes develop from progenitors in the subventricular zone of postnatal rat forebrain. 1993 *Neuron* **10**:201-212
- Levitt, P.; Cooper, M. L. y Rakic, P. Coexistence of neuronal and glial precursor cells in the cerebral ventricular zone of the fetal monkey: an ultrastructural immunoperoxidase analysis. 1981 *J. Neurosci.* **1**:27-39
- Li, H. y Grumet, M. BMP and LIF signaling coordinately regulate lineage restriction of radial glia in the developing forebrain. 2007 *Glia* **55**:24-35
- Li, H.; Wagner, E.; McCaffery, P.; Smith, D.; Andreadis, A. y Drager, U. C. A retinoic acid synthesizing enzyme in ventral retina and telencephalon of the embryonic mouse LI2000. 2000 *Mech. Dev.* **95**:283-289

- Liao, W. L. y Liu, F. C. RARbeta isoform-specific regulation of DARPP-32 gene expression: an ectopic expression study in the developing rat telencephalon. 2005 *Eur. J. Neurosci.* **21**:3262-3268
- Liao, W. L.; Wang, H. F.; Tsai, H. C.; Chambon, P.; Wagner, M.; Kakizuka, A. y Liu, F. C. Retinoid signaling competence and RARbeta-mediated gene regulation in the developing mammalian telencephalon. 2005 *Dev. Dyn.* **232**:887-900
- Liberg, D.; Smale, S. T. y Merckenschlager, M. Upstream of Ikaros. 2003 *Trends Immunol.* **24**:567-570
- Lie, D. C.; Song, H.; Colamarino, S. A.; Ming, G. L. y Gage, F. H. Neurogenesis in the adult brain: new strategies for central nervous system diseases. 2004 *Annu. Rev. Pharmacol. Toxicol.* **44**:399-421
- Lim, D. A.; Tramontin, A. D.; Trevejo, J. M.; Herrera, D. G.; Garcia-Verdugo, J. M. y varez-Buylla, A. Noggin antagonizes BMP signaling to create a niche for adult neurogenesis. 2000 *Neuron* **28**:713-726
- Lim, U. M.; Sidhu, K. S. y Tuch, B. E. Derivation of Motor Neurons from three Clonal Human Embryonic Stem Cell Lines. 2006 *Curr. Neurovasc. Res.* **3**:281-288
- Lindvall, O.; Kokaia, Z. y Martinez-Serrano, A. Stem cell therapy for human neurodegenerative disorders-how to make it work. 2004 *Nat. Med.* **10** **Suppl**:S42-S50
- Linker, C. y Stern, C. D. Neural induction requires BMP inhibition only as a late step, and involves signals other than FGF and Wnt antagonists. 2004 *Development* **131**:5671-5681
- Liste, I.; Garcia-Garcia, E. y Martinez-Serrano, A. The generation of dopaminergic neurons by human neural stem cells is enhanced by Bcl-XL, both in vitro and in vivo. 2004 *J. Neurosci* **24**:10786-10795
- Liu, S.; Qu, Y.; Stewart, T. J.; Howard, M. J.; Chakraborty, S.; Holekamp, T. F. y McDonald, J. W. Embryonic stem cells differentiate into oligodendrocytes and myelinate in culture and after spinal cord transplantation. 2000 *Proc. Natl. Acad. Sci. U. S. A* **97**:6126-6131
- Lobo, M. K.; Karsten, S. L.; Gray, M.; Geschwind, D. H. y Yang, X. W. FACS-array profiling of striatal projection neuron subtypes in juvenile and adult mouse brains. 2006 *Nat. Neurosci.* **9**:443-452

- Lu, P.; Blesch, A. y Tuszynski, M. H. Induction of bone marrow stromal cells to neurons: differentiation, transdifferentiation, or artifact? 2004 *J. Neurosci. Res.* **77**:174-191
- Ludanyi, K.; Nagy, Z. S.; Alexa, M.; Reichert, U.; Michel, S.; Fesus, L. y Szondy, Z. Ligation of RAR γ inhibits proliferation of phytohaemagglutinin-stimulated T-cells via down-regulating JAK3 protein levels. 2005 *Immunol. Lett.* **98**:103-113
- Lundberg, C.; Martinez-Serrano, A.; Cattaneo, E.; McKay, R. D. y Bjorklund, A. Survival, integration, and differentiation of neural stem cell lines after transplantation to the adult rat striatum. 1997 *Exp. Neurol.* **145**:342-360
- Macdonald, V. y Halliday, G. Pyramidal cell loss in motor cortices in Huntington's disease. 2002 *Neurobiol. Dis.* **10**:378-386
- Maden, M. The role of retinoic acid in embryonic and post-embryonic development. 2000 *Proc. Nutr. Soc.* **59**:65-73
- Magavi, S. S.; Leavitt, B. R. y Macklis, J. D. Induction of neurogenesis in the neocortex of adult mice. 2000 *Nature* **405**:951-955
- Malatesta, P.; Hartfuss, E. y Gotz, M. Isolation of radial glial cells by fluorescent-activated cell sorting reveals a neuronal lineage. 2000 *Development* **127**:5253-5263
- Mallamaci, A.; Muzio, L.; Chan, C. H.; Parnavelas, J. y Boncinelli, E. Area identity shifts in the early cerebral cortex of Emx2 $^{-/-}$ mutant mice. 2000 *Nat. Neurosci.* **3**:679-686
- Maltsev, V. A.; Rohwedel, J.; Hescheler, J. y Wobus, A. M. Embryonic stem cells differentiate in vitro into cardiomyocytes representing sinusnodal, atrial and ventricular cell types. 1993 *Mech. Dev.* **44**:41-50
- Marco, S.; Canudas, A. M.; Canals, J. M.; Gavalda, N.; Perez-Navarro, E. y Alberch, J. Excitatory amino acids differentially regulate the expression of GDNF, neurturin, and their receptors in the adult rat striatum. 2002a *Exp. Neurol.* **174**:243-252
- Marco, S.; Perez-Navarro, E.; Tolosa, E.; Arenas, E. y Alberch, J. Striatopallidal neurons are selectively protected by neurturin in an excitotoxic model of Huntington's disease. 2002b *J. Neurobiol.* **50**:323-332

- Mareschi, K.; Novara, M.; Rustichelli, D.; Ferrero, I.; Guido, D.; Carbone, E.; Medico, E.; Madon, E.; Vercelli, A. y Fagioli, F. Neural differentiation of human mesenchymal stem cells: Evidence for expression of neural markers and eag K⁺ channel types. 2006 *Exp. Hematol.* **34**:1563-1572
- Marin, O.; Anderson, S. A. y Rubenstein, J. L. Origin and molecular specification of striatal interneurons. 2000 *J. Neurosci.* **20**:6063-6076
- Marin, O. y Rubenstein, J. L. A long, remarkable journey: tangential migration in the telencephalon. 2001 *Nat. Rev. Neurosci.* **2**:780-790
- Marin, O. y Rubenstein, J. L. Cell migration in the forebrain. 2003 *Annu. Rev. Neurosci.* **26**:441-483
- Marklund, M.; Sjodal, M.; Beehler, B. C.; Jessell, T. M.; Edlund, T. y Gunhaga, L. Retinoic acid signalling specifies intermediate character in the developing telencephalon. 2004 *Development* **131**:4323-4332
- Marti, E. y Bovolenta, P. Sonic hedgehog in CNS development: one signal, multiple outputs. 2002 *Trends Neurosci.* **25**:89-96
- Martin, G. R. Isolation of a pluripotent cell line from early mouse embryos cultured in medium conditioned by teratocarcinoma stem cells. 1981 *Proc. Natl. Acad. Sci. U. S. A* **78**:7634-7638
- Martin, G. R. y Evans, M. J. The morphology and growth of a pluripotent teratocarcinoma cell line and its derivatives in tissue culture. 1974 *Cell* **2**:163-172
- Martinez-Serrano, A. y Bjorklund, A. Immortalized neural progenitor cells for CNS gene transfer and repair. 1997 *Trends Neurosci.* **20**:530-538
- Martinez-Serrano, A. y Bjorklund, A. Protection of the neostriatum against excitotoxic damage by neurotrophin-producing, genetically modified neural stem cells. 1996 *J. Neurosci.* **16**:4604-4616
- Martinez-Serrano, A.; Hantzopoulos, P. A. y Bjorklund, A. Ex vivo gene transfer of brain-derived neurotrophic factor to the intact rat forebrain: neurotrophic effects on cholinergic neurons. 1996 *Eur. J. Neurosci* **8**:727-735
- Mason, H. A.; Rakowiecki, S. M.; Raftopoulou, M.; Nery, S.; Huang, Y.; Gridley, T. y Fishell, G. Notch signaling coordinates the patterning of striatal compartments. 2005 *Development* **132**:4247-4258

- McBurney, M. W.; Jones-Villeneuve, E. M.; Edwards, M. K. y Anderson, P. J. Control of muscle and neuronal differentiation in a cultured embryonal carcinoma cell line. 1982 *Nature* **299**:165-167
- McCaffery, P. y Drager, U. C. Regulation of retinoic acid signaling in the embryonic nervous system: a master differentiation factor. 2000 *Cytokine Growth Factor Rev.* **11**:233-249
- McKay, R. Stem cells--hype and hope. 2000 *Nature* **406**:361-364
- McMurray, C. T. Huntington's disease: new hope for therapeutics. 2001 *Trends Neurosci* **24**:S32-S38
- Menezes, J. R. y Luskin, M. B. Expression of neuron-specific tubulin defines a novel population in the proliferative layers of the developing telencephalon. 1994 *J. Neurosci.* **14**:5399-5416
- Messmer, K.; Remington, M. P.; Skidmore, F. y Fishman, P. S. Induction of tyrosine hydroxylase expression by the transcription factor Pitx3. 2007 *Int. J. Dev. Neurosci.* **25**:29-37
- Meyer, G.; Soria, J. M.; Martinez-Galan, J. R.; Martin-Clemente, B. y Fairen, A. Different origins and developmental histories of transient neurons in the marginal zone of the fetal and neonatal rat cortex. 1998 *J. Comp Neurol.* **397**:493-518
- Mezey, E.; Chandross, K. J.; Harta, G.; Maki, R. A. y McKercher, S. R. Turning blood into brain: cells bearing neuronal antigens generated in vivo from bone marrow. 2000 *Science* **290**:1779-1782
- Mezey, E.; Key, S.; Vogelsang, G.; Szalayova, I.; Lange, G. D. y Crain, B. Transplanted bone marrow generates new neurons in human brains. 2003 *Proc. Natl. Acad. Sci. U. S. A* **100**:1364-1369
- Mintz, B. y Illmensee, K. Normal genetically mosaic mice produced from malignant teratocarcinoma cells. 1975 *Proc. Natl. Acad. Sci. U. S. A* **72**:3585-3589
- Mittoux, V.; Joseph, J. M.; Conde, F.; Palfi, S.; Dautry, C.; Poyot, T.; Bloch, J.; Deglon, N.; Ouary, S.; Nimchinsky, E. A.; Brouillet, E.; Hof, P. R.; Peschanski, M.; Aebischer, P. y Hantraye, P. Restoration of cognitive and motor functions by ciliary neurotrophic factor in a primate model of Huntington's disease. 2000 *Hum. Gene Ther.* **11**:1177-1187

- Molnar, A. y Georgopoulos, K. The Ikaros gene encodes a family of functionally diverse zinc finger DNA-binding proteins. 1994 *Mol. Cell Biol.* **14**:8292-8303
- Molotkova, N.; Molotkov, A.; Sirbu, I. O. y Duester, G. Requirement of mesodermal retinoic acid generated by Raldh2 for posterior neural transformation. 2005 *Mech. Dev.* **122**:145-155
- Monje, M. L.; Toda, H. y Palmer, T. D. Inflammatory blockade restores adult hippocampal neurogenesis. 2003 *Science* **302**:1760-1765
- Monuki, E. S.; Porter, F. D. y Walsh, C. A. Patterning of the dorsal telencephalon and cerebral cortex by a roof plate-Lhx2 pathway. 2001 *Neuron* **32**:591-604
- Moon, E. S. y Herkenham, M. Comparative development of striatal opiate receptors and dopamine revealed by autoradiography and histofluorescence. 1984 *Brain Res.* **305**:27-42
- Moreau, M. y Leclerc, C. The choice between epidermal and neural fate: a matter of calcium. 2004 *Int. J. Dev. Biol.* **48**:75-84
- Morello, M.; Reiner, A.; Sancesario, G.; Karle, E. J. y Bernardi, G. Ultrastructural study of nitric oxide synthase-containing striatal neurons and their relationship with parvalbumin-containing neurons in rats. 1997 *Brain Res.* **776**:30-39
- Morshead, C. M.; Reynolds, B. A.; Craig, C. G.; McBurney, M. W.; Staines, W. A.; Morassutti, D.; Weiss, S. y van der, K. D. Neural stem cells in the adult mammalian forebrain: a relatively quiescent subpopulation of subependymal cells. 1994 *Neuron* **13**:1071-1082
- Muenke, M. y Beachy, P. A. Genetics of ventral forebrain development and holoprosencephaly. 2000 *Curr. Opin. Genet. Dev.* **10**:262-269
- Muguruma, Y.; Reyes, M.; Nakamura, Y.; Sato, T.; Matsuzawa, H.; Miyatake, H.; Akatsuka, A.; Itoh, J.; Yahata, T.; Ando, K.; Kato, S. y Hotta, T. In vivo and in vitro differentiation of myocytes from human bone marrow-derived multipotent progenitor cells. 2003 *Exp. Hematol.* **31**:1323-1330
- Mujtaba, T.; Piper, D. R.; Kalyani, A.; Groves, A. K.; Lucero, M. T. y Rao, M. S. Lineage-restricted neural precursors can be isolated from both the mouse neural tube and cultured ES cells. 1999 *Dev. Biol.* **214**:113-127

- Murphy, M.; Reid, K.; Ford, M.; Furness, J. B. y Bartlett, P. F. FGF2 regulates proliferation of neural crest cells, with subsequent neuronal differentiation regulated by LIF or related factors. 1994 *Development* **120**:3519-3528
- Murrin, L. C. y Zeng, W. Y. Dopamine D1 receptor development in the rat striatum: early localization in striosomes. 1989 *Brain Res.* **480**:170-177
- Myers, R. H.; Vonsattel, J. P.; Stevens, T. J.; Cupples, L. A.; Richardson, E. P.; Martin, J. B. y Bird, E. D. Clinical and neuropathologic assessment of severity in Huntington's disease. 1988 *Neurology* **38**:341-347
- Nagy, A.; Rossant, J.; Nagy, R.; Bramow-Newerly, W. y Roder, J. C. Derivation of completely cell culture-derived mice from early-passage embryonic stem cells. 1993 *Proc. Natl. Acad. Sci. U. S. A* **90**:8424-8428
- Nakao, N.; Ogura, M.; Nakai, K. y Itakura, T. Embryonic striatal grafts restore neuronal activity of the globus pallidus in a rodent model of Huntington's disease. 1999 *Neuroscience* **88**:469-477
- Nakatomi, H.; Kuriu, T.; Okabe, S.; Yamamoto, S.; Hatano, O.; Kawahara, N.; Tamura, A.; Kirino, T. y Nakafuku, M. Regeneration of hippocampal pyramidal neurons after ischemic brain injury by recruitment of endogenous neural progenitors. 2002 *Cell* **110**:429-441
- Nandoe, R. D.; Hurtado, A.; Levi, A. D.; Grotenhuis, A. y Oudega, M. Bone marrow stromal cells for repair of the spinal cord: towards clinical application. 2006 *Cell Transplant.* **15**:563-577
- Nanni, L.; Ming, J. E.; Bocian, M.; Steinhaus, K.; Bianchi, D. W.; Die-Smulders, C.; Giannotti, A.; Imaizumi, K.; Jones, K. L.; Campo, M. D.; Martin, R. A.; Meinecke, P.; Pierpont, M. E.; Robin, N. H.; Young, I. D.; Roessler, E. y Muenke, M. The mutational spectrum of the sonic hedgehog gene in holoprosencephaly: SHH mutations cause a significant proportion of autosomal dominant holoprosencephaly. 1999 *Hum. Mol. Genet.* **8**:2479-2488
- Nasir, J.; Floresco, S. B.; O'Kusky, J. R.; Diewert, V. M.; Richman, J. M.; Zeisler, J.; Borowski, A.; Marth, J. D.; Phillips, A. G. y Hayden, M. R. Targeted disruption of the Huntington's disease gene results in embryonic lethality and behavioral and morphological changes in heterozygotes. 1995 *Cell* **81**:811-823

- Nery, S.; Fishell, G. y Corbin, J. G. The caudal ganglionic eminence is a source of distinct cortical and subcortical cell populations. 2002 *Nat. Neurosci* **5**:1279-1287
- Nichogiannopoulou, A.; Trevisan, M.; Friedrich, C. y Georgopoulos, K. Ikaros in hemopoietic lineage determination and homeostasis. 1998 *Semin. Immunol.* **10**:119-125
- Nicolas, J. F.; Dubois, P.; Jakob, H.; Gaillard, J. y Jacob, F. [Mouse teratocarcinoma: differentiation in cultures of a multipotential primitive cell line (author's transl)]. 1975 *Ann. Microbiol. (Paris)* **126**:3-22
- Nottebohm, F. Neuronal replacement in adult brain. 2002 *Brain Res. Bull.* **57**:737-749
- O'Riordan, M. y Grosschedl, R. Coordinate regulation of B cell differentiation by the transcription factors EBF and E2A. 1999 *Immunity.* **11**:21-31
- Oertel, W. H. y Mugnaini, E. Immunocytochemical studies of GABAergic neurons in rat basal ganglia and their relations to other neuronal systems. 1984 *Neurosci. Lett.* **47**:233-238
- Okabe, S.; Forsberg-Nilsson, K.; Spiro, A. C.; Segal, M. y McKay, R. D. Development of neuronal precursor cells and functional postmitotic neurons from embryonic stem cells in vitro. 1996 *Mech. Dev.* **59**:89-102
- Okada, Y.; Shimazaki, T.; Sobue, G. y Okano, H. Retinoic-acid-concentration-dependent acquisition of neural cell identity during in vitro differentiation of mouse embryonic stem cells. 2004 *Dev. Biol.* **275**:124-142
- Olsson, M.; Bjorklund, A. y Campbell, K. Early specification of striatal projection neurons and interneuronal subtypes in the lateral and medial ganglionic eminence. 1998 *Neuroscience* **84**:867-876
- Otero, J. J.; Fu, W.; Kan, L.; Cuadra, A. E. y Kessler, J. A. Beta-catenin signaling is required for neural differentiation of embryonic stem cells. 2004 *Development* **131**:3545-3557
- Ouimet, C. C.; LaMantia, A. S.; Goldman-Rakic, P.; Rakic, P. y Greengard, P. Immunocytochemical localization of DARPP-32, a dopamine and cyclic-AMP-regulated phosphoprotein, in the primate brain. 1992 *J. Comp Neurol.* **323**:209-218

- Oulad-Abdelghani, M.; Chazaud, C.; Bouillet, P.; Sapin, V.; Chambon, P. y Dolle, P. Meis2, a novel mouse Pbx-related homeobox gene induced by retinoic acid during differentiation of P19 embryonal carcinoma cells. 1997 *Dev. Dyn.* **210**:173-183
- Pabst, O.; Herbrand, H.; Takuma, N. y Arnold, H. H. NKX2 gene expression in neuroectoderm but not in mesendodermally derived structures depends on sonic hedgehog in mouse embryos. 2000 *Dev. Genes Evol.* **210**:47-50
- Palfi, S.; Conde, F.; Riche, D.; Brouillet, E.; Dautry, C.; Mittoux, V.; Chibois, A.; Peschanski, M. y Hantraye, P. Fetal striatal allografts reverse cognitive deficits in a primate model of Huntington disease. 1998 *Nat. Med.* **4**:963-966
- Palmer, T. D.; Takahashi, J. y Gage, F. H. The adult rat hippocampus contains primordial neural stem cells. 1997 *Mol. Cell Neurosci.* **8**:389-404
- Panchision, D. M. y McKay, R. D. The control of neural stem cells by morphogenic signals. 2002 *Curr. Opin. Genet. Dev.* **12**:478-487
- Papayioannou, V. E.; McBurney, M. W.; Gardner, R. L. y Evans, M. J. Fate of teratocarcinoma cells injected into early mouse embryos. 1975 *Nature* **258**:70-73
- Parent, A. y Hazrati, L. N. Functional anatomy of the basal ganglia. I. The cortico-basal ganglia-thalamo-cortical loop. 1995 *Brain Res. Brain Res. Rev.* **20**:91-127
- Parent, J. M.; Vexler, Z. S.; Gong, C.; Derugin, N. y Ferriero, D. M. Rat forebrain neurogenesis and striatal neuron replacement after focal stroke. 2002 *Ann. Neurol.* **52**:802-813
- Park, S. H.; Park, S. H.; Kook, M. C.; Kim, E. Y.; Park, S. y Lim, J. H. Ultrastructure of human embryonic stem cells and spontaneous and retinoic acid-induced differentiating cells. 2004 *Ultrastruct. Pathol.* **28**:229-238
- Parnavelas, J. G. y Nadarajah, B. Radial glial cells. are they really glia? 2001 *Neuron* **31**:881-884
- Penny, G. R.; Afsharpoor, S. y Kitai, S. T. The glutamate decarboxylase-, leucine enkephalin-, methionine enkephalin- and substance P-immunoreactive neurons in the neostriatum of the rat and cat: evidence for partial population overlap. 1986 *Neuroscience* **17**:1011-1045

- Perez-Navarro, E.; Akerud, P.; Marco, S.; Canals, J. M.; Tolosa, E.; Arenas, E. y Alberch, J. Neurturin protects striatal projection neurons but not interneurons in a rat model of Huntington's disease. 2000a *Neuroscience* **98**:89-96
- Perez-Navarro, E.; Alberch, J.; Neveu, I. y Arenas, E. Brain-derived neurotrophic factor, neurotrophin-3 and neurotrophin-4/5 differentially regulate the phenotype and prevent degenerative changes in striatal projection neurons after excitotoxicity in vivo. 1999a *Neuroscience* **91**:1257-1264
- Perez-Navarro, E.; Arenas, E.; Marco, S. y Alberch, J. Intrastratial grafting of a GDNF-producing cell line protects striatonigral neurons from quinolinic acid excitotoxicity in vivo. 1999b *Eur. J. Neurosci.* **11**:241-249
- Perez-Navarro, E.; Canudas, A. M.; Akerund, P.; Alberch, J. y Arenas, E. Brain-derived neurotrophic factor, neurotrophin-3, and neurotrophin-4/5 prevent the death of striatal projection neurons in a rodent model of Huntington's disease. 2000b *J. Neurochem.* **75**:2190-2199
- Persichetti, F.; Ambrose, C. M.; Ge, P.; McNeil, S. M.; Srinidhi, J.; Anderson, M. A.; Jenkins, B.; Barnes, G. T.; Duyao, M. P.; Kanaley, L. y . Normal and expanded Huntington's disease gene alleles produce distinguishable proteins due to translation across the CAG repeat. 1995 *Mol. Med.* **1**:374-383
- Pert, C. B.; Kuhar, M. J. y Snyder, S. H. Opiate receptor: autoradiographic localization in rat brain. 1976 *Proc. Natl. Acad. Sci. U. S. A* **73**:3729-3733
- Pesce, M.; Anastassiadis, K. y Scholer, H. R. Oct-4: lessons of totipotency from embryonic stem cells. 1999 *Cells Tissues. Organs* **165**:144-152
- Peschanski, M.; Bachoud-Levi, A. C. y Hantraye, P. Integrating fetal neural transplants into a therapeutic strategy: the example of Huntington's disease. 2004 *Brain* **127**:1219-1228
- Petersen, A.; Mani, K. y Brundin, P. Recent advances on the pathogenesis of Huntington's disease. 1999 *Exp. Neurol.* **157**:1-18
- Peterson, D. A. Stem cells in brain plasticity and repair. 2002 *Curr. Opin. Pharmacol.* **2**:34-42
- Philpott, L. M.; Kopyov, O. V.; Lee, A. J.; Jacques, S.; Duma, C. M.; Caine, S.; Yang, M. y Eagle, K. S. Neuropsychological functioning following fetal

- striatal transplantation in Huntington's chorea: three case presentations. 1997 *Cell Transplant.* **6**:203-212
- Pineda, J. R.; Canals, J. M.; Bosch, M.; Adell, A.; Mengod, G.; Artigas, F.; Ernfors, P. y Alberch, J. Brain-derived neurotrophic factor modulates dopaminergic deficits in a transgenic mouse model of Huntington's disease. 2005 *J. Neurochem.* **93**:1057-1068
- Pineda, J. R.; Rubio, N.; Akerud, P.; Urban, N.; Badimon, L.; Arenas, E.; Alberch, J.; Blanco, J. y Canals, J. M. Neuroprotection by GDNF-secreting stem cells in a Huntington's disease model: optical neuroimage tracking of brain-grafted cells. 2007 *Gene Ther.* **14**:118-128
- Pineda, J. R.; Rubio, N.; Akerud, P.; Urban, N.; Badimon, L.; Arenas, E.; Alberch, J.; Blanco, J. y Canals, J. M. Neuroprotection by GDNF-secreting stem cells in a Huntington's disease model: optical neuroimage tracking of brain-grafted cells. 2006 *Gene Ther.*
- Porteus, M. H.; Bulfone, A.; Ciaranello, R. D. y Rubenstein, J. L. Isolation and characterization of a novel cDNA clone encoding a homeodomain that is developmentally regulated in the ventral forebrain. 1991 *Neuron* **7**:221-229
- Pratt, T.; Quinn, J. C.; Simpson, T. I.; West, J. D.; Mason, J. O. y Price, D. J. Disruption of early events in thalamocortical tract formation in mice lacking the transcription factors Pax6 or Foxg1. 2002 *J. Neurosci.* **22**:8523-8531
- Prelle, K.; Vassiliev, I. M.; Vassilieva, S. G.; Wolf, E. y Wobus, A. M. Establishment of pluripotent cell lines from vertebrate species--present status and future prospects. 1999 *Cells Tissues. Organs* **165**:220-236
- Pundt, L. L.; Kondoh, T.; Conrad, J. A. y Low, W. C. Transplantation of human fetal striatum into a rodent model of Huntington's disease ameliorates locomotor deficits. 1996a *Neurosci Res.* **24**:415-420
- Pundt, L. L.; Kondoh, T.; Conrad, J. A. y Low, W. C. Transplantation of human striatal tissue into a rodent model of Huntington's disease: phenotypic expression of transplanted neurons and host-to-graft innervation. 1996b *Brain Res. Bull.* **39**:23-32
- Purton, L. E.; Dworkin, S.; Olsen, G. H.; Walkley, C. R.; Fabb, S. A.; Collins, S. J. y Chambon, P. RARGamma is critical for maintaining a balance between hematopoietic stem cell self-renewal and differentiation. 2006 *J. Exp. Med.* **203**:1283-1293

- Qiu, M.; Bulfone, A.; Ghattas, I.; Meneses, J. J.; Christensen, L.; Sharpe, P. T.; Presley, R.; Pedersen, R. A. y Rubenstein, J. L. Role of the Dlx homeobox genes in proximodistal patterning of the branchial arches: mutations of Dlx-1, Dlx-2, and Dlx-1 and -2 alter morphogenesis of proximal skeletal and soft tissue structures derived from the first and second arches. 1997 *Dev. Biol.* **185**:165-184
- Quan, X. J.; Denayer, T.; Yan, J.; Jafar-Nejad, H.; Philippi, A.; Lichtarge, O.; Vleminckx, K. y Hassan, B. A. Evolution of neural precursor selection: functional divergence of proneural proteins. 2004 *Development* **131**:1679-1689
- Raisman, G. Use of Schwann cells to induce repair of adult CNS tracts. 1997 *Rev. Neurol. (Paris)* **153**:521-525
- Rakic, P. Neuron-glia relationship during granule cell migration in developing cerebellar cortex. A Golgi and electronmicroscopic study in Macacus Rhesus. 1971 *J. Comp Neurol.* **141**:283-312
- Rakic, P. Mode of cell migration to the superficial layers of fetal monkey neocortex. 1972 *J. Comp Neurol.* **145**:61-83
- Rallu, M.; Corbin, J. G. y Fishell, G. Parsing the prosencephalon. 2002a *Nat. Rev. Neurosci.* **3**:943-951
- Rallu, M.; Machold, R.; Gaiano, N.; Corbin, J. G.; McMahon, A. P. y Fishell, G. Dorsoventral patterning is established in the telencephalon of mutants lacking both Gli3 and Hedgehog signaling. 2002b *Development* **129**:4963-4974
- Ramalho-Santos, M.; Yoon, S.; Matsuzaki, Y.; Mulligan, R. C. y Melton, D. A. "Stemness": transcriptional profiling of embryonic and adult stem cells. 2002 *Science* **298**:597-600
- Ramirez-Castillejo, C.; Sanchez-Sanchez, F.; Andreu-Agullo, C.; Ferron, S. R.; Roca-Aguilar, J. D.; Sanchez, P.; Mira, H.; Escribano, J. y Farinas, I. Pigment epithelium-derived factor is a niche signal for neural stem cell renewal. 2006 *Nat. Neurosci.* **9**:331-339
- Ramón y Cajal, S. Sur la structure de l'écorce cerebrale de quelques mammiferes. 1891 *La Cellule* **7**:125-178

- Rathjen, J. y Rathjen, P. D. Formation of neural precursor cell populations by differentiation of embryonic stem cells in vitro. 2002 *ScientificWorldJournal*. **2**:690-700
- Rathjen, J. y Rathjen, P. D. Mouse ES cells: experimental exploitation of pluripotent differentiation potential. 2001 *Curr. Opin. Genet. Dev.* **11**:587-594
- Rebollo, A. y Schmitt, C. Ikaros, Aiolos and Helios: transcription regulators and lymphoid malignancies. 2003 *Immunol. Cell Biol.* **81**:171-175
- Reddy, P. H.; Williams, M. y Tagle, D. A. Recent advances in understanding the pathogenesis of Huntington's disease. 1999 *Trends Neurosci* **22**:248-255
- Reiner, A.; Albin, R. L.; Anderson, K. D.; D'Amato, C. J.; Penney, J. B. y Young, A. B. Differential loss of striatal projection neurons in Huntington disease. 1988 *Proc. Natl. Acad. Sci. U. S. A* **85**:5733-5737
- Resibois, A. y Rogers, J. H. Calretinin in rat brain: an immunohistochemical study. 1992 *Neuroscience* **46**:101-134
- Reubinoff, B. E.; Pera, M. F.; Fong, C. Y.; Trounson, A. y Bongso, A. Embryonic stem cell lines from human blastocysts: somatic differentiation in vitro. 2000 *Nat. Biotechnol.* **18**:399-404
- Reya, T.; Duncan, A. W.; Ailles, L.; Domen, J.; Scherer, D. C.; Willert, K.; Hintz, L.; Nusse, R. y Weissman, I. L. A role for Wnt signalling in self-renewal of haematopoietic stem cells. 2003 *Nature* **423**:409-414
- Reyes, M.; Lund, T.; Lenvik, T.; Aguiar, D.; Koodie, L. y Verfaillie, C. M. Purification and ex vivo expansion of postnatal human marrow mesodermal progenitor cells. 2001 *Blood* **98**:2615-2625
- Ribak, C. E.; Vaughn, J. E. y Roberts, E. The GABA neurons and their axon terminals in rat corpus striatum as demonstrated by GAD immunocytochemistry. 1979 *J. Comp Neurol.* **187**:261-283
- Ribes, V.; Wang, Z.; Dolle, P. y Niederreither, K. Retinaldehyde dehydrogenase 2 (RALDH2)-mediated retinoic acid synthesis regulates early mouse embryonic forebrain development by controlling FGF and sonic hedgehog signaling. 2006 *Development* **133**:351-361

- Richfield, E. K.; Maguire-Zeiss, K. A.; Vonkeman, H. E. y Voorn, P. Preferential loss of preproenkephalin versus preprotachykinin neurons from the striatum of Huntington's disease patients. 1995 *Ann. Neurol.* **38**:852-861
- Rigamonti, D.; Bauer, J. H.; De Fraja, C.; Conti, L.; Sipione, S.; Sciorati, C.; Clementi, E.; Hackam, A.; Hayden, M. R.; Li, Y.; Cooper, J. K.; Ross, C. A.; Govoni, S.; Vincenz, C. y Cattaneo, E. Wild-type huntingtin protects from apoptosis upstream of caspase-3. 2000 *J. Neurosci.* **20**:3705-3713
- Rivera, F. J.; Sierralta, W. D.; Minguell, J. J. y Aigner, L. Adult hippocampus derived soluble factors induce a neuronal-like phenotype in mesenchymal stem cells. 2006 *Neurosci. Lett.* **406**:49-54
- Rosser, A. E.; Barker, R. A.; Harrower, T.; Watts, C.; Farrington, M.; Ho, A. K.; Burnstein, R. M.; Menon, D. K.; Gillard, J. H.; Pickard, J. y Dunnett, S. B. Unilateral transplantation of human primary fetal tissue in four patients with Huntington's disease: NEST-UK safety report ISRCTN no 36485475. 2002 *J. Neurol. Neurosurg. Psychiatry* **73**:678-685
- Rossi, F. y Cattaneo, E. Opinion: neural stem cell therapy for neurological diseases: dreams and reality. 2002 *Nat. Rev. Neurosci.* **3**:401-409
- Ruberte, E.; Friederich, V.; Chambon, P. y Morriss-Kay, G. Retinoic acid receptors and cellular retinoid binding proteins. III. Their differential transcript distribution during mouse nervous system development. 1993 *Development* **118**:267-282
- Sanchez-Ramos, J.; Song, S.; Cardozo-Pelaez, F.; Hazzi, C.; Stedeford, T.; Willing, A.; Freeman, T. B.; Saporta, S.; Janssen, W.; Patel, N.; Cooper, D. R. y Sanberg, P. R. Adult bone marrow stromal cells differentiate into neural cells in vitro. 2000 *Exp. Neurol.* **164**:247-256
- Schaeren-Wiemers, N. y Gerfin-Moser, A. A single protocol to detect transcripts of various types and expression levels in neural tissue and cultured cells: in situ hybridization using digoxigenin-labelled cRNA probes. 1993 *Histochemistry* **100**:431-440
- Schmechel, D. E. y Rakic, P. A Golgi study of radial glial cells in developing monkey telencephalon: morphogenesis and transformation into astrocytes. 1979 *Anat. Embryol. (Berl)* **156**:115-152
- Scholer, H. R.; Balling, R.; Hatzopoulos, A. K.; Suzuki, N. y Gruss, P. Octamer binding proteins confer transcriptional activity in early mouse embryogenesis. 1989 *EMBO J.* **8**:2551-2557

- Schumacher, J. M.; Short, M. P.; Hyman, B. T.; Breakefield, X. O. y Isacson, O. Intracerebral implantation of nerve growth factor-producing fibroblasts protects striatum against neurotoxic levels of excitatory amino acids. 1991 *Neuroscience* **45**:561-570
- Schuermans, C. y Guillemot, F. Molecular mechanisms underlying cell fate specification in the developing telencephalon. 2002 *Curr. Opin. Neurobiol.* **12**:26-34
- Seri, B.; Garcia-Verdugo, J. M.; Collado-Morente, L.; McEwen, B. S. y varez-Buylla, A. Cell types, lineage, and architecture of the germinal zone in the adult dentate gyrus. 2004 *J. Comp Neurol.* **478**:359-378
- Seri, B.; Garcia-Verdugo, J. M.; McEwen, B. S. y varez-Buylla, A. Astrocytes give rise to new neurons in the adult mammalian hippocampus. 2001 *J. Neurosci.* **21**:7153-7160
- Shamblott, M. J.; Axelman, J.; Wang, S.; Bugg, E. M.; Littlefield, J. W.; Donovan, P. J.; Blumenthal, P. D.; Huggins, G. R. y Gearhart, J. D. Derivation of pluripotent stem cells from cultured human primordial germ cells. 1998 *Proc. Natl. Acad. Sci. U. S. A* **95**:13726-13731
- Shanmugalingam, S.; Houart, C.; Picker, A.; Reifers, F.; Macdonald, R.; Barth, A.; Griffin, K.; Brand, M. y Wilson, S. W. Ace/Fgf8 is required for forebrain commissure formation and patterning of the telencephalon. 2000 *Development* **127**:2549-2561
- Sharp, A. H.; Loev, S. J.; Schilling, G.; Li, S. H.; Li, X. J.; Bao, J.; Wagster, M. V.; Kotzok, J. A.; Steiner, J. P.; Lo, A. y . Widespread expression of Huntington's disease gene (IT15) protein product. 1995 *Neuron* **14**:1065-1074
- Sharpe, N. A. y Tepper, J. M. Postnatal development of excitatory synaptic input to the rat neostriatum: an electron microscopic study. 1998 *Neuroscience* **84**:1163-1175
- Shim, J. W.; Koh, H. C.; Chang, M. Y.; Roh, E.; Choi, C. Y.; Oh, Y. J.; Son, H.; Lee, Y. S.; Studer, L. y Lee, S. H. Enhanced in vitro midbrain dopamine neuron differentiation, dopaminergic function, neurite outgrowth, and 1-methyl-4-phenylpyridium resistance in mouse embryonic stem cells overexpressing Bcl-XL. 2004 *J. Neurosci* **24**:843-852
- Shimamura, K. y Rubenstein, J. L. Inductive interactions direct early regionalization of the mouse forebrain. 1997 *Development* **124**:2709-2718

- Shimazaki, T.; Shingo, T. y Weiss, S. The ciliary neurotrophic factor/leukemia inhibitory factor/gp130 receptor complex operates in the maintenance of mammalian forebrain neural stem cells. 2001 *J. Neurosci.* **21**:7642-7653
- Shingo, T.; Sorokan, S. T.; Shimazaki, T. y Weiss, S. Erythropoietin regulates the in vitro and in vivo production of neuronal progenitors by mammalian forebrain neural stem cells. 2001 *J. Neurosci* **21**:9733-9743
- Si, J. y Collins, S. J. IL-3-induced enhancement of retinoic acid receptor activity is mediated through Stat5, which physically associates with retinoic acid receptors in an IL-3-dependent manner. 2002 *Blood* **100**:4401-4409
- Smith, G. H. Label-retaining epithelial cells in mouse mammary gland divide asymmetrically and retain their template DNA strands. 2005 *Development* **132**:681-687
- Smukler, S. R.; Runciman, S. B.; Xu, S. y van der Kooy D. Embryonic stem cells assume a primitive neural stem cell fate in the absence of extrinsic influences. 2006 *J. Cell Biol.* **172**:79-90
- Snyder, E. Y.; Yoon, C.; Flax, J. D. y Macklis, J. D. Multipotent neural precursors can differentiate toward replacement of neurons undergoing targeted apoptotic degeneration in adult mouse neocortex. 1997 *Proc. Natl. Acad. Sci. U. S. A* **94**:11663-11668
- Snyder-Keller, A. Pattern of corticostriatal innervation in organotypic cocultures is dependent on the age of the cortical tissue. 2004 *Exp. Neurol.* **185**:262-271
- Solloway, M. J. y Robertson, E. J. Early embryonic lethality in Bmp5;Bmp7 double mutant mice suggests functional redundancy within the 60A subgroup. 1999 *Development* **126**:1753-1768
- Solter, D. y Knowles, B. B. Monoclonal antibody defining a stage-specific mouse embryonic antigen (SSEA-1). 1978 *Proc. Natl. Acad. Sci. U. S. A* **75**:5565-5569
- Song, D. D. y Harlan, R. E. Genesis and migration patterns of neurons forming the patch and matrix compartments of the rat striatum. 1994 *Brain Res. Dev. Brain Res.* **83**:233-245
- Song, H.; Stevens, C. F. y Gage, F. H. Astroglia induce neurogenesis from adult neural stem cells. 2002 *Nature* **417**:39-44

- Sotelo, C. y varado-Mallart, R. M. The reconstruction of cerebellar circuits. 1991 *Trends Neurosci.* **14**:350-355
- Sotrel, A.; Paskevich, P. A.; Kiely, D. K.; Bird, E. D.; Williams, R. S. y Myers, R. H. Morphometric analysis of the prefrontal cortex in Huntington's disease. 1991 *Neurology* **41**:1117-1123
- Spassky, N.; de, C. F.; Le, B. B.; Heydon, K.; Queraud-LeSaux, F.; Bloch-Gallego, E.; Chedotal, A.; Zalc, B. y Thomas, J. L. Directional guidance of oligodendroglial migration by class 3 semaphorins and netrin-1. 2002 *J. Neurosci.* **22**:5992-6004
- Spradling, A.; Drummond-Barbosa, D. y Kai, T. Stem cells find their niche. 2001 *Nature* **414**:98-104
- Stamataki, D.; Ulloa, F.; Tsoni, S. V.; Mynett, A. y Briscoe, J. A gradient of Gli activity mediates graded Sonic Hedgehog signaling in the neural tube. 2005 *Genes Dev.* **19**:626-641
- Stenman, J.; Toresson, H. y Campbell, K. Identification of two distinct progenitor populations in the lateral ganglionic eminence: implications for striatal and olfactory bulb neurogenesis. 2003a *J. Neurosci.* **23**:167-174
- Stenman, J.; Yu, R. T.; Evans, R. M. y Campbell, K. Tlx and Pax6 co-operate genetically to establish the pallio-subpallial boundary in the embryonic mouse telencephalon. 2003b *Development* **130**:1113-1122
- Stevens, L. C. Origin of testicular teratomas from primordial germ cells in mice. 1967b *J. Natl. Cancer Inst.* **38**:549-552
- Stevens, L. C. The biology of teratomas. 1967a *Adv. Morphog.* **6**:1-31
- Storch, A.; Paul, G.; Csete, M.; Boehm, B. O.; Carvey, P. M.; Kupsch, A. y Schwarz, J. Long-term proliferation and dopaminergic differentiation of human mesencephalic neural precursor cells. 2001 *Exp. Neurol.* **170**:317-325
- Stoykova, A.; Treichel, D.; Hallonet, M. y Gruss, P. Pax6 modulates the dorsoventral patterning of the mammalian telencephalon. 2000 *J. Neurosci.* **20**:8042-8050
- Strubing, C.; hnerth-Hilger, G.; Shan, J.; Wiedenmann, B.; Hescheler, J. y Wobus, A. M. Differentiation of pluripotent embryonic stem cells into the

- neuronal lineage in vitro gives rise to mature inhibitory and excitatory neurons. 1995 *Mech. Dev.* **53**:275-287
- Studer, L.; Tabar, V. y McKay, R. D. Transplantation of expanded mesencephalic precursors leads to recovery in parkinsonian rats. 1998 *Nat. Neurosci* **1**:290-295
- Stump, G.; Durrer, A.; Klein, A. L.; Lutolf, S.; Suter, U. y Taylor, V. Notch1 and its ligands Delta-like and Jagged are expressed and active in distinct cell populations in the postnatal mouse brain. 2002 *Mech. Dev.* **114**:153-159
- Sun, Y.; Nadal-Vicens, M.; Misono, S.; Lin, M. Z.; Zubiaga, A.; Hua, X.; Fan, G. y Greenberg, M. E. Neurogenin promotes neurogenesis and inhibits glial differentiation by independent mechanisms. 2001 *Cell* **104**:365-376
- Super, H.; Soriano, E. y Uylings, H. B. The functions of the preplate in development and evolution of the neocortex and hippocampus. 1998 *Brain Res. Brain Res. Rev.* **27**:40-64
- Sussel, L.; Marin, O.; Kimura, S. y Rubenstein, J. L. Loss of Nkx2.1 homeobox gene function results in a ventral to dorsal molecular respecification within the basal telencephalon: evidence for a transformation of the pallidum into the striatum. 1999 *Development* **126**:3359-3370
- Takahashi, H. y Liu, F. C. Genetic patterning of the mammalian telencephalon by morphogenetic molecules and transcription factors. 2006 *Birth Defects Res. C. Embryo. Today* **78**:256-266
- Takahashi, T.; Nowakowski, R. S. y Caviness, V. S., Jr. The cell cycle of the pseudostratified ventricular epithelium of the embryonic murine cerebral wall. 1995 *J. Neurosci.* **15**:6046-6057
- Temple, S. Stem cell plasticity--building the brain of our dreams. 2001b *Nat. Rev. Neurosci.* **2**:513-520
- Temple, S. The development of neural stem cells. 2001a *Nature* **414**:112-117
- Terada, N.; Hamazaki, T.; Oka, M.; Hoki, M.; Mastalerz, D. M.; Nakano, Y.; Meyer, E. M.; Morel, L.; Petersen, B. E. y Scott, E. W. Bone marrow cells adopt the phenotype of other cells by spontaneous cell fusion. 2002 *Nature* **416**:542-545

- Teramoto, T.; Qiu, J.; Plumier, J. C. y Moskowitz, M. A. EGF amplifies the replacement of parvalbumin-expressing striatal interneurons after ischemia. 2003 *J. Clin. Invest* **111**:1125-1132
- Tessier-Lavigne, M. y Goodman, C. S. The molecular biology of axon guidance. 1996 *Science* **274**:1123-1133
- Tessier-Lavigne, M.; Placzek, M.; Lumsden, A. G.; Dodd, J. y Jessell, T. M. Chemotropic guidance of developing axons in the mammalian central nervous system. 1988 *Nature* **336**:775-778
- Theil, T.; Aydin, S.; Koch, S.; Grotewold, L. y Ruther, U. Wnt and Bmp signalling cooperatively regulate graded Emx2 expression in the dorsal telencephalon. 2002 *Development* **129**:3045-3054
- Theil, T.; varez-Bolado, G.; Walter, A. y Ruther, U. Gli3 is required for Emx gene expression during dorsal telencephalon development. 1999 *Development* **126**:3561-3571
- Thoenen, H. y Sendtner, M. Neurotrophins: from enthusiastic expectations through sobering experiences to rational therapeutic approaches. 2002 *Nat. Neurosci.* **5 Suppl**:1046-1050
- Thomson, J. A.; Itskovitz-Eldor, J.; Shapiro, S. S.; Waknitz, M. A.; Swiergiel, J. J.; Marshall, V. S. y Jones, J. M. Embryonic stem cell lines derived from human blastocysts. 1998 *Science* **282**:1145-1147
- Thomson, J. A.; Kalishman, J.; Golos, T. G.; Durning, M.; Harris, C. P.; Becker, R. A. y Hearn, J. P. Isolation of a primate embryonic stem cell line. 1995 *Proc. Natl. Acad. Sci. U. S. A* **92**:7844-7848
- Thomson, J. A.; Kalishman, J.; Golos, T. G.; Durning, M.; Harris, C. P. y Hearn, J. P. Pluripotent cell lines derived from common marmoset (*Callithrix jacchus*) blastocysts. 1996 *Biol. Reprod.* **55**:254-259
- Tighe, A. P. y Gudas, L. J. Retinoic acid inhibits leukemia inhibitory factor signaling pathways in mouse embryonic stem cells. 2004 *J. Cell Physiol* **198**:223-229
- Tokunaga, A.; Kohyama, J.; Yoshida, T.; Nakao, K.; Sawamoto, K. y Okano, H. Mapping spatio-temporal activation of Notch signaling during neurogenesis and gliogenesis in the developing mouse brain. 2004 *J. Neurochem.* **90**:142-154

- Tole, S.; Goudreau, G.; Assimacopoulos, S. y Grove, E. A. Emx2 is required for growth of the hippocampus but not for hippocampal field specification. 2000 *J. Neurosci.* **20**:2618-2625
- Toresson, H.; Mata, d. U.; Fagerstrom, C.; Perlmann, T. y Campbell, K. Retinoids are produced by glia in the lateral ganglionic eminence and regulate striatal neuron differentiation. 1999 *Development* **126**:1317-1326
- Toresson, H.; Potter, S. S. y Campbell, K. Genetic control of dorsal-ventral identity in the telencephalon: opposing roles for Pax6 and Gsh2. 2000 *Development* **127**:4361-4371
- Toyooka, Y.; Tsunekawa, N.; Akasu, R. y Noce, T. Embryonic stem cells can form germ cells in vitro. 2003 *Proc. Natl. Acad. Sci. U. S. A* **100**:11457-11462
- Tropepe, V.; Hitoshi, S.; Sirard, C.; Mak, T. W.; Rossant, J. y van der Kooy D. Direct neural fate specification from embryonic stem cells: a primitive mammalian neural stem cell stage acquired through a default mechanism. 2001 *Neuron* **30**:65-78
- Tropepe, V.; Sibilina, M.; Ciruna, B. G.; Rossant, J.; Wagner, E. F. y van der, K. D. Distinct neural stem cells proliferate in response to EGF and FGF in the developing mouse telencephalon. 1999 *Dev. Biol.* **208**:166-188
- Trottier, Y.; Devys, D.; Imbert, G.; Saudou, F.; An, I.; Lutz, Y.; Weber, C.; Agid, Y.; Hirsch, E. C. y Mandel, J. L. Cellular localization of the Huntington's disease protein and discrimination of the normal and mutated form. 1995 *Nat. Genet.* **10**:104-110
- Urbanek, K.; Cesselli, D.; Rota, M.; Nascimbene, A.; De, A. A.; Hosoda, T.; Bearzi, C.; Boni, A.; Bolli, R.; Kajstura, J.; Anversa, P. y Leri, A. Stem cell niches in the adult mouse heart. 2006 *Proc. Natl. Acad. Sci. U. S. A* **103**:9226-9231
- Vallier, L.; Reynolds, D. y Pedersen, R. A. Nodal inhibits differentiation of human embryonic stem cells along the neuroectodermal default pathway. 2004 *Dev. Biol.* **275**:403-421
- van der, K. D. y Fishell, G. Neuronal birthdate underlies the development of striatal compartments. 1987 *Brain Res.* **401**:155-161
- Van Praag, H.; Kempermann, G. y Gage, F. H. Neural consequences of environmental enrichment. 2000 *Nat. Rev. Neurosci* **1**:191-198

- Van Praag, H.; Kempermann, G. y Gage, F. H. Running increases cell proliferation and neurogenesis in the adult mouse dentate gyrus. 1999 *Nat. Neurosci* **2**:266-270
- varez-Bolado, G.; Rosenfeld, M. G. y Swanson, L. W. Model of forebrain regionalization based on spatiotemporal patterns of POU-III homeobox gene expression, birthdates, and morphological features. 1995 *J. Comp Neurol*. **355**:237-295
- Ventimiglia, R.; Mather, P. E.; Jones, B. E. y Lindsay, R. M. The neurotrophins BDNF, NT-3 and NT-4/5 promote survival and morphological and biochemical differentiation of striatal neurons in vitro. 1995 *Eur. J. Neurosci*. **7**:213-222
- Verani, R.; Cappuccio, I.; Spinsanti, P.; Gradini, R.; Caruso, A.; Magnotti, M. C.; Motolese, M.; Nicoletti, F. y Melchiorri, D. Expression of the Wnt inhibitor Dickkopf-1 is required for the induction of neural markers in mouse embryonic stem cells differentiating in response to retinoic acid. 2007 *J. Neurochem*. **100**:242-250
- Vergano-Vera, E.; Yusta-Boyo, M. J.; de, C. F.; Bernad, A.; de, P. F. y Vicario-Abejon, C. Generation of GABAergic and dopaminergic interneurons from endogenous embryonic olfactory bulb precursor cells. 2006 *Development* **133**:4367-4379
- Vescovi, A. L.; Reynolds, B. A.; Fraser, D. D. y Weiss, S. bFGF regulates the proliferative fate of unipotent (neuronal) and bipotent (neuronal/astroglial) EGF-generated CNS progenitor cells. 1993 *Neuron* **11**:951-966
- Vincent, S. R.; Johansson, O.; Hokfelt, T.; Skirboll, L.; Elde, R. P.; Terenius, L.; Kimmel, J. y Goldstein, M. NADPH-diaphorase: a selective histochemical marker for striatal neurons containing both somatostatin- and avian pancreatic polypeptide (APP)-like immunoreactivities. 1983 *J. Comp Neurol*. **217**:252-263
- Vonsattel, J. P.; Myers, R. H.; Stevens, T. J.; Ferrante, R. J.; Bird, E. D. y Richardson, E. P., Jr. Neuropathological classification of Huntington's disease. 1985 *J. Neuropathol. Exp. Neurol*. **44**:559-577
- Voorn, P.; Kalsbeek, A.; Jorritsma-Byham, B. y Groenewegen, H. J. The pre- and postnatal development of the dopaminergic cell groups in the ventral mesencephalon and the dopaminergic innervation of the striatum of the rat. 1988 *Neuroscience* **25**:857-887

- Wagers, A. J.; Sherwood, R. I.; Christensen, J. L. y Weissman, I. L. Little evidence for developmental plasticity of adult hematopoietic stem cells. 2002 *Science* **297**:2256-2259
- Wagner, J.; Akerud, P.; Castro, D. S.; Holm, P. C.; Canals, J. M.; Snyder, E. Y.; Perlmann, T. y Arenas, E. Induction of a midbrain dopaminergic phenotype in Nurr1-overexpressing neural stem cells by type 1 astrocytes. 1999a *Nat. Biotechnol.* **17**:653-659
- Wagner, J. P.; Black, I. B. y DiCicco-Bloom, E. Stimulation of neonatal and adult brain neurogenesis by subcutaneous injection of basic fibroblast growth factor. 1999b *J. Neurosci* **19**:6006-6016
- Wagster, M. V.; Hedreen, J. C.; Peyser, C. E.; Folstein, S. E. y Ross, C. A. Selective loss of [3H]kainic acid and [3H]AMPA binding in layer VI of frontal cortex in Huntington's disease. 1994 *Exp. Neurol.* **127**:70-75
- Wang, X.; Lu, Y.; Zhang, H.; Wang, K.; He, Q.; Wang, Y.; Liu, X.; Li, L. y Wang, X. Distinct efficacy of pre-differentiated versus intact fetal mesencephalon-derived human neural progenitor cells in alleviating rat model of Parkinson's disease. 2004 *Int. J. Dev. Neurosci* **22**:175-183
- Wang, X.; Willenbring, H.; Akkari, Y.; Torimaru, Y.; Foster, M.; Al-Dhalimy, M.; Lagasse, E.; Finegold, M.; Olson, S. y Grompe, M. Cell fusion is the principal source of bone-marrow-derived hepatocytes. 2003 *Nature* **422**:897-901
- Wargnier, A.; Lafaurie, C.; Legros-Maida, S.; Bourge, J. F.; Sigaux, F.; Sasportes, M. y Paul, P. Down-regulation of human granzyme B expression by glucocorticoids. Dexamethasone inhibits binding to the Ikaros and AP-1 regulatory elements of the granzyme B promoter. 1998 *J. Biol. Chem.* **273**:35326-35331
- Weissman, I. L. Translating stem and progenitor cell biology to the clinic: barriers and opportunities. 2000 *Science* **287**:1442-1446
- Wichterle, H.; Lieberam, I.; Porter, J. A. y Jessell, T. M. Directed differentiation of embryonic stem cells into motor neurons. 2002 *Cell* **110**:385-397
- Wichterle, H.; Turnbull, D. H.; Nery, S.; Fishell, G. y varez-Buylla, A. In utero fate mapping reveals distinct migratory pathways and fates of neurons born in the mammalian basal forebrain. 2001 *Development* **128**:3759-3771

- Willett, C. E.; Kawasaki, H.; Amemiya, C. T.; Lin, S. y Steiner, L. A. Ikaros expression as a marker for lymphoid progenitors during zebrafish development. 2001 *Dev. Dyn.* **222**:694-698
- Williams, R. L.; Hilton, D. J.; Pease, S.; Willson, T. A.; Stewart, C. L.; Gearing, D. P.; Wagner, E. F.; Metcalf, D.; Nicola, N. A. y Gough, N. M. Myeloid leukaemia inhibitory factor maintains the developmental potential of embryonic stem cells. 1988 *Nature* **336**:684-687
- Wilson, S. W. y Rubenstein, J. L. Induction and dorsoventral patterning of the telencephalon. 2000 *Neuron* **28**:641-651
- Wobus, A. M. y Boheler, K. R. Embryonic stem cells: prospects for developmental biology and cell therapy. 2005 *Physiol Rev.* **85**:635-678
- Wobus, A. M.; Holzhausen, H.; Jakel, P. y Schoneich, J. Characterization of a pluripotent stem cell line derived from a mouse embryo. 1984 *Exp. Cell Res.* **152**:212-219
- Wohl, C. A. y Weiss, S. Retinoic acid enhances neuronal proliferation and astroglial differentiation in cultures of CNS stem cell-derived precursors. 1998 *J. Neurobiol.* **37**:281-290
- Xuan, S.; Baptista, C. A.; Balas, G.; Tao, W.; Soares, V. C. y Lai, E. Winged helix transcription factor BF-1 is essential for the development of the cerebral hemispheres. 1995 *Neuron* **14**:1141-1152
- Yan, J.; Studer, L. y McKay, R. D. Ascorbic acid increases the yield of dopaminergic neurons derived from basic fibroblast growth factor expanded mesencephalic precursors. 2001 *J. Neurochem.* **76**:307-311
- Yang, L. Y.; Huang, T. H. y Ma, L. Bone marrow stromal cells express neural phenotypes in vitro and migrate in brain after transplantation in vivo. 2006 *Biomed. Environ. Sci.* **19**:329-335
- Ying, Q. L. y Smith, A. G. Defined conditions for neural commitment and differentiation. 2003 *Methods Enzymol.* **365**:327-341
- Yokota, Y. y Ohkubo, H. 9-cis-retinoic acid induces neuronal differentiation of retinoic acid-nonresponsive embryonal carcinoma cells. 1996 *Exp. Cell Res.* **228**:1-7

- Yoshida, M.; Suda, Y.; Matsuo, I.; Miyamoto, N.; Takeda, N.; Kuratani, S. y Aizawa, S. Emx1 and Emx2 functions in development of dorsal telencephalon. 1997 *Development* **124**:101-111
- Yoshimura, S.; Takagi, Y.; Harada, J.; Teramoto, T.; Thomas, S. S.; Waeber, C.; Bakowska, J. C.; Breakefield, X. O. y Moskowitz, M. A. FGF-2 regulation of neurogenesis in adult hippocampus after brain injury. 2001 *Proc. Natl. Acad. Sci. U. S. A* **98**:5874-5879
- Yun, K.; Fischman, S.; Johnson, J.; Hrabe de, A. M.; Weinmaster, G. y Rubenstein, J. L. Modulation of the notch signaling by Mash1 and Dlx1/2 regulates sequential specification and differentiation of progenitor cell types in the subcortical telencephalon. 2002 *Development* **129**:5029-5040
- Yun, K.; Garel, S.; Fischman, S. y Rubenstein, J. L. Patterning of the lateral ganglionic eminence by the Gsh1 and Gsh2 homeobox genes regulates striatal and olfactory bulb histogenesis and the growth of axons through the basal ganglia. 2003 *J. Comp Neurol.* **461**:151-165
- Zetterstrom, R. H.; Simon, A.; Giacobini, M. M.; Eriksson, U. y Olson, L. Localization of cellular retinoid-binding proteins suggests specific roles for retinoids in the adult central nervous system. 1994 *Neuroscience* **62**:899-918
- Zhang, J.; Niu, C.; Ye, L.; Huang, H.; He, X.; Tong, W. G.; Ross, J.; Haug, J.; Johnson, T.; Feng, J. Q.; Harris, S.; Wiedemann, L. M.; Mishina, Y. y Li, L. Identification of the haematopoietic stem cell niche and control of the niche size. 2003a *Nature* **425**:836-841
- Zhang, J.; Smith, D.; Yamamoto, M.; Ma, L. y McCaffery, P. The meninges is a source of retinoic acid for the late-developing hindbrain ZHANG2003. 2003b *J. Neurosci.* **23**:7610-7620
- Zhang, S. C.; Ge, B. y Duncan, I. D. Tracing human oligodendroglial development in vitro. 2000 *J. Neurosci Res.* **59**:421-429
- Zigova, T.; Pencea, V.; Wiegand, S. J. y Luskin, M. B. Intraventricular administration of BDNF increases the number of newly generated neurons in the adult olfactory bulb. 1998 *Mol. Cell Neurosci* **11**:234-245
- Zuccato, C.; Ciammola, A.; Rigamonti, D.; Leavitt, B. R.; Goffredo, D.; Conti, L.; MacDonald, M. E.; Friedlander, R. M.; Silani, V.; Hayden, M. R.; Timmusk, T.; Sipione, S. y Cattaneo, E. Loss of huntingtin-mediated BDNF gene transcription in Huntington's disease. 2001 *Science* **293**:493-498

