

## **BIBLIOGRAFIA**

- Angers S, Salahpour A, Bouvier M (2002) Dimerization: an emerging concept for G protein-coupled receptor ontogeny and function. *Annu Rev Pharmacol Toxicol* 42:409-435.
- Ayoub M. A. CC, Lucas-Meunier E., Angers S., Fossier P., Bouvier M., Jockers R. (2002) Monitoring of Ligand-independent Dimerization and Ligand-induced Conformational Changes of Melatonin Receptors in Living Cells by Bioluminescence Resonance Energy Transfer. *J Biol Chem* 277:21522-21528.
- Bai M, Trivedi S, Brown EM (1998) Dimerization of the extracellular calcium-sensing receptor (CaR) on the cell surface of CaR-transfected HEK293 cells. *J Biol Chem* 273:23605-23610.
- Ciruela F, Casado V, Mallol J, Canela EI, Lluis C, Franco R (1995) Immunological identification of A1 adenosine receptors in brain cortex. *J Neurosci Res* 42:818-828.
- Cvejic S, Devi LA (1997) Dimerization of the delta opioid receptor: implication for a role in receptor internalization. *J Biol Chem* 272:26959-26964.
- Hebert T. E., Morello J.P., Loisel T. P., Bicheti D. G., Barret C., Bouvier M. (1996) A Peptide Derived from a b2-Adrenergic Receptor Transmembrane Domain Inhibits Both Receptor Dimerization and Activation. *J Biol Chem* 271:16384-16392.
- Liang Y, Fotiadis D, Filipek S, Saperstein DA, Palczewski K, Engel A (2003) Organization of the G protein-coupled receptors rhodopsin and opsin in native membranes. *J Biol Chem* 278:21655-21662.
- Margeta-Mitrovic M, Jan YN, Jan LY (2000) A trafficking checkpoint controls GABA(B) receptor heterodimerization. *Neuron* 27:97-106.
- Mercier JF, Salahpour A, Angers S, Breit A, Bouvier M (2002) Quantitative assessment of beta 1- and beta 2-adrenergic receptor homo- and heterodimerization by bioluminescence resonance energy transfer. *J Biol Chem* 277:44925-44931.
- Ng GY, O'Dowd BF, Lee SP, Chung HT, Brann MR, Seeman P, George SR (1996) Dopamine D2 receptor dimers and receptor-blocking peptides. *Biochem Biophys Res Commun* 227:200-204.
- Pahlman S, Ruusala AI, Abrahamsson L, Mattsson ME, Esscher T (1984) Retinoic acid-induced differentiation of cultured human neuroblastoma cells: a comparison with phorbol-ester-induced differentiation. *Cell Differ* 14:135-144.
- Romano C, Yang WL, O'Malley KL (1996) Metabotropic glutamate receptor 5 is a disulfide-linked dimer. *J Biol Chem* 271:28612-28616.
- Salahpour A, Bonin H, Bhalla S, Petaja-Repo U, Bouvier M (2003) Biochemical characterization of beta2-adrenergic receptor dimers and oligomers. *Biol Chem* 384:117-123.
- Salim H, Ferre S, Dalal A, Peterfreund RA, Fuxe K, Vincent JD, Lledo PM (2000) Activation of adenosine A1 and A2A receptors modulates dopamine D2

- receptor-induced responses in stably transfected human neuroblastoma cells. *J Neurochem* 74:432-439.
- Salim K, Fenton, T., Bacha, J. ,Urien-Rodriguez, H. , Bonnert, H.,Skynner H.A., Watts E., Kerby J., Heald A., Beer M., McAllister G., Guest P. C (2002) Oligomerization of G-protein-coupled Receptors Shown by Selective Co-immunoprecipitation. *J Biol Chem* 277:15482-15485.
- Seidel MG, Klinger M, Freissmuth M, Holler C (1999) Activation of mitogen-activated protein kinase by the A(2A)-adenosine receptor via a rap1-dependent and via a p21(ras)-dependent pathway. *J Biol Chem* 274:25833-25841.
- Terrillon S, Durroux T, Mouillac B, Breit A, Ayoub MA, Taulan M, Jockers R, Barberis C, Bouvier M (2003) Oxytocin and Vasopressin V1a and V2 Receptors Form Constitutive Homo- and Heterodimers during Biosynthesis. *Mol Endocrinol* 17:677-691.
- Zacharias DA, Violin, J.D., Newton, A.C., Tsien, R.Y. (2002) Partitioning of Lipid-Modified Monomeric GFPs into Membrane Microdomains of Live Cells. *Science* 296:913-916.