

Universitat de Barcelona

Facultat de Biologia
Departament de Genètica

Evolución molecular
de los genes del sistema olfatorio *OS-E* y *OS-F*
en diferentes especies de *Drosophila*

Alejandro Sánchez-Gracia

Barcelona, Noviembre de 2005

6. Bibliografía

AGUADÉ, M., 1988 Restriction map variation at the *Adh* locus of *Drosophila melanogaster* in inverted and noninverted chromosomes. *Genetics* 119: 135-140.

AKASHI, H., 1996 Molecular evolution between *Drosophila melanogaster* and *D. simulans*: reduced codon bias, faster rates of amino acid substitution, and larger proteins in *D. melanogaster*. *Genetics* 144: 1297-1307.

ALLENDORF, F. W., F. M. UTTER and B. P. MAY, 1975 Gene duplication within the family Salmonidae: II. Detection and determination of the genetic control of duplicate loci through inheritance studies and the examination of populations, pp. 415-432 in *Lysozymes IV. Genetics and Evolution*, edited by C. L. MARKERT. Academic Press. New York.

ANDOLFATTO, P., 2001 Contrasting patterns of X-linked and autosomal nucleotide variation in *Drosophila melanogaster* and *Drosophila simulans*. *Mol Biol Evol* 18: 279-290.

ANDOLFATTO, P., and M. PRZEWORSKI, 2000 A genome-wide departure from the standard neutral model in natural populations of *Drosophila*. *Genetics* 156: 257-268.

ANDOLFATTO, P., J. D. WALL and M. KREITMAN, 1999 Unusual haplotype structure at the proximal breakpoint of *In(2L)t* in a natural population of *Drosophila melanogaster*. *Genetics* 153: 1297-1311.

ANHOLT, R. R., 1993 Molecular neurobiology of olfaction. *Crit Rev Neurobiol* 7: 1-22.

AQUADRO, C. F., D. J. BEGUN and E. C. KINDAHL, 1994 Selection, recombination, and DNA polymorphism in *Drosophila*, pp. 46-56 in *Non-neutral evolution: theories and molecular data*, edited by B. GOLDING. Chapman and Hall, New York.

AYALA, F. J., 1976 Protein evolution in related species: adaptive "foci". Johns Hopkins Med J 138: 262-278.

AYER, R. K., JR., and J. CARLSON, 1992 Olfactory physiology in the *Drosophila* antenna and maxillary palp: *acj6* distinguishes two classes of odorant pathways. J Neurobiol 23: 965-982.

BAILEY, G. S., R. T. POULTER and P. A. STOCKWELL, 1978 Gene duplication in tetraploid fish: model for gene silencing at unlinked duplicated loci. Proc Natl Acad Sci U S A 75: 5575-5579.

BENASSI, V., F. DEPAULIS, G. K. MEGHLOUI and M. VEUILLE, 1999 Partial sweeping of variation at the *Fbp2* locus in a west African population of *Drosophila melanogaster*. Mol Biol Evol 16: 347-353.

BETRÁN, E., J. ROZAS, A. NAVARRO and A. BARBADILLA, 1997 The estimation of the number and the length distribution of gene conversion tracts from population DNA sequence data. Genetics 146: 89-99.

BRIDGES, C., 1936 The *bar* "gene" duplication. Science: 210-211.

BUCK, L., and R. AXEL, 1991 A novel multigene family may encode odorant receptors: a molecular basis for odor recognition. Cell 65: 175-187.

CACCONE, A., G. D. AMATO and J. R. POWELL, 1988 Rates and patterns of scnDNA and mtDNA divergence within the *Drosophila melanogaster* subgroup. Genetics 118: 671-683.

CACCONE, A., E. N. MORIYAMA, J. M. GLEASON, L. NIGRO and J. R. POWELL, 1996 A molecular phylogeny for the *Drosophila melanogaster* subgroup and the problem of polymorphism data. Mol Biol Evol 13: 1224-1232.

CACERES, M., M. PUIG and A. RUIZ, 2001 Molecular characterization of two natural hotspots in the *Drosophila buzzatii* genome induced by transposon insertions. *Genome Res* 11: 1353-1364.

CHARLESWORTH, B., 1974 Inversion polymorphism in a two-locus genetic system. *Genet Res* 23: 259-280.

CHARLESWORTH, B., M. T. MORGAN and D. CHARLESWORTH, 1993 The effect of deleterious mutations on neutral molecular variation. *Genetics* 134: 1289-1303.

CLARK, A. G., S. GLANOWSKI, R. NIELSEN, P. D. THOMAS, A. KEJARIWAL *et al.*, 2003 Inferring nonneutral evolution from human-chimp-mouse orthologous gene trios. *Science* 302: 1960-1963.

CLYNE, P. J., C. G. WARR, M. R. FREEMAN, D. LESSING, J. KIM *et al.*, 1999 A novel family of divergent seven-transmembrane proteins: candidate odorant receptors in *Drosophila*. *Neuron* 22: 327-338.

DAVID, J. R., and P. CAPY, 1988 Genetic variation of *Drosophila melanogaster* natural populations. *Trends Genet* 4: 106-111.

DAVIS, P. S., M. W. SHEN and B. H. JUDD, 1987 Asymmetrical pairings of transposons in and proximal to the *white* locus of *Drosophila* account for four classes of regularly occurring exchange products. *Proc Natl Acad Sci U S A* 84: 174-178.

DEPAULIS, F., L. BRAZIER, S. MOUSSET, A. TURBE and M. VEUILLE, 2000 Selective sweep near the *In(2L)t* inversion breakpoint in an African population of *Drosophila melanogaster*. *Genet Res* 76: 149-158.

DEPAULIS, F., L. BRAZIER and M. VEUILLE, 1999 Selective sweep at the *Drosophila melanogaster* *Suppressor of Hairless* locus and its association with the *In(2L)t* inversion polymorphism. *Genetics* 152: 1017-1024.

DESALLE, R., and D. GRIMALDI, 1992 Characters and the systematics of Drosophilidae. *J Hered* 83: 182-188.

DOBZHANSKY, T., 1970 *Genetics of the Evolutionary Process*. Columbia University Press, New York.

DVORAK, J., M. C. LUO and Z. L. YANG, 1998 Restriction fragment length polymorphism and divergence in the genomic regions of high and low recombination in self-fertilizing and cross-fertilizing aegilops species. *Genetics* 148: 423-434.

EMES, R. D., S. A. BEATSON, C. P. PONTING and L. GOODSTADT, 2004 Evolution and comparative genomics of odorant- and pheromone-associated genes in rodents. *Genome Res* 14: 591-602.

FERRIS, S. D., and G. S. WHITT, 1979 Evolution of the differential regulation of duplicate genes after polyploidization. *J Mol Evol* 12: 267-317.

FORCE, A., M. LYNCH, F. B. PICKETT, A. AMORES, Y. L. YAN *et al.*, 1999 Preservation of duplicate genes by complementary, degenerative mutations. *Genetics* 151: 1531-1545.

FU, Y. X., 1997 Statistical tests of neutrality of mutations against population growth, hitchhiking and background selection. *Genetics* 147: 915-925.

FU, Y. X., and W. H. LI, 1993 Statistical tests of neutrality of mutations. *Genetics* 133: 693-709.

GAO, Q., and A. CHESS, 1999 Identification of candidate *Drosophila* olfactory receptors from genomic DNA sequence. *Genomics* 60: 31-39.

GILAD, Y., C. D. BUSTAMANTE, D. LANCET and S. PAABO, 2003 Natural selection on the olfactory receptor gene family in humans and chimpanzees. *Am J Hum Genet* 73: 489-501.

GLINKA, S., L. OMETTO, S. MOUSSET, W. STEPHAN and D. DE LORENZO, 2003 Demography and natural selection have shaped genetic variation in *Drosophila melanogaster*: A multi-locus approach. *Genetics* 165: 1269-1278.

GOLDMAN, N., and Z. YANG, 1994 A codon-based model of nucleotide substitution for protein-coding DNA sequences. *Mol Biol Evol* 11: 725-736.

GU, Z., A. CAVALCANTI, F. C. CHEN, P. BOUMAN and W. H. LI, 2002 Extent of gene duplication in the genomes of *Drosophila*, nematode, and yeast. *Mol Biol Evol* 19: 256-262.

HALDANE, J. B. S., 1933 The part played by recurrent mutation in evolution. *Am Nat*: 5-19.

HAMBLIN, M. T., and M. VEUILLE, 1999 Population structure among African and derived populations of *Drosophila simulans*: evidence for ancient subdivision and recent admixture. *Genetics* 153: 305-317.

HASSON, E., and W. F. EANES, 1996 Contrasting histories of three gene regions associated with *In(3L)Payne* of *Drosophila melanogaster*. *Genetics* 144: 1565-1575.

HEKMAT-SCAFE, D. S., R. L. DORIT and J. R. CARLSON, 2000 Molecular evolution of odorant-binding protein genes *OS-E* and *OS-F* in *Drosophila*. *Genetics* 155: 117-127.

HEKMAT-SCAFE, D. S., C. R. SCAFE, A. J. MCKINNEY and M. A. TANOUYE, 2002 Genome-wide analysis of the odorant-binding protein gene family in *Drosophila melanogaster*. *Genome Res* 12: 1357-1369.

HEKMAT-SCAFE, D. S., R. A. STEINBRECHT and J. R. CARLSON, 1997 Coexpression of two odorant-binding protein homologs in *Drosophila*: implications for olfactory coding. *J Neurosci* 17: 1616-1624.

HILL, W. G., and A. ROBERTSON, 1966 The effect of linkage on limits to artificial selection. *Genet Res* 8: 269-294.

HUDSON, R. R., M. KREITMAN and M. AGUADÉ, 1987 A test of neutral molecular evolution based on nucleotide data. *Genetics* 116: 153-159.

HUDSON, R. R., 2000 A new statistic for detecting genetic differentiation. *Genetics* 155: 2011-2014.

HUEY, R. B., G. W. GILCHRIST, M. L. CARLSON, D. BERRIGAN and L. SERRA, 2000 Rapid evolution of a geographic cline in size in an introduced fly. *Science* 287: 308-309.

ISHIDA, Y., A. J. CORNEL and W. S. LEAL, 2002 Identification and cloning of a female antenna-specific odorant-binding protein in the mosquito *Culex quinquefasciatus*. *J Chem Ecol* 28: 867-871.

ISHIDA, Y., and W. S. LEAL, 2005 Rapid inactivation of a moth pheromone. *Proc Natl Acad Sci U S A* 102: 14075-14079.

JEFFS, P. S., E. C. HOLMES and M. ASHBURNER, 1994 The molecular evolution of the alcohol dehydrogenase and alcohol dehydrogenase-related genes in the *Drosophila melanogaster* species subgroup. *Mol Biol Evol* 11: 287-304.

KERN, A. D., and D. J. BEGUN, 2005 Patterns of polymorphism and divergence from noncoding sequences of *Drosophila melanogaster* and *D. simulans*: evidence for nonequilibrium processes. *Mol Biol Evol* 22: 51-62.

KIMURA, M., and T. OHTA, 1971 Protein polymorphism as a phase of molecular evolution. *Nature* 229: 467-469.

KIMURA, M., 1968 Evolutionary rate at the molecular level. *Nature* 217: 624-626

KIRBY, D. A., and W. STEPHAN, 1996 Multi-locus selection and the structure of variation at the *white* gene of *Drosophila melanogaster*. *Genetics* 144: 635-645.

KLIMAN, R. M., and J. HEY, 1993 DNA sequence variation at the *period* locus within and among species of the *Drosophila melanogaster* complex. *Genetics* 133: 375-387.

KO, W. Y., R. M. DAVID and H. AKASHI, 2003 Molecular phylogeny of the *Drosophila melanogaster* species subgroup. *J Mol Evol* 57: 562-573.

KOSAKOVSKY POND, S. L., and S. D. W. FROST, 2005 Not so different after all: a comparison of methods for detecting amino acid sites under selection. *Mol Biol Evol* 22: 1208-1222.

KRIEGER, M. J., and K. G. ROSS, 2002 Identification of a major gene regulating complex social behavior. *Science* 295: 328-332.

KRIMBAS, C. B., and J. R. POWELL, 1992 *Drosophila Inversion Polymorphism*, edited by C. B. KRIMBAS and J. R. POWELL, CRC Press, Boca Raton, FL.

KRUSE, S. W., R. ZHAO, D. P. SMITH and D. N. M. JONES, 2003 Structure of a specific alcohol-binding site defined by the odorant binding protein LUSH from *Drosophila melanogaster*. *Nat Struct Biol* 10: 694-700.

LAAYOUNI, H., E. HASSON, M. SANTOS and A. FONTDEVILA, 2003 The evolutionary history of *Drosophila buzzatii*. XXXV. Inversion polymorphism and nucleotide variability in different regions of the second chromosome. *Mol Biol Evol* 20: 931-944.

LACHAISE, D., L. M. CARIOU, J. R. DAVID, F. LEMEUNIER, L. TSACAS *et al.*, 1988 Historical biogeography of the *Drosophila melanogaster* species subgroup. *Evol Biol* 22: 159-225.

LARTIGUE, A., A. GRUEZ, L. BRIAND, F. BLON, V. BEZIRARD et al., 2004 Sulfur single-wavelength anomalous diffraction crystal structure of a pheromone-binding protein from the honeybee *Apis mellifera* L. J Biol Chem 279: 4459-4464.

LARTIGUE, A., A. GRUEZ, S. SPINELLI, S. RIVIERE, R. BROSSUT et al., 2003 The crystal structure of a cockroach pheromone-binding protein suggests a new ligand binding and release mechanism. J Biol Chem 278: 30213-30218.

LEMEUNIER, F., and M. ASHBURNER, 1984 Relationships within the melanogaster species subgroup of the genus *Drosophila* (Sophophora). IV. The chromosomes of two new species. Chromosoma: 343-351.

LEMEUNIER, F., and M. ASHBURNER, 1976 Relationships within the melanogaster species subgroup of the genus *Drosophila* (Sophophora). II. Phylogenetic relationships between six species based upon polytene chromosome banding sequences. Proc R Soc Lond B Biol Sci 193: 275-294.

LEWIS, R. L., A. T. BECKENBACH and A. O. MOOERS, 2005 The phylogeny of the subgroups within the melanogaster species group: likelihood tests on *COI* and *COII* sequences and a Bayesian estimate of phylogeny. Mol Phylogenet Evol 37: 15-24.

LEWONTIN, R. C., 1974 *The problem of genetic diversity*. Harvey Lect 2896:1-20.

LI, W. H., 1980 Rate of gene silencing at duplicate loci: a theoretical study and interpretation of data from tetraploid fishes. Genetics 95: 237-258.

LI, W. H., 1997 *Molecular Evolution*. Sinauer Associates inc., Sunderland, MA.

LIM, J. K., and M. J. SIMMONS, 1994 Gross chromosome rearrangements mediated by transposable elements in *Drosophila melanogaster*. Bioessays 16: 269-275.

LLOPART, A., and M. AGUADÉ, 1999 Synonymous rates at the *Rp11215* gene of *Drosophila*: variation among species and across the coding region. *Genetics* 152: 269-280.

LONG, M., and C. H. LANGLEY, 1993 Natural selection and the origin of *jingwei*, a chimeric processed functional gene in *Drosophila*. *Science* 260: 91-95.

LYNCH, M., and J. S. CONERY, 2003a The evolutionary demography of duplicate genes. *J Struct Funct Genomics* 3: 35-44.

LYNCH, M., and J. S. CONERY, 2003b The origins of genome complexity. *Science* 302: 1401-1404.

LYNCH, M., and A. FORCE, 2000 The probability of duplicate gene preservation by subfunctionalization. *Genetics* 154: 459-473.

MARAIS, G., P. NOUVELLET, P. D. KEIGHTLEY and B. CHARLESWORTH, 2005 Intron size and exon evolution in *Drosophila*. *Genetics* 170: 481-485.

MAYNARD SMITH, J., and J. HAIGH, 1974 The hitch-hiking effect of a favourable gene. *Genet Res* 23: 23-35.

MCCARREY, J. R., and K. THOMAS, 1987 Human testis-specific *PGK* gene lacks introns and possesses characteristics of a processed gene. *Nature* 326: 501-505.

MCDONALD, J. H., and M. KREITMAN, 1991 Adaptive protein evolution at the *Adh* locus in *Drosophila*. *Nature* 351: 652-654.

MCKENNA, M. P., D. S. HEKMAT-SCAFE, P. GAINES and J. R. CARLSON, 1994 Putative *Drosophila* pheromone-binding proteins expressed in a subregion of the olfactory system. *J Biol Chem* 269: 16340-16347.

MORIYAMA, E. N., and J. R. POWELL, 1996 Intraspecific nuclear DNA variation in *Drosophila*. *Mol Biol Evol* 13: 261-277.

MOUSSET, S., L. BRAZIER, M. L. CARIOU, F. CHARTOIS, F. DEPAULIS et al., 2003 Evidence of a high rate of selective sweeps in African *Drosophila melanogaster*. *Genetics* 163: 599-609.

MOUSSET, S., and N. DEROME, 2004 Molecular polymorphism in *Drosophila melanogaster* and *D. simulans*: what have we learned from recent studies? *Genetica* 120: 79-86.

MUNTÉ, A., J. ROZAS, M. AGUADÉ and C. SEGARRA, 2005 Chromosomal inversion polymorphism leads to extensive genetic structure: a multilocus survey in *Drosophila subobscura*. *Genetics* 169: 1573-1581.

NACHMAN, M. W., 1997 Patterns of DNA variability at X-linked loci in *Mus domesticus*. *Genetics* 147: 1303-1316.

NAVARRO, A., E. BETRÁN, A. BARBADILLA and A. RUIZ, 1997 Recombination and gene flux caused by gene conversion and crossing over in inversion heterokaryotypes. *Genetics* 146: 695-709.

NAVARRO-SABATÉ, A., M. AGUADÉ and C. SEGARRA, 1999 The relationship between allozyme and chromosomal polymorphism inferred from nucleotide variation at the *Acp1* gene region of *Drosophila subobscura*. *Genetics* 153: 871-889.

NEI, M., 1975 Molecular population genetics and evolution. *Front Biol* 40: 1-288.

NEI, M., and A. K. ROYCHOUDHURY, 1973 Probability of fixation and mean fixation time of an overdominant mutation. *Genetics* 74: 371-380.

NGAI, J., M. M. DOWLING, L. BUCK, R. AXEL and A. CHESS, 1993 The family of genes encoding odorant receptors in the channel catfish. *Cell* 72: 657-666.

O'GRADY, P. M., and M. G. KIDWELL, 2002 Phylogeny of the subgenus *Sophophora* (Diptera: drosophilidae) based on combined analysis of nuclear and mitochondrial sequences. *Mol Phylogenet Evol* 22: 442-453.

OHNO, S., 1970 *Evolution by gene duplication*. Springer, Berlin.

OHTA, T., 1972 Evolutionary rate of cistrons and DNA divergence. *J Mol Evol*: 150-157.

OHTA, T., and M. KIMURA, 1971 Behavior of neutral mutants influenced by associated overdominant loci in finite populations. *Genetics* 69: 247-260.

ORENGO, D. J., and M. AGUADÉ, 2004 Detecting the footprint of positive selection in a european population of *Drosophila melanogaster*: multilocus pattern of variation and distance to coding regions. *Genetics* 167: 1759-1766.

PAINTER, T. S., 1933 A new method for the study of chromosome rearrangements and the plotting of chromosome maps. *Science*: 585-586.

PATTERSON, J. T., and W. S. STONE, 1952 *Evolution in the genus Drosophila*, Macmillan, New York.

PELOSI, P., and R. MAIDA, 1995 Odorant-binding proteins in insects. *Comp Biochem Physiol B Biochem Mol Biol* 111: 503-514.

PÉREZ, J. A., A. MUNTÉ, J. ROZAS, C. SEGARRA and M. AGUADÉ, 2003 Nucleotide polymorphism in the *Rpl1215* gene region of the insular species *Drosophila guanche*: reduced efficacy of weak selection on synonymous variation. *Mol Biol Evol* 20: 1867-1875.

PIKIELNY, C. W., G. HASAN, F. ROUYER and M. ROSBASH, 1994 Members of a family of *Drosophila* putative odorant-binding proteins are expressed in different subsets of olfactory hairs. *Neuron* 12: 35-49.

POWELL, J. R., 1997 *Progress and prospects in evolutionary biology: the Drosophila model*. Oxford University Press, New York.

PRAKASH, S., 1976 Gene differences between third-chromosome inversions of *Drosophila pseudobscura*. *Genetics* 84: 787-790.

PRAKASH, S., and R. C. LEWONTIN, 1968 A molecular approach to the study of genic heterozygosity in natural populations. III. Direct evidence of coadaptation in gene arrangements of *Drosophila*. *Proc Natl Acad Sci U S A* 59: 398-405.

PRAKASH, S., and R. C. LEWONTIN, 1971 A molecular approach to the study of genic heterozygosity in natural populations. V. Further direct evidence of coadaptation in inversions of *Drosophila*. *Genetics* 69: 405-408.

PRESTWICH, G. D., 1987 Chemistry of pheromone and hormone metabolism in insects. *Science* 237: 999-1006.

PREVOSTI, A., G. RIBO, L. SERRA, M. AGUADÉ, J. BALANA et al., 1988 Colonization of America by *Drosophila subobscura*: Experiment in natural populations that supports the adaptive role of chromosomal-inversion polymorphism. *Proc Natl Acad Sci U S A* 85: 5597-5600.

PRZEWORSKI, M., R. R. HUDSON and A. DI RIENZO, 2000 Adjusting the focus on human variation. *Trends Genet* 16: 296-302.

PUIG, M., M. CACERES and A. RUIZ, 2004 Silencing of a gene adjacent to the breakpoint of a widespread *Drosophila* inversion by a transposon-induced antisense RNA. *Proc Natl Acad Sci U S A* 101: 9013-9018.

QUESADA, H., U. E. M. RAMIREZ, J. ROZAS and M. AGUADÉ, 2003 Large-scale adaptive hitchhiking upon high recombination in *Drosophila simulans*. *Genetics* 165: 895-900.

RAMOS-ONSINS, S., C. SEGARRA, J. ROZAS and M. AGUADÉ, 1998 Molecular and chromosomal phylogeny in the obscura group of *Drosophila* inferred from sequences of the *rp49* gene region. *Mol Phylogenet Evol* 9: 33-41.

RAMOS-ONSINS, S. E., and J. ROZAS, 2002 Statistical properties of new neutrality tests against population growth. *Mol Biol Evol* 19: 2092-2100.

ROBERTS, P. A., 1976 The genetics of chromosome aberration, pp. 67-184 in *The Genetics and Biology of Drosophila*, edited by M. ASHBURNER and E. NOVITSKI. Academic Press, London.

ROGERS, A. R., and H. HARPENDING, 1992 Population growth makes waves in the distribution of pairwise genetic differences. *Mol Biol Evol* 9: 552-569.

ROZAS, J., and M. AGUADÉ, 1990 Evidence of extensive genetic exchange in the *rp49* region among polymorphic chromosome inversions in *Drosophila subobscura*. *Genetics* 126: 417-426.

ROZAS, J., and M. AGUADÉ, 1993 Transfer of genetic information in the *rp49* region of *Drosophila subobscura* between different chromosomal gene arrangements. *Proc Natl Acad Sci U S A* 90: 8083-8087

ROZAS, J., and M. AGUADÉ, 1994 Gene conversion is involved in the transfer of genetic information between naturally occurring inversions of *Drosophila*. *Proc Natl Acad Sci U S A* 91: 11517-11521.

ROZAS, J., M. GULLAUD, G. BLANDIN and M. AGUADÉ, 2001 DNA Variation at the *rp49* gene region of *Drosophila simulans*: evolutionary inferences from an unusual haplotype structure. *Genetics* 158: 1147-1155.

ROZAS, J., C. SEGARRA, G. RIBO and M. AGUADÉ, 1999 Molecular population genetics of the *rp49* gene region in different chromosomal inversions of *Drosophila subobscura*. *Genetics* 151: 189-202.

RUSSO, C., N. TAKEZAKI and M. NEI, 1995 Molecular phylogeny and divergence times of drosophilid species. *Mol Biol Evol* 12: 391-404.

SÁNCHEZ-GRACIA, A., M. AGUADÉ and J. ROZAS, 2003 Patterns of nucleotide polymorphism and divergence in the Odorant-binding protein genes *OS-E* and *OS-F*: analysis in the melanogaster species subgroup of *Drosophila*. *Genetics* 165: 1279-1288.

SANDLER, B. H., L. NIKONOVA, W. S. LEAL and J. CLARDY, 2000 Sexual attraction in the silkworm moth: structure of the pheromone-binding-protein-bombykol complex. *Chem Biol* 7: 143-151.

SCALONI, A., M. MONTI, S. ANGELI and P. PELOSI, 1999 Structural analysis and disulfide-bridge pairing of two odorant-binding proteins from *Bombyx mori*. *Biochem Biophys Res Commun* 266: 386-391.

SCHAEFFER, S. W., M. P. GOETTING-MINESKY, M. KOVACEVIC, J. R. PEOPLES, J. L. GRAYBILL et al., 2003 Evolutionary genomics of inversions in *Drosophila pseudoobscura*: evidence for epistasis. *Proc Natl Acad Sci U S A* 100: 8319-8324.

SCHOFL, G., and C. SCHLOTTERER, 2004 Patterns of microsatellite variability among X chromosomes and autosomes indicate a high frequency of beneficial mutations in non-african *D. simulans*. *Mol Biol Evol* 21: 1384-1390.

SHEN, S. H., J. L. SLIGHTOM and O. SMITHIES, 1981 A history of the human fetal globin gene duplication. *Cell* 26: 191-203.

SLATKIN, M., and R. R. HUDSON, 1991 Pairwise comparisons of mitochondrial DNA sequences in stable and exponentially growing populations. *Genetics* 129: 555-562.

SPERLICH, D., 1966 Equilibria for inversions induced by x-rays in isogenic strains of *Drosophila pseudoobscura*. *Genetics* 53: 835-842.

STEINBRECHT, R. A., 1969 On the question of nervous syncytia: lack of axon fusion in two insect sensory nerves. *J Cell Sci* 4: 39-53.

STEINBRECHT, R. A., 1996 Structure and function of insect olfactory sensilla. *Ciba Found Symp* 200: 158-174; discussion 174-157.

STEINBRECHT, R. A., 1997 Pore structures in insect olfactory sensilla: a review of data and concepts. *Int J Insect Morph Emb* 26: 229-245.

STEPHAN, W., and C. H. LANGLEY, 1998 DNA polymorphism in *lycopersicon* and crossing-over per physical length. *Genetics* 150: 1585-1593.

STERN, P., and J. MARX, 1999 Making Sense of Scents. *Science* 286: 703.

STOCKER, R. F., and N. GENDRE, 1989 Courtship behavior of *Drosophila* genetically or surgically deprived of basiconic sensilla. *Behav Genet* 19: 371-385.

STURTEVANT, A. H., 1917 Genetic factors affecting the strength of linkage in *Drosophila*. *Proc Natl Acad Sci U S A*: 555-558.

STURTEVANT, A. H., 1926 A crossover reducer in *Drosophila melanogaster* due to inversion of a section of the third chromosome. *Biol Zentralbl*: 697-702.

STURTEVANT, A. H., 1939 On the subdivision of the genus *Drosophila*. *Proc Natl Acad Sci U S A*: 137-141.

TAJIMA, F., 1989 Statistical method for testing the neutral mutation hypothesis by DNA polymorphism. *Genetics* 123: 585-595.

TAKAHATA, N., and T. MARUYAMA, 1979 Polymorphism and loss of duplicate gene expression: a theoretical study with application of tetraploid fish. *Proc Natl Acad Sci U S A* 76: 4521-4525.

TAMURA, K., S. SUBRAMANIAN and S. KUMAR, 2004 Temporal patterns of fruit fly (*Drosophila*) evolution revealed by mutation clocks. *Mol Biol Evol* 21: 36-44.

TEGONI, M., V. CAMPANACCI and C. CAMBILLAU, 2004 Structural aspects of sexual attraction and chemical communication in insects. *Trends Biochem Sci* 29: 257-264.

TRUE, J. R., J. M. MERCER and C. C. LAURIE, 1996 Differences in crossover frequency and distribution among three sibling species of *Drosophila*. *Genetics* 142: 507-523.

VOGT, R. G., 2002 Odorant binding protein homologues of the malaria mosquito *Anopheles gambiae*; possible orthologues of the OS-E and OS-F OBPs of *Drosophila melanogaster*. *J Chem Ecol* 28: 2371-2376.

VOGT, R. G., 2005 Molecular basis of pheromone detection in insects, pp. 753-804 in *Comprehensive Insect Physiology, Biochemistry, Pharmacology and Molecular Biology*, edited by L. GILBERT, K. IATRO and S. GILL. Elsevier, London.

VOGT, R. G., F. E. CALLAHAN, M. E. ROGERS and J. C. DICKENS, 1999 Odorant binding protein diversity and distribution among the insect orders, as indicated by LAP, an OBP-related protein of the true bug *Lygus lineolaris* (Hemiptera, Heteroptera). *Chem Senses* 24: 481-495.

VOGT, R. G., and L. M. RIDDIFORD, 1981 Pheromone binding and inactivation by moth antennae. *Nature*: 161-163.

VOSSHALL, L. B., 2000 Olfaction in *Drosophila*. *Curr Opin Neurobiol* 10: 498-503.

VOSSHALL, L. B., 2001 The molecular logic of olfaction in *Drosophila*. *Chem Senses* 26: 207-213.

VOSSHALL, L. B., H. AMREIN, P. S. MOROZOV, A. RZHETSKY and R. AXEL, 1999 A spatial map of olfactory receptor expression in the *Drosophila* antenna. *Cell* 96: 725-736.

WALL, J. D., P. ANDOLFATTO and M. PRZEWORSKI, 2002 Testing models of selection and demography in *Drosophila simulans*. *Genetics* 162: 203-216.

WATTERSON, G. A., 1983 On the time for gene silencing at duplicate loci. *Genetics* 105: 745-766.

WATTS, R. A., C. A. PALMER, R. C. FELDHOFF, P. W. FELDHOFF, L. D. HOUCK *et al.*, 2004 Stabilizing selection on behavior and morphology masks positive selection on the signal in a salamander pheromone signaling complex. *Mol Biol Evol* 21: 1032-1041.

WESLEY, C. S., and W. F. EANES, 1994 Isolation and analysis of the breakpoint sequences of chromosome inversion *In(3L)Payne* in *Drosophila melanogaster*. *Proc Natl Acad Sci U S A* 91: 3132-3136.

WILLETT, C. S., 2000 Evidence for directional selection acting on pheromone-binding proteins in the genus *Choristoneura*. *Mol Biol Evol* 17: 553-562.

XU, P. X., L. J. ZWIEBEL and D. P. SMITH, 2003 Identification of a distinct family of genes encoding atypical odorant-binding proteins in the malaria vector mosquito, *Anopheles gambiae*. *Insect Mol Biol* 12: 549-560.

YANG, Z., 2000 Maximum likelihood estimation on large phylogenies and analysis of adaptive evolution in human influenza virus A. *J Mol Evol* 51: 423-432.

YANG, Z., W. S. WONG and R. NIELSEN, 2005 Bayes empirical bayes inference of amino acid sites under positive selection. *Mol Biol Evol* 22: 1107-1118.

ZHANG, J., 2003 Evolution by gene duplication: an update. *Trends Ecol Evol* 18: 292-298.

ZHANG, J., 2004 Frequent false detection of positive selection by the likelihood method with branch-site models. *Mol Biol Evol* 21: 1332-1339.

Esta tesis doctoral ha sido financiada por los proyectos PB97-0918 y BMC2001-2906 de la Comisión Interdepartamental de Ciencia y Tecnología y por el proyecto 2001SGR-00101 de la Comissió Interdepartamental de Recerca i Innovació Tecnològica. Durante el periodo de formación pre-doctoral, A. Sánchez-Gracia ha disfrutado de una beca de formació d'investigadors del Programa Propi UB y de 2 becas de col·laboració amb projectes d'investigació del grupo de Genètica Molecular Evolutiva del Departament de Genètica de la Universitat de Barcelona.