

**UNIVERSITAT DE BARCELONA**  
**DEPARTAMENT DE GENÈTICA**

**Expressió diferencial determinant del fenotip  
metastàtic en un model d'adenocarcinoma de pulmó  
humà**

**Mireia Martín Satué**

**Barcelona 2000**

## **BIBLIOGRAFIA**

- Akiyama, S.K., Olden, K. & Yamada, K.M. (1995). Fibronectin and integrins in invasion and metastasis. *Cancer Metastasis Rev*, **14**, 173-89.
- Albelda, S.M., Mette, S.A., Elder, D.E., Stewart, R., Damjanovich, L., Herlyn, M. & Buck, C.A. (1990). Integrin distribution in malignant melanoma: association of the beta 3 subunit with tumor progression. *Cancer Res*, **50**, 6757-64.
- Albini, A., Melchiori, A., Santi, L., Liotta, L.A., Brown, P.D. & Stetler-Stevenson, W.G. (1991). Tumor cell invasion inhibited by TIMP-2 [see comments]. *J Natl Cancer Inst*, **83**, 775-9.
- Asao, T., Nagamachi, Y., Morinaga, N., Shitara, Y., Takenoshita, S. & Yazawa, S. (1995). Fucosyltransferase of the peritoneum contributed to the adhesion of cancer cells to the mesothelium. *Cancer*, **75**, 1539-44.
- Asao, T., Yazawa, S., Nagamachi, Y., Abbas, S.A. & Matta, K.L. (1989). Serum alpha(1----3)-L-fucosyltransferase, carcinoembryonic antigen, and sialyl Lewis X-i antigen levels in lung cancer. *Cancer*, **64**, 2541-5.
- Aznavoorian, S., Stracke, M.L., Parsons, J., McClanahan, J. & Liotta, L.A. (1996). Integrin alphavbeta3 mediates chemotactic and haptotactic motility in human melanoma cells through different signaling pathways. *J Biol Chem*, **271**, 3247-54.
- Bafetti, L.M., Young, T.N., Itoh, Y. & Stack, M.S. (1998). Intact vitronectin induces matrix metalloproteinase-2 and tissue inhibitor of metalloproteinases-2 expression and enhanced cellular invasion by melanoma cells. *J Biol Chem*, **273**, 143-9.
- Bagnard, D., Lohrum, M., Uziel, D., Puschel, A.W. & Bolz, J. (1998). Semaphorins act as attractive and repulsive guidance signals during the development of cortical projections. *Development*, **125**, 5043-53.
- Banks, R.E., Gearing, A.J., Hemingway, I.K., Norfolk, D.R., Perren, T.J. & Selby, P.J. (1993). Circulating intercellular adhesion molecule-1 (ICAM-1), E-selectin and vascular cell adhesion molecule-1 (VCAM-1) in human malignancies. *Br J Cancer*, **68**, 122-4.
- Barille, S., Akhoundi, C., Collette, M., Mellerin, M.P., Rapp, M.J., Harousseau, J.L., Bataille, R. & Amiot, M. (1997). Metalloproteinases in multiple myeloma: production of matrix metalloproteinase-9 (MMP-9), activation of proMMP-2, and induction of MMP-1 by myeloma cells. *Blood*, **90**, 1649-55.
- Basbaum, C.B. & Werb, Z. (1996). Focalized proteolysis: spatial and temporal regulation of extracellular matrix degradation at the cell surface. *Curr Opin Cell Biol*, **8**, 731-8.
- Battagay, E.J. (1995). Angiogenesis: mechanistic insights, neovascular diseases, and therapeutic prospects. *J Mol Med*, **73**, 333-46.
- Bauer, C.H., Reutter, W.G., Erhart, K.P., Kottgen, E. & Gerok, W. (1978). Decrease of human serum fucosyltransferase as an indicator of successful tumor therapy. *Science*, **201**, 1232-3.
- Berlin, C., Berg, E.L., Briskin, M.J., Andrew, D.P., Kilshaw, P.J., Holzmann, B., Weissman, I.L., Hamann, A. & Butcher, E.C. (1993). Alpha 4 beta 7 integrin mediates lymphocyte binding to the mucosal vascular addressin MAdCAM-1. *Cell*, **74**, 185-5.
- Bevilacqua, M., Butcher, E., Furie, B., Gallatin, M., Gimbrone, M., Harlan, J., Kishimoto, K., Lasky, L., McEver, R. & et al. (1991). Selectins: a family of adhesion receptors [letter]. *Cell*, **67**, 233.
- Bevilacqua, M.P. & Nelson, R.M. (1993). Selectins. *Journal of Clinical Investigation*, **91**, 379-387.
- Bevilacqua, M.P., Stengelin, S., Gimbrone, M.A. & Seed, B. (1989). Endothelial leukocyte adhesion molecule 1: an inducible receptor for neutrophils related to complement regulatory proteins and lectins. *Science*, **243**, 1160-1165.
- Blot, W.J. & Fraumeni, J.F. (1996). Cancers of the lung and pleura. In *Cancer Epidemiology and Prevention*, Schottenfeld, D. & Fraumeni, J.F. (eds) pp. 637-665. Oxford University Press Inc.: New York.
- Boehm, T., Folkman, J., Browder, T. & O'Reilly, M.S. (1997). Antiangiogenic therapy of experimental cancer does not induce acquired drug resistance [see comments]. *Nature*, **390**, 404-7.
- Bonfanti, R., Furie, B.C., Furie, B. & Wagner, D.D. (1989). PADGEM (GMP140) is a component of Weibel-Palade bodies of human endothelial cells. *Blood*, **73**, 1109-1112.
- Borràs, J.M., Borràs, J., Viladiu, P. & Bosch, F.X. (1997). *Epidemiologia i prevenció del càncer a Catalunya. 1975-1992*. Institut Català d'Oncologia: Barcelona.
- Brown, P.D., Bloxidge, R.E., Anderson, E. & Howell, A. (1993a). Expression of activated gelatinase in human invasive breast carcinoma. *Clin Exp Metastasis*, **11**, 183-9.
- Brown, P.D., Bloxidge, R.E., Stuart, N.S., Gatter, K.C. & Carmichael, J. (1993b). Association between expression of activated 72-kilodalton gelatinase and tumor spread in non-small-cell lung carcinoma. *J Natl Cancer*

- Inst*, **85**, 574-8.
- Buck, C.A. (1995). Adhesion mechanisms controlling cell-cell and cell-matrix interactions during the metastatic process. In *The molecular basis of cancer*, Mendelsohn, J., Howley, P.M., Israel, M.A. & Liotta, L.A. (eds) pp. 175-205. W. B. Saunders: Philadelphia.
- Busk, M., Pytela, R. & Sheppard, D. (1992). Characterization of the integrin alpha v beta 6 as a fibronectin-binding protein. *J Biol Chem*, **267**, 5790-6.
- Cameron, H.S., Szczepaniak, D. & Weston, B.W. (1995). Expression of human chromosome 19p alpha(1,3)-fucosyltransferase genes in normal tissues. Alternative splicing, polyadenylation, and isoforms. *J Biol Chem*, **270**, 20112-22.
- Chambers, A.F. & Matrisian, L.M. (1997). Changing views of the role of matrix metalloproteinases in metastasis. *J Natl Cancer Inst*, **89**, 1260-70.
- Chandrasekaran, E.V., Jain, R.K. & Matta, K.L. (1992). Ovarian cancer alpha 1,3-L-fucosyltransferase. Differentiation of distinct catalytic species with the unique substrate, 3'-sulfo-N- acetyllactosamine in conjunction with other synthetic acceptors. *J Biol Chem*, **267**, 23806-14.
- Chirivi, R.G., Chiodoni, C., Musiani, P., Garofalo, A., Bernasconi, S., Colombo, M.P. & Giavazzi, R. (1996). IL-1alpha gene-transfected human melanoma cells increase tumor-cell adhesion to endothelial cells and their retention in the lung of nude mice. *Int J Cancer*, **67**, 856-63.
- Chomczynski, P. & Sacchi, N. (1987). Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal Biochem*, **162**, 156-9.
- Clark, E.A., Shattil, S.J. & Brugge, J.S. (1994). Regulation of protein tyrosine kinases in platelets. *Trends Biochem Sci*, **19**, 464-9.
- Clezardin, P. (1998). Recent insights into the role of integrins in cancer metastasis. *Cell Mol Life Sci*, **54**, 541-8.
- Cohen, G.B., Ren, R. & Baltimore, D. (1995). Modular binding domains in signal transduction proteins. *Cell*, **80**, 237-48.
- Conforti, G., Dominguez-Jimenez, C., Zanetti, A., Gimbrone, M.A., Jr., Cremona, O., Marchisio, P.C. & Dejana, E. (1992). Human endothelial cells express integrin receptors on the luminal aspect of their membrane. *Blood*, **80**, 437-46.
- Cress, A.E., Rabinovitz, I., Zhu, W. & Nagle, R.B. (1995). The alpha 6 beta 1 and alpha 6 beta 4 integrins in human prostate cancer progression. *Cancer Metastasis Rev*, **14**, 219-28.
- Crowe, D.L. & Shuler, C.F. (1999). Regulation of tumor cell invasion by extracellular matrix. *Histol Histopathol*, **14**, 665-71.
- Daneker, G.W., Lund, S.A., Caughman, S.W., Staley, C.A. & Wood, W.C. (1996). Anti-metastatic prostacyclins inhibit the adhesion of colon carcinoma to endothelial cells by blocking E-selectin expression. *Clin Exp Metastasis*, **14**, 230-8.
- Davies, B., Miles, D.W., Happerfield, L.C., Naylor, M.S., Bobrow, L.G., Rubens, R.D. & Balkwill, F.R. (1993). Activity of type IV collagenases in benign and malignant breast disease. *Br J Cancer*, **67**, 1126-31.
- De Rossi, G., Marroni, P., Paganuzzi, M., Mauro, F.R., Tenca, C., Zarcione, D., Velardi, A., Molica, S. & Grossi, C.E. (1997). Increased serum levels of soluble CD44 standard, but not of variant isoforms v5 and v6, in B cell chronic lymphocytic leukemia. *Leukemia*, **11**, 134-41.
- DeClerck, Y.A., Perez, N., Shimada, H., Boone, T.C., Langley, K.E. & Taylor, S.M. (1992). Inhibition of invasion and metastasis in cells transfected with an inhibitor of metalloproteinases. *Cancer Res*, **52**, 701-8.
- DeLisser, H.M., Newman, P.J. & Albelda, S.M. (1993). Platelet endothelial cell adhesion molecule (CD31). *Curr Top Microbiol Immunol*, **184**, 37-45.
- Devy, L., Noel, A., Baramova, E., Bajou, K., Trentesaux, C., Jardillier, J.C., Foidart, J.M. & Jeannesson, P. (1997). Production and activation of matrix metalloproteinase-9 (MMP-9) by HL-60 promyelocytic leukemia cells. *Biochem Biophys Res Commun*, **238**, 842-6.
- Dhanikula, A.B. & Panchagnula, R. (1999). Localized paclitaxel delivery. *Int J Pharm*, **183**, 85-100.
- Dickeson, S.K. & Santoro, S.A. (1998). Ligand recognition by the I domain-containing integrins. *Cell Mol Life Sci*, **54**, 556-66.
- Dong, B., Horowitz, D.S., Kobayashi, R. & Krainer, A.R. (1993). Purification and cDNA cloning of HeLa cell p54nrb, a nuclear protein with two RNA recognition motifs and extensive homology to human splicing factor PSF and Drosophila NONA/BJ6. *Nucleic Acids Res*, **21**, 4085-92.
- Dong, J.T., Isaacs, W.B., Barrett, J.C. & Isaacs, J.T. (1997). Genomic organization of the human KAI1 metastasis-

- suppressor gene. *Genomics*, **41**, 25-32.
- Drillenburger, P., van der Voort, R., Koopman, G., Dragosics, B., van Krieken, J.H., Kluin, P., Meenan, J., Lazarovits, A.I., Radaszkiewicz, T. & Pals, S.T. (1997). Preferential expression of the mucosal homing receptor integrin alpha 4 beta 7 in gastrointestinal non-Hodgkin's lymphomas. *Am J Pathol*, **150**, 919-27.
- Duncan, L.M., Deeds, J., Hunter, J., Shao, J., Holmgren, L.M., Woolf, E.A., Tepper, R.I. & Shyjan, A.W. (1998). Down-regulation of the novel gene melastatin correlates with potential for melanoma metastasis. *Cancer Res*, **58**, 1515-20.
- Etzioni, A. (1996). Adhesion molecules--their role in health and disease. *Pediatr Res*, **39**, 191-8.
- Felding-Habermann, B. & Chersesh, D.A. (1993). Vitronectin and its receptors. *Curr Opin Cell Biol*, **5**, 864-8.
- Fidler, I.J. (1990). Critical factors in the biology of human cancer metastasis: twenty-eighth G.H.A. Clowes Memorial Award lecture. *Cancer Research*, **50**, 6130-6138.
- Foxall, C., Watson, S.R., Dowbenko, D., Fennie, C., Lasky, L.A., Kiso, M., Hasegawa, A., Asa, D. & Brandley, B.K. (1992). The three members of the selectin receptor family recognize a common carbohydrate epitope, the sialyl Lewis<sup>x</sup> oligosaccharide. *The Journal of Cell Biology*, **117**, 895-902.
- Fridman, R., Toth, M., Pena, D. & Mobashery, S. (1995). Activation of progelatinase B (MMP-9) by gelatinase A (MMP-2). *Cancer Res*, **55**, 2548-55.
- Friedrichs, K., Ruiz, P., Franke, F., Gille, I., Terpe, H.J. & Imhof, B.A. (1995). High expression level of alpha 6 integrin in human breast carcinoma is correlated with reduced survival. *Cancer Res*, **55**, 901-6.
- Fukuda, M., Bothner, B., Ramsamooj, P., Dell, A., Tiller, P.R., Varki, A. & Klock, J.C. (1985). Structures of sialylated fucosyl polygalactosaminoglycans isolated from chronic myelogenous leukemia cells. *J Biol Chem*, **260**, 12957-67.
- Fukuda, M., Hiraoka, N. & Yeh, J.C. (1999). C-type lectins and sialyl Lewis X oligosaccharides. Versatile roles in cell-cell interaction. *J Cell Biol*, **147**, 467-70.
- Fukuda, M., Spooncer, E., Oates, J.E., Dell, A. & Klock, J.C. (1984). Structure of sialylated fucosyl lactosaminoglycan isolated from human granulocytes. *J Biol Chem*, **259**, 10925-35.
- Fukushi, Y., Nudelman, E., Levery, S.B., Hakomori, S. & Rauvala, H. (1984). Novel fucolipids accumulating in human adenocarcinoma. III. A hybridoma antibody (FH6) defining a human cancer-associated difucoganglioside (VI3NeuAcV3III3Fuc2nLc6). *J Biol Chem*, **259**, 10511-7.
- Fukushima, K., Hirota, M., Terasaki, P.I., Wakisaka, A., Togashi, H., Chia, D., Suyama, N., Fukushi, Y., Nudelman, E. & Hakomori, S. (1984). Characterization of sialosylated Lewis<sup>x</sup> as a new tumor-associated antigen. *Cancer Res*, **44**, 5279-85.
- Furukawa, Y., Tara, M., Ohmori, K. & Kannagi, R. (1994). Variant type of sialyl Lewis X antigen expressed on adult T cell leukemia cells is associated with skin involvement. *Cancer Res*, **54**, 6533-8.
- Gallatin, W.M., Weissman, I.L. & Butcher, E.C. (1983). A cell-surface molecule involved in organ-specific homing of lymphocytes. *Nature*, **304**, 30-34.
- Garofalo, A., Chirivi, R.G., Foglieni, C., Pigott, R., Mortarini, R., Martin-Padura, I., Anichini, A., Gearing, A.J., Sanchez-Madrid, F., Dejana, E. & et al. (1995). Involvement of the very late antigen 4 integrin on melanoma in interleukin 1-augmented experimental metastases. *Cancer Res*, **55**, 414-9.
- Gately, S., Twardowski, P., Stack, M.S., Cundiff, D.L., Grella, D., Castellino, F.J., Enghild, J., Kwaan, H.C., Lee, F., Kramer, R.A., Volpert, O., Bouck, N. & Soff, G.A. (1997). The mechanism of cancer-mediated conversion of plasminogen to the angiogenesis inhibitor angiostatin. *Proc Natl Acad Sci U S A*, **94**, 10868-72.
- Gazdar, A. (1994). Cell culture of lung cancers. In *Atlas of human tumor cell lines*, Hay, R.J., Park, J.-G. & Gazdar, A. (eds) pp. 121-160. Academic Press, Inc.
- Goelz, S., Kumar, R., Potvin, B., Sundaram, S., Brickelmaier, M. & Stanley, P. (1994). Differential expression of an E-selectin ligand (SLEX) by two Chinese hamster ovary cell lines transfected with the same alpha (1,3)- fucosyltransferase gene (ELFT). *J Biol Chem*, **269**, 1033-40.
- Goelz, S.E., Hession, C., Goff, D., Griffiths, B., Tizard, R., Newman, B., Chi-Rosso, G. & Lobb, R. (1990). ELFT: a gene that directs the expression of an ELAM-1 ligand. *Cell*, **63**, 1349-56.
- Grignon, D.J., Sakr, W., Toth, M., Ravery, V., Angulo, J., Shamsa, F., Pontes, J.E., Crissman, J.C. & Fridman, R. (1996). High levels of tissue inhibitor of metalloproteinase-2 (TIMP-2) expression are associated with poor outcome in invasive bladder cancer. *Cancer Res*, **56**, 1654-9.
- Hakomori, S. (1989). Aberrant glycosylation in tumors and tumor-associated carbohydrate antigens. *Adv Cancer*

- Res*, **52**, 257-331.
- Hall, K.T., Boumsell, L., Schultze, J.L., Boussioutis, V.A., Dorfman, D.M., Cardoso, A.A., Bensussan, A., Nadler, L.M. & Freeman, G.J. (1996). Human CD100, a novel leukocyte semaphorin that promotes B-cell aggregation and differentiation. *Proc Natl Acad Sci U S A*, **93**, 11780-5.
- Hanski, C., Hanski, M.L., Zimmer, T., Ogorek, D., Devine, P. & Riecken, E.O. (1995). Characterization of the major sialyl-Lex-positive mucins present in colon, colon carcinoma, and sera of patients with colorectal cancer. *Cancer Res*, **55**, 928-33.
- Harwood, C.A., Green, M.A. & Cook, M.G. (1996). CD44 expression in melanocytic lesions: a marker of malignant progression? *Br J Dermatol*, **135**, 876-82.
- Hiraiwa, N., Dohi, T., Kawakami-Kimura, N., Yumen, M., Ohmori, K., Maeda, M. & Kannagi, R. (1996). Suppression of sialyl Lewis X expression and E-selectin-mediated cell adhesion in cultured human lymphoid cells by transfection of antisense cDNA of an alpha1-->3 fucosyltransferase (Fuc-T VII). *J Biol Chem*, **271**, 31556-61.
- Holzmann, B., Gossler, U. & Bittner, M. (1998). alpha 4 integrins and tumor metastasis. *Curr Top Microbiol Immunol*, **231**, 125-41.
- Hoyhtya, M., Fridman, R., Komarek, D., Porter-Jordan, K., Stetler-Stevenson, W.G., Liotta, L.A. & Liang, C.M. (1994). Immunohistochemical localization of matrix metalloproteinase 2 and its specific inhibitor TIMP-2 in neoplastic tissues with monoclonal antibodies. *Int J Cancer*, **56**, 500-5.
- Hsu-Lin, S.C., Berman, C.L., Furie, B.C., August, D. & Furie, B. (1984). A platelet membrane protein expressed during platelet activation and secretion. Studies using a monoclonal antibody specific for thrombin-activated platelets. *J. Biol. Chem.*, **259**, 9121-9126.
- Huhtala, P., Humphries, M.J., McCarthy, J.B., Tremble, P.M., Werb, Z. & Damsky, C.H. (1995). Cooperative signaling by alpha 5 beta 1 and alpha 4 beta 1 integrins regulates metalloproteinase gene expression in fibroblasts adhering to fibronectin. *J Cell Biol*, **129**, 867-79.
- Hutchinson, W.L., Du, M.Q., Johnson, P.J. & Williams, R. (1991). Fucosyltransferases: differential plasma and tissue alterations in hepatocellular carcinoma and cirrhosis. *Hepatology*, **13**, 683-8.
- Ikeda, Y., Mori, M., Kajiyama, K., Haraguchi, Y., Sasaki, O. & Sugimachi, K. (1996). Immunohistochemical expression of sialyl Tn, sialyl Lewis a, sialyl Lewis a-b-, and sialyl Lewis x in primary tumor and metastatic lymph nodes in human gastric cancer. *J Surg Oncol*, **62**, 171-6.
- Imai, Y., Lasky, L.A. & Rosen, S.D. (1993). Sulphation requirement for GlyCAM-1, an endothelial ligand for L-selectin. *Nature*, **361**, 555-7.
- Imhof, B.A. & Dunon, D. (1997). Basic mechanism of leukocyte migration. *Horm Metab Res*, **29**, 614-21.
- Imren, S., Kohn, D.B., Shimada, H., Blavier, L. & DeClerck, Y.A. (1996). Overexpression of tissue inhibitor of metalloproteinases-2 retroviral-mediated gene transfer in vivo inhibits tumor growth and invasion. *Cancer Res*, **56**, 2891-5.
- Inufusa, H. (1988). [Establishment and characterization of human lung adenocarcinoma cell line KUM.LK-2 which produces spontaneous lung metastasis by subcutaneous implantation in nude mice]. *Nippon Geka Gakkai Zasshi*, **89**, 1075-82.
- Inufusa, H., Kojima, N., Yasutomi, M. & Hakomori, S. (1991). Human lung adenocarcinoma cell lines with different lung colonization potential (LCP), and a correlation between expression of sialosyl dimeric Le(x) (defined by MAb FH6) and LCP. *Clin Exp Metastasis*, **9**, 245-57.
- Itai, S., Nishikata, J., Yoneda, T., Ohmori, K., Yamabe, H., Arii, S., Tobe, T. & Kannagi, R. (1991). Tissue distribution of 2-3 and 2-6 sialyl Lewis A antigens and significance of the ratio of two antigens for the differential diagnosis of malignant and benign disorders of the digestive tract. *Cancer*, **67**, 1576-87.
- Itzkowitz, S.H., Dahiya, R., Byrd, J.C. & Kim, Y.S. (1990). Blood group antigen synthesis and degradation in normal and cancerous colonic tissues. *Gastroenterology*, **99**, 431-42.
- Itzkowitz, S.H., Yuan, M., Fukushi, Y., Lee, H., Shi, Z.R., Zurawski, V., Jr., Hakomori, S. & Kim, Y.S. (1988). Immunohistochemical comparison of Lea, monosialosyl Lea (CA 19-9), and disialosyl Lea antigens in human colorectal and pancreatic tissues. *Cancer Res*, **48**, 3834-42.
- Kaneko, M., Kudo, T., Iwasaki, H., Ikehara, Y., Nishihara, S., Nakagawa, S., Sasaki, K., Shiina, T., Inoko, H., Saitou, N. & Narimatsu, H. (1999a). Alpha1,3-fucosyltransferase IX (Fuc-TIX) is very highly conserved between human and mouse; molecular cloning, characterization and tissue distribution of human Fuc-TIX. *FEBS Lett*, **452**, 237-42.

- Kaneko, M., Kudo, T., Iwasaki, H., Shiina, T., Inoko, H., Kozaki, T., Saitou, N. & Narimatsu, H. (1999b). Assignment(1) of the human alpha 1,3-fucosyltransferase IX gene (FUT9) to chromosome band 6q16 by in situ hybridization. *Cytogenet Cell Genet*, **86**, 329-330.
- Kannagi, R. (1997). Carbohydrate-mediated cell adhesion involved in hematogenous metastasis of cancer. *Glycoconj J*, **14**, 577-84.
- Kannagi, R., Fukushi, Y., Tachikawa, T., Noda, A., Shin, S., Shigeta, K., Hiraiwa, N., Fukuda, Y., Inamoto, T., Hakomori, S. & et al. (1986). Quantitative and qualitative characterization of human cancer-associated serum glycoprotein antigens expressing fucosyl or sialyl-fucosyl type 2 chain polylectosamine. *Cancer Res*, **46**, 2619-26.
- Kannagi, R., Kitahara, A., Itai, S., Zenita, K., Shigeta, K., Tachikawa, T., Noda, A., Hirano, H., Abe, M., Shin, S. & et al. (1988). Quantitative and qualitative characterization of human cancer-associated serum glycoprotein antigens expressing epitopes consisting of sialyl or sialyl-fucosyl type 1 chain. *Cancer Res*, **48**, 3856-63.
- Kessel, D., Sykes, E. & Henderson, M. (1977). Glycosyltransferase levels in tumors metastatic to liver and in uninvolved liver tissue. *J Natl Cancer Inst*, **59**, 29-32.
- Khokha, R., Waterhouse, P., Yagel, S., Lala, P.K., Overall, C.M., Norton, G. & Denhardt, D.T. (1989). Antisense RNA-induced reduction in murine TIMP levels confers oncogenicity on Swiss 3T3 cells. *Science*, **243**, 947-50.
- Kim, Y.J., Borsig, L., Varki, N.M. & Varki, A. (1998). P-selectin deficiency attenuates tumor growth and metastasis. *Proc Natl Acad Sci USA*, **95**, 9325-30.
- Kishimoto, T., Ishikura, H., Kimura, C., Takahashi, T., Kato, H. & Yoshiki, T. (1996). Phenotypes correlating to metastatic properties of pancreas adenocarcinoma in vivo: the importance of surface sialyl Lewis(a) antigen. *Int J Cancer*, **69**, 290-4.
- Kolodkin, A.L., Matthes, D.J., O'Connor, T.P., Patel, N.H., Admon, A., Bentley, D. & Goodman, C.S. (1992). Fasciclin IV: sequence, expression, and function during growth cone guidance in the grasshopper embryo. *Neuron*, **9**, 831-45.
- Kuijpers, T.W. (1993). Terminal glycosyltransferase activity: a selective role in cell adhesion. *Blood*, **81**, 873-82.
- Kukowska-Latallo, J.F., Larsen, R.D., Nair, R.P. & Lowe, J.B. (1990). A cloned human cDNA determines expression of a mouse stage-specific embryonic antigen and the Lewis blood group alpha(1,3/1,4)fucosyltransferase. *Genes Dev*, **4**, 1288-303.
- LaFlamme, S.E., Thomas, L.A., Yamada, S.S. & Yamada, K.M. (1994). Single subunit chimeric integrins as mimics and inhibitors of endogenous integrin functions in receptor localization, cell spreading and migration, and matrix assembly. *J Cell Biol*, **126**, 1287-98.
- Lafrenie, R.M., Gallo, S., Podor, T.J., Buchanan, M.R. & Orr, F.W. (1994). The relative roles of vitronectin receptor, E-selectin and alpha 4 beta 1 in cancer cell adhesion to interleukin-1-treated endothelial cells. *Eur J Cancer*, **14**, 2151-8.
- Larjava, H., Lyons, J.G., Salo, T., Makela, M., Koivisto, L., Birkedal-Hansen, H., Akiyama, S.K., Yamada, K.M. & Heino, J. (1993). Anti-integrin antibodies induce type IV collagenase expression in keratinocytes. *J Cell Physiol*, **157**, 190-200.
- Lee, J.H. & Welch, D.R. (1997). Identification of highly expressed genes in metastasis-suppressed chromosome 6/human malignant melanoma hybrid cells using subtractive hybridization and differential display. *Int J Cancer*, **71**, 1035-44.
- Lewinsohn, D.M., Bargatze, R.F. & Butcher, E.C. (1987). Leukocyte-endothelial cell recognition: evidence of a common molecular mechanism shared by neutrophils, lymphocytes, and other leukocytes. *J Immunol.*, **129**, 1997-2000.
- Liabakk, N.B., Talbot, I., Smith, R.A., Wilkinson, K. & Balkwill, F. (1996). Matrix metalloprotease 2 (MMP-2) and matrix metalloprotease 9 (MMP-9) type IV collagenases in colorectal cancer. *Cancer Res*, **56**, 190-6.
- Liang, P., Averboukh, L. & Pardee, A.B. (1993). Distribution and cloning of eukaryotic mRNAs by means of differential display: refinements and optimization. *Nucleic Acids Res*, **21**, 3269-75.
- Liang, P. & Pardee, A.B. (1992). Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction [see comments]. *Science*, **257**, 967-71.
- Liaw, L., Skinner, M.P., Raines, E.W., Ross, R., Cheresch, D.A., Schwartz, S.M. & Giachelli, C.M. (1995). The adhesive and migratory effects of osteopontin are mediated via distinct cell surface integrins. Role of

- alpha v beta 3 in smooth muscle cell migration to osteopontin in vitro. *J Clin Invest*, **95**, 713-24.
- Liotta, L.A., Kleinerman, J., Catanzaro, P. & Rynbrandt, D. (1977). Degradation of basement membrane by murine tumor cells. *J Natl Cancer Inst*, **58**, 1427-31.
- Liotta, L.A., Tryggvason, K., Garbisa, S., Hart, I., Foltz, C.M. & Shafie, S. (1980). Metastatic potential correlates with enzymatic degradation of basement membrane collagen. *Nature*, **284**, 67-8.
- Liu, Z., Brattain, M.G. & Appert, H. (1997). Differential display of reticulocalbin in the highly invasive cell line, MDA-MB-435, versus the poorly invasive cell line, MCF-7. *Biochem Biophys Res Commun*, **231**, 283-9.
- Lobb, R.R. & Hemler, M.E. (1994). The pathophysiologic role of alpha 4 integrins in vivo. *J Clin Invest*, **94**, 1722-8.
- Lopez, S., Vila, L., Breviario, F. & de Castellarnau, C. (1993). Interleukin-1 increases 15-hydroxyeicosatetraenoic acid formation in cultured human endothelial cells. *Biochim Biophys Acta*, **1170**, 17-24.
- Lowe, B.J. (1994). Carbohydrate recognition in cell-cell interaction. In *Molecular Glycobiology*, Fukuda, M. & Hindsgaul, O. (eds) pp. 163-205. Oxford University Press: Oxford.
- Lowe, J.B. (1997). Selectin ligands, leukocyte trafficking, and fucosyltransferase genes. *Kidney Int*, **51**, 1418-26.
- Lowe, J.B., Kukowska-Latallo, J.F., Nair, R.P., Larsen, R.D., Marks, R.M., Macher, B.A., Kelly, R.J. & Ernst, L.K. (1991). Molecular cloning of a human fucosyltransferase gene that determines expression of the Lewis x and VIM-2 epitopes but not ELAM-1-dependent cell adhesion. *J Biol Chem*, **266**, 17467-77.
- Lu, X.Q., Levy, M., Weinstein, I.B. & Santella, R.M. (1991). Immunological quantitation of levels of tissue inhibitor of metalloproteinase-1 in human colon cancer. *Cancer Res*, **51**, 6231-5.
- Luo, Y., Raible, D. & Raper, J.A. (1993). Collapsin: a protein in brain that induces the collapse and paralysis of neuronal growth cones. *Cell*, **75**, 217-27.
- Magnani, J.L., Nilsson, B., Brockhaus, M., Zopf, D., Steplewski, Z., Koprowski, H. & Ginsburg, V. (1982). A monoclonal antibody-defined antigen associated with gastrointestinal cancer is a ganglioside containing sialylated lacto-N-fucopentaose II. *J Biol Chem*, **257**, 14365-9.
- Majuri, M.L., Niemela, R., Tiisala, S., Renkonen, O. & Renkonen, R. (1995). Expression and function of alpha 2,3-sialyl- and alpha 1,3/1,4- fucosyltransferases in colon adenocarcinoma cell lines: role in synthesis of E-selectin counter-receptors. *Int J Cancer*, **63**, 551-9.
- Maly, P., Thall, A., Petryniak, B., Rogers, C.E., Smith, P.L., Marks, R.M., Kelly, R.J., Gersten, K.M., Cheng, G., Saunders, T.L., Camper, S.A., Camphausen, R.T., Sullivan, F.X., Isogai, Y., Hindsgaul, O., von Andrian, U.H. & Lowe, J.B. (1996). The alpha(1,3)fucosyltransferase Fuc-TVII controls leukocyte trafficking through an essential role in L-, E-, and P-selectin ligand biosynthesis. *Cell*, **86**, 643-53.
- Mangasser-Stephan, K., Dooley, S., Welter, C., Mutschler, W. & Hanselmann, R.G. (1997). Identification of human semaphorin E gene expression in rheumatoid synovial cells by mRNA differential display. *Biochem Biophys Res Commun*, **234**, 153-6.
- Martín-Satué, M., de Castellarnau, C. & Blanco, J. (1999). Overexpression of alpha(1,3)-fucosyltransferase VII is sufficient for the acquisition of lung colonization phenotype in human lung adenocarcinoma HAL-24Luc cells. *Br J Cancer*.
- Martin-Satue, M., Marrugat, R., Cancelas, J.A. & Blanco, J. (1998). Enhanced expression of alpha(1,3)-fucosyltransferase genes correlates with E-selectin-mediated adhesion and metastatic potential of human lung adenocarcinoma cells. *Cancer Research*, **58**, 1544-1550.
- Matsushita, Y., Nakamori, S., Seflor, E.A., Hendrix, M.J. & Irimura, T. (1991). Human colon carcinoma cells with increased invasive capacity obtained by selection for sialyl-dimeric LeX antigen. *Exp Cell Res*, **196**, 20-5.
- Matthes, D.J., Sink, H., Kolodkin, A.L. & Goodman, C.S. (1995). Semaphorin II can function as a selective inhibitor of specific synaptic arborizations. *Cell*, **81**, 631-9.
- McEver, R.P. (1997). Selectin-carbohydrate interactions during inflammation and metastasis. *Glycoconj J*, **14**, 585-91.
- McEver, R.P., Beckstead, J.H., Moore, K.L., Marshall-Carlson, L. & Bainton, D.F. (1989). GMP-140, a platelet alpha-granule membrane protein, is also synthesized by vascular endothelial cells and is localized in Weibel-Palade bodies. *J. Clin. Invest.*, **84**, 92-99.
- Menashi, S., Fridman, R., Desrivieres, S., Lu, H., Legrand, Y. & Soria, C. (1994). Regulation of 92-kDa gelatinase B activity in the extracellular matrix by tissue kallikrein. *Ann N Y Acad Sci*, **732**, 466-8.
- Miyake, M., Zenita, K., Tanaka, O., Okada, Y. & Kannagi, R. (1988). Stage-specific expression of SSEA-1-related



- antigens in the developing lung of human embryos and its relation to the distribution of these antigens in lung cancers. *Cancer Res*, **48**, 7150-8.
- Mizoguchi, A., Takasaki, S., Maeda, S. & Kobata, A. (1984). Changes in asparagine-linked sugar chains of human promyelocytic leukemic cells (HL-60) during monocytoid differentiation and myeloid differentiation. Decrease of high-molecular-weight oligosaccharides in acidic fraction. *J Biol Chem*, **259**, 11949-57.
- Montgomery, A.M., Mueller, B.M., Reisfeld, R.A., Taylor, S.M. & DeClerck, Y.A. (1994). Effect of tissue inhibitor of the matrix metalloproteinases-2 expression on the growth and spontaneous metastasis of a human melanoma cell line. *Cancer Res*, **54**, 5467-73.
- Murphy, G. & Crabbe, T. (1995). Gelatinases A and B. *Methods Enzymol*, **248**, 470-84.
- Musholt, T.J., Goodfellow, P.J., Scheumann, G.F., Pichlmayr, R., Wells, S.A., Jr. & Moley, J.F. (1997). Differential display in primary and metastatic medullary thyroid carcinoma. *J Surg Res*, **69**, 94-100.
- Nakamori, S., Kameyama, M., Imaoka, S., Furukawa, H., Ishikawa, O., Sasaki, Y., Kabuto, T., Iwanaga, T., Matsushita, Y. & Irimura, T. (1993). Increased expression of sialyl Lewisx antigen correlates with poor survival in patients with colorectal carcinoma: clinicopathological and immunohistochemical study. *Cancer Res*, **53**, 3632-7.
- Narimatsu, H. (1994). Recent progress in molecular cloning of glycosyltransferase genes of eukaryotes. *Microbiology & Immunology*, **38**, 489-504.
- Natsuka, S., Gersten, K.M., Zenita, K., Kannagi, R. & Lowe, J.B. (1994). Molecular cloning of a cDNA encoding a novel human leukocyte alpha-1,3- fucosyltransferase capable of synthesizing the sialyl Lewis x determinant [published erratum appears in *J Biol Chem* 1994 Aug 12;269(32):20806]. *J Biol Chem*, **269**, 16789-94.
- Nelson, R.M., Venot, A., Bevilacqua, M.P., Linhardt, R.J. & Stamenkovic, I. (1995). Carbohydrate-protein interactions in vascular biology. *Annu Rev Cell Dev Biol*, **11**, 601-31.
- Newman, P.J. (1997). The biology of PECAM-1. *J Clin Invest*, **100**, S25-9.
- Nishihara, S., Nakazato, M., Kudo, T., Kimura, H., Ando, T. & Narimatsu, H. (1993). Human alpha-1,3 fucosyltransferase (FucT-VI) gene is located at only 13 kb 3' to the Lewis type fucosyltransferase (FucT-III) gene on chromosome 19. *Biochemical & Biophysical Research Communications*, **190**, 42-6.
- Nishimura, S.L., Sheppard, D. & Pytela, R. (1994). Integrin alpha v beta 8. Interaction with vitronectin and functional divergence of the beta 8 cytoplasmic domain. *J Biol Chem*, **269**, 28708-15.
- O'Connell, J.P., Willenbrock, F., Docherty, A.J., Eaton, D. & Murphy, G. (1994). Analysis of the role of the COOH-terminal domain in the activation, proteolytic activity, and tissue inhibitor of metalloproteinase interactions of gelatinase B. *J Biol Chem*, **269**, 14967-73.
- Ogata, Y., Enghild, J.J. & Nagase, H. (1992). Matrix metalloproteinase 3 (stromelysin) activates the precursor for the human matrix metalloproteinase 9. *J Biol Chem*, **267**, 3581-4.
- Ogawa, J., Inoue, H. & Koide, S. (1996). Expression of alpha-1,3-fucosyltransferase type IV and VII genes is related to poor prognosis in lung cancer. *Cancer Res*, **56**, 325-9.
- Ogawa, J., Sano, A., Koide, S. & Shohtsu, A. (1994). Relation between recurrence and expression of proliferating cell nuclear antigen, sialyl LewisX, and sialyl Lewis(a) in lung cancer. *J Thorac Cardiovasc Surg*, **108**, 329-36.
- Ogawa, J.I., Inoue, H. & Koide, S. (1997). alpha-2,3-Sialyltransferase type 3N and alpha-1,3-fucosyltransferase type VII are related to sialyl Lewis(x) synthesis and patient survival from lung carcinoma. *Cancer*, **79**, 1678-85.
- Ohyama, C., Tsuboi, S. & Fukuda, M. (1999). Dual roles of sialyl Lewis X oligosaccharides in tumor metastasis and rejection by natural killer cells. *Embo J*, **18**, 1516-25.
- Okada, Y., Gonoji, Y., Naka, K., Tomita, K., Nakanishi, I., Iwata, K., Yamashita, K. & Hayakawa, T. (1992). Matrix metalloproteinase 9 (92-kDa gelatinase/type IV collagenase) from HT 1080 human fibrosarcoma cells. Purification and activation of the precursor and enzymic properties. *J Biol Chem*, **267**, 21712-9.
- Okahara, H., Yagita, H., Miyake, K. & Okumura, K. (1994). Involvement of very late activation antigen 4 (VLA-4) and vascular cell adhesion molecule 1 (VCAM-1) in tumor necrosis factor alpha enhancement of experimental metastasis. *Cancer Res*, **54**, 3233-6.
- Orntoft, T.F., Greenwell, P., Clausen, H. & Watkins, W.M. (1991). Regulation of the oncodevelopmental expression of type 1 chain ABH and Lewis(b) blood group antigens in human colon by alpha-2-L-

- fucosylation. *Gut*, **32**, 287-93.
- Pakkenberg, B. & Gundersen, H.J. (1988). Total number of neurons and glial cells in human brain nuclei estimated by the disector and the fractionator. *J Microsc*, **150**, 1-20.
- Pals, S.T., Drillenburg, P., Dragosics, B., Lazarovits, A.I. & Radaszkiewicz, T. (1994). Expression of the mucosal homing receptor alpha 4 beta 7 in malignant lymphomatous polyposis of the intestine. *Gastroenterology*, **107**, 1519-23.
- Pawson, T. (1995). Protein modules and signalling networks. *Nature*, **373**, 573-80.
- Puschel, A.W., Adams, R.H. & Betz, H. (1995). Murine semaphorin D/collapsin is a member of a diverse gene family and creates domains inhibitory for axonal extension. *Neuron*, **14**, 941-8.
- Ray, C.A., Black, R.A., Kronheim, S.R., Greenstreet, T.A., Sleath, P.R., Salvesen, G.S. & Pickup, D.J. (1992). Viral inhibition of inflammation: cowpox virus encodes an inhibitor of the interleukin-1 beta converting enzyme. *Cell*, **69**, 597-604.
- Reguigne-Arnould, I., Wolfe, J., Hornigold, N., Faure, S., Mollicone, R., Oriol, R. & Coullin, P. (1996). Fucosyltransferase genes are dispersed in the genome: FUT7 is located on 9q34.3 distal to D9S1830. *C R Acad Sci III*, **319**, 783-8.
- Reich, R., Blumenthal, M. & Liscovitch, M. (1995). Role of phospholipase D in laminin-induced production of gelatinase A (MMP-2) in metastatic cells. *Clin Exp Metastasis*, **13**, 134-40.
- Reilly, P.L., Woska, J.R., Jr., Jeanfavre, D.D., McNally, E., Rothlein, R. & Bormann, B.J. (1995). The native structure of intercellular adhesion molecule-1 (ICAM-1) is a dimer. Correlation with binding to LFA-1 [published erratum appears in *J Immunol* 1996 Apr 15;156(8):following 3088]. *J Immunol*, **155**, 529-32.
- Ronquist, G. & Nou, E. (1983). Serum sialyltransferase and fucosyltransferase activities in patients with bronchial carcinoma. *Cancer*, **52**, 1679-83.
- Rosen, S.D. & Bertozzi, C.R. (1996). Two selectins converge on sulphate. Leukocyte adhesion. *Curr Biol*, **6**, 261-4.
- Rubio, N. & Blanco, J. (1996). Simultaneous selection and cloning of transfected eukaryotic cells. *Biotechniques*, **21**, 622, 624.
- Ruegg, C., Postigo, A.A., Sikorski, E.E., Butcher, E.C., Pytela, R. & Erle, D.J. (1992). Role of integrin alpha 4 beta 7/alpha 4 beta P in lymphocyte adherence to fibronectin and VCAM-1 and in homotypic cell clustering. *J Cell Biol*, **117**, 179-89.
- Rundell, K. (1998). The basic science underlying antiangiogenic therapies. *Biochim Biophys Acta*, **1378**, R27-31.
- Saitoh, O., Wang, W.C., Lotan, R. & Fukuda, M. (1992). Differential glycosylation and cell surface expression of lysosomal membrane glycoproteins in sublines of a human colon cancer exhibiting distinct metastatic potentials. *J Biol Chem*, **267**, 5700-11.
- Sako, D., Comess, K.M., Barone, K.M., Camphausen, R.T., Cumming, D.A. & Shaw, G.D. (1995). A sulfated peptide segment at the amino terminus of PSGL-1 is critical for P-selectin binding. *Cell*, **83**, 323-31.
- Salo, T., Liotta, L.A., Keski-Oja, J., Turpeenniemi-Hujanen, T. & Tryggvason, K. (1982). Secretion of basement membrane collagen degrading enzyme and plasminogen activator by transformed cells--role in metastasis. *Int J Cancer*, **30**, 669-73.
- Sasaki, K., Kurata, K., Funayama, K., Nagata, M., Watanabe, E., Ohta, S., Hanai, N. & Nishi, T. (1994). Expression cloning of a novel alpha 1,3-fucosyltransferase that is involved in biosynthesis of the sialyl Lewis x carbohydrate determinants in leukocytes. *J Biol Chem*, **269**, 14730-7.
- Sato, H. & Seiki, M. (1993). Regulatory mechanism of 92 kDa type IV collagenase gene expression which is associated with invasiveness of tumor cells. *Oncogene*, **8**, 395-405.
- Sawada, R., Tsuboi, S. & Fukuda, M. (1994). Differential E-selectin-dependent adhesion efficiency in sublines of a human colon cancer exhibiting distinct metastatic potentials. *J Biol Chem*, **269**, 1425-31.
- Schiller, J.H. (1998). Lung cancer: therapeutic modalities and cytoprotection. *Lung*, **176**, 145-164.
- Schultz, R.M., Silberman, S., Persky, B., Bajkowski, A.S. & Carmichael, D.F. (1988). Inhibition by human recombinant tissue inhibitor of metalloproteinases of human amnion invasion and lung colonization by murine B16-F10 melanoma cells. *Cancer Res*, **48**, 5539-45.
- Seftor, R.E., Seftor, E.A., Gehlsen, K.R., Stetler-Stevenson, W.G., Brown, P.D., Ruoslahti, E. & Hendrix, M.J. (1992). Role of the alpha v beta 3 integrin in human melanoma cell invasion. *Proc Natl Acad Sci USA*, **89**, 1557-61.
- Seftor, R.E., Seftor, E.A., Stetler-Stevenson, W.G. & Hendrix, M.J. (1993). The 72 kDa type IV collagenase is

- modulated via differential expression of alpha v beta 3 and alpha 5 beta 1 integrins during human melanoma cell invasion. *Cancer Res*, **53**, 3411-5.
- Sehgal, A., Keener, C., Boynton, A.L., Young, R.F., Vermeulen, S.S., Yonemura, K.S., Kohler, E.P., Aldape, H.C., Simrell, C.R. & Murphy, G.P. (1997). Characterization of C4-2 as a tumor-suppressor gene in human brain tumors. *J Surg Oncol*, **64**, 102-8.
- Seki, T., Selby, J., Haupl, T. & Winchester, R. (1998). Use of differential subtraction method to identify genes that characterize the phenotype of cultured rheumatoid arthritis synoviocytes. *Arthritis Rheum*, **41**, 1356-64.
- Sekido, Y., Fong, K.M. & Minna, J.D. (1998). Progress in understanding the molecular pathogenesis of human lung cancer. *Biochimica et Biophysica Acta*, **1378**, F21-F59.
- Shapiro, S.D. (1998). Matrix metalloproteinase degradation of extracellular matrix: biological consequences. *Curr Opin Cell Biol*, **10**, 602-8.
- Shibata, K., Kikkawa, F., Nawa, A., Suganuma, N. & Hamaguchi, M. (1997). Fibronectin secretion from human peritoneal tissue induces Mr 92,000 type IV collagenase expression and invasion in ovarian cancer cell lines. *Cancer Res*, **57**, 5416-20.
- Shimodaira, K., Nakayama, J., Nakamura, N., Hasebe, O., Katsuyama, T. & Fukuda, M. (1997). Carcinoma-associated expression of core 2 beta-1,6-N-acetylglucosaminyltransferase gene in human colorectal cancer: role of O-glycans in tumor progression. *Cancer Res*, **57**, 5201-6.
- Siebert, P.D. & Huang, B.C. (1997). Identification of an alternative form of human lactoferrin mRNA that is expressed differentially in normal tissues and tumor-derived cell lines. *Proc Natl Acad Sci U S A*, **94**, 2198-203.
- Skubitz, K.M., Ahmed, K., Campbell, K.D. & Skubitz, A.P. (1995). CD50 (ICAM-3) is phosphorylated on tyrosine and is associated with tyrosine kinase activity in human neutrophils. *J Immunol*, **154**, 2888-95.
- Springer, T.A. (1994). Traffic signals for lymphocyte recirculation and leukocyte emigration: the multistep paradigm. *Cell*, **76**, 301-14.
- Stack, S., Gray, R.D. & Pizzo, S.V. (1991). Modulation of plasminogen activation and type IV collagenase activity by a synthetic peptide derived from the laminin A chain [published erratum appears in *Biochemistry* 1991 Aug 27;30(34):8500]. *Biochemistry*, **30**, 2073-7.
- Stallmach, A., von Lampe, B., Matthes, H., Bornhoft, G. & Riecken, E.O. (1992). Diminished expression of integrin adhesion molecules on human colonic epithelial cells during the benign to malign tumour transformation. *Gut*, **33**, 342-6.
- Stanton, H., Gavrilovic, J., Atkinson, S.J., d'Ortho, M.P., Yamada, K.M., Zardi, L. & Murphy, G. (1998). The activation of ProMMP-2 (gelatinase A) by HT1080 fibrosarcoma cells is promoted by culture on a fibronectin substrate and is concomitant with an increase in processing of MT1-MMP (MMP-14) to a 45 kDa form. *J Cell Sci*, **111**, 2789-98.
- Stenberg, P.E., McEver, R.P., Shuman, M.A., Jacques, Y.V. & Bainton, D.F. (1985). A platelet alpha-granule membrane protein (GMP-140) is expressed on the plasma membrane after activation. *J. Cell Biol.*, **101**, 880-886.
- Sykes, D.E. & Weiser, M.M. (1992). The identification of genes specifically expressed in epithelial cells of the rat intestinal crypts. *Differentiation*, **50**, 41-6.
- Takada, A., Ohmori, K., Yoneda, T., Tsuyuoka, K., Hasegawa, A., Kiso, M. & Kannagi, R. (1993). Contribution of carbohydrate antigens sialyl Lewis A and sialyl Lewis X to adhesion of human cancer cells to vascular endothelium. *Cancer Res*, **53**, 354-61.
- Taraboletti, G., Garofalo, A., Belotti, D., Drudis, T., Borsotti, P., Scanziani, E., Brown, P.D. & Giavazzi, R. (1995). Inhibition of angiogenesis and murine hemangioma growth by batimastat, a synthetic inhibitor of matrix metalloproteinases. *J Natl Cancer Inst*, **87**, 293-8.
- Thompson, S., Cantwell, B.M., Matta, K.L. & Turner, G.A. (1992). Parallel changes in the blood levels of abnormally-fucosylated haptoglobin and alpha 1,3 fucosyltransferase in relationship to tumour burden: more evidence for a disturbance of fucose metabolism in cancer. *Cancer Lett*, **65**, 115-21.
- Togayachi, A., Kudo, T., Ikehara, Y., Iwasaki, H., Nishihara, S., Andoh, T., Higashiyama, M., Kodama, K., Nakamori, S. & Narimatsu, H. (1999). Up-regulation of Lewis enzyme (Fuc-TIII) and plasma-type alpha1,3fucosyltransferase (Fuc-TVI) expression determines the augmented expression of sialyl Lewis x antigen in non-small cell lung cancer. *Int J Cancer*, **83**, 70-9.
- Tokuraku, M., Sato, H., Murakami, S., Okada, Y., Watanabe, Y. & Seiki, M. (1995). Activation of the precursor

- of gelatinase A/72 kDa type IV collagenase/MMP-2 in lung carcinomas correlates with the expression of membrane-type matrix metalloproteinase (MT-MMP) and with lymph node metastasis. *Int J Cancer*, **64**, 355-9.
- Tozeren, A., Kleinman, H.K., Grant, D.S., Morales, D., Mercurio, A.M. & Byers, S.W. (1995). E-selectin-mediated dynamic interactions of breast- and colon-cancer cells with endothelial-cell monolayers. *Int J Cancer*, **60**, 426-31.
- Tremble, P., Damsky, C.H. & Werb, Z. (1995). Components of the nuclear signaling cascade that regulate collagenase gene expression in response to integrin-derived signals. *J Cell Biol*, **129**, 1707-20.
- Tsuboi, S. & Fukuda, M. (1997). Branched O-linked oligosaccharides ectopically expressed in transgenic mice reduce primary T-cell immune responses. *Embo J*, **16**, 6364-73.
- Valente, P., Fassina, G., Melchiori, A., Masiello, L., Cilli, M., Vacca, A., Onisto, M., Santi, L., Stetler-Stevenson, W.G. & Albini, A. (1998). TIMP-2 over-expression reduces invasion and angiogenesis and protects B16F10 melanoma cells from apoptosis [published erratum appears in *Int J Cancer* 1999 Jan 29;80(3):485]. *Int J Cancer*, **75**, 246-53.
- Varki, A. (1994). Selectin ligands. *Proc. Natl. Acad. Sci. USA*, **91**, 7390-7397.
- Visscher, D.W., Hoyhtya, M., Ottosen, S.K., Liang, C.M., Sarkar, F.H., Crissman, J.D. & Fridman, R. (1994). Enhanced expression of tissue inhibitor of metalloproteinase-2 (TIMP-2) in the stroma of breast carcinomas correlates with tumor recurrence. *Int J Cancer*, **59**, 339-44.
- Wang, J.W., Ambros, R.A., Weber, P.B. & Rosano, T.G. (1995). Fucosyltransferase and alpha-L-fucosidase activities and fucose levels in normal and malignant endometrial tissue. *Cancer Res*, **55**, 3654-8.
- Wasylyk, B., Hahn, S.L. & Giovane, A. (1993). The Ets family of transcription factors [published erratum appears in *Eur J Biochem* 1993 Aug 1;215(3):907]. *Eur J Biochem*, **211**, 7-18.
- Watanabe, H., Nakanishi, I., Yamashita, K., Hayakawa, T. & Okada, Y. (1993). Matrix metalloproteinase-9 (92 kDa gelatinase/type IV collagenase) from U937 monoblastoid cells: correlation with cellular invasion. *J Cell Sci*, **104**, 991-9.
- Watson, S.A., Morris, T.M., Robinson, G., Crimmin, M.J., Brown, P.D. & Hardcastle, J.D. (1995). Inhibition of organ invasion by the matrix metalloproteinase inhibitor batimastat (BB-94) in two human colon carcinoma metastasis models. *Cancer Res*, **55**, 3629-33.
- Werb, Z. (1997). ECM and cell surface proteolysis: regulating cellular ecology. *Cell*, **91**, 439-42.
- Werb, Z., Tremble, P.M., Behrendtsen, O., Crowley, E. & Damsky, C.H. (1989). Signal transduction through the fibronectin receptor induces collagenase and stromelysin gene expression. *J Cell Biol*, **109**, 877-89.
- Weston, B.W., Hiller, K.M., Mayben, J.P., Manousos, G., Nelson, C.M., Klein, M.B. & Goodman, J.L. (1999). A cloned CD15s-negative variant of HL60 cells is deficient in expression of FUT7 and does not adhere to cytokine-stimulated endothelial cells. *Eur J Haematol*, **63**, 42-9.
- Weston, B.W., Nair, R.P., Larsen, R.D. & Lowe, J.B. (1992a). Isolation of a novel human alpha (1,3)fucosyltransferase gene and molecular comparison to the human Lewis blood group alpha (1,3/1,4)fucosyltransferase gene. Syntenic, homologous, nonallelic genes encoding enzymes with distinct acceptor substrate specificities. *J Biol Chem*, **267**, 4152-60.
- Weston, B.W., Smith, P.L., Kelly, R.J. & Lowe, J.B. (1992b). Molecular cloning of a fourth member of a human alpha (1,3)fucosyltransferase gene family. Multiple homologous sequences that determine expression of the Lewis x, sialyl Lewis x, and difucosyl sialyl Lewis x epitopes [published erratum appears in *J Biol Chem* 1993 Aug 25;268(24):18398]. *J Biol Chem*, **267**, 24575-84.
- Wittig, B.M., Thees, R., Kaulen, H., Gott, K., Bartnik, E., Schmitt, C., Meyer zum Buschenfelde, K.H. & Dippold, W. (1996). alpha(1,3)Fucosyltransferase expression in E-selectin-mediated binding of gastrointestinal tumor cells. *Int J Cancer*, **67**, 80-5.
- Woodhouse, E.C., Chuaqui, R.F. & Liotta, L.A. (1997). General mechanisms of metastasis. *Cancer*, **80**, 1529-1537.
- Yago, K., Zenita, K., Ginya, H., Sawada, M., Ohmori, K., Okuma, M., Kannagi, R. & Lowe, J.B. (1993). Expression of alpha-(1,3)-fucosyltransferases which synthesize sialyl Le(x) and sialyl Le(a), the carbohydrate ligands for E- and P- selectins, in human malignant cell lines. *Cancer Res*, **53**, 5559-65.
- Yamada, N., Chung, Y.S., Takatsuka, S., Arimoto, Y., Sawada, T., Dohi, T. & Sowa, M. (1997). Increased sialyl Lewis A expression and fucosyltransferase activity with acquisition of a high metastatic capacity in a colon cancer cell line. *Br J Cancer*, **76**, 582-7.

- Yamada, T., Endo, R., Gotoh, M. & Hirohashi, S. (1997). Identification of semaphorin E as a non-MDR drug resistance gene of human cancers. *Proc Natl Acad Sci USA*, **94**, 14713-8.
- Yamagata, S., Yoshii, Y., Suh, J.G., Tanaka, R. & Shimizu, S. (1991). Occurrence of an active form of gelatinase in human gastric and colorectal carcinoma tissues. *Cancer Lett*, **59**, 51-5.
- Yamamoto, H., Itoh, F., Hinoda, Y., Senota, A., Yoshimoto, M., Nakamura, H., Imai, K. & Yachi, A. (1994). Expression of matrilysin mRNA in colorectal adenomas and its induction by truncated fibronectin. *Biochem Biophys Res Commun*, **201**, 657-64.
- Yazawa, S., Asao, T., Nagamachi, Y., Abbas, S.A. & Matta, K.L. (1989). Tumor-related elevation of serum (alpha 1----3)-L-fucosyltransferase activity in gastric cancer. *J Cancer Res Clin Oncol*, **115**, 451-5.
- Yazawa, S., Madiyalakan, R., Izawa, H., Asao, T., Furukawa, K. & Matta, K.L. (1988). Cancer-associated elevation of alpha(1----3)-L-fucosyltransferase activity in human serum. *Cancer*, **62**, 516-20.
- Yazawa, S., Madiyalakan, R., Piver, M.S. & Matta, K.L. (1986). Elevated activities of blood group Le gene dependent alpha(1----3)-L-fucosyltransferase in human saliva of Lewis negative patients with epithelial ovarian cancer. *Cancer Lett*, **32**, 165-9.
- Ye, C., Kiriya, K., Mistuoka, C., Kannagi, R., Ito, K., Watanabe, T., Kondo, K., Akiyama, S. & Takagi, H. (1995). Expression of E-selectin on endothelial cells of small veins in human colorectal cancer. *Int J Cancer*, **61**, 455-60.
- Zeng, Z.S., Cohen, A.M., Zhang, Z.F., Stetler-Stevenson, W. & Guillem, J.G. (1995). Elevated tissue inhibitor of metalloproteinase 1 RNA in colorectal cancer stroma correlates with lymph node and distant metastases. *Clin Cancer Res*, **1**, 899-906.
- Zenita, K., Kirihata, Y., Kitahara, A., Shigeta, K., Higuchi, K., Hirashima, K., Murachi, T., Miyake, M., Takeda, T. & Kannagi, R. (1988). Fucosylated type-2 chain polylectosamine antigens in human lung cancer. *Int J Cancer*, **41**, 344-9.
- Unified nomenclature for the semaphorins/collapsins. Semaphorin Nomenclature Committee [letter]. *Cell*, **97**, 551-2.(1999).