

Tesi doctoral presentada per
Claudia Climent Biescas
per optar al títol de Doctor per la Universitat de Barcelona

Programa de Doctorat en Nanociències

**Theoretical study of excited states in molecules and
molecular aggregates relevant for optoelectronic applications**

Dirigida per:

Dr. David Casanova Casas
(Euskal Herriko Unibertsitatea, Donostia International Physics Center)

Dr. Pere Alemany Cahner
(Universitat de Barcelona)

Tutor:

Dr. Pere Alemany Cahner
(Universitat de Barcelona)

Departament de Ciència dels Materials i Química Física
Institut de Química Teòrica i Computacional
Facultat de Química
Universitat de Barcelona

Barcelona, abril 2017

The work presented in this thesis was funded by the “Ministerio de Economía y Competitividad” under a predoctoral FPI grant (BES-2012-057179), an EEBB mobility grant (EEBB-I-16-10875) and the projects CTQ2011-23862-C02-02 and CTQ2015-64579-C3-3-P.

Als meus pares, i a la iaia Teresa

CONTENTS

Introduction	1
1. General perspective and motivation	1
1.1 Photovoltaics	1
1.1.1 Dye-sensitized solar cells	4
1.2 Lighting	8
1.2.1 Light-emitting diodes	8
1.2.2 Organic light-emitting diodes.	9
2. Overview of the thesis	12
2.1 Fundamental aspects	12
2.1.1 Electronic states	12
2.1.2 Photophysical processes	13
2.2 Presentation and structure of the thesis	15
3. References	19

Chapter 1: Organic dyes for dye-sensitized solar cells	21
1. Overview of dye-sensitized solar cells	21
1.1 Semiconductor	21
1.2 Molecular sensitizer	21
1.2.1. Metal complexes.	22
1.2.2. Organic dyes	23
(a) Requirements of the dye	24
(b) Direct vs indirect injection.	25
2. General objectives	25
3. Computational modeling	26
3.1 Model systems	26
3.2 Electronic structure methods	27
3.2.1 Wave function based methods	27
3.2.2 Time-dependent density functional theory	29
(a) General overview	29
(b) Charge transfer states	31

3.2.3 Importance of the basis set	33
3.2.4 Chosen methods	33
3.3 Solvent effects	34
3.4 Computational tools for excited state characterization	37
3.4.1 Basic concepts	37
3.4.2 Charge transfer characterization	40
(a) Electronic distribution	40
(b) Interaction energies	40
3.5 Oxidation potentials	42
4. Role of the linker in D-π-A dyes	44
4.1 Introduction	44
4.2 Ground state geometries	45
4.3 Vertical transition	49
4.4 Conclusions	55
4.5 Computational details	55
4.6 Appendix	56
5. Influence of the length of the bridge of D-π-A dyes on the CT state	58
5.1 Introduction	58
5.2 Molecular geometries	59
5.3 Frontier molecular orbitals	60
5.4 S ₀ to S ₁ vertical transition	63
5.5 Excited state relaxation	64
5.6 Absorption and emission spectra	65
5.7 Charge transfer character	66
5.8 Interaction measures of charge transfer	67
5.9 Dependence of excitation energies on the ω parameter	69
5.10 Ground and excited state oxidation potentials	71
5.11 Conclusions	73
5.12 Computational details	74
5.13 Appendix	75
6. Heteroatom effect on the π-linker	77
6.1 Introduction	77
6.2 Discussion	78
6.3 Conclusions	83

6.4 Computational details	83
6.5 Appendix	84
7. Quinoidal thiophene π-bridge and solvent effects	85
7.1 Introduction	85
7.2 Molecular structure	86
7.3 Electronic structure	88
7.4 Solvent effects	89
7.5 Conclusions	95
7.6 Computational details	96
7.7 Appendix	97
8. General conclusions	100
9. References	101

Chapter 2: Phosphorescent Ir(III) complexes and their aggregation induced emission	107
1. Overview of the aggregation induced emission phenomenon	107
1.1 Aggregation induced emission	107
1.2 AIE working mechanisms	110
1.3 Fermi golden rule approach to non-radiative decay	117
1.4 Ir(III) complexes	120
1.5 AIE in Ir(III) complexes	123
2. General objectives	127
3. Computational modeling	127
3.1 Methods and states	127
3.2 Basis sets and pseudopotentials	129
3.3 Structures	130
3.4 Excited States	130
3.4.1 Computation of excited states	130
3.4.2 Characterization of excited states	131
3.5 Spin-orbit coupling	132
3.6 Emission color	136
3.7 Vibrationally resolved emission spectra	136
3.8 Environment Effects	138

3.8.1 Solvent effects	138
3.8.2 Crystal structure	138
4. Influence of ancillary ligands on the low-lying excited states of cyclometalated Ir(III) complexes	140
4.1 Bischelating ancillary phosphine ligands	140
4.1.1 Introduction	140
4.1.2 Ground state geometries	141
4.1.3 Frontier molecular orbitals	142
4.1.4 Low-lying excited states at the Franck-Condon region	143
4.1.5 Conclusions	146
4.1.6 Computational details	147
4.2 Monochelating ancillary phosphine ligands	148
4.2.1 Introduction	148
4.2.2 Ground state geometries	149
4.2.3 Frontier molecular orbitals	149
4.2.4 Low-lying excited states at the Franck-Condon region	150
4.2.5 Conclusions	153
4.2.6 Computational details	153
4.2.7 Appendix	154
5. Tuning the photophysics of monocyclometalated Ir(III) complexes	155
5.1 Introduction	155
5.2 Ground state geometries	157
5.3 Frontier molecular orbitals	157
5.4 Absorption	159
5.5 Emission	160
5.6 Conclusions	162
5.7 Computational details	162
5.8 Appendix	163
6. Influence of the counterions on the AIE of Ir(III) complexes	166
6.1 Introduction	166
6.2 Molecular and crystal structure	167
6.3 Photophysical properties	169
6.4 Aggregation induced emission	172
6.4.1 Intrachain interactions	174
6.4.2 Interchain interactions	175

6.4.3 Molecular relaxation of the emitting state	178
6.5 Conclusions	178
6.6 Computational details	179
6.7 Appendix	180
7. Dual emission and AIE in Ir(II) complexes with a Schiff base ligand	182
7.1 Introduction	182
7.2 Molecular and electronic structure	183
7.3 Absorption in solution	186
7.4 Emission	188
7.5 Aggregation induced emission	193
7.6 Reversible protonation-deprotonation	196
7.7 Conclusions	199
7.8 Computational details	199
7.9 Appendix	200
8. AIE in an Ir(III) complex with a Schiff base ligand	207
8.1 Introduction	207
8.2 Ground state geometries	208
8.3 Molecular orbitals	208
8.4 Absorption and emission in solution	209
8.5 Aggregation induced emission	211
8.5.1 Delocalization effects	212
8.5.2 Restriction of internal rotations	214
8.5.3 T ₁ relaxation with environment	215
8.5.4 Non-radiative decay	216
8.6 Conclusions	217
8.7 Computational details	218
9. General conclusions	219
10. References	221

Chapter 3: Photophysics of covalently bridged naphthalene dimers	227
1. Introduction	227
2. General objectives	230

3. Computational modeling	231
3.1 Default methods	231
3.2 Diabatic states	231
3.3 S ₀ /S ₁ crossings	232
3.3.1 Spin-flip DFT	232
3.3.2 Crossing search and optimization	233
4. Results	234
4.1 Thermal conformers	234
4.2 Photoabsorption	236
4.3 Fluorescent emission	238
4.4 Non-radiative relaxation pathways	241
5. Conclusions	244
6. Appendix	245
6.1 Computational details	245
7. References	252
 General conclusions and perspectives	 255
 Resum en català	 257
 Acronyms	 261