

8. BIBLIOGRAFÍA

- 1999/30/CE (Directiva europea, 1999) Council Directive relating to limit values for sulphur dioxide, nitrogen dioxide and oxide of nitrogen, particulate matter and lead in ambient air. The Council of the European Union.
- Abbey D.E., Burchette R.J., Knutson S.F., McDonnell W.F., Lebowitz M. y Enright P.L. (1999) Long-term particulate and other air pollutants and lung function in nonsmokers. *American Journal of Respiratory and Critical Care Medicine* 158, 289-298.
- Abraham H.J. (2001) Zusammensetzung der Feinstaubfraktion in Berlin (speciation of fine particulate matter in Berlin). Proceedings del *6th Messtechnische Kolloquium, Grainau*, Environment Agency and Essen of North-Rhine Westphalia, Germany, May 2001.
- Adams P.J., Seinfeld J.H. y Koch D.M. (1999) Global concentrations of tropospheric sulphate, nitrate, and ammonium aerosol simulated in a general circulation model. *Journal of Geophysical Research* **104**, 13791-13823.
- Adedokun J.A., Emofurieta W.O. y Adedeji O.A. (1989) Physical, chemical and mineralogical properties of harmattan dust at Ile-Ife, Nigeria. *Theoretical and Applied Climatology* 40, 161-169.
- Airbase (2001) AirBase: the European air quality information system. European Topic Centre on Air and Climate Change. European Environment Agency. <http://air-climate.eionet.eu.int/databases/airview.html>.
- Aitken J. (1880) On dust, fogs and clouds. *Trans. Roy. Soc. Edinburgh* **30**, 337-368.
- Alastuey A. (1994) Caracterización mineralógica y alterológica de morteros de revestimiento en edificios de Barcelona. Tesis Doctoral, Facultad de Geología, Universitat de Barcelona.
- Alastuey A., Querol X., Castillo S., Avila A., Cuevas E., Estarellas C., Torres C., Exposito F., García O., Diaz J.P., Dingena R.V. y Putaud J.P. (2003) Characterisation of TSP and PM_{2.5} at Izaña and Sta. Cruz de Tenerife (Canary Islands, Spain) during a Saharan Dust Episode. Proceedings del *2nd Workshop on Mineral Dust*, 10-12 September 2003, París.
- Alfaro S.C., Gaudichet A., Gomes L. y Maillé M. (1998) Mineral aerosol production by wind erosion: Aerosol particle sizes and binding energies. *Geophysical Research Letters* **25**, 991-994.
- Allegrini I., Febo A., Pasini A. y Schiarini S. (1994) Monitoring of the nocturnal mixed layer by means of particulate radon progeny measurement. *Journal of Geophysical Research* **99**, 18765-18777.
- Allen G., Sioutas C., Koutrakis P., Reiss R., Lurmann F.W., Roberts P.T. y Burton R.M. (1997) Evaluation of the TEOM method for measurement of ambient particulate mass in urban areas. *Journal of the Air & Waste Management Association* **47**, 682-689.
- Alonso L., Millán M., Albizuri A. y Navazo M. (1987) Dispersión de contaminantes en la atmósfera II: Chimeneas altas. *Energía Mayo-Junio*, 101-116.
- Alonso L., Gangoiti G., Navazo M., Millán M. y Mantilla E. (2000) Transport of tropospheric ozone over the Bay of Biscay and the Eastern Cantabrian coast of Spain. *Journal of Applied Meteorology* **39**, 475-486.
- Andreae M.O. (1986) The ocean as a source of atmospheric sulphur compounds. En *The role of air-sea exchange in geochemical cycling* (ed. Buat-Ménard), pp 331-362. Reidel.
- Andreae M.O. y Crutzen P.J. (1997) Atmospheric aerosols: Biogeochemical sources and role in atmospheric chemistry. *Science* **276**, 1052-1058.
- APEG. (1999) Source Apportionment of Particulate Matter in the United Kingdom. The Airborne Particle Expert Group. Zone 4/F15, Air and Environment Quality Division, Department of the Environment, Transport and The Regions.

- Areskoug H., Johansson C., Alesand T., Hedberg E., Ekengren T., Vesely V., Wideqvist U. y Hansson H.C. (2003) Concentrations and sources of PM10 and PM2.5 in Sweden. *Atmospheric Environment In press*.
- Arimoto R. (2001) Eolian dust and climate: relationships to sources, tropospheric chemistry, transport and deposition. *Earth-Science Reviews* **54**, 29-42.
- Artaxo P., Gerab F., Yamasoe M.A. y Martins J.V. (1994) Fine mode aerosol composition at three long-term atmospheric monitoring sites in the Amazon basin. *Journal of Geophysical Research* **99**, 22857-22868.
- Artíñano B., Salvador P., Alonso D.G., Querol X. y Alastuey A. (2003) Anthropogenic and natural influence on the PM10 and PM2.5 aerosol in Madrid (Spain). Analysis of high concentration episodes. *Environmental Pollution* **125**, 453-465.
- Ávila A., Queralt I. y Alarcón M. (1997) Mineralogical composition of African dust delivered by red rains over North-Eastern Spain. *Journal of Geophysical Research* **102**, 21977-21996.
- Avila A. y Rodà F. (2002) Assessing decadal changes in rainwater alkalinity at a rural Mediterranean site in the Montseny Mountains (NE Spain), *Atmospheric Environment*, **36**, 2881-2890.
- Bascom R., Bromberg P.A., Costa D.A., Devlin R., Dockery D.W., Frampton M.W., Lambert W., Samet J.M., Speizer F.E. y Utell M. (1996) Health effects of outdoor air pollution. *American Journal of Respiratory and Critical Care Medicine* **153**, 3-50.
- Bergametti G., Dutot A.L., Buat-Menard P., Losno R. y Remoudaki E. (1989a) Seasonal variability of the elemental composition of atmospheric aerosol particles over the NW Mediterranean. *Tellus* **41B**, 353-361.
- Bergametti G., Gomes L., Coudé-Gaussen G., Rognon P. y Coustumer M.N.L. (1989b) African dust observed over Canary Islands: Source regions identification and transport pattern for some summer situation. *Journal of Geophysical Research* **94**, 14855-14864.
- Bhatia R., Lopipero P. y Smith A.H. (1998) Diesel exhaust exposure and lung cancer. *Epidemiology* **9** (1), 84-91.
- Blanchard D.C. y Syzdek L.D. (1982) Water-to-air transfer and enrichment of bacteria in drops from bursting bubbles. *Applied Environmental Microbiology* **43**, 1001-1005.
- Brasseur G.P., Orlando J.J. y Tyndall G.S. (1999) Atmospheric Chemistry and Global Change. Oxford University Press Inc.
- Bruckmann P., comunicación personal.
- Brunekreef B., Janssen N.A.H., Harssema H., Knape M. y Vliet P.V. (1997) Air Pollution from truck traffic and lung function in children living near motorways. *Epidemiology* **8**, 8.
- Bustos J.J., Cuevas E., Marrero C. y Alonso S. (1998) Caracterización de las masas de aire en la troposfera libre y en la capa de mezcla en Canarias. Proceedings de la IX Asamblea Geodesia y Geofísica, 9-13, Aguadulce (Almería).
- Campbell I.D., McDonald K., Flannigan M.D. y Kringayark J. (1999) Long-distance transport of pollen into the Arctic. *Nature* **399**, 29-30.
- Camuffo D. (1998) Microclimate for Cultural Heritage. Developments in Atmospheric Science. European Comission Environment and Climate Research Programme. Vol. 23., Elsevier.
- Caquineau S., Gaudichet A., Gomes L., Magonthier M.C. y Chatenet B. (1998) Saharan dust: Clay ratio as a relevant tracer to assess the origin of soil delivered aerosols. *Geophysical Research Letters* **25**, 983-986.
- Carlson T.N. y Prospero J.M. (1972) The large scale movement of Saharan air outbreaks over the northern equatorial Atlantic. *Journal of Applied Meteorology* **11**, 283-297.
- Carlson T.N. y Benjamin S.G. (1980) Radiative heating rates for Saharan dust. *Journal of Atmospheric Science* **37**, 193-213.

- Charlson R.J., Langner J., Rodher H., Loevy C.B. y Warren S. (1991) Perturbation of Northern Hemisphere radiative balance by anthropogenic sulphate aerosol. *Tellus* **43A**, 152-163.
- Charlson R.J., Schwartz S.E., Hales J.M., Cees R.D., Coakley J.A., Hansen J.E. y Hoffman D.J. (1992) Climate forcing by anthropogenic aerosols. *Science* **255**, 423-430.
- Chester R., Nimmo M., Alarcón M., Saydam C., Murphy K.J.T., Sanders G.S. y Corcoran P. (1993) Defining the chemical character of aerosols from the atmosphere in the Mediterranean sea and surrounding regions. *Oceanologica Acta* **16**, 231-246.
- Chiapello I., Bergametti G., Gomes L. y Chatenet B. (1995) An additional low layer transport of Sahelian and Saharan dust over the North-Eastern Tropical Atlantic. *Geophysical Research Letters* **22**(23), 3191-3194.
- Chiapello I., Bergametti G. y Chatenet B. (1997) Origins of African dust transported over the northeastern tropical Atlantic. *Journal of Geophysical Research* **102**(D12), 13701-13709.
- Chuang C.C., Penner J.E., Taylor K.E., Grossman A.S. y Walton J.J. (1997) An assessment of the radiative effects of anthropogenic sulfate. *Journal of Geophysical Research* **102**, 3761-3778.
- Cohen A.J. (2000) Outdoor air pollution and lung cancer. *Environmental Health Perspectives* **108**(743-750).
- Coude-Gaussen G., Rognon P., Bergametti G., Gomes L., Strauss B., Gros J.M. y Coustumer M.N.L. (1987) Saharan dust over Fuerteventura Island (Canaries), Chemical and mineralogical characteristics, air mass trajectories and probable sources. *Journal of Geophysical Research* **92**, 9753-9711.
- Cuevas E. (1995) Estudio del comportamiento del ozono troposférico en el observatorio de Izaña y su relación con la dinámica atmosférica. Tesis Doctoral, Facultad de Ciencias Físicas, Universidad Complutense de Madrid.
- Dockery D.W., Pope C.A., Xu X., Spengler J.D., Ware J.H., Fay M., Ferris B.G. y Speizer F.E. (1993) An association between air pollution and mortality in six U.S. cities. *New England Journal of Medicine* **329**, 753-1759.
- Dockery D. y Pope A. (1996) Epidemiology of acute health effects: Summary of time-series studied. En *Particles in our air: concentration and health effects* (ed. Spengler J.D. Wilson R.), pp. 123-147. Harvard University Press.
- Draxler R.R. y Rolph G.D. (2003) HYSPLIT (HYbrid Single-Particle Lagrangian Integrated Trajectory) Model access via NOAA ARL READY Website (<http://www.arl.noaa.gov/ready/hysplit4.html>). NOAA Air Resources Laboratory, Silver Spring, MD.
- Drever J.J. (1982) *The Geochemistry of Natural Waters*. Prentice-Hall Inc. pp. 437.
- Dubief J. (1977) Review of the North African Climate with Particular Emphasis on the Production of Eolian Dust in the Sahel Zone and in the Sahara. En *Sahara Dust*, SCOPE 14 (ed. C. Morales), pp. 27-48. John Wiley & Sons.
- Duce R.A. (1995) Sources and distributions and fluxes of mineral aerosols and their relationship to climate. En *Aerosol forcing of climate* (ed. Charlson R.J. y Heintzenberg J.), pp. 43-72. John Wiley & Sons.
- Eastern R.C. y Peter L.K. (1994) Binary homogeneous nucleation: temperature and relative humidity fluctuations, nonlinearity, and aspects of new particles production in the atmosphere. *Journal of Applied Meteorology*, **33**, 775-784.
- EC (2001) Guidance to Member States on PM10 monitoring and intercomparisons of the reference method. EC Working Group on PM, Air Quality Steering Group, D.G. Environment.
- EC (2003) Second Position Paper on Particulate Matter. European Comission.
- Echalar F., Artaxo P., Martins J.V., Yamasoe M., Gerab F., Maenhaut W. y Holben B. (1998) Long-term monitoring of atmospheric aerosols in the Amazon basin:

- Source identification and apportionment. *Journal of Geophysical Research* **103**, 31849-31864.
- Edwards T., Browning R., Delderfield J., Lee D.J., Lidiard K.A., Milburrow R.W., McPherson P.H., Peskett S.C., Toplis G.M., Taylor H.S., Mason I., Mason G., Smith A. y Stringer S. (1990) The along track scanning radiometer - measurement of sea-surface temperature from ERS-1. *Journal of the British Interplan. Soc.* **43**, 160-180.
- EN12341 (1998) Air Quality - Determination of the PM10 fraction of suspended particulate matter - Reference method and field test procedure to demonstrate reference equivalence of measurement methods.
- EPA (1996) Air Quality Criteria for Particulate Matter. EPA. Vol. 1.
- EPA (2002) Third external review draft of air quality criteria for particulate matter. US-EPA.
- Fraser M.P., Buzcu B., Yue Z.W., McGaughney G.R., Desai N.R., Allen D.T., Seila R.L., Lonneman W.A. y Harley R.A. (2003) Validation of source attribution of mobile source emissions of fine particles using organic molecular markers. Proceedings de la *European Aerosol Conference (EAC 2003)*, 911-913, Madrid.
- Font I. (1956) El tiempo atmosférico en las islas Canarias. Ed. Servicio Nacional de Meteorología. pp 96.
- Gaffney J.S., Marley N.A., Cunningham M.M., Martello D.V. y Anderson N.J. (2002) Using natural ^{210}Pb and its daughters (^{210}Bi and ^{210}Po) to estimate aerosol residence times. Proceedings de la *NETL Conference "PM2.5 and electric power generation: recent findings and implications"*, Abril 9-10, 2002, Pittsburg, PA.
- Gangoiti G., Millán M.M., Salvador R. y Mantilla E. (2001) Long-range transport and re-circulation of pollutants in the Western Mediterranean during the project Regional Cycles of Air Pollution in the West-Central Mediterranean Area. *Atmospheric Environment* **35**, 6267-6276.
- Gangoiti G., Alonso L., Navazo M., Albizuri A., Pérez-Landa G., Matabuena M., Valdenebro V., Maruri M., García J.A. y Millán M. (2002) Regional transport of pollutants over the Bay of Biscay: analysis of an ozone episode under a blocking anticyclone in west-central Europe. *Atmospheric Environment* **36**, 1349-1361.
- Gebhart K.A., Malm W.C. y Day D. (1994) Examination of the effects of sulfate acidity and relative humidity on light scattering at Shenandoah National Park. *Atmospheric Environment* **28**, 841-849.
- Gillani N.V. y Wilson W.E. (1983) Gas-to-particle conversion of sulfur in power plant plumes - II. Observations of liquid-phase conversions. *Atmospheric Environment* **17**, 1739-1752.
- Glaccum R.A. y Prospero J.M. (1980) Saharan aerosols over the tropical North-Atlantic - mineralogy. *Marine Geology* **37**, 295-321.
- Hansen A.D.A. y Rosen H. (1990) Individual measurements of the emission factor of aerosol black carbon in automobile plumes. *Journal of the Air and Waste Management Association* **40**, 1654-1657.
- Harrison R.M. y Pio C. (1983) Size differentiated composition of inorganic aerosol of both marine and continental polluted origin. *Atmospheric Environment* **17**, 1733-1738.
- Harrison R.M. y Kito A.M.N. (1990) Field intercomparison of filter pack and denuder sampling methods for reactive gaseous and particulate pollutants. *Atmospheric Environment* **24**, 2633-2640.
- Harrison R.M. y Jones M. (1995) The chemical composition of airborne particles in the UK atmosphere. *The Science of the Total Environment* **168**, 195-214.
- Harrison R.M. y Grieken R.E.v. (1998) Atmospheric Particles. IUPAC Series on Analytical and Physical Chemistry of Environmental Systems. J Buffle and H P van Leeuwen. John Wiley & Sons, pp 610.

- Harrison R.M., Jones A.M. y Lawrence R.G. (2003) Unpublished data.
- HEI (2000) Reanalysis of the Harvard Six Cities Study and the American Cancer Society Study of Particulate Air Pollution and Mortality: A Special Report of the Institute's Particle Epidemiology Reanalysis Project. Health Effects Institute.
- Heintzenberg J. (1985) What can we learn from aerosol measurements at baseline stations? *Journal of Atmospheric Chemistry* **3**, 153-169.
- Herman J.R., Bhartia P.K., Torres O., Hsu O., Seftor C. y Celarier E. (1997) Global distribution of UV-absorbing aerosols from Nimbus 7/TOMS data. *Journal of Geophysical Research* **102**, 16911-16922.
- Hidy G.M. (1994) *Atmospheric sulphur and nitrogen oxides*. Academic Press Limited.
- Hoek G., Brunekreef B., Goldbohm S., Fischer P. y Brandt P.A.v.d. (2002) Association between mortality and indicators of traffic-related air pollution in the Netherlands: a cohort study. *The Lancet* **360**(9341), 1203-1209.
- Horvath H. (1992) Effects on visibility, weather and climate. En *Atmospheric Acidity. Sources, Consequences and Abatement* (ed. M. Radojevic and R.M. Harrison), pp. 435-466. Elsevier Applied Science.
- IPCC (1996) Climate change. The science of climate change. Meira Filho LG Houghton JT, Callander BA, Harris N, Kattenberg A, Maskell K (Eds.). Cambridge University Press, pp 584.
- IPCC (2001) *Climate Change 2001: The Scientific Basis*. IPCC. Cambridge University Press.
- John A.C., Kuhlbusch T.A.J. y Lutz M. (2003) Effects of traffic reduction measures on PM10 mass concentration and chemical composition in Berlin, Germany. Proceedings de la *European Aerosol Conference (EAC 2003)*, 31 Agosto- 5 Septiembre, Madrid.
- Junge C.E. (1963) Air Chemistry and Radioactivity. Academic Press.
- Kallos G., Kotroni V. y Lagouvardos K. (1997) The regional weather forecasting system SKIRON: an overview. Proceedings del *Symposium on regional weather prediction on parallel computer environments*, 109-122, University of Athens, Grecia.
- Kalnay E., Kanamitsu M., Kistler R., Collins W., Deaven D., Gandin L., Iredell M., Saha S., White G., Woollen J., Zhu Y., Chelliah M., Ebisuzaki W., Higgins W., Janowiak J., Mo K.C., Ropelewski C., Wang J., Leetmaa A., Reynolds R., Jenne R. y Joseph D. (1996) The NCEP / NCAR 40-year reanalysis project. *Bulletin of the American Meteorological Society* **77**, 437-471.
- Kaufman Y.J., Koren I., Remer L.A., Tanré D., Ginoux P. y Fan S. (2003) Dust transport and deposition observed from the Terra-MODIS spacecraft over the Atlantic Ocean. Proceedings de *2nd Workshop on Mineral Dust*, 10-12 Septiembre 2003, París.
- Kavouras I.G., Mihalopoulos N. y Stephanou E.G. (1999) Secondary Organic Aerosol Formation vs Primary Organic Aerosol Emission: In situ evidence for the chemical coupling between monoterpene acidic photooxidation products and new particle formation over forests. *Environmental Science and Technology* **33**, 1028-1037.
- Keeler G.J., Japar S.M., Brachaczek W.W., Gorse R.A.J., Norbeck J.M. y Pierson W.R. (1990) The sources of aerosol elemental carbon at Allegheny Mountain. *Atmospheric Environment* **24** Part A, 2795-2805.
- Keene W.C., Pszenny A.A.P., Galloway J.N. y Hawley M.E. (1986) Sea-salt corrections and interpretations of constituent ratios in marine precipitation. *Journal of Geophysical Research* **91**(6), 6647-6658.
- Keppler H. (1999) Experimental evidence for the source of excess sulfur in explosive volcanic eruptions. *Science* **284**, 1652-1654.
- Kesselmeier J., Schäfer L., Ciccioli P., Brancaleoni E., Cecinato A., Frattoni M., Foster P., Jacob V., Denis J., Fugit J.L., Dutaur L. y Torres L. (1996) Emission of monoterpenes and isoprene from a mediterranean oak species *Quercus ilex* L.

- Measured within BEAM (Biogenic Emissions in the mediterranean area). *Project Atmospheric Environment* **30** (10/11), 1841-1850.
- Kim E. y Hopke P.K. (2003) Source identification of Washington DC aerosol using temperature resolved carbon fractions in positive matrix factorization. *Proceedings de la European Aerosol Conference (EAC 2003)*, 911-913, Madrid.
- Kulmala M., Maso M.D., Makela J.M., Pirjola L., Vakeva M., Aalto P., Miikkulainen P., Hameri K. y O'Dowd C. (2001) On the formation, growth and composition of nucleation mode particles. *Tellus* **53 B**, 479-490.
- Künzli N., Kaier R., MEdina S., Studnicka M., Chanel O., Filliger P., Herry M., Jr F.H., Puybonnieux-Texier V., Quénel P., Schneider J., Seethaler R., Vergnaud J.C. y Sommer H. (2000) Public health impact of outdoor and traffic related air pollution: a European assessment. *The Lancet* **356**, 795-801.
- Langner J. y Rodhe H. (1992) A global three-dimensional model of the tropospheric sulphate. *Journal of Atmospheric Chemistry* **13**, 225-263.
- Laurenzi Tabasso M. y Marabelli M. (1992) Il degrado dei monumenti in Roma in rapporto all'inquinamento atmosferico. Betagamma. Viterbo, 169.
- Laxen D., comunicación personal.
- Leck C. y Persson C. (1996) Seasonal and short-term variability in dimethyl sulfide, sulfur dioxide and biogenic sulfur and sea salt aerosol particles in the arctic marine boundary layer during summer and autumn. *Tellus* **48B**, 172-299.
- Lenschow P., Abraham H.J., Kutzner K., Lutz M., Preuß J.D. y Reichenbächer W. (2001) Some ideas about the sources of PM10. *Atmospheric Environment* **35** (Supplement -1), 123-133.
- Lipfert F.W. (2000) The Washington University-EPRI Veterans' Cohort Mortality Study. *Inhalation Toxicology* **12** (suppl. 4), 41-73.
- Lipsett M. y Campleman S. (1999) Occupational exposure to diesel exhaust and lung cancer: a meta-analysis. *American Journal of Public Health* **89**, 1009-1017.
- Longley I. (2002) Street canyon aerosol pollutant transport measurements in Manchester. *Proceedings del Seventh International Highway and Urban Pollution Symposium*, , 20-23 May 2002, Barcelona, Spain.
- Mårtensson E.M., Nilsson E.D., Leeuw G.d., Cohen L.H. y Hansson H.C. (2002) Laboratory simulations and parametrization of the primary marine aerosol production. *Journal of Geophysical Research, accepted for publication*.
- Marticorena B., Bergametti G. y Aumont B. (1997) Modeling the atmospheric dust cycle 2. Simulation of Saharan dust sources. *Journal of Geophysical Research* **102**, 4387-4404.
- Martín Vide J. (1984) Interpretación de los mapas del tiempo. Ketres Editora S.A.
- Matter U., Siegmann H.C. y Burtcher H. (1999) Dynamic field measurements of submicron particles from diesel engines. *Environmental Science and Technology* **33**, 1946-1952.
- McClain C.R., Cleave M.L., Feldman G.C., Gregg W.W., Hooker S.B. y Kuring N. (1998) Science Quality SeaWiFS Data for Global Biosphere Research. *Sea Technology* **39** (9), 10-15.
- McGovern F.M., Nunes M.J., Raes F. y Gonzales-Jorge H. (2002) Marine and anthropogenic aerosols at Punta Del Hidalgo, Tenerife, and the aerosol nitrate number paradox. *Journal of Geophysical Research* **107 (D24)**, 4766, 1-10.
- Mészáros A. y Vissy K. (1974) Concentration, size distribution and chemical nature of atmospheric aerosol particles in remote oceanic areas. *Journal of Aerosol Science* **5**, 101-109.
- Mészáros E. (1973) Evidence of the role of indirect photochemical processes in the formation of atmospheric sulfate particulate. *Journal of Aerosol Science* **4**, 429-434.
- Mészáros E. y Horváth L. (1984) Concentration and dry deposition of atmospheric sulphur and nitrogen compounds in Hungary. *Atmospheric Environment* **18**, 1725-1730.

- Mészáros E. (1993) Global and Regional Changes in Atmospheric Composition. Lewis Publications, Boca Raton.
- Mészáros E. (1999) *Fundamentals of Atmospheric Aerosol Chemistry*. Akadémiai Kiado.
- Millán M., Alonso L., Legarreta J., Albizu M., Ureta I. y Egusquaguirre C. (1984) A fumigation episode in an industrialized estuary: Bilbao, November 1981. *Atmospheric Environment* **18** (3), 563-572.
- Millán M., Alonso L. y Legarreta J. (1986) Dispersión de contaminantes en la atmósfera: Parte I. *Energía Julio-Agosto*, 89-101.
- Millán M., Otamendi E., Gangoiti G., Alonso L., Ilardia J., Navazo M. y Albizuri A. (1989) Dispersión de contaminantes en la atmósfera, III: Areas de terreno complejo con interacciones mar-tierra. *Energía Enero-Febrero*, 81-90.
- Millán M.M., Artíñano B., Alonso L., Navazo M. y Castro M. (1991) The effect of meso scale flows and long range atmospheric transport in the western mediterranean area. *Atmospheric Environment* **25** (5/6), 949-963.
- Millán M., Salvador R., Mantilla E. y Artíñano B. (1996) Meteorology and photochemical air pollution in Southern Europe: experimental results from EC research projects. *Atmospheric Environment* **30** (12), 1909-1924.
- Millán M., Salvador R., Mantilla E. y Kallos G. (1997) Photo-oxidant dynamics in the Mediterranean basin in summer: results from European research projects. *Journal of Geophysical Research* **102**, 8811-8823.
- Millán M., Mantilla E., Salvador R., Carratalá A., Sanz M.J., Alonso L., Gangoiti G. y Navazo M. (2000) Ozone cycles in the Western Mediterranean basin: Interpretation of monitoring data in complex coastal terrain. *Journal of Applied Meteorology* **39**, 487-508.
- Nunes M.J. (2002) Establishment of the chemical properties of the aerosol in the north east Atlantic Ocean. Tesis Doctoral, University of Lisbon.
- Nyberg F., Gustavsson P., Jarup L., Bellander T., Berglind N. y Jakobsson R. (2000) Urban air pollution and lung cancer in Stockholm. *Epidemiology* **11**, 487-495.
- Pacyna J.M. (1986) *Toxic metals in the atmosphere*. J. O. Nriagu and C.I. Davidson. Wiley, 33-52.
- Pekkanen J., Timonen K., Ruuskanen J., Reponen A. y Mirme A. (1997) Effects of ultrafine and fine particles in urban air on peak expiratory flow among children with asthmatic symptoms. *Environmental Research* **74**, 24-33.
- Penner J.E., Charlson R.J., Hales J.M., Laulainen N., Leifer R., Novakov T., Ogren J., Radke L.F., Schwartz S.E. y Travis L. (1994) Quantifying and minimizing uncertainty of climate forcing by anthropogenic aerosols. *Bulletin of the American Meteorological Society* **75** (375-400).
- Peñuelas J. y Llusiá J. (1999) Short-term responses of terpene emission rates to experimental changes of PDF in *Pinus halepensis* and *Quercus ilex* in summer field conditions. *Environmental and Experimental Botany* **42**, 61-88.
- Pielke R.A., Walko R.L., Eastman J.L., Lyons W.A., Stocker R.A., Ullasz M. y Tremback C.J. (1992) Recent achievements in the meteorological modeling of local weather and air quality. *Trends in Atmospheric Science* **1**, 287-307.
- Pio C.A. y Lopes D.A. (1998) Chlorine loss from marine aerosol in a coastal atmosphere. *Journal of Geophysical Research* **103**, 25263-25272.
- Pope C.A., Burnett R.T., Thun M.J., Calle E.E., Krewski D., Ito K. y Thurston G.D. (2002) Lung cancer, cardiopulmonary mortality, and long-term exposure to fine particulate air pollution. *JAMA* **287**(9), 1132-1141.
- Pósfai M. y Molnár A. (2000) *Aerosol particles in the troposphere: a mineralogical introduction*. Environmental Mineralogy. David J. Vaughan & Roy A. Wogelius. pp. 434.
- Pratsinis S.E., Zeldin M.D. y Ellis E.C. (1988) Source contribution of the fine carbonaceous aerosol by principal component-stepwise regression analysis. *Environmental Science and Technology* **22**, 212-216.

- Prospero J.M. y Carlson T.N. (1972) Vertical and areal distribution of Saharan dust over the western equatorial North Atlantic Ocean. *Journal of Geophysical Research* **77**, 5255-5265.
- Prospero J.M. y Carlson T.N. (1981) Saharan air outbreaks over the tropical North Atlantic. *Pure and Applied Geophysics* **119**, 667-691.
- Prospero J.M. (1999) Long range transport of mineral dust in the global atmosphere: impact of African dust on the environment of the south-eastern United States. *Proceedings of the National Academy of Science USA* **96**, 3396-3403.
- Prospero J.M., Ginoux P., Torres O. y Nicholson S. (2002) Environmental characterization of global sources of atmospheric soil dust derived from the NIMBUS7 TOMS absorbing aerosol product. *Reviews of Geophysics* **40**(1), 2-1:2-27.
- Putaud J.P., Baltensperger U., Brüggemann E., Facchini M., Fuzzi S., Gehrig R., Hansson H.C., Harrison R.M., Jones A., Laj P., Maenhaut W., Mihalopoulos N., Müller K., Palmgren F., Querol X., Rodriguez S., Spindler G., Brink H., Tunved P., Dingenen R., Wehner B., Weingartner E., Wiedensohler A., Wählil P. y Raes F. (2002) A European aerosol phenomenology: physical and chemical characteristics of particulate matter at kerbside, urban, rural and background sites in Europe. *Eurotrac European project*.
- Puxbaum H. y König W. (1997) Observation of dipropenydisulfide and other organic sulphur compound in the atmosphere of a beech forest with allium ursinum ground cover. *Atmospheric Environment* **31**, 291-294.
- Querol X., Alastuey A., Lopez-Soler A., Mantilla E. y Plana F. (1996) Mineralogy of atmospheric particulates around a large coal-fired power station. *Atmospheric Environment* **30** (21), 3557-3572.
- Querol X., Alastuey A., Puicercus J.A., Mantilla E., Miró J.V., López-Soler A., Plana F. y Artíñano B. (1998) Seasonal Evolution of Suspended Particles Around a Large Coal-Fired Power Station: Particle Levels and Sources. *Atmospheric Environment* **32** (11), 1963-1978.
- Querol X., Alastuey A., Lopez-Soler A., Plana F., Mantilla E., Juan R., Ruiz C.R. y Orden A.L. (1999) Characterisation of atmospheric particulates around a coal-fired power station. *International Journal of Coal Geology* **40/2-3**, 175-188.
- Querol X., Alastuey A., Rodríguez S., Plana F., Ruiz C.R., Cots N., Massagué G. y Puig O. (2001) PM10 and PM2.5 source apportionment in the Barcelona Metropolitan Area, Catalonia, Spain. *Atmospheric Environment* **35** (36), 6407-6419.
- Querol X., Alastuey A., Rodríguez S., Viana M.M., Artíñano B., Salvador P., Mantilla E., Santos S.G.D., Patier R.F., Rosa J.D.L., Campa A.S.D.L. y Menedez M. (2002a) Interpretación de series temporales (1996-2000) de niveles de partículas en suspensión en España. Ministerio de Medio Ambiente, pp 555.
- Querol X., Alastuey A., Rosa J.d.l., Sánchez A., Plana F. y Ruiz C.R. (2002b) Source apportionment analysis of atmospheric particulates in an industrialised urban site in south-western Spain. *Atmospheric Environment* **36** (19), 3113-3125.
- Querol X., Alastuey A., Rodríguez S., Viana M.M., Artíñano B., Salvador P., Mantilla E., Santos S.G.D., Patier R.F., Rosa J.D.L., Campa A.S.D.L. y Menedez M. (2003a) Levels of PM in rural, urban and industrial sites in Spain. *The Science of Total Environment, in press*.
- Querol X., Alastuey A., Rodríguez S., Viana M.M., Artíñano B., Salvador P., Mantilla E., Santos S.G.D., Patier R.F., Rosa J.D.L., Campa A.S.D.L. and Menedez M. (2003b) Estudio y evaluación de la contaminación atmosférica por material particulado en España: Informes finales. IJA-CSIC, ISCIII, CIEMAT, Universidad de Huelva, Universidad del País Vasco. Ministerio de Medio Ambiente.

- Rodríguez S. (1999) Comparación de la variaciones de ozono superficial asociadas a procesos de transporte sobre y bajo la inversión temperatura subtropical en Tenerife. Tesis de Licenciatura, Universidad de La Laguna.
- Rodríguez S., Querol X., Alastuey A., Kallos G. y Kakaliagou O. (2001) Saharan dust contributions to PM10 and TSP levels in Southern and E. Spain. *Atmospheric Environment* **35**, 2433-2447.
- Rodríguez S. y Guerra J.C. (2001) Monitoring of ozone in a marine environment in Tenerife (Canary Islands). *Atmospheric Environment* **135**, 1829-1841.
- Rodríguez S. (2002) Sources and processes affecting levels and composition of atmospheric particulate matter in the Western Mediterranean. Tesis doctoral, Universitat Politècnica de Catalunya.
- Rodríguez S., Querol X., Alastuey A. y Plana F. (2002a) Sources and processes affecting levels and composition of atmospheric aerosol in the Western Mediterranean. *Journal of Geophysical Research* **107** (D24), 4777.
- Rodríguez S., Querol X., Alastuey A. y Mantilla E. (2002b) Origin of high PM10 and TSP concentrations in summer in Eastern Spain. *Atmospheric Environment* **36** (19), 3101-3112.
- Rodríguez S., Querol X., Alastuey A., Viana M.M. y Alarcón M. (2003) Comparative PM10-PM2.5 source contribution study at rural, urban and industrial sites during PM episodes in Eastern Spain. *The Science of the Total Environment, in press*.
- Salvador P. (2003, en preparación) Caracterización de la contaminación por partículas en la cuenca aérea de Madrid. Tesis Doctoral, Universidad Complutense de Madrid.
- Salvador P., Artíñano B., Alonso D.G., Querol X. and Alastuey A. (2003) Identification and characterisation of sources of PM10 in Madrid (Spain) by statistical methods. *Atmospheric Environment, in press*.
- Sánchez de la Campa A.M. (2004, en preparación) Geoquímica del material particulado atmosférico de Huelva, Suroeste de España. Tesis Doctoral, Universidad de Huelva.
- Schütz L. y Sebert M. (1987) Mineral aerosols and source identification. *Journal of Aerosol Science* **18**, 1-10.
- Schwartz J. (1994) What are people dying of on high air pollution days? *Environmental Research* **64**, 26-35.
- Schwartz J., Docherty D.W. y Neas L.M. (1996) Is daily mortality associated specifically with fine particles? *Journal of Air and Waste Management Association* **46**, 927-939.
- Seinfeld J.H. y Pandis S.N. (1998) Atmospheric Chemistry and Physics: From air pollution to climate change. John Wiley & Sons, Inc., pp 1323.
- Sieburth J.M. (1982) Microbiological and organic-chemical processes in the surface and mixed layers. En *Air-sea exchange of gases and particles / NATO ASI Ser., Vol. C108* (ed. P S Liss & W G N Slinn), pp. 121-172. Reidel.
- Seidl W., Brunnemann G., Kins E., Kölher E., Reusswig K., Ruoss K., Seiler T. y Dlugi R. (1996) Nitrate in the accumulation mode; data from measurement campaigns in eastern Germany. En *Nucleation and Atmospheric Aerosols* (ed. M Kulmala and P E Wagner), pp. 431-434. Pergamon Press.
- Sloane C.S., Watson J., Chow J., Pritchett L. y Richards L.W. (1991) Size-segregated fine particle measurements by chemical species and their impact on visibility impairment in Denver. *Atmospheric Environment* **25** (Part A), 1013-1024.
- Smith I.M. y Sloos L.L. (1998) *PM10/PM2.5 emissions and effects*. IEA Coal Research.
- Sokolik I.N. y Toon O.B. (1996) Direct radiative forcing by anthropogenic airborne mineral aerosols. *Nature* **381**, 681-683.
- Soriano C., Baldasano J.M., Buttler W. y Moore K. (2001) Circulatory patterns of air pollutants within the Barcelona air basin in a summertime situation: lidar and numerical approaches. *Boundary-layer Meteorology* **98**, 33-55.

- Soriano C., Baldasano J.M. y Coutinho M. (1998) Seasonal variation of the atmospheric circulatory patterns in the Barcelona area: numerical simulation of typical wintertime and summertime situations. *Proceedings del 2nd Urban Environment Symposium*, American Meteorological Society.
- Stelson A.W., Friedlander S.K. y Seinfeld J.H. (1979) A note on the equilibrium relationship between ammonia and nitric acid and particulate ammonium nitrate. *Atmospheric Environment* **13**, 369-371.
- Sternbeck J., Sjödin A. y Andréasson K. (2002) Metal emissions from road traffic and the influence of resuspension - results from two tunnel studies. *Atmospheric Environment* **36**, 4735-4744.
- Swap R., Ulanski S., Cobbett M. y Garstang M. (1996) Temporal and spatial characteristics of Saharan dust outbreaks. *Journal of Geophysical Research* **101**, 4205-4220.
- Swietlicki E., Kristensson A., Areskoug H. and Hansson H.C. (2003) Source apportionment of PM10 and PM2.5 at a background site in southern Sweden. *Atmospheric Environment, submitted*.
- Thurston G.D. y Spengler J.D. (1985) A quantitative assessment of source contribution to inhalable particulate matter pollution in Metropolitan Boston. *Atmospheric Environment* **19** (1), 9-25.
- Toll I. y Baldasano J.M. (2000) Modeling of photochemical air pollution in the Barcelona area with highly disaggregated anthropogenic and biogenic emissions. *Atmospheric Environment* **34**, 3069-3084.
- Torres C.J., Cuevas E., Guerra J.C. y Carreño V. (2001) Caracterización de las Masas de Aire en la Región Subtropical. *Proceedings del V Simposio Nacional de Predicción*, Instituto Nacional de Meteorología, Madrid, 20-23 Noviembre, 2001.
- Viana M., Querol X., Alastuey A., Cuevas E. y Rodríguez S. (2002) Influence of African dust on the levels of atmospheric particulates in the Canary Islands air quality network. *Atmospheric Environment* **36**, 5861-5875.
- Visser H., Buring E. y Breugel P.B.v. (2001) Composition and origin of airborne particulate matter in the Netherlands. National Institute for Public Health and the Environment, RIVM.
- Wakamatsu S., Utsunomiya A., Han J.S., Mori A., Uno I. y Uehara K. (1996) Seasonal variation in atmospheric aerosol concentration covering Northern Kyushu, Japan and Seoul, Korea. *Atmospheric Environment* **30**, 2343-2354.
- Wall S.M., John W. y Ondo J.L. (1988) Measurement of aerosol size distribution for nitrate and major ionic species. *Atmospheric Environment* **22**, 1649-1656.
- Warneck P. (1988) *Chemistry of the natural atmosphere*. International Geophysics Series. Wiley & Sons. Vol. 41. Academy Press, pp. 757.
- Watson J.G., Zhu T., Chow J.C., Engelbrecht J., Fujita E.M. y Wilson W.E. (2002) Receptor modeling application framework for particle source attribution. *Chemosphere* **49**, 1093-1136.
- WBG. (1998) Pollution Prevention and Abatement Handbook 1998: toward cleaner production. The World Bank Group.
- White W.H. y Macias E.S. (1989) Carbonaceous particles and regional haze in the western United States. *Aerosol Science and Technology* **10**, 111-117.
- WHO (2002) Guidelines for concentration and exposure-response measurement of fine and ultra fine particulate matter for use in epidemiological studies. WHO Dietrich Schwela, Lidia Morawska, QUT, Dimitrios Kotsias, EC JRC. Published on behalf of the European Commission.
- WHO (2003) Health aspects of air pollution with particulate matter, ozone and nitrogen dioxide. World Health Organization.
- Wichmann H.E. y Peters A. (2000) Epidemiological evidence on the effects of ultrafine particle exposure. *Phil. T. Roy. Soc. A* **358**, 2751-2769.

- Willison M.J., Clarke A.G. y Zeki E.M. (1985) Seasonal variations in atmospheric aerosol concentration and composition at urban and rural sites in northern England. *Atmospheric Environment* **19**, 1081-1089.
- Wolff G.T., Groblicki P.J., Cadle S.H. y Countess R.J. (1982) Particulate carbon at various locations in the United States. En *Particulate carbon: atmospheric life cycle* (ed. G T Wolff & R L Klimsch), pp. 297-315. Plenum Press.
- Wolff G.T. y Korsog P.E. (1985) Estimates of the contributions of sources to inhalable particulate concentrations in Detroit. *Atmospheric Environment* **19**, 1399-1409.
- Wolff G.T., Ruthkosky M.S., Stroup D.P. y Korsog P.E. (1991) A characterization of the principal PM-10 species in Claremont (summer) and Long Beach (fall) during SCAQS. *Atmospheric Environment* **25** Part A, 2173-2186.
- Woodcock A.H. (1972) Smaller salt particles in oceanic air an bubble behaviour in the sea. *Journal of Geophysical Research* **77**, 362-371.
- Wurzler S., Reisin T.G. y Levin Z. (2000) Modification of mineral dust particles by cloud processing and subsequent effects on drop size distributions. *Journal of Geophysical Research* **105**, 4501-4512.
- Yu J., Griffin R.J., Cocker D.R., Flangan R.C., Seinfeld J.H. y Blanchard P. (1999) Observation of gaseous and particulate products of monoterpene oxidation in forest atmosphere. *Geophysical Research Letters* **26**, 1145-1148.

