



Seismic Oceanography

A New Tool to Characterize Physical Oceanographic Structures and Processes

Grant George Buffett

ADVERTIMENT. La consulta d'aquesta tesi queda condicionada a l'acceptació de les següents condicions d'ús: La difusió d'aquesta tesi per mitjà del servei TDX (www.tesisenxarxa.net) ha estat autoritzada pels titulars dels drets de propietat intel·lectual únicament per a usos privats emmarcats en activitats d'investigació i docència. No s'autoritza la seva reproducció amb finalitats de lucre ni la seva difusió i posada a disposició des d'un lloc aliè al servei TDX. No s'autoritza la presentació del seu contingut en una finestra o marc aliè a TDX (framing). Aquesta reserva de drets afecta tant al resum de presentació de la tesi com als seus continguts. En la utilització o cita de parts de la tesi és obligat indicar el nom de la persona autora.

ADVERTENCIA. La consulta de esta tesis queda condicionada a la aceptación de las siguientes condiciones de uso: La difusión de esta tesis por medio del servicio TDR (www.tesisenred.net) ha sido autorizada por los titulares de los derechos de propiedad intelectual únicamente para usos privados enmarcados en actividades de investigación y docencia. No se autoriza su reproducción con finalidades de lucro ni su difusión y puesta a disposición desde un sitio ajeno al servicio TDR. No se autoriza la presentación de su contenido en una ventana o marco ajeno a TDR (framing). Esta reserva de derechos afecta tanto al resumen de presentación de la tesis como a sus contenidos. En la utilización o cita de partes de la tesis es obligado indicar el nombre de la persona autora.

WARNING. On having consulted this thesis you're accepting the following use conditions: Spreading this thesis by the TDX (www.tesisenxarxa.net) service has been authorized by the titular of the intellectual property rights only for private uses placed in investigation and teaching activities. Reproduction with lucrative aims is not authorized neither its spreading and availability from a site foreign to the TDX service. Introducing its content in a window or frame foreign to the TDX service is not authorized (framing). This rights affect to the presentation summary of the thesis as well as to its contents. In the using or citation of parts of the thesis it's obliged to indicate the name of the author.

Estructura i Dinàmica de la Terra
Institut de Ciències de la Terra "Jaume Almera",
Consejo Superior de Investigaciones Científicas (CSIC)

Departament de Geodinàmica i Geofísica
Universitat de Barcelona

Seismic Oceanography

A New Tool to Characterize Physical Oceanographic Structures and Processes

Grant George Buffett, 2011

Estructura i Dinàmica de la Terra
Institut de Ciències de la Terra "Jaume Almera"
Consejo Superior de Investigaciones Científicas (CSIC)

Departament de Geodinàmica i Geofísica
Universitat de Barcelona

Seismic Oceanography

A New Tool to Characterize Physical Oceanographic Structures and Processes

Memòria presentada per Grant George Buffett per optar al Títol de Doctor en Geologia

Aquesta tesi ha estat realitzada dins el Programa de Doctorat Exploració, Anàlisi i modelització
de conques i sistemes orogènics bienni 2006-2008, de la Universitat de Barcelona.

Director:

Prof. Dr. Ramón Carbonell i Bertrán

Tutor:

Dra. Pilar Queralt i Capdevila

Grant George Buffett

Barcelona, Novembre de 2010

Part d'aquesta tesi ha rebut el finançament dels següents projectes i institucions:

The GO Project (NEST-2003-1 adventure: no. FP6015603)

GEOCEAN: (200530F081)

Topoiberia (CSD2006-00041)

El Generalitat de Catalunya (2005SGR00874)

El Gobierno de España: Ministerio de Educación y Ciencias (CGL200404623)

For Marc, that you may always reason.

Table of Contents

| | |
|------------------------------------|----|
| List of tables | i |
| List of figures..... | ii |
| List of abbreviations | v |
| Introduction | 1 |

Part I. Research Contributions to Seismic Oceanography

| | |
|--|----|
| Chapter 1: Seismic Reflection Along the Path of the Mediterranean Undercurrent..... | 17 |
| 1.1 Introduction..... | 19 |
| 1.2 Methodology | 20 |
| 1.2.1 Seismic acquisition | 20 |
| 1.2.2 Seismic data processing | 20 |
| 1.2.3 Oceanographic data..... | 23 |
| 1.3 Results..... | 23 |
| 1.3.1 Partition of seismic lines..... | 23 |
| 1.3.2 Seismic amplitude analysis | 26 |
| 1.4 Discussion..... | 26 |
| 1.4.1 Temperature and salinity fine structure | 26 |
| 1.4.2 Seismic profiles..... | 27 |
| 1.4.3 Along-stream changes in seismic reflectors and hydrographic properties .. | 27 |
| 1.5 Conclusions..... | 29 |

| | |
|--|----|
| Chapter 2: Stochastic Heterogeneity Mapping Around a Mediterranean Salt Lens | 33 |
| 2.1 Introduction..... | 35 |
| 2.2 The stochastic model..... | 36 |
| 2.3 Results..... | 37 |
| 2.4 Discussion..... | 37 |
| 2.5 Conclusions..... | 40 |
| Chapter 3: Near Real-Time Visualization of Oceanic Internal Waves Using Multi-Channel Seismic Reflection Profiling..... | 43 |
| 3.1 Introduction..... | 45 |
| 3.2 Data acquisition | 47 |
| 3.3 Processing scheme | 47 |
| 3.4 Results..... | 49 |
| 3.5 Verification against synthetic seismic data..... | 50 |
| 3.6 Discussion – proof of concept..... | 53 |
| 3.7 Conclusions..... | 55 |
| Chapter 4: Research Letters..... | 57 |
| 4.1 Imaging Meddy Finestructure Using Multichannel Seismic Reflection Data | 59 |
| 4.1.1 Introduction..... | 61 |
| 4.1.2 Data acquisition and processing..... | 61 |
| 4.1.3 Results: Imaging Meddy finestructure | 62 |
| 4.1.4 Discussion | 63 |
| 4.1.5 Conclusions..... | 65 |
| 4.2 Relative Contribution of Temperature and Salinity to Ocean Acoustic Reflectivity . | 67 |
| 4.2.1 Introduction..... | 69 |
| 4.2.2 Data | 70 |
| 4.2.3 Method | 71 |
| 4.2.4 Discussion of results | 72 |
| 4.2.5 Conclusions..... | 73 |

Part II. Seismic Oceanography Background

| | |
|--|-----|
| Chapter 5: Multi-channel seismic reflection profiling | 77 |
| 5.1 Introduction..... | 79 |
| 5.2 Governing equations of seismic wave propagation | 81 |
| 5.3 Acquisition..... | 82 |
| 5.3.1 Marine seismic sources and receivers..... | 83 |
| 5.3.2 The Common midpoint method..... | 87 |
| 5.3.3 Specific challenges for seismic oceanography | 88 |
| 5.4 The seismic processor's toolbox | 89 |
| 5.4.1 Digitization | 89 |
| 5.4.2 The Fourier transform | 90 |
| 5.4.3 Data sorting..... | 90 |
| 5.4.4 Direct wave attenuation | 92 |
| 5.4.5 Frequency filtering..... | 93 |
| 5.4.6 Spherical divergence corrections | 94 |
| 5.4.7 Deconvolution..... | 95 |
| 5.4.8 'Velocity analysis' and normal moveout correction | 96 |
| 5.4.9 CMP stacking..... | 98 |
| 5.4.10 Migration..... | 99 |
| 5.4.11 General considerations..... | 99 |
| 5.5 Interpretation..... | 100 |
| Chapter 6: Physical Oceanography..... | 101 |
| 6.1 Introduction..... | 103 |
| 6.2 Tools of physical oceanography | 104 |
| 6.2.1 In situ probes..... | 104 |
| 6.2.2 Float measurements | 104 |
| 6.3 Structures | 106 |
| 6.3.1 Thermohaline staircases..... | 106 |

| | |
|-------------------------------------|-----|
| 6.3.2 Eddies/Meddies | 106 |
| 6.3.3 Fronts | 108 |
| 6.3.4 Currents..... | 109 |
| 6.4 Processes | 110 |
| 6.4.1 Mixing..... | 110 |
| 6.4.2 Turbulence | 111 |
| 6.4.3 Dynamics | 112 |
| 6.4.4 Internal waves | 113 |
| 6.4.5 Topographic interaction | 114 |

Part III. Conclusions and Future Considerations

Chapter 7: Conclusions..... 119

Chapter 8: Future considerations 127

Acknowledgements 135

Bibliography..... 139

Appendix I: Resum en Català (Summary in Catalan) 151

Appendix II: Processing flows for IAM sections..... 175

Appendix III: High-resolution seismic sections 185

Appendix IV: Seismic oceanography glossary 201

List of tables

Table 1.1 - IAM Acquisition Parameters.

Table 1.2 - Salinity, temperature, depth, density and sound speed values.

Table 1.3 - Sound speed and density contrasts calculated using both the temperature and salinity criteria.

Table 1.4 - Sound speed contrasts caused by changes in salinity, $\Delta c(S)$, and temperature, $\Delta c(T)$.

Table 4.1.1 - Number of Digitized Reflectors, Mean Length, Maximum Length, Maximum and Minimum Amplitudes of Acoustic Reflectors in the Upper and Lower Boundaries of Meddies IAM3, IAM4 and the Lower Boundary of IAMGB1

List of figures

Figure A (Introduction) - Diagram showing the Mediterranean outflow.

Figure B (Introduction) - Map showing all analyzed lines during the study period.

Figure 1.1 - Study location map showing seismic lines and oceanographic stations.

Figure 1.2 - Typical shot record from one IAM profile showing seismic events.

Figure 1.3 - Comparative results of semblance velocity (sound speed) analysis for a section of line IAM-3 (red, inset).

Figure 1.4 - T-S profiles for the co-located oceanographic sections.

Figure 1.5 - Co-located seismic (line IAM-3) and historical oceanographic data.

Figure 1.6 - Caption as in Fig. 1.5, but now for co-located seismic (line IAM-5) and historical oceanographic data.

Figure 1.7 - Caption as in Fig. 1.5, but now for co-located seismic (line IAM-9) and historical oceanographic data. Asterisk indicates seismic processing artifact.

Figure 1.8 - Caption as in Fig. 1.5, but now for co-located seismic (line IAM-11) and historical oceanographic data.

Figure 1.9 - T-S profiles for the co-located oceanographic data in the MW region, illustrating the criteria used to obtain the background and maximum salinity values.

Figure 1.10 - (A) Decreasing rms seismic amplitudes for the MW and corresponding temperature and salinity contrasts between the MU core and the background NACW.

Figure 2.1 - Location of seismic profile and approximate trajectory of Mediterranean Outflow Water.

Figure 2.2 - Hurst number (v) overlaid on seismic data along with stochastic parameter analysis boxes.

Figure 2.3 - Horizontal scale length (a_x) overlaid on seismic data along with stochastic parameter analysis boxes.

Figure 2.4 - Histograms of analyzed meddy zones showing the statistical distribution of Hurst number (v) and horizontal scale length (a_x).

Figure 3.1 - Location of seismic profile studied.

Figure 3.2 - First and last offset groups analyzed in visualization processing scheme.

Figure 3.3 - Seismic stack animation frames

Figure 4.1.1 - Map showing the geographical location of the study zone and three different meddies.

Figure 4.1.2 - 5-m smoothed profiles derived from CTD data and seismic reflections recorded through the center of meddy IAM-3.

Figure 4.1.3 - Turner angles and salinity profiles as obtained from CTD profiles through meddies.

Figure 4.2.1 - (a) Location map of the D318B-GO survey study zone. (b) 2-D temperature-depth map obtained from XBT and CTD data acquired during the D318-GO survey along the profile GO-LR-01. (c) 2-D sound speed-depth map along the same profile.

Figure 4.2.2 - Diagrams of physical properties and their T, S partial derivatives obtained using the EOS80 expressions for sound speed and density.

Figure 4.2.3 - 2-D maps representing the percentage of the partial contribution of (a) sound speed (R_v/R) vs. (b) density (R_v/R), and (c) temperature (R_T/R) vs. (d) salinity (R_S/R) to the reflectivity of the water column along profile GO-LR-01.

Figure 5.1 - Marine seismic acquisition in seismic oceanography showing reflected and transmitted waves..

Figure 5.2 - Diagram showing how a seismic oceanography section is skewed in time.

Figure 5.3 - The effect of source bandwidth.

Figure 5.4 - The Common Midpoint (CMP) Method.

Figure 5.5 - Seismic data sorted by common shot showing major features.

Figure 5.6 - Direct wave removal using the Eigenvector filter.

Figure 5.7 - 2D temperature distribution map estimated from seismic data

Figure 5.8 - Semblance velocity analysis.

Figure 6.1 - XBT profile from the Tyrrhenian Sea showing characteristic temperature steps (thermohaline staircases).

Figure 6.2 - Meddies tracked by RAFOS floats.

Figure 6.3 - Map of the lateral distribution of XBT profiles in the Tyrrhenian Sea.

Figure 6.4 - Comparison of the internal structure of two meddies.

Figure 6.5 - First seismic images of an oceanic front showing the interaction between two water masses near the Grand Banks of Newfoundland.

Figure 6.6 - Seismic reflector dynamics.

Figure 6.7 - Interaction of thermohaline staircases with the Gorringe Bank.

Figure 6.8 - Interaction of reflectors with topography.

List of abbreviations

ADCP – Acoustic Doppler Current Profiler

ADER-DG – Arbitrary high order DERivatives – Discontinuous Galerkin

AMUSE – A Mediterranean Undercurrent Seeding Experiment

AVO – Amplitude Versus Offset

AW – Atlantic Water

CANIGO – Canary Islands Azores Gibraltar Observations

CDP – Common Depth Point

CMP – Common Midpoint

CTD – Conductivity Temperature Depth

FK – Frequency Wavenumber

GEOGRAPHY – Research Center for MARine GEosciences located in Kiel, Germany

GI – Generator-Injector

GO – Geophysical Oceanography

IAM – Iberian Atlantic Margin

LADCP – Lowered Acoustic Doppler Current Profiler

LMO – Linear MoveOut

LW – Levantine Water

MAW – Modified Atlantic Water

MCS – Multi-Channel Seismic

MEDDY – Mediterranean EDDY

MOW – Mediterranean Outflow Water

MU – Mediterranean Undercurrent

MW – Mediterranean Water

NACW – North Atlantic Central Water

NADW – North Atlantic Deep Water

NMO – Normal MoveOut

OBS – Ocean Bottom Seismometer

PSU – Practical Salinity Unit

R – Reflection Coefficient

RAFOS – The acronym **SOFAR** spelled backward (type of acoustically tracked floats)

RMS – Root Mean Squared

SOFAR – SOund Fixing And Ranging (type of acoustically tracked floats)

SOC – Self-Organized Criticality

SOW – Seismic Oceanography Workshop

TU – Turner Angle

WMDW – Western Mediterranean Deep Water

XBT – eXpendable BathyThermograph

XCTD – eXpendable Conductivity Temperature Depth