



FACULTAT DE QUÍMICA
DEPARTAMENT D'ENGINYERIA QUÍMICA I METAL·LÚRGIA

TESIS DOCTORAL

REOLOGÍA DE ESPESANTES CELULÓSICOS PARA PINTURAS AL AGUA: MODELIZACIÓN Y MECANISMO DE ESPESAMIENTO ASOCIATIVO

Alicia Maestro Garriga

Barcelona, Diciembre de 2002

8. BIBLIOGRAFÍA

- Acierno, D., F. P. La Mantia, G. Marrucci, y G. Titomanlio, "A non-linear viscoelastic model with structure-dependent relaxation times," *J. Non-Newtonian Fluid Mech.* **1**, 125-146 (1976).
- Alami, E., M. Rawiso, G. Beinert, W. Binana-Limbele y J. François, "Model hydrophobically end-capped poly(ethylene oxide) in water," *Adv. Chem. Ser.* **248**, 343-361 (1996).
- Alessandrini, A., R. Lapasin y F. Sturzi, "The kinetics of thixotropic behavior in clay / kaolin aqueous suspensions," *Chem. Eng. Commun.* **17**, 13-22 (1982).
- Annable, T. y R. Buscall, "The rheology of solutions of associating polymers: comparison of experimental behavior with Transient Network Theory," *J. Rheol.* **37**, 695-726 (1993).
- Annable, T., R. Buscall y R. Ettelaie, "Network formation and its consequences for the physical behavior of associating polymers in solution," *Colloids Surf. A* **112**, 97-116 (1996).
- Annable, T., R. Buscall, R. Ettelaie, P. Shepherd y D. Whittlestone, "Influence of surfactants on the rheology of associating polymers in solution," *Langmuir* **10**, 1060-1070 (1994).
- Anwari, F. M. y F. G. Schwab, "Optimizing latex paint rheology with associative thickeners," *Adv. Chem. Ser.*, Hydrophilic polymers. Performance with environmental acceptability **248**, 527-531 (1989).
- Arjun, C. S. y L. M. Landoll, "Synthesis and solution properties of hydrophobically modified (hydroxyethyl)cellulose," *Adv. Chem. Ser.* **223**, 343-364 (1989).
- Badiger, M. V., A. Lutz y B. A. Wolf, "Interrelation between the thermodynamic and viscometric behaviour of aqueous solutions of hydrophobically modified ethyl hydroxyethyl cellulose," *Polymer* **41**, 1377-1384 (2000).
- Baravian, C., D. Quemada y A. Parker, en Aït-Kadi *et al.* (Eds.), *Proceedings of the XIIth Int. Congress on Rheology*, Laval University, Quebec City, Canada, 779-780 (1996).
- Barnes, H.A., "Thixotropy –a review," *J. Non-Newtonian Fluid Mech.* **70**, 1-33 (1997).
- Barrio, A. "Análisis y pinturas," *Pinturas y acabados industriales* **35**, 78-81 (1993).

Bautista, F., J. M. de Santos, J. E. Puig, y O. Manero, "Understanding thixotropic and antithixotropic behavior of viscoelastic micellar solutions and liquid crystalline dispersions," *J. Non-Newtonian Fluid Mech.* **80**, 93-113 (1999).

Bhagwat, G. A. "Emerging trends in rheological modification of latex paints," *Paintindia* **47**, 41-42, 44-48, 50-52 (1997).

Borisov, O. V. y A. Halperin, "Micelles of polysoaps: the role of bridging interactions," *Macromolecules* **29**, 2612-2620 (1996).

Bravo, P. y J. Sáenz, "Poliuretanos acuosos para la industria de los recubrimientos," *Pinturas y Acabados Industriales* **38**, 52-56 (1996).

Brown, R. "Advances on thickener technology for waterborne coatings," *European Polymers Paint Colour Journal* **184**, 267-270 (1994).

Cheng, D. C. H. y F. Evans, Br. "Phenomenological characterization of the rheological behavior of inelastic reversible thixotropic and antithixotropic fluids," *J. Appl. Phys.* **36**, 599-617 (1965).

Croll, S. G. y R. L. Kleinlein, "Influence of cellulose ethers on coatings performance," *Adv. Chem. Ser., Water-soluble polymers: Beauty with performance* **213**, 333-350 (1986).

Cross, M. M. J., "Rheology of non-Newtonian fluids: A new flow equation for pseudoplastic systems," *J. Colloid Sci.* **20**, 417-437 (1965).

Cuenca, L. "Las pinturas hidrosolubles," *Ingeniería Química* **25**, 69-73 (1993).

De Kee, D., R. K. Code y G. Turcotte, *J. Rheol.* **27**, 581-594 (1983).

Denny, D. A. y R. S. Brodkey, "Kinetic interpretation of non-newtonian flow," *J. Appl. Phys.* **33**, 2269-2274 (1962).

Doi, M. y S. F. Edwards, *The Theory of Polymer Dynamics* (Clarendon, Oxford University) (1986).

Dualeh, A. J. y C. A. Steiner, "Bulk and microscopic properties of surfactant-bridged hydrogels made from amphiphilic graft copolymer," *Macromolecules* **24**, 112-116 (1991).

Emmons, W. D. y E. S. Travis, (Rohm and Haas Company) *US Patent* nº 4079028 (1978).

- Ferry, J. D. *Viscoelastic Properties of Polymers*, John Wiley & Sons, 3^a ed. (1980).
- Fortuny, M. "La pintura y el medio ambiente," *Ingeniería Química*, **23 (272)**, 113-117 (1991).
- Fredrickson A. G., "A Model for Thixotropy of Suspensions," *AICHE Journal* **16**, 436-441 (1970).
- Freidun, M., A. Schwab y F. G. Schwab, "Optimizing latex paint rheology with associative thickeners," *Adv. Chem. Ser.* **223**, 527-541 (1989).
- Freundlich, H. y W. Rawitzer, "Influence of metals on thixotropic sols and gels," *Kolloid Z.* **41**, 102-104 (1927).
- Ginesta, LL. "Las pinturas industriales al agua. Estado actual y perspectivas futuras," *Ingeniería Química* **18**, 47-56 (1986).
- Glass, J. E., Ed. "Associative polymers in aqueous media," *ACS Symp. Ser.* **765**, American Chemical Society: Washington, DC (2000).
- Goddard, E. D., "Polymer-surfactant interaction. Part I. Uncharged water-soluble polymers and charged surfactants," *Colloids Surf.* **19**, 255-300 (1986).
- Goodwin, J. W. y R. W. Hughes, "Particle interactions and dispersion rheology," *ACS Symp. Ser.*, Technology for Waterborne Coatings **663**, 95-125 (1997).
- Goodwin, J. W., R. W. Hughes, C. K. Lam, J. A. Miles, y B. C. H. Warren, "The rheological properties of a hydrophobically modified cellulose," *Adv. Chem. Ser.* **223**, 365-378 (1989).
- Green, M. S. y A. V. Tobolsky, "A new approach to the theory of relaxing polymeric media," *J. Chem. Phys.* **14**, 80-89 (1946).
- Grunlan, M. A., Xing, L. L. y J. E. Glass, "Waterborne coatings with an emphasis on synthetic aspects: An overview," *ACS Symp. Ser.*, Technology for Waterborne Coatings **663**, 1-25 (1997).
- Hofland, A. "Ecología a cualquier precio? Balance ecológico de algunas pinturas en base acuosa," *Pinturas y acabados industriales* **37**, 14-23 (1995).
- Honerkamp, J. y J. Weese, "Determination of the Relaxation Spectrum by a Regularization Method," *Macromolecules* **22**, 4372-4377 (1989).

Howard, P. R., E. L. Leasure, S. T. Rosier y E. J. Schaller, "Systems Approach to Rheology Control," *ACS Symp. Ser.* **462**, 207-221 (1991).

Hoy, K. L. y R. C. Hoy, (Union Carbide Corporation) *US Patent nº 4426485* (1984).

Jenkins, R. D., C. A. Silebi y M. S. El-Aasser, "Steady-Shear and Linear-Viscoelastic Material Properties of Model Associative Polymer Solutions," *ACS Symp. Ser.* **462**, 222-233 (1991).

Jones, P. J. *JOCCA*, **17**, 305 (1934); **19**, 395 (1936); **26**, 3 (1943).

Kaczmarek, J. P. y J. E. Glass, "Synthesis and solution properties of hydrophobically-modified ethoxilated urethanes with variable oxyethylene spacer lengths," *Macromolecules* **26**, 5149-5156 (1993).

Kaczmarek, J. P., M. R. Tarn, Z. Ma y J. E. Glass, "Surfactant and salinity influences on associative thickener aqueous solution rheology," *Colloids Surf. A* **147**, 39-53 (1999).

Karlsson, L., F. Joabson, y K. Thuresson, "Phase behavior and rheology in water and in model paint formulations thickened with HM-EHEC: influence of the chemical structure and the distribution of hydrophobic tails," *Carbohydr. Polym.* **41**, 25-35 (2000).

Karunasena, A., G. Brown y J. E. Glass, "Hydrophobically modified ethoxilated urethane architecture. Importance for aqueous- and dispersed-phase properties," *Adv. Chem. Ser. Polymers in aqueous media. Performance through association* **223**, 495-525 (1989).

Kästner, U., "The impact of rheological modifiers on water-borne coatings," *Colloids Surf.* **183**, 805-821 (2001).

Kästner, U., H. Hoffmann, R. Dönges y R. Ehrler, "Hydrophobically and cationically modified hydroxyethyl cellulose and their interactions with surfactants," *Colloids Surf., A* **82**, 279-297 (1994).

Kästner, U., H. Hoffmann, R. Dönges y R. Ehrler, "Interactions between modified hydroxyethyl cellulose (HEC) and surfactants," *Colloids Surf.* **112**, 209-225 (1996).

Kjønigsen, A. L., A. L. Nilsson, S. Thuresson, K. Lindman y B. Nyström, "Effect of surfactant on dynamic and viscoelastic properties of aqueous solutions of hydrophobically modified ethyl(hydroxyethyl)cellulose, with and without spacer," *Macromolecules* **33**, 877-886 (2000).

- Kumar, V. y C. A. Steiner, "Surfactant-mediated gelation of hydrophobically modified hydroxyethyl cellulose: effects of polymer and surfactant structure," *Colloids Surf. A* **147**, 27-38 (1999).
- Landoll, L. M., "Nonionic polymer surfactants," *J. Polym. Sci.* **20**, 443-455 (1982).
- Lapasin, R., M. Grassi, S. Prich y A. Aït-Kadi, en Aït-Kadi et al. (Eds.), *Proceedings of the XIIth Int. Congress on Rheology*, Laval University, Quebec City, Canada, 471 (1996).
- Larson, R. G. *The Structure and Rheology of Complex Fluids*, New York, Oxford University Press (1999).
- Lavallée C. y A. Berker, "More on the prediction of molecular weight distributions of linear polymers from their rheology," *J. Rheol.* **41**, 851-871 (1997).
- Lundberg, D. J., J. E. Glass y R. R. Eley, "Model HEUR-surfactant. Model latex matrix rheology studies," *J. Rheol.* **35**, 1255ss (1991).
- Lundberg, D. J., Z. Ma, K. Alahapperuna y J. E. Glass, *ACS Symp. Ser.* **462**, Polymers as rheology modifiers, "Surfactant influences on hydrophobically modified thickener rheology," 234-253 (1991).
- Mackley, M. R., R. T. J. Marshall, J. B. A. F. Smeulders y F. D. Zhao, "The rheological characterization of polymeric and colloidal fluids," *Chem. Eng. Sci.* **49**, 2551-2565 (1994).
- Maestro, A., C. González y J. M. Gutiérrez, "Rheological behavior of hydrophobically modified hydroxyethyl cellulose solutions: A linear viscoelastic model," *J. Rheol.* **46**, 127-143 (2002).
- Maestro, A., C. González y J. M. Gutiérrez, "Shear thinning and thixotropy of HMHEC and HEC water solutions," *J. Rheol.* **46**, 1445ss (2002b).
- Maestro, A., C. González y J. M. Gutiérrez, "Thickening mechanism of associative polymers," *Macromol. Symp.* **187**, 919-927 (2002c).
- Maestro, A., C. González y J. M. Gutiérrez, "Espesantes celulosicos para pinturas al agua: estudio de la viscosidad de equilibrio y la tixotropía," *Pinturas y Acabados Industriales* **265**, 17-22 (2001).

Magny, B., I. Iliopoulos, R. Zana y R. Audebert, "Mixed micelles formed by cationic surfactants and anionic hydrophobically modified polyelectrolytes," *Langmuir* **10**, 3180-3187 (1994).

Mewis, J., "Thixotropy - A general review," *J. Non-Newtonian Fluid Mech.* **6**, 1-20 (1979).

Mewis, J. y J. Schryvers, *International Fine Particle Research Institute report* (1996).

Moore, F. "Rheology of ceramic slips and bodies," *Trans. Br. Ceramics Soc.* **58**, 470 (1959).

Naé, H. N. y R. H. Bank, "Rheological properties of associative thickeners in water based coatings," *Rheology* **1**, 170-178 (1991).

Ng, W. K., K. C. Tam y R. D. Jenkins, "Lifetime and network relaxation time of a HEUR-C20 associative polymer system," *J. Rheol.* **44**, 137-146 (2000).

Nilsson, S., M. Goldraich, B. Lindman y Y. Talmon, "Novel organized structures in mixtures of a hydrophobically modified polymer and two oppositely charged surfactants," *Langmuir* **16**, 6825-6832 (2000).

Nishikawa, K., A. Yekta, H. H. Pham, M. A. Winnik y A. C. Sau, "Fluorescence Studies of Hydrophobically Modified Hydroxyethylcellulose (HMHEC) and Pyrene-Labeled HMHEC," *Langmuir* **14**, 7119-7129 (1998).

Padget, J. C., "Polymers for water-based coatings-a systematic overview," *J. Coatings Tech.* **66**, 89-96 (1994).

Panmai, S., R. K. Prud'homme y D. G. Peiffer, "Rheology of hydrophobically modified polymers with spherical and rod-like surfactant micelles," *Colloids Surf. A*, **147**, 3-15 (1999).

Panmai, S., R. K. Prud'homme, D. G. Peiffer, S. Jockusch y N. J. Turro, "Interactions between hydrophobically modified polymers and surfactants: a fluorescence study," *Langmuir* **18**, 3860-3864 (2002).

Partain, E. M. "The adsorption of hydrophobe-modified hydroxyethyl cellulose on latexes and its effect on the rheology of water-borne coatings," *Polymeric Material Science and Engineering* **66**, 19-20 (1992).

- Persson, K., G. Wang y G. Olofsson, "Self-diffusion, thermal effects and viscosity of a monodisperse associative polymer: self-association and interaction with surfactants," *J. Chem. Soc., Faraday Trans.* **90**, 3555 (1994).
- Petit-Agnely, F. y I. Iliopoulos, "Aggregation mechanism of amphiphilic associating polymers studied by F and C Nuclear Magnetic Resonance," *J. Phys. Chem. B* **103**, 4803-4808 (1999).
- Piculell, L., F. Guillemet, K. Thuresson, V. Shubin y O. Ericsson, "Binding of surfactants to hydrophobically modified polymers," *Adv. Colloid Interface Sci.* **63**, 1-21 (1996).
- Quemada, D., "Rheological modeling of complex fluids IV: Thixotropic and "thixoelectric" behavior. Start-up and stress relaxation, creep tests and hysteresis cycles," *Eur. Phys. J.* **5**, 191-207 (1999).
- Reuvers, A. J., "Control of rheology of water-borne paints using associative thickeners," *Prog. Org. Coat.* **35**, 171-181 (1999).
- Rohm and Haas Corporation, *Catálogo de espesantes tipo HEUR* (1997).
- Rohn, C. L., "Analytical polymer rheology: structure-processing-property relationships," *Hanser Publishers* (1995).
- Rouse, P. E. Jr., "A theory of the linear viscoelastic properties of dilute solutions of coiling polymers," *J. Chem. Phys.* **21**, 1272-1280 (1953).
- Sau, A. C. y L. M. Landoll, "Synthesis and solution properties of hydrophobically modified (hydroxyethyl)cellulose," *Adv. Chem. Ser.* **223**, 343-363 (1989).
- Schwab, F. G. "Advantages and disadvantages of associative thickeners in coatings performance," *Adv. Chem. Ser.* **213**, 369-373 (1986).
- Semenov, A. N., J. F. Joanny y A. R. Kmokhlov, "Associating polymers: Equilibrium and linear viscoelasticity," *Macromolecules* **28**, 1066-1072 (1995).
- Shay, G. D. "Alkali-swellable and alkali-soluble thickener technology. A review," *Adv. Chem. Ser.* **223**, 457-494 (1989).
- Sivadasan, K. y P. Somasundaran, "Polymer-surfactant Interactions and the association behavior of hydrophobically modified hydroxyethylcellulose," *Colloids Surf.* **49**, 229-239 (1990).

Sjöstrom, J. y L. Piculell, "Interactions between cationically modified hydroxyethyl cellulose and oppositely charged surfactants studied by gel swelling experiments. Effects of surfactant type, hydrophobic modification and added salt," *Colloids Surf. A.* **183**, 429-448 (2001).

Soong, D. S. y M. M. Shen, "A kinetic network model for nonlinear viscoelastic flow properties of entangled monodisperse polymers," *J. Polym. Sci., Polym. Lett. Ed.* **17**, 595-599 (1979).

Stahl, G. A. y D. N. Schulz (Eds.), in *Water-soluble polymers for petroleum recovery*; Plenum Press, New York (1986).

Stickler, M. y N. Sütterlin, in *Polymer Handbook*, 3rd ed.; J. Brandrup, H. Immergut, Eds.; Wiley: New York (1989).

Svanholm, T., F. Molenaar y A. Toussaint, "Associative thickeners: their adsorption behavior onto latexes and the rheology of their solutions," *Progr. Org. Coat.* **30**, 159-165 (1997).

Tam, K. C., R. D. Jenkins, M. A. Winnik y D. R. Basset, "A structural model of hydrophobically modified urethane-ethoxilated (HEUR) associative polymers in shear flow," *Macromolecules* **31**, 4149-4159 (1998).

Tan, H., C. Tam y R. D. Jenkins, "Relaxation spectra and viscoelastic behavior of a model hydrophobically modified alkali-soluble emulsion (HASE) polymer in salt/SDS solutions," *J. Colloid Interface Sci.* **231**, 52-58 (2000).

Tanaka, F. y S. F. Edwards, "Viscoelastic properties of physically cross-linked networks. Transient Network Theory," *Macromolecules* **25**, 1516-1523 (1992).

Tanaka, R., J. Meadows, P. A. Williams y G. O. Phillips, "Interaction of hydrophobically modified (hydroxyethyl)cellulose with various added surfactants," *Macromolecules* **25**, 1304-1310 (1992).

Tarn, M. R., J. P. Kaczmarski, D. J. Lundberg y J. E. Glass, "Comparative Flow Properties of Model Associative Thickener Aqueous Solutions," *Adv. Chem. Ser. Hydrophilic polymers. Performance with environmental acceptability* **248**, 377-341 (1996).

Tarn, M. R., M. Zeying, K. D. J. Alahapperuma y J. E. Glass, "Associative thickeners in the land of commercial reality: Coating formulations", *Adv. Chem. Ser. Hydrophilic polymers. Performance with environmental acceptability* **248**, 450-486 (1996).

- Taylor, K. C. y H. A. Nasr-El-Din, *Proc. Int. Symp. Oilfield Chem.*, Feb. 14-17, 675 (1995).
- Thuresson, K., B. Lindman y B. Nyström, "Effect of hydrophobic modification of a nonionic cellulose derivative on the interaction with surfactants. Rheology," *J. Phys. Chem. B* **101**, 6450-6459 (1997).
- Tiu, C. y D. V. Boger, *J. Texture Stud.*, **5**, 329 (1974).
- Tuminello, W. H., "Molecular weight and molecular weight distribution from dynamic measurements of polymer melts," *Polym. Eng. Sci.* **26**, 1339-1347 (1986).
- Ullmann's *Encyclopedia of Industrial Chemistry* VCH, **A18**, 400-436, **A20**, 527-529, 5^a ed. (1991).
- Van de Pas, J. C. y C. J. Buytenhek, "The effects of free polymers on osmotic compression, depletion flocculation and fusion of lamellar liquid-crystalline droplets," *Colloids Surf.* **68**, 127-139 (1992).
- Vian, A. *Introducción a la Química Industrial*, 515-526, 2^a ed. (1994).
- Vincent, B., J. H. Edwards, S. Emmett y A. Jones, "Depletion flocculation in dispersions of sterically-stabilized particles (soft spheres)," *Colloids Surf.* **18**, 261-281 (1986).
- Wetzel, W. H., M. Chen y J. E. Glass, "Associative thickeners. An overview with an emphasis on synthetic procedures," *Adv. Chem. Ser. Hydrophilic polymers. Performance with environmental acceptability* **248**, 163-179 (1996).
- Xu, B., A. Yekta, Z. Masoumi y M. A. Winnik, "The functionality of associative polymer networks: The association behavior of hydrophobically modified urethane-ethoxylated (HEUR) associative polymers in aqueous solution," *Colloids Surf. A* **112**, 239-250 (1996).
- Xu, B., A. Yekta y M. A. Winnik, "Viscoelastic properties in water of comb associative polymers based on poly(ethylene oxide)," *Langmuir* **13**, 6903-6911 (1997).
- Yekta, A., J. Duhamel, H. Adiwidjaja, P. Brochard y M. A. Winnik, "Fluorescence studies of associating polymers in water: Determination of the chain end aggregation number and a model for the association process," *Macromolecules* **28**, 956-966 (1995).
- Yekta, A., B. Xu, J. Duhamel, H. Adiwidjaja y M. A. Winnik, "Association structure of telechelic associative thickeners in water," *Langmuir* **9**, 881-883 (1993).

Zhang, L. M., "Cellulosic associative thickeners," *Carbohydr. Polym.* **45**, 1-10 (2001).

Zhang, K., B. Xu, M. A. Winnik y P. M. Macdonald, "Surfactant Interactions with HEUR Associating Polymers," *J. Phys. Chem.* **100**, 9834-9841 (1996).

Zimm, B. H., "Dynamics of polymer molecules in dilute solution: viscoelasticity, flow birefringence and dielectric loss," *J. Chem. Phys.* **24**, 269ss (1956).