



**ESTUDI GENÈTIC INTEGRAL DE LA REGIÓ 4p15 I IDENTIFICACIÓ  
DE PI4K2B I STIM2 COM A GENS ALTERATS EN  
CÀNCER COLORECTAL**

Memòria presentada per

**Álvaro Aytés Meneses**

Per optar al grau de

**Doctor per la Universitat de Barcelona**

Tesi realitzada sota la direcció del  
Dr. Alberto Villanueva Garatachea  
Al Laboratori de Recerca Translacional de  
L’Institut Català d’Oncologia.

Tesi adscrita al departament de Biologia cel·lular i anatomia patològica  
Facultat de Medicina  
Universitat de Barcelona  
Programa de Biologia i patologia cel·lular (bieni 2001-2003)  
Tutor: Dr. Carles Enrich

Alberto Villanueva

Carles Enrich

Ávaro Aytés

Barcelona, Juny de 2007

# **Bibliografia**



**A**

- Aaltonen, L.A., Peltomaki, P., Leach, F.S., Sistonen, P., Pylkkanen, L., Mecklin, J.P., Jarvinen, H., Powell, S.M., Jen, J., Hamilton, S.R., *et al.* (1993). Clues to the pathogenesis of familial colorectal cancer. *Science* (New York, NY 260, 812-816.
- Abal, M., Obrador-Hevia, A., Janssen, K.P., Casadome, L., Menendez, M., Carpentier, S., Barillot, E., Wagner, M., Ansorge, W., Moeslein, G., *et al.* (2007). APC inactivation associates with abnormal mitosis completion and concomitant BUB1B/MAD2L1 up-regulation. *Gastroenterology* 132, 2448-2458.
- Abdel-Rahman, W.M., Katsura, K., Rens, W., Gorman, P.A., Sheer, D., Bicknell, D., Bodmer, W.F., Arends, M.J., Wyllie, A.H., and Edwards, P.A. (2001). Spectral karyotyping suggests additional subsets of colorectal cancers characterized by pattern of chromosome rearrangement. *Proceedings of the National Academy of Sciences of the United States of America* 98, 2538-2543.
- Al-Mulla, F., Behbehani, A.I., Bitar, M.S., Varadharaj, G., and Going, J.J. (2006). Genetic profiling of stage I and II colorectal cancer may predict metastatic relapse. *Mod Pathol* 19, 648-658.
- Alizadeh, A.A., Eisen, M.B., Davis, R.E., Ma, C., Lossos, I.S., Rosenwald, A., Boldrick, J.C., Sabet, H., Tran, T., Yu, X., *et al.* (2000). Distinct types of diffuse large B-cell lymphoma identified by gene expression profiling. *Nature* 403, 503-511.
- Amador, V., Ge, S., Santamaria, P.G., Guardavaccaro, D., and Pagano, M. (2007). APC/C(Cdc20) controls the ubiquitin-mediated degradation of p21 in prometaphase. *Molecular cell* 27, 462-473.
- Arribas, R., Capella, G., Tortola, S., Masramon, L., Grizzle, W.E., Perucho, M., and Peinado, M.A. (1997). Assessment of genomic damage in colorectal cancer by DNA fingerprinting: prognostic applications. *J Clin Oncol* 15, 3230-3240.
- Arribas, R., Ribas, M., Risques, R.A., Masramon, L., Tortola, S., Marcuello, E., Aiza, G., Miro, R., Capella, G., and Peinado, M.A. (1999a). Prospective assessment of allelic losses at 4p14-16 in colorectal cancer: two mutational patterns and a locus associated with poorer survival. *Clin Cancer Res* 5, 3454-3459.
- Arribas, R., Risques, R.A., Gonzalez-Garcia, I., Masramon, L., Aiza, G., Ribas, M., Capella, G., and Peinado, M.A. (1999b). Tracking recurrent quantitative genomic alterations in colorectal cancer: allelic losses in chromosome 4 correlate with tumor aggressiveness. *Laboratory investigation; a journal of technical methods and pathology* 79, 111-122.
- Aster, J.C., Simms, W.B., Zavala-Ruiz, Z., Patriub, V., North, C.L., and Blacklow, S.C. (1999). The folding and structural integrity of the first LIN-12 module of human Notch1 are calcium-dependent. *Biochemistry* 38, 4736-4742.
- Astler, V.B., and Coller, F.A. (1954). The prognostic significance of direct extension of carcinoma of the colon and rectum. *Annals of surgery* 139, 846-852.
- Astuti, D., Da Silva, N.F., Dallol, A., Gentle, D., Martinsson, T., Kogner, P., Grundy, R., Kishida, T., Yao, M., Latif, F., *et al.* (2004). SLIT2 promoter methylation analysis in neuroblastoma, Wilms' tumour and renal cell carcinoma. *British journal of cancer* 90, 515-521.

- Auger, K.R., Carpenter, C.L., Cantley, L.C., and Varticovski, L. (1989). Phosphatidylinositol 3-kinase and its novel product, phosphatidylinositol 3-phosphate, are present in *Saccharomyces cerevisiae*. *The Journal of biological chemistry* 264, 20181-20184.

## B

- Baker, S.J., Fearon, E.R., Nigro, J.M., Hamilton, S.R., Preisinger, A.C., Jessup, J.M., vanTuinen, P., Ledbetter, D.H., Barker, D.F., Nakamura, Y., *et al.* (1989). Chromosome 17 deletions and p53 gene mutations in colorectal carcinomas. *Science (New York, NY)* 244, 217-221.
- Baker, S.J., Markowitz, S., Fearon, E.R., Willson, J.K., and Vogelstein, B. (1990). Suppression of human colorectal carcinoma cell growth by wild-type p53. *Science (New York, NY)* 249, 912-915.
- Balmain, A. (2002). Cancer: new-age tumour suppressors. *Nature* 417, 235-237.
- Balmain, A., and Pragnell, I.B. (1983). Mouse skin carcinomas induced in vivo by chemical carcinogens have a transforming Harvey-ras oncogene. *Nature* 303, 72-74.
- Bardi, G., Fenger, C., Johansson, B., Mitelman, F., and Heim, S. (2004). Tumor karyotype predicts clinical outcome in colorectal cancer patients. *J Clin Oncol* 22, 2623-2634.
- Bardi, G., Parada, L.A., Bomme, L., Pandis, N., Willen, R., Johansson, B., Jeppsson, B., Beroukas, K., Heim, S., and Mitelman, F. (1997). Cytogenetic comparisons of synchronous carcinomas and polyps in patients with colorectal cancer. *British journal of cancer* 76, 765-769.
- Batlle, E., Henderson, J.T., Beghtel, H., van den Born, M.M., Sancho, E., Huls, G., Meeldijk, J., Robertson, J., van de Wetering, M., Pawson, T., *et al.* (2002). Beta-catenin and TCF mediate cell positioning in the intestinal epithelium by controlling the expression of EphB/ephrinB. *Cell* 111, 251-263.
- Becher, O.J., and Holland, E.C. (2006). Genetically engineered models have advantages over xenografts for preclinical studies. *Cancer research* 66, 3355-3358, discussion 3358-3359.
- Benson, A.B., 3rd, Schrag, D., Somerfield, M.R., Cohen, A.M., Figueredo, A.T., Flynn, P.J., Krzyzanowska, M.K., Maroun, J., McAllister, P., Van Cutsem, E., *et al.* (2004). American Society of Clinical Oncology recommendations on adjuvant chemotherapy for stage II colon cancer. *J Clin Oncol* 22, 3408-3419.
- Bergthorsson, J.T., Agnarsson, B.A., Gudbjartsson, T., Magnusson, K., Thoroddsen, A., Palsson, B., Bjornsson, J., Stefansson, K., Gulcher, J., Einarsson, G.V., *et al.* (2006). A genome-wide study of allelic imbalance in human testicular germ cell tumors using microsatellite markers. *Cancer genetics and cytogenetics* 164, 1-9.
- Berridge, M.J., Heslop, J.P., Irvine, R.F., and Brown, K.D. (1984). Inositol trisphosphate formation and calcium mobilization in Swiss 3T3 cells in response to platelet-derived growth factor. *The Biochemical journal* 222, 195-201.
- Bertucci, F., Salas, S., Eysteries, S., Nasser, V., Finetti, P., Ginestier, C., Charafe-Jauffret, E., Loriod, B., Bachelart, L., Montfort, J., *et al.* (2004). Gene expression profiling of colon cancer by DNA microarrays and correlation with histoclinical parameters. *Oncogene* 23, 1377-1391.

- Bhattacharyya, N.P., Skandalis, A., Ganesh, A., Groden, J., and Meuth, M. (1994). Mutator phenotypes in human colorectal carcinoma cell lines. *Proceedings of the National Academy of Sciences of the United States of America* 91, 6319-6323.
- Bilchik, A.J., Nora, D.T., Sabin, L.H., Turner, R.R., Trocha, S., Krasne, D., and Morton, D.L. (2003). Effect of lymphatic mapping on the new tumor-node-metastasis classification for colorectal cancer. *J Clin Oncol* 21, 668-672.
- Bingham, S.A. (2000). Diet and colorectal cancer prevention. *Biochemical Society transactions* 28, 12-16.
- Bodmer, W.F., Bailey, C.J., Bodmer, J., Bussey, H.J., Ellis, A., Gorman, P., Lucibello, F.C., Murday, V.A., Rider, S.H., Scambler, P., *et al.* (1987). Localization of the gene for familial adenomatous polyposis on chromosome 5. *Nature* 328, 614-616.
- Boland, C.R. (1997). Genetic pathways to colorectal cancer. *Hospital practice* (1995) 32, 79-84, 87-96.
- Boland, C.R., Thibodeau, S.N., Hamilton, S.R., Sidransky, D., Eshleman, J.R., Burt, R.W., Meltzer, S.J., Rodriguez-Bigas, M.A., Fodde, R., Ranzani, G.N., *et al.* (1998). A National Cancer Institute Workshop on Microsatellite Instability for cancer detection and familial predisposition: development of international criteria for the determination of microsatellite instability in colorectal cancer. *Cancer research* 58, 5248-5257.
- Bomme, L., Bardi, G., Pandis, N., Fenger, C., Kronborg, O., and Heim, S. (1998). Cytogenetic analysis of colorectal adenomas: karyotypic comparisons of synchronous tumors. *Cancer genetics and cytogenetics* 106, 66-71.
- Borràs JM, B.J., Bosch FX, Fernandez E, Galceran J, Glspert R, GOnzalez JR, Izquierdo A, Marcos R, Moreno V, Peris, M, Puig X, Sanchez V, Viladiu O. 2001. *Cancer Catalunya 2001*. Institut Català d'Oncologia. Departament de Sanitat i Seguretat Social, L'hospitalet de Llobregat.
- Bostick, R.M., Fosdick, L., Wood, J.R., Grambsch, P., Grandits, G.A., Lillemoe, T.J., Louis, T.A., and Potter, J.D. (1995). Calcium and colorectal epithelial cell proliferation in sporadic adenoma patients: a randomized, double-blinded, placebo-controlled clinical trial. *Journal of the National Cancer Institute* 87, 1307-1315.
- Brandman, O., Liou, J., Park, W.S., and Meyer, T. (2007). STIM2 is a feedback regulator that stabilizes basal cytosolic and endoplasmic reticulum Ca<sup>2+</sup> levels. *Cell* 131, 1327-1339.
- Bray, S.J. (2006). Notch signalling: a simple pathway becomes complex. *Nat Rev Mol Cell Biol* 7, 678-689.
- Brock, G.J., Huang, T.H., Chen, C.M., and Johnson, K.J. (2001). A novel technique for the identification of CpG islands exhibiting altered methylation patterns (ICEAMP). *Nucleic acids research* 29, E123.
- Bunce, M.W., Bergendahl, K., and Anderson, R.A. (2006). Nuclear PI(4,5)P<sub>2</sub>: a new place for an old signal. *Biochimica et biophysica acta* 1761, 560-569.

## C

- Cahill, D.P., Lengauer, C., Yu, J., Riggins, G.J., Willson, J.K., Markowitz, S.D., Kinzler, K.W., and Vogelstein, B. (1998). Mutations of mitotic checkpoint genes in human cancers. *Nature* 392, 300-303.
- Caldas, C., Hahn, S.A., da Costa, L.T., Redston, M.S., Schutte, M., Seymour, A.B., Weinstein, C.L., Hruban, R.H., Yeo, C.J., and Kern, S.E. (1994). Frequent somatic mutations and homozygous deletions of the p16 (MTS1) gene in pancreatic adenocarcinoma. *Nature genetics* 8, 27-32.
- Capella, G., Farre, L., Villanueva, A., Reyes, G., Garcia, C., Tarafa, G., and Lluis, F. (1999). Orthotopic models of human pancreatic cancer. *Annals of the New York Academy of Sciences* 880, 103-109.
- Casares, S., Ionov, Y., Ge, H.Y., Stanbridge, E., and Perucho, M. (1995). The microsatellite mutator phenotype of colon cancer cells is often recessive. *Oncogene* 11, 2303-2310.
- Cawkwell, L., Bell, S.M., Lewis, F.A., Dixon, M.F., Taylor, G.R., and Quirke, P. (1993). Rapid detection of allele loss in colorectal tumours using microsatellites and fluorescent DNA technology. *British journal of cancer* 67, 1262-1267.
- Clapham, D.E. (2007). Calcium signaling. *Cell* 131, 1047-1058.
- Clinical Outcomes of Surgical Therapy Study Group: A comparison of laparoscopically assisted and open colectomy for colon cancer. *N Engl J Med* 350 (20): 2050-9, 2004.
- Coats, S., Flanagan, W.M., Nourse, J., and Roberts, J.M. (1996). Requirement of p27Kip1 for restriction point control of the fibroblast cell cycle. *Science* (New York, NY 272, 877-880.
- Colucci, G., Gebbia, V., Paoletti, G., Giuliani, F., Caruso, M., Gebbia, N., Carteni, G., Agostara, B., Pezzella, G., Manzione, L., *et al.* (2005). Phase III randomized trial of FOLFIRI versus FOLFOX4 in the treatment of advanced colorectal cancer: a multicenter study of the Gruppo Oncologico Dell'Italia Meridionale. *J Clin Oncol* 23, 4866-4875.
- Cook, W.D., and McCaw, B.J. (2000). Accommodating haploinsufficient tumor suppressor genes in Knudson's model. *Oncogene* 19, 3434-3438.
- Costello, J.F., and Plass, C. (2001). Methylation matters. *Journal of medical genetics* 38, 285-303.
- Cottrell, S.E. (2004). Molecular diagnostic applications of DNA methylation technology. *Clinical biochemistry* 37, 595-604.
- Coward, P., Wada, H.G., Falk, M.S., Chan, S.D., Meng, F., Akil, H., and Conklin, B.R. (1998). Controlling signaling with a specifically designed Gi-coupled receptor. *Proceedings of the National Academy of Sciences of the United States of America* 95, 352-357.
- Crnogorac-Jurcevic, T., Efthimiou, E., Capelli, P., Blaveri, E., Baron, A., Terris, B., Jones, M., Tyson, K., Bassi, C., Scarpa, A., *et al.* (2001). Gene expression profiles of pancreatic cancer and stromal desmoplasia. *Oncogene* 20, 7437-7446.
- Cunningham, D., Humblet, Y., Siena, S., Khayat, D., Bleiberg, H., Santoro, A., Bets, D., Mueser, M., Harstrick, A., Verslype, C., *et al.* (2004). Cetuximab monotherapy and cetuximab plus irinotecan in irinotecan-refractory metastatic colorectal cancer. *The New England journal of medicine* 351, 337-345.

- Cho, K.R., Oliner, J.D., Simons, J.W., Hedrick, L., Fearon, E.R., Preisinger, A.C., Hedge, P., Silverman, G.A., and Vogelstein, B. (1994). The DCC gene: structural analysis and mutations in colorectal carcinomas. *Genomics* 19, 525-531.
- Christoforou, A., Le Hellard, S., Thomson, P.A., Morris, S.W., Tenesa, A., Pickard, B.S., Wray, N.R., Muir, W.J., Blackwood, D.H., Porteous, D.J., *et al.* (2007). Association analysis of the chromosome 4p15-p16 candidate region for bipolar disorder and schizophrenia. *Molecular psychiatry* 12, 1011-1025.

## D

- Dalerba, P., Dylla, S.J., Park, I.K., Liu, R., Wang, X., Cho, R.W., Hoey, T., Gurney, A., Huang, E.H., Simeone, D.M., *et al.* (2007). Phenotypic characterization of human colorectal cancer stem cells. *Proceedings of the National Academy of Sciences of the United States of America* 104, 10158-10163.
- Dalrymple, S., Antony, L., Xu, Y., Uzgare, A.R., Arnold, J.T., Savageot, J., Sokoll, L.J., De Marzo, A.M., and Isaacs, J.T. (2005). Role of notch-1 and E-cadherin in the differential response to calcium in culturing normal versus malignant prostate cells. *Cancer research* 65, 9269-9279.
- Dallol, A., Da Silva, N.F., Viacava, P., Minna, J.D., Bieche, I., Maher, E.R., and Latif, F. (2002). SLIT2, a human homologue of the *Drosophila* Slit2 gene, has tumor suppressor activity and is frequently inactivated in lung and breast cancers. *Cancer research* 62, 5874-5880.
- Dallol, A., Krex, D., Hesson, L., Eng, C., Maher, E.R., and Latif, F. (2003a). Frequent epigenetic inactivation of the SLIT2 gene in gliomas. *Oncogene* 22, 4611-4616.
- Dallol, A., Morton, D., Maher, E.R., and Latif, F. (2003b). SLIT2 axon guidance molecule is frequently inactivated in colorectal cancer and suppresses growth of colorectal carcinoma cells. *Cancer research* 63, 1054-1058.
- De Gramont A, Banzi M, Navarro M. Oxaliplatin/5-FU/LV in adjuvant colon cancer: results of the international randomized MOSAIC trial. [Abstract]. *Proceedings of the American Society of Clinical Oncology* 22: A-10-15, 2003
- de la Chapelle, A. (2004). Genetic predisposition to colorectal cancer. *Nature reviews* 4, 769-780.
- de Wind, N., Dekker, M., van Rossum, A., van der Valk, M., and te Riele, H. (1998). Mouse models for hereditary nonpolyposis colorectal cancer. *Cancer research* 58, 248-255.
- Deans, G.T., Parks, T.G., Rowlands, B.J., and Spence, R.A. (1992). Prognostic factors in colorectal cancer. *The British journal of surgery* 79, 608-613.
- Del Senno, L., Maestri, I., Piva, R., Hanau, S., Reggiani, A., Romano, A., and Russo, G. (1989). Differential hypomethylation of the c-myc protooncogene in bladder cancers at different stages and grades. *The Journal of urology* 142, 146-149.
- Diep, C.B., Kleivi, K., Ribeiro, F.R., Teixeira, M.R., Lindgjaerde, O.C., and Lothe, R.A. (2006). The order of genetic events associated with colorectal cancer progression inferred from meta-analysis of copy number changes. *Genes, chromosomes & cancer* 45, 31-41.
- Dotor, E., Cuatrecases, M., Martinez-Iniesta, M., Navarro, M., Vilardell, F., Guino, E., Pareja, L., Figueras, A., Mollevi, D.G., Serrano, T., *et al.* (2006). Tumor

thymidylate synthase 1494del6 genotype as a prognostic factor in colorectal cancer patients receiving fluorouracil-based adjuvant treatment. *J Clin Oncol* 24, 1603-1611.

- Duffy, M.J., van Dalen, A., Haglund, C., Hansson, L., Holinski-Feder, E., Klapdor, R., Lamerz, R., Peltomaki, P., Sturgeon, C., and Topolcan, O. (2007). Tumour markers in colorectal cancer: European Group on Tumour Markers (EGTM) guidelines for clinical use. *Eur J Cancer* 43, 1348-1360.
- Dutrillaux, B., Gerbault-Seureau, M., Remvikos, Y., Zafrani, B., and Prieur, M. (1991). Breast cancer genetic evolution: I. Data from cytogenetics and DNA content. *Breast cancer research and treatment* 19, 245-255.

## E

- Eden, A., Gaudet, F., Waghmare, A., and Jaenisch, R. (2003). Chromosomal instability and tumors promoted by DNA hypomethylation. *Science* (New York, NY 300, 455.
- Eshleman, J.R., Lang, E.Z., Bowerfind, G.K., Parsons, R., Vogelstein, B., Willson, J.K., Veigl, M.L., Sedwick, W.D., and Markowitz, S.D. (1995). Increased mutation rate at the hprt locus accompanies microsatellite instability in colon cancer. *Oncogene* 10, 33-37.
- Esteller, M., Fraga, M.F., Guo, M., Garcia-Foncillas, J., Hedenfalk, I., Godwin, A.K., Trojan, J., Vaurs-Barriere, C., Bignon, Y.J., Ramus, S., et al. (2001a). DNA methylation patterns in hereditary human cancers mimic sporadic tumorigenesis. *Human molecular genetics* 10, 3001-3007.
- Esteller, M., Hamilton, S.R., Burger, P.C., Baylin, S.B., and Herman, J.G. (1999). Inactivation of the DNA repair gene O6-methylguanine-DNA methyltransferase by promoter hypermethylation is a common event in primary human neoplasia. *Cancer research* 59, 793-797.
- Esteller, M., Risques, R.A., Toyota, M., Capella, G., Moreno, V., Peinado, M.A., Baylin, S.B., and Herman, J.G. (2001b). Promoter hypermethylation of the DNA repair gene O(6)-methylguanine-DNA methyltransferase is associated with the presence of G:C to A:T transition mutations in p53 in human colorectal tumorigenesis. *Cancer research* 61, 4689-4692.
- Esteller, M., Toyota, M., Sanchez-Cespedes, M., Capella, G., Peinado, M.A., Watkins, D.N., Issa, J.P., Sidransky, D., Baylin, S.B., and Herman, J.G. (2000). Inactivation of the DNA repair gene O6-methylguanine-DNA methyltransferase by promoter hypermethylation is associated with G to A mutations in K-ras in colorectal tumorigenesis. *Cancer research* 60, 2368-2371.

## F

- Fearon, E.R., and Jones, P.A. (1992). Progressing toward a molecular description of colorectal cancer development. *Faseb J* 6, 2783-2790.
- Fearon, E.R., and Vogelstein, B. (1990). A genetic model for colorectal tumorigenesis. *Cell* 61, 759-767.

- Feinberg, A.P., Gehrke, C.W., Kuo, K.C., and Ehrlich, M. (1988). Reduced genomic 5-methylcytosine content in human colonic neoplasia. *Cancer research* 48, 1159-1161.
- Feinberg, A.P., and Tycko, B. (2004). The history of cancer epigenetics. *Nature reviews* 4, 143-153.
- Feinberg, A.P., and Vogelstein, B. (1983). Hypomethylation distinguishes genes of some human cancers from their normal counterparts. *Nature* 301, 89-92.
- Fels, L.M., Buschmann, T., Meuer, J., Reymond, M.A., Lamer, S., Rocken, C., and Ebert, M.P. (2003). Proteome analysis for the identification of tumor-associated biomarkers in gastrointestinal cancer. *Digestive diseases* (Basel, Switzerland) 21, 292-298.
- Fernandez, P.L., Nayach, I., Fernandez, E., Fresno, L., Palacin, A., Farre, X., Campo, E., and Cardesa, A. (2001). Tissue macroarrays ("microchops") for gene expression analysis. *Virchows Arch* 438, 591-594.
- Ferrari, P., Jenab, M., Norat, T., Moskal, A., Slimani, N., Olsen, A., Tjonneland, A., Overvad, K., Jensen, M.K., Boutron-Ruault, M.C., et al. (2007). Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). *International journal of cancer* 121, 2065-2072.
- Fidler, I.J. (1991). Orthotopic implantation of human colon carcinomas into nude mice provides a valuable model for the biology and therapy of metastasis. *Cancer metastasis reviews* 10, 229-243.
- Fodde, R., Kuipers, J., Rosenberg, C., Smits, R., Kielman, M., Gaspar, C., van Es, J.H., Breukel, C., Wiegant, J., Giles, R.H., et al. (2001). Mutations in the APC tumour suppressor gene cause chromosomal instability. *Nature cell biology* 3, 433-438.
- Frese, K.K., and Tuveson, D.A. (2007). Maximizing mouse cancer models. *Nature reviews* 7, 645-658.
- Frigola, J., Song, J., Stirzaker, C., Hinshelwood, R.A., Peinado, M.A., and Clark, S.J. (2006). Epigenetic remodeling in colorectal cancer results in coordinate gene suppression across an entire chromosome band. *Nature genetics* 38, 540-549.
- Fruman, D.A., Meyers, R.E., and Cantley, L.C. (1998). Phosphoinositide kinases. *Annual review of biochemistry* 67, 481-507.
- Fu, X., Guadagni, F., and Hoffman, R.M. (1992). A metastatic nude-mouse model of human pancreatic cancer constructed orthotopically with histologically intact patient specimens. *Proceedings of the National Academy of Sciences of the United States of America* 89, 5645-5649.
- Fu, X.Y., Besterman, J.M., Monosov, A., and Hoffman, R.M. (1991). Models of human metastatic colon cancer in nude mice orthotopically constructed by using histologically intact patient specimens. *Proceedings of the National Academy of Sciences of the United States of America* 88, 9345-9349.

## G

- Gaasenbeek, M., Howarth, K., Rowan, A.J., Gorman, P.A., Jones, A., Chaplin, T., Liu, Y., Bicknell, D., Davison, E.J., Fiegler, H., et al. (2006). Combined array-comparative genomic hybridization and single-nucleotide polymorphism-loss of

- heterozygosity analysis reveals complex changes and multiple forms of chromosomal instability in colorectal cancers. *Cancer research* 66, 3471-3479.
- Galamb, O., Sipos, F., Fischer, K., Tulassay, Z., and Molnar, B. (2005). The results of the expression array studies correlate and enhance the known genetic basis of gastric and colorectal cancer. *Cytometry* 68, 1-17.
  - Gama-Sosa, M.A., Slagel, V.A., Trewyn, R.W., Oxenhander, R., Kuo, K.C., Gehrke, C.W., and Ehrlich, M. (1983). The 5-methylcytosine content of DNA from human tumors. *Nucleic acids research* 11, 6883-6894.
  - Gaudet, F., Hodgson, J.G., Eden, A., Jackson-Grusby, L., Dausman, J., Gray, J.W., Leonhardt, H., and Jaenisch, R. (2003). Induction of tumors in mice by genomic hypomethylation. *Science* (New York, NY) 300, 489-492.
  - Gill, S., Loprinzi, C.L., Sargent, D.J., Thome, S.D., Alberts, S.R., Haller, D.G., Benedetti, J., Francini, G., Shepherd, L.E., Francois Seitz, J., et al. (2004). Pooled analysis of fluorouracil-based adjuvant therapy for stage II and III colon cancer: who benefits and by how much? *J Clin Oncol* 22, 1797-1806.
  - Giovannucci, E., and Willett, W.C. (1994). Dietary factors and risk of colon cancer. *Annals of medicine* 26, 443-452.
  - Grady, W.M., and Markowitz, S.D. (2002). Genetic and epigenetic alterations in colon cancer. *Annual review of genomics and human genetics* 3, 101-128.

## H

- Hahn, S.A., Schutte, M., Hoque, A.T., Moskaluk, C.A., da Costa, L.T., Rozenblum, E., Weinstein, C.L., Fischer, A., Yeo, C.J., Hruban, R.H., et al. (1996). DPC4, a candidate tumor suppressor gene at human chromosome 18q21.1. *Science* (New York, NY) 271, 350-353.
- Hahn, S.A., Seymour, A.B., Hoque, A.T., Schutte, M., da Costa, L.T., Redston, M.S., Caldas, C., Weinstein, C.L., Fischer, A., Yeo, C.J., et al. (1995). Allelotyping of pancreatic adenocarcinoma using xenograft enrichment. *Cancer research* 55, 4670-4675.
- Hampton, G.M., Larson, A.A., Baergen, R.N., Sommers, R.L., Kern, S., and Cavenee, W.K. (1996). Simultaneous assessment of loss of heterozygosity at multiple microsatellite loci using semi-automated fluorescence-based detection: subregional mapping of chromosome 4 in cervical carcinoma. *Proceedings of the National Academy of Sciences of the United States of America* 93, 6704-6709.
- Hanahan, D., and Weinberg, R.A. (2000). The hallmarks of cancer. *Cell* 100, 57-70.
- Hardisty, J.F. (1985). Factors influencing laboratory animal spontaneous tumor profiles. *Toxicologic pathology* 13, 95-104.
- Hartwell, L. (1992). Defects in a cell cycle checkpoint may be responsible for the genomic instability of cancer cells. *Cell* 71, 543-546.
- Hartwell, L., Weinert, T., Kadyk, L., and Garvik, B. (1994). Cell cycle checkpoints, genomic integrity, and cancer. *Cold Spring Harbor symposia on quantitative biology* 59, 259-263.
- Hayashizaki, Y., Hirotsune, S., Okazaki, Y., Hatada, I., Shibata, H., Kawai, J., Hirose, K., Watanabe, S., Fushiki, S., Wada, S., et al. (1993). Restriction

- landmark genomic scanning method and its various applications. *Electrophoresis* 14, 251-258.
- Heath, J.P. (1996). Epithelial cell migration in the intestine. *Cell biology international* 20, 139-146.
  - Herman, J.G., Umar, A., Polyak, K., Graff, J.R., Ahuja, N., Issa, J.P., Markowitz, S., Willson, J.K., Hamilton, S.R., Kinzler, K.W., *et al.* (1998). Incidence and functional consequences of hMLH1 promoter hypermethylation in colorectal carcinoma. *Proceedings of the National Academy of Sciences of the United States of America* 95, 6870-6875.
  - Hernandez, S., Toll, A., Baselga, E., Ribe, A., Azua-Romeo, J., Pujol, R.M., and Real, F.X. (2007). Fibroblast growth factor receptor 3 mutations in epidermal nevi and associated low grade bladder tumors. *The Journal of investigative dermatology* 127, 1664-1666.
  - Herrera, L., Kakati, S., Gibas, L., Pietrzak, E., and Sandberg, A.A. (1986). Gardner syndrome in a man with an interstitial deletion of 5q. *American journal of medical genetics* 25, 473-476.
  - Hewavitharana, T., Deng, X., Soboloff, J., and Gill, D.L. (2007). Role of STIM and Orai proteins in the store-operated calcium signaling pathway. *Cell calcium* 42, 173-182.
  - Hillier, L.W., Graves, T.A., Fulton, R.S., Fulton, L.A., Pepin, K.H., Minx, P., Wagner-McPherson, C., Layman, D., Wylie, K., Sekhon, M., *et al.* (2005). Generation and annotation of the DNA sequences of human chromosomes 2 and 4. *Nature* 434, 724-731.
  - Hoff, P.M., Ansari, R., Batist, G., Cox, J., Kocha, W., Kuperminc, M., Maroun, J., Walde, D., Weaver, C., Harrison, E., *et al.* (2001). Comparison of oral capecitabine versus intravenous fluorouracil plus leucovorin as first-line treatment in 605 patients with metastatic colorectal cancer: results of a randomized phase III study. *J Clin Oncol* 19, 2282-2292.
  - Huang, L., Goodrow, T.L., Zhang, S.Y., Klein-Szanto, A.J., Chang, H., and Ruggeri, B.A. (1996). Deletion and mutation analyses of the P16/MTS-1 tumor suppressor gene in human ductal pancreatic cancer reveals a higher frequency of abnormalities in tumor-derived cell lines than in primary ductal adenocarcinomas. *Cancer research* 56, 1137-1141.
  - Huang, T.H., Perry, M.R., and Laux, D.E. (1999). Methylation profiling of CpG islands in human breast cancer cells. *Human molecular genetics* 8, 459-470.
  - Hurwitz, H., Fehrenbacher, L., Novotny, W., Cartwright, T., Hainsworth, J., Heim, W., Berlin, J., Baron, A., Griffing, S., Holmgren, E., *et al.* (2004). Bevacizumab plus irinotecan, fluorouracil, and leucovorin for metastatic colorectal cancer. *The New England journal of medicine* 350, 2335-2342.
  - Hutter, R.V., and Sabin, L.H. (1986). A universal staging system for cancer of the colon and rectum. Let there be light. *Archives of pathology & laboratory medicine* 110, 367-368.
  
  - Iacobuzio-Donahue, C.A., Maitra, A., Olsen, M., Lowe, A.W., van Heek, N.T., Rosty, C., Walter, K., Sato, N., Parker, A., Ashfaq, R., *et al.* (2003). Exploration of

- global gene expression patterns in pancreatic adenocarcinoma using cDNA microarrays. *The American journal of pathology* 162, 1151-1162.
- Izuka, M., and Smith, M.M. (2003). Functional consequences of histone modifications. *Current opinion in genetics & development* 13, 154-160.
  - Ilyas, M., Straub, J., Tomlinson, I.P., and Bodmer, W.F. (1999). Genetic pathways in colorectal and other cancers. *Eur J Cancer* 35, 1986-2002.
  - Ionov, Y., Peinado, M.A., Malkhosyan, S., Shibata, D., and Perucho, M. (1993). Ubiquitous somatic mutations in simple repeated sequences reveal a new mechanism for colonic carcinogenesis. *Nature* 363, 558-561.
  - Iozzo, R.V., Eichstetter, I., and Danielson, K.G. (1995). Aberrant expression of the growth factor Wnt-5A in human malignancy. *Cancer research* 55, 3495-3499.
  - Ishitani, T., Kishida, S., Hyodo-Miura, J., Ueno, N., Yasuda, J., Waterman, M., Shibuya, H., Moon, R.T., Ninomiya-Tsuji, J., and Matsumoto, K. (2003). The TAK1-NLK mitogen-activated protein kinase cascade functions in the Wnt-5a/Ca(2+) pathway to antagonize Wnt/beta-catenin signaling. *Molecular and cellular biology* 23, 131-139.
  - Iwabuchi, H., Sakamoto, M., Sakunaga, H., Ma, Y.Y., Carcangiu, M.L., Pinkel, D., Yang-Feng, T.L., and Gray, J.W. (1995). Genetic analysis of benign, low-grade, and high-grade ovarian tumors. *Cancer research* 55, 6172-6180.

## J

- Jacks, T., Shih, T.S., Schmitt, E.M., Bronson, R.T., Bernards, A., and Weinberg, R.A. (1994). Tumour predisposition in mice heterozygous for a targeted mutation in Nf1. *Nature genetics* 7, 353-361.
- Janetopoulos, C., and Devreotes, P. (2006). Phosphoinositide signaling plays a key role in cytokinesis. *The Journal of cell biology* 174, 485-490.
- Ji, L., Nishizaki, M., Gao, B., Burbee, D., Kondo, M., Kamibayashi, C., Xu, K., Yen, N., Atkinson, E.N., Fang, B., *et al.* (2002). Expression of several genes in the human chromosome 3p21.3 homozygous deletion region by an adenovirus vector results in tumor suppressor activities in vitro and in vivo. *Cancer research* 62, 2715-2720.
- Jin, C., Jin, Y., Wennerberg, J., Annertz, K., Enoksson, J., and Mertens, F. (2006). Cytogenetic abnormalities in 106 oral squamous cell carcinomas. *Cancer genetics and cytogenetics* 164, 44-53.
- Jones, P.A., and Laird, P.W. (1999). Cancer epigenetics comes of age. *Nature genetics* 21, 163-167.
- Jones, R.G., Bui, T., White, C., Madesh, M., Krawczyk, C.M., Lindsten, T., Hawkins, B.J., Kubek, S., Frauwirth, K.A., Wang, Y.L., *et al.* (2007). The proapoptotic factors Bax and Bak regulate T Cell proliferation through control of endoplasmic reticulum Ca(2+) homeostasis. *Immunity* 27, 268-280.

## K

- Kallioniemi, A., Kallioniemi, O.P., Sudar, D., Rutovitz, D., Gray, J.W., Waldman, F., and Pinkel, D. (1992). Comparative genomic hybridization for molecular cytogenetic analysis of solid tumors. *Science* (New York, NY 258, 818-821.
- Kane, M.F., Loda, M., Gaida, G.M., Lipman, J., Mishra, R., Goldman, H., Jessup, J.M., and Kolodner, R. (1997). Methylation of the hMLH1 promoter correlates with lack of expression of hMLH1 in sporadic colon tumors and mismatch repair-defective human tumor cell lines. *Cancer research* 57, 808-811.
- Kaplan, K.B., Burds, A.A., Swedlow, J.R., Bekir, S.S., Sorger, P.K., and Nathke, I.S. (2001). A role for the Adenomatous Polyposis Coli protein in chromosome segregation. *Nature cell biology* 3, 429-432.
- Kendall, S.D., Adam, S.J., and Counter, C.M. (2006). Genetically engineered human cancer models utilizing mammalian transgene expression. *Cell cycle* (Georgetown, Tex 5, 1074-1079.
- Kinzler, K.W., and Vogelstein, B. (1996). Lessons from hereditary colorectal cancer. *Cell* 87, 159-170.
- Kitahara, O., Furukawa, Y., Tanaka, T., Kihara, C., Ono, K., Yanagawa, R., Nita, M.E., Takagi, T., Nakamura, Y., and Tsunoda, T. (2001). Alterations of gene expression during colorectal carcinogenesis revealed by cDNA microarrays after laser-capture microdissection of tumor tissues and normal epithelia. *Cancer research* 61, 3544-3549.
- Kleibeuker, J.H., Mulder, N.H., Cats, A., van der Meer, R., and de Vries, E.G. (1996). Calcium and colorectal epithelial cell proliferation. *Gut* 39, 774-775.
- Knudson, A.G., Jr. (1971). Mutation and cancer: statistical study of retinoblastoma. *Proceedings of the National Academy of Sciences of the United States of America* 68, 820-823.
- Kobayashi, T., Minowa, O., Kuno, J., Mitani, H., Hino, O., and Noda, T. (1999). Renal carcinogenesis, hepatic hemangiomatosis, and embryonic lethality caused by a germ-line Tsc2 mutation in mice. *Cancer research* 59, 1206-1211.
- Koehler, A., Bataille, F., Schmid, C., Ruemmele, P., Waldeck, A., Blaszyk, H., Hartmann, A., Hofstaedter, F., and Dietmaier, W. (2004). Gene expression profiling of colorectal cancer and metastases divides tumours according to their clinicopathological stage. *The Journal of pathology* 204, 65-74.
- Kohn, A.D., and Moon, R.T. (2005). Wnt and calcium signaling: beta-catenin-independent pathways. *Cell calcium* 38, 439-446.
- Koi, M., Umar, A., Chauhan, D.P., Cherian, S.P., Carethers, J.M., Kunkel, T.A., and Boland, C.R. (1994). Human chromosome 3 corrects mismatch repair deficiency and microsatellite instability and reduces N-methyl-N'-nitro-N-nitrosoguanidine tolerance in colon tumor cells with homozygous hMLH1 mutation. *Cancer research* 54, 4308-4312.
- Kuhl, M., Geis, K., Sheldahl, L.C., Pukrop, T., Moon, R.T., and Wedlich, D. (2001). Antagonistic regulation of convergent extension movements in *Xenopus* by Wnt/beta-catenin and Wnt/Ca<sup>2+</sup> signaling. *Mechanisms of development* 106, 61-76.
- Kuhn, R., Schwenk, F., Aguet, M., and Rajewsky, K. (1995). Inducible gene targeting in mice. *Science* (New York, NY 269, 1427-1429.

## L

- Lejeune, S., Huguet, E.L., Hamby, A., Poulsom, R., and Harris, A.L. (1995). Wnt5a cloning, expression, and up-regulation in human primary breast cancers. *Clin Cancer Res* 1, 215-222.
- Lengauer, C., Kinzler, K.W., and Vogelstein, B. (1997). Genetic instability in colorectal cancers. *Nature* 386, 623-627.
- Lengauer, C., Kinzler, K.W., and Vogelstein, B. (1998). Genetic instabilities in human cancers. *Nature* 396, 643-649.
- Leonard, G.D., Brenner, B., and Kemeny, N.E. (2005). Neoadjuvant chemotherapy before liver resection for patients with unresectable liver metastases from colorectal carcinoma. *J Clin Oncol* 23, 2038-2048.
- Levy, D.B., Smith, K.J., Beazer-Barclay, Y., Hamilton, S.R., Vogelstein, B., and Kinzler, K.W. (1994). Inactivation of both APC alleles in human and mouse tumors. *Cancer research* 54, 5953-5958.
- Li, J.L., and Harris, A.L. (2005). Notch signaling from tumor cells: a new mechanism of angiogenesis. *Cancer cell* 8, 1-3.
- Liang, H., Chen, Q., Coles, A.H., Anderson, S.J., Pihan, G., Bradley, A., Gerstein, R., Jurecic, R., and Jones, S.N. (2003). Wnt5a inhibits B cell proliferation and functions as a tumor suppressor in hematopoietic tissue. *Cancer cell* 4, 349-360.
- Lim, W.K., Wang, K., Lefebvre, C., and Califano, A. (2007). Comparative analysis of microarray normalization procedures: effects on reverse engineering gene networks. *Bioinformatics* (Oxford, England) 23, i282-288.
- Liou, J., Kim, M.L., Heo, W.D., Jones, J.T., Myers, J.W., Ferrell, J.E., Jr., and Meyer, T. (2005). STIM is a Ca<sup>2+</sup> sensor essential for Ca<sup>2+</sup>-store-depletion-triggered Ca<sup>2+</sup> influx. *Curr Biol* 15, 1235-1241.
- Loeb, K.R., and Loeb, L.A. (2000). Significance of multiple mutations in cancer. *Carcinogenesis* 21, 379-385.
- Loeb, L.A. (1991). Mutator phenotype may be required for multistage carcinogenesis. *Cancer research* 51, 3075-3079.
- Loeb, L.A., and Christians, F.C. (1996). Multiple mutations in human cancers. *Mutation research* 350, 279-286.
- Luongo, C., Moser, A.R., Gledhill, S., and Dove, W.F. (1994). Loss of Apc+ in intestinal adenomas from Min mice. *Cancer research* 54, 5947-5952.

## M

- Maillard, I., and Pear, W.S. (2003). Notch and cancer: best to avoid the ups and downs. *Cancer cell* 3, 203-205.
- Malkhosyan, S., Yasuda, J., Soto, J.L., Sekiya, T., Yokota, J., and Perucho, M. (1998). Molecular karyotype (amplotype) of metastatic colorectal cancer by unbiased arbitrarily primed PCR DNA fingerprinting. *Proceedings of the National Academy of Sciences of the United States of America* 95, 10170-10175.
- Mamounas, E., Wieand, S., Wolmark, N., Bear, H.D., Atkins, J.N., Song, K., Jones, J., and Rockette, H. (1999). Comparative efficacy of adjuvant chemotherapy in patients with Dukes' B versus Dukes' C colon cancer: results from four National

- Surgical Adjuvant Breast and Bowel Project adjuvant studies (C-01, C-02, C-03, and C-04). *J Clin Oncol* 17, 1349-1355.
- Mao, E.F., Lane, L., Lee, J., and Miller, J.H. (1997). Proliferation of mutators in A cell population. *Journal of bacteriology* 179, 417-422.
  - Margolin, A.A., Nemenman, I., Basso, K., Wiggins, C., Stolovitzky, G., Dalla Favera, R., and Califano, A. (2006). ARACNE: an algorithm for the reconstruction of gene regulatory networks in a mammalian cellular context. *BMC bioinformatics* 7 Suppl 1, S7.
  - Markowitz, S., Wang, J., Myeroff, L., Parsons, R., Sun, L., Lutterbaugh, J., Fan, R.S., Zborowska, E., Kinzler, K.W., Vogelstein, B., et al. (1995). Inactivation of the type II TGF-beta receptor in colon cancer cells with microsatellite instability. *Science* (New York, NY) 268, 1336-1338.
  - Marra, G., and Boland, C.R. (1995). Hereditary nonpolyposis colorectal cancer: the syndrome, the genes, and historical perspectives. *Journal of the National Cancer Institute* 87, 1114-1125.
  - Matsuzaki, K., Deng, G., Tanaka, H., Kakar, S., Miura, S., and Kim, Y.S. (2005). The relationship between global methylation level, loss of heterozygosity, and microsatellite instability in sporadic colorectal cancer. *Clin Cancer Res* 11, 8564-8569.
  - Maye, P., Zheng, J., Li, L., and Wu, D. (2004). Multiple mechanisms for Wnt11-mediated repression of the canonical Wnt signaling pathway. *The Journal of biological chemistry* 279, 24659-24665.
  - Menendez, M., Gonzalez, S., Obrador-Hevia, A., Dominguez, A., Pujol, M.J., Valls, J., Canela, N., Blanco, I., Torres, A., Pineda-Lucena, A., et al. (2008). Functional characterization of the novel APC N1026S variant associated with attenuated familial adenomatous polyposis. *Gastroenterology* 134, 56-64.
  - Miki, Y., Nishisho, I., Horii, A., Miyoshi, Y., Utsunomiya, J., Kinzler, K.W., Vogelstein, B., and Nakamura, Y. (1992). Disruption of the APC gene by a retrotransposal insertion of L1 sequence in a colon cancer. *Cancer research* 52, 643-645.
  - Millen, A.E., Subar, A.F., Graubard, B.I., Peters, U., Hayes, R.B., Weissfeld, J.L., Yokochi, L.A., and Ziegler, R.G. (2007). Fruit and vegetable intake and prevalence of colorectal adenoma in a cancer screening trial. *The American journal of clinical nutrition* 86, 1754-1764.
  - Mootha, V.K., Lindgren, C.M., Eriksson, K.F., Subramanian, A., Sihag, S., Lehar, J., Puigserver, P., Carlsson, E., Ridderstrale, M., Laurila, E., et al. (2003). PGC-1alpha-responsive genes involved in oxidative phosphorylation are coordinately downregulated in human diabetes. *Nature genetics* 34, 267-273.
  - Morse, B., Rotherg, P.G., South, V.J., Spandorfer, J.M., and Astrin, S.M. (1988). Insertional mutagenesis of the myc locus by a LINE-1 sequence in a human breast carcinoma. *Nature* 333, 87-90.

## N

- Narayan, A., Ji, W., Zhang, X.Y., Marrogi, A., Graff, J.R., Baylin, S.B., and Ehrlich, M. (1998). Hypomethylation of pericentromeric DNA in breast adenocarcinomas. *International journal of cancer* 77, 833-838.

- Nishizuka, Y. (1984a). The role of protein kinase C in cell surface signal transduction and tumour promotion. *Nature* **308**, 693-698.
- Nishizuka, Y. (1984b). Turnover of inositol phospholipids and signal transduction. *Science* (New York, NY **225**, 1365-1370).
- Nowell, P.C. (1976). The clonal evolution of tumor cell populations. *Science* (New York, NY **194**, 23-28).
- Nystrom-Lahti, M., Kristo, P., Nicolaides, N.C., Chang, S.Y., Aaltonen, L.A., Moisio, A.L., Jarvinen, H.J., Mecklin, J.P., Kinzler, K.W., Vogelstein, B., *et al.* (1995). Founding mutations and Alu-mediated recombination in hereditary colon cancer. *Nature medicine* **1**, 1203-1206.

## O

- Ogino, S., and Goel, A. (2008). Molecular classification and correlates in colorectal cancer. *J Mol Diagn* **10**, 13-27.
- Ogino, S., Meyerhardt, J.A., Kawasaki, T., Clark, J.W., Ryan, D.P., Kulke, M.H., Enzinger, P.C., Wolpin, B.M., Loda, M., and Fuchs, C.S. (2007). CpG island methylation, response to combination chemotherapy, and patient survival in advanced microsatellite stable colorectal carcinoma. *Virchows Arch* **450**, 529-537.
- Oh-Hora, M., Yamashita, M., Hogan, P.G., Sharma, S., Lamperti, E., Chung, W., Prakriya, M., Feske, S., and Rao, A. (2008). Dual functions for the endoplasmic reticulum calcium sensors STIM1 and STIM2 in T cell activation and tolerance. *Nature immunology* **9**, 432-443.
- Oostlander, A.E., Meijer, G.A., and Ylstra, B. (2004). Microarray-based comparative genomic hybridization and its applications in human genetics. *Clinical genetics* **66**, 488-495.

## P

- Pantelouris, E.M. (1968). Absence of thymus in a mouse mutant. *Nature* **217**, 370-371.
- Parvez, S., Beck, A., Peinelt, C., Soboloff, J., Lis, A., Monteilh-Zoller, M., Gill, D.L., Fleig, A., and Penner, R. (2008). STIM2 protein mediates distinct store-dependent and store-independent modes of CRAC channel activation. *Faseb J* **22**, 752-761.
- Payne, S.R., and Kemp, C.J. (2005). Tumor suppressor genetics. *Carcinogenesis* **26**, 2031-2045.
- Peinado, M.A., Malkhosyan, S., Velazquez, A., and Perucho, M. (1992). Isolation and characterization of allelic losses and gains in colorectal tumors by arbitrarily primed polymerase chain reaction. *Proceedings of the National Academy of Sciences of the United States of America* **89**, 10065-10069.
- Peltomaki, P., Aaltonen, L.A., Sistonen, P., Pylkkanen, L., Mecklin, J.P., Jarvinen, H., Green, J.S., Jass, J.R., Weber, J.L., Leach, F.S., *et al.* (1993). Genetic mapping of a locus predisposing to human colorectal cancer. *Science* (New York, NY **260**, 810-812).

- Penman, G.A., Leung, L., and Nathke, I.S. (2005). The adenomatous polyposis coli protein (APC) exists in two distinct soluble complexes with different functions. *Journal of cell science* 118, 4741-4750.
- Perou, C.M., Sorlie, T., Eisen, M.B., van de Rijn, M., Jeffrey, S.S., Rees, C.A., Pollack, J.R., Ross, D.T., Johnsen, H., Akslen, L.A., *et al.* (2000). Molecular portraits of human breast tumours. *Nature* 406, 747-752.
- Perri, P., Longo, L., Cusano, R., McConville, C.M., Rees, S.A., Devoto, M., Conte, M., Ferrara, G.B., Seri, M., Romeo, G., *et al.* (2002). Weak linkage at 4p16 to predisposition for human neuroblastoma. *Oncogene* 21, 8356-8360.
- Pershouse, M.A., El-Naggar, A.K., Hurr, K., Lin, H., Yung, W.K., and Steck, P.A. (1997a). Deletion mapping of chromosome 4 in head and neck squamous cell carcinoma. *Oncogene* 14, 369-373.
- Pershouse, M.A., Ligon, A.H., Pereira-Smith, O.M., Killary, A.M., Yung, W.K., and Steck, P.A. (1997b). Suppression of transformed phenotype and tumorigenicity after transfer of chromosome 4 into U251 human glioma cells. *Genes, chromosomes & cancer* 20, 260-267.
- Perucho, M. (1996). Cancer of the microsatellite mutator phenotype. *Biological chemistry* 377, 675-684.
- Perucho, M., Peinado, M.A., Ionov, Y., Casares, S., Malkhosyan, S., and Stanbridge, E. (1994). Defects in replication fidelity of simple repeated sequences reveal a new mutator mechanism for oncogenesis. *Cold Spring Harbor symposia on quantitative biology* 59, 339-348.
- Peters, J.M. (2006). The anaphase promoting complex/cyclosome: a machine designed to destroy. *Nat Rev Mol Cell Biol* 7, 644-656.
- Pfaffl, M.W., Horgan, G.W., and Dempfle, L. (2002). Relative expression software tool (REST) for group-wise comparison and statistical analysis of relative expression results in real-time PCR. *Nucleic acids research* 30, e36.
- Phear, G., Bhattacharyya, N.P., and Meuth, M. (1996). Loss of heterozygosity and base substitution at the APRT locus in mismatch-repair-proficient and -deficient colorectal carcinoma cell lines. *Molecular and cellular biology* 16, 6516-6523.
- Pietenpol, J.A., Bohlander, S.K., Sato, Y., Papadopoulos, N., Liu, B., Friedman, C., Trask, B.J., Roberts, J.M., Kinzler, K.W., Rowley, J.D., *et al.* (1995). Assignment of the human p27Kip1 gene to 12p13 and its analysis in leukemias. *Cancer research* 55, 1206-1210.
- Podsypanina, K., Ellenson, L.H., Nemes, A., Gu, J., Tamura, M., Yamada, K.M., Cordon-Cardo, C., Catoretti, G., Fisher, P.E., and Parsons, R. (1999). Mutation of Pten/Mmac1 in mice causes neoplasia in multiple organ systems. *Proceedings of the National Academy of Sciences of the United States of America* 96, 1563-1568.
- Polyak, K., Kato, J.Y., Solomon, M.J., Sherr, C.J., Massague, J., Roberts, J.M., and Koff, A. (1994). p27Kip1, a cyclin-Cdk inhibitor, links transforming growth factor-beta and contact inhibition to cell cycle arrest. *Genes & development* 8, 9-22.
- Popat, S., Hubner, R., and Houlston, R.S. (2005). Systematic review of microsatellite instability and colorectal cancer prognosis. *J Clin Oncol* 23, 609-618.
- Prasad, A., Fernandis, A.Z., Rao, Y., and Ganju, R.K. (2004). Slit protein-mediated inhibition of CXCR4-induced chemotactic and chemoinvasive signaling pathways in breast cancer cells. *The Journal of biological chemistry* 279, 9115-9124.

- Prasad, V., Boivin, G.P., Miller, M.L., Liu, L.H., Erwin, C.R., Warner, B.W., and Shull, G.E. (2005). Haploinsufficiency of Atp2a2, encoding the sarco(endo)plasmic reticulum Ca<sup>2+</sup>-ATPase isoform 2 Ca<sup>2+</sup> pump, predisposes mice to squamous cell tumors via a novel mode of cancer susceptibility. *Cancer research* 65, 8655-8661.
- Preston, S.L., Wong, W.M., Chan, A.O., Poulsom, R., Jeffery, R., Goodlad, R.A., Mandir, N., Elia, G., Novelli, M., Bodmer, W.F., *et al.* (2003). Bottom-up histogenesis of colorectal adenomas: origin in the monocryptal adenoma and initial expansion by crypt fission. *Cancer research* 63, 3819-3825.

## Q

- Qu, G., Dubeau, L., Narayan, A., Yu, M.C., and Ehrlich, M. (1999). Satellite DNA hypomethylation vs. overall genomic hypomethylation in ovarian epithelial tumors of different malignant potential. *Mutation research* 423, 91-101.
- Quon, K.C., and Berns, A. (2001). Haplo-insufficiency? Let me count the ways. *Genes & development* 15, 2917-2921.

## R

- Radtke, F., and Clevers, H. (2005). Self-renewal and cancer of the gut: two sides of a coin. *Science* (New York, NY 307, 1904-1909.
- Reyes, G., Villanueva, A., Garcia, C., Sancho, F.J., Piulats, J., Lluis, F., and Capella, G. (1996). Orthotopic xenografts of human pancreatic carcinomas acquire genetic aberrations during dissemination in nude mice. *Cancer research* 56, 5713-5719.
- Rhodes, D.R., and Chinnaian, A.M. (2005). Integrative analysis of the cancer transcriptome. *Nature genetics* 37 Suppl, S31-37.
- Ribic, C.M., Sargent, D.J., Moore, M.J., Thibodeau, S.N., French, A.J., Goldberg, R.M., Hamilton, S.R., Laurent-Puig, P., Gryfe, R., Shepherd, L.E., *et al.* (2003). Tumor microsatellite-instability status as a predictor of benefit from fluorouracil-based adjuvant chemotherapy for colon cancer. *The New England journal of medicine* 349, 247-257.
- Ried, T., Knutzen, R., Steinbeck, R., Blegen, H., Schrock, E., Heselmeyer, K., du Manoir, S., and Auer, G. (1996). Comparative genomic hybridization reveals a specific pattern of chromosomal gains and losses during the genesis of colorectal tumors. *Genes, chromosomes & cancer* 15, 234-245.
- Ruano, Y., Mollejo, M., Ribalta, T., Fiano, C., Camacho, F.I., Gomez, E., de Lope, A.R., Hernandez-Moneo, J.L., Martinez, P., and Melendez, B. (2006). Identification of novel candidate target genes in amplicons of Glioblastoma multiforme tumors detected by expression and CGH microarray profiling. *Molecular cancer* 5, 39.

## S

- Sabbioni, S., Barbanti-Brodano, G., Croce, C.M., and Negrini, M. (1997). GOK: a gene at 11p15 involved in rhabdomyosarcoma and rhabdoid tumor development. *Cancer research* 57, 4493-4497.

- Sabbioni, S., Veronese, A., Trubia, M., Taramelli, R., Barbanti-Brodano, G., Croce, C.M., and Negrini, M. (1999). Exon structure and promoter identification of STIM1 (alias GOK), a human gene causing growth arrest of the human tumor cell lines G401 and RD. *Cytogenetics and cell genetics* 86, 214-218.
- Samowitz, W.S., Sweeney, C., Herrick, J., Albertsen, H., Levin, T.R., Murtaugh, M.A., Wolff, R.K., and Slattery, M.L. (2005). Poor survival associated with the BRAF V600E mutation in microsatellite-stable colon cancers. *Cancer research* 65, 6063-6069.
- Santra, M., Zhan, F., Tian, E., Barlogie, B., and Shaughnessy, J., Jr. (2003). A subset of multiple myeloma harboring the t(4;14)(p16;q32) translocation lacks FGFR3 expression but maintains an IGH/MMSET fusion transcript. *Blood* 101, 2374-2376.
- Schmidt-Hansen, B., Klingelhofer, J., Grum-Schwensen, B., Christensen, A., Andresen, S., Kruse, C., Hansen, T., Ambartsumian, N., Lukanidin, E., and Grigorian, M. (2004). Functional significance of metastasis-inducing S100A4(Mts1) in tumor-stroma interplay. *The Journal of biological chemistry* 279, 24498-24504.
- Schonig, K., Schwenk, F., Rajewsky, K., and Bujard, H. (2002). Stringent doxycycline dependent control of CRE recombinase in vivo. *Nucleic acids research* 30, e134.
- Segal, E., Friedman, N., Kaminski, N., Regev, A., and Koller, D. (2005). From signatures to models: understanding cancer using microarrays. *Nature genetics* 37 Suppl, S38-45.
- Segal, E., Friedman, N., Koller, D., and Regev, A. (2004). A module map showing conditional activity of expression modules in cancer. *Nature genetics* 36, 1090-1098.
- Shih, I.M., Wang, T.L., Traverso, G., Romans, K., Hamilton, S.R., Ben-Sasson, S., Kinzler, K.W., and Vogelstein, B. (2001). Top-down morphogenesis of colorectal tumors. *Proceedings of the National Academy of Sciences of the United States of America* 98, 2640-2645.
- Shivapurkar, N., Maitra, A., Milchgrub, S., and Gazdar, A.F. (2001). Deletions of chromosome 4 occur early during the pathogenesis of colorectal carcinoma. *Human pathology* 32, 169-177.
- Shivapurkar, N., Sood, S., Wistuba, II, Virmani, A.K., Maitra, A., Milchgrub, S., Minna, J.D., and Gazdar, A.F. (1999a). Multiple regions of chromosome 4 demonstrating allelic losses in breast carcinomas. *Cancer research* 59, 3576-3580.
- Shivapurkar, N., Virmani, A.K., Wistuba, II, Milchgrub, S., Mackay, B., Minna, J.D., and Gazdar, A.F. (1999b). Deletions of chromosome 4 at multiple sites are frequent in malignant mesothelioma and small cell lung carcinoma. *Clin Cancer Res* 5, 17-23.
- Sikder, H., Huso, D.L., Zhang, H., Wang, B., Ryu, B., Hwang, S.T., Powell, J.D., and Alani, R.M. (2003). Disruption of Id1 reveals major differences in angiogenesis between transplanted and autochthonous tumors. *Cancer cell* 4, 291-299.
- Sjoblom, T., Jones, S., Wood, L.D., Parsons, D.W., Lin, J., Barber, T.D., Mandelker, D., Leary, R.J., Ptak, J., Silliman, N., et al. (2006). The consensus coding sequences of human breast and colorectal cancers. *Science* (New York, NY 314, 268-274.

- Smith, G., Carey, F.A., Beattie, J., Wilkie, M.J., Lightfoot, T.J., Coxhead, J., Garner, R.C., Steele, R.J., and Wolf, C.R. (2002). Mutations in APC, Kirsten-ras, and p53--alternative genetic pathways to colorectal cancer. *Proceedings of the National Academy of Sciences of the United States of America* 99, 9433-9438.
- Soboloff, J., Spassova, M.A., Hewavitharana, T., He, L.P., Xu, W., Johnstone, L.S., Dziadek, M.A., and Gill, D.L. (2006). STIM2 is an inhibitor of STIM1-mediated store-operated Ca<sup>2+</sup> Entry. *Curr Biol* 16, 1465-1470.
- Song, W.J., Sullivan, M.G., Legare, R.D., Hutchings, S., Tan, X., Kufrin, D., Ratajczak, J., Resende, I.C., Haworth, C., Hock, R., *et al.* (1999). Haploinsufficiency of CBFA2 causes familial thrombocytopenia with propensity to develop acute myelogenous leukaemia. *Nature genetics* 23, 166-175.
- Steinert, R., Buschmann, T., van der Linden, M., Fels, L.M., Lippert, H., and Reymond, M.A. (2002). The role of proteomics in the diagnosis and outcome prediction in colorectal cancer. *Technology in cancer research & treatment* 1, 297-304.
- Strauss, E. (2006). Arrays of hope. *Cell* 127, 657-659.
- Stremmel, C., Wein, A., Hohenberger, W., and Reingruber, B. (2002). DNA microarrays: a new diagnostic tool and its implications in colorectal cancer. *International journal of colorectal disease* 17, 131-136.
- Suyama, E., Wadhwa, R., Kaur, K., Miyagishi, M., Kaul, S.C., Kawasaki, H., and Taira, K. (2004). Identification of metastasis-related genes in a mouse model using a library of randomized ribozymes. *The Journal of biological chemistry* 279, 38083-38086.

## T

- Takayama, T., Ohi, M., Hayashi, T., Miyanishi, K., Nobuoka, A., Nakajima, T., Satoh, T., Takimoto, R., Kato, J., Sakamaki, S., *et al.* (2001). Analysis of K-ras, APC, and beta-catenin in aberrant crypt foci in sporadic adenoma, cancer, and familial adenomatous polyposis. *Gastroenterology* 121, 599-611.
- Tay, S.T., Leong, S.H., Yu, K., Aggarwal, A., Tan, S.Y., Lee, C.H., Wong, K., Visvanathan, J., Lim, D., Wong, W.K., *et al.* (2003). A combined comparative genomic hybridization and expression microarray analysis of gastric cancer reveals novel molecular subtypes. *Cancer research* 63, 3309-3316.
- Thiagalingam, S., Laken, S., Willson, J.K., Markowitz, S.D., Kinzler, K.W., Vogelstein, B., and Lengauer, C. (2001). Mechanisms underlying losses of heterozygosity in human colorectal cancers. *Proceedings of the National Academy of Sciences of the United States of America* 98, 2698-2702.
- Thorstensen, L., Qvist, H., Nesland, J.M., Giercksky, K.E., and Lothe, R.A. (1996). Allelotype profiles of local recurrences and distant metastases from colorectal-cancer patients. *International journal of cancer* 69, 452-456.
- Tomlinson, I.P., Lambros, M.B., and Roylance, R.R. (2002). Loss of heterozygosity analysis: practically and conceptually flawed? *Genes, chromosomes & cancer* 34, 349-353.
- Tomlinson, I.P., Novelli, M.R., and Bodmer, W.F. (1996). The mutation rate and cancer. *Proceedings of the National Academy of Sciences of the United States of America* 93, 14800-14803.

- Tournigand, C., Andre, T., Achille, E., Lledo, G., Flesh, M., Mery-Mignard, D., Quinaux, E., Couteau, C., Buyse, M., Ganem, G., *et al.* (2004). FOLFIRI followed by FOLFOX6 or the reverse sequence in advanced colorectal cancer: a randomized GERCOR study. *J Clin Oncol* 22, 229-237.
- Toyota, M., Ho, C., Ahuja, N., Jair, K.W., Li, Q., Ohe-Toyota, M., Baylin, S.B., and Issa, J.P. (1999). Identification of differentially methylated sequences in colorectal cancer by methylated CpG island amplification. *Cancer research* 59, 2307-2312.
- Toyota, M., Ohe-Toyota, M., Ahuja, N., and Issa, J.P. (2000). Distinct genetic profiles in colorectal tumors with or without the CpG island methylator phenotype. *Proceedings of the National Academy of Sciences of the United States of America* 97, 710-715.
- Tuveson, D.A., and Jacks, T. (2002). Technologically advanced cancer modeling in mice. *Current opinion in genetics & development* 12, 105-110.

## U

- Ushijima, T., Morimura, K., Hosoya, Y., Okonogi, H., Tatematsu, M., Sugimura, T., and Nagao, M. (1997). Establishment of methylation-sensitive-representational difference analysis and isolation of hypo- and hypermethylated genomic fragments in mouse liver tumors. *Proceedings of the National Academy of Sciences of the United States of America* 94, 2284-2289.

## V

- Vachtenheim, J., Horakova, I., and Novotna, H. (1994). Hypomethylation of CCGG sites in the 3' region of H-ras protooncogene is frequent and is associated with H-ras allele loss in non-small cell lung cancer. *Cancer research* 54, 1145-1148.
- Van Cutsem, E., Twelves, C., Cassidy, J., Allman, D., Bajetta, E., Boyer, M., Bugat, R., Findlay, M., Frings, S., Jahn, M., *et al.* (2001). Oral capecitabine compared with intravenous fluorouracil plus leucovorin in patients with metastatic colorectal cancer: results of a large phase III study. *J Clin Oncol* 19, 4097-4106.
- van de Wetering, M., Sancho, E., Verweij, C., de Lau, W., Oving, I., Hurlstone, A., van der Horn, K., Batlle, E., Coudreuse, D., Haramis, A.P., *et al.* (2002). The beta-catenin/TCF-4 complex imposes a crypt progenitor phenotype on colorectal cancer cells. *Cell* 111, 241-250.
- van Kranen, H.J., de Gruijl, F.R., de Vries, A., Sontag, Y., Wester, P.W., Senden, H.C., Rozemuller, E., and van Kreijl, C.F. (1995). Frequent p53 alterations but low incidence of ras mutations in UV-B-induced skin tumors of hairless mice. *Carcinogenesis* 16, 1141-1147.
- van Wezel, T., Lombaerts, M., van Roon, E.H., Philippo, K., Baelde, H.J., Szuhai, K., Cornelisse, C.J., and Cleton-Jansen, A.M. (2005). Expression analysis of candidate breast tumour suppressor genes on chromosome 16q. *Breast Cancer Res* 7, R998-1004.
- Vandesompele, J., De Preter, K., Pattyn, F., Poppe, B., Van Roy, N., De Paepe, A., and Speleman, F. (2002). Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes. *Genome biology* 3, RESEARCH0034.

- Venkatachalam, S., Shi, Y.P., Jones, S.N., Vogel, H., Bradley, A., Pinkel, D., and Donehower, L.A. (1998). Retention of wild-type p53 in tumors from p53 heterozygous mice: reduction of p53 dosage can promote cancer formation. *The EMBO journal* 17, 4657-4667.
- Villanueva, A., Garcia, C., Paules, A.B., Vicente, M., Megias, M., Reyes, G., de Villalonga, P., Agell, N., Lluis, F., Bachs, O., *et al.* (1998). Disruption of the antiproliferative TGF-beta signaling pathways in human pancreatic cancer cells. *Oncogene* 17, 1969-1978.
- Vogelstein, B., Fearon, E.R., Kern, S.E., Hamilton, S.R., Preisinger, A.C., Nakamura, Y., and White, R. (1989). Allelotype of colorectal carcinomas. *Science* (New York, NY) 244, 207-211.
- Vogelstein, B., and Kinzler, K.W. (1992). Carcinogens leave fingerprints. *Nature* 355, 209-210.

## W

- Wang, Q., Moyret-Lalle, C., Couzon, F., Surbiguet-Clippe, C., Saurin, J.C., Lorca, T., Navarro, C., and Puisieux, A. (2003). Alterations of anaphase-promoting complex genes in human colon cancer cells. *Oncogene* 22, 1486-1490.
- Ward, R.L., Cheong, K., Ku, S.L., Meagher, A., O'Connor, T., and Hawkins, N.J. (2003). Adverse prognostic effect of methylation in colorectal cancer is reversed by microsatellite instability. *J Clin Oncol* 21, 3729-3736.
- Weeks, J.C., Nelson, H., Gelber, S., Sargent, D., and Schroeder, G. (2002). Short-term quality-of-life outcomes following laparoscopic-assisted colectomy vs open colectomy for colon cancer: a randomized trial. *Jama* 287, 321-328.
- Weeraratna, A.T., Jiang, Y., Hostetter, G., Rosenblatt, K., Duray, P., Bittner, M., and Trent, J.M. (2002). Wnt5a signaling directly affects cell motility and invasion of metastatic melanoma. *Cancer cell* 1, 279-288.
- Welsh, J., and McClelland, M. (1990). Fingerprinting genomes using PCR with arbitrary primers. *Nucleic acids research* 18, 7213-7218.
- Werbowetski-Ogilvie, T.E., Seyed Sadr, M., Jabado, N., Angers-Loustau, A., Agar, N.Y., Wu, J., Bjerkvig, R., Antel, J.P., Faury, D., Rao, Y., *et al.* (2006). Inhibition of medulloblastoma cell invasion by Slit. *Oncogene* 25, 5103-5112.
- Williams, J.G., Kubelik, A.R., Livak, K.J., Rafalski, J.A., and Tingey, S.V. (1990). DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic acids research* 18, 6531-6535.
- Williams, R.T., Manji, S.S., Parker, N.J., Hancock, M.S., Van Stekelenburg, L., Eid, J.P., Senior, P.V., Kazenwadel, J.S., Shandala, T., Saint, R., *et al.* (2001). Identification and characterization of the STIM (stromal interaction molecule) gene family: coding for a novel class of transmembrane proteins. *The Biochemical journal* 357, 673-685.
- Wong, N., Lam, W.C., Lai, P.B., Pang, E., Lau, W.Y., and Johnson, P.J. (2001). Hypomethylation of chromosome 1 heterochromatin DNA correlates with q-arm copy gain in human hepatocellular carcinoma. *The American journal of pathology* 159, 465-471.

**Y**

- Yamashita, K., Dai, T., Dai, Y., Yamamoto, F., and Perucho, M. (2003). Genetics supersedes epigenetics in colon cancer phenotype. *Cancer cell* 4, 121-131.
- Yasuda, J., Navarro, J.M., Malkhosyan, S., Velazquez, A., Arribas, R., Sekiya, T., and Perucho, M. (1996). Chromosomal assignment of human DNA fingerprint sequences by simultaneous hybridization to arbitrarily primed PCR products from human/rodent monochromosome cell hybrids. *Genomics* 34, 1-8.