

# **7** Bibliografía

---



## 7. BIBLIOGRAFÍA

- Abdul, M. y Hoosein, N. (2002) Expression and activity of potassium ion channels in human prostate cancer. *Cancer Lett.* **186**, 99-105.
- Abdul, M. y Hoosein, N. (2003) Activity of potassium channel blockers in breast cancer. *Anticancer Res.* **23**, 3347-3351.
- Accili, E.A., Kiehn, J., Yang, Q., Wang, Z., Brown, A.M. y Wible, B.A. (1997) Separable Kv  $\gamma$  subunit domains alter expression and gating of potassium channels. *J. Biol. Chem.* **272**, 25824-25831.
- Aggarwal, S.K. y MacKinnon, R. (1996) Contribution of the S4 segment to gating charge in the Shaker K<sup>+</sup> channel. *Neuron.* **16**, 1169-1177.
- Aiyar, J., Rizzi, J.P., Gutman, G.A. y Chandy, G.K. (1996) The signature sequence of voltage-gated potassium channels projects into the external vestibule. *J. Biol. Chem.* **271**, 31013-31016.
- Aiyar, J., Withka, J.M., Rizzi, J., Singleton, D.H., Andrews, G.C., Lin, W., Boyd, J., Hanson, D.C., Simon, M., Dethlefs, B., Lee, C.L., Hall, J.E., Gutman, G.A. y Chandy, K.G. (1995) Topology of the pore-region of a K<sup>+</sup> channel revealed by the NMR-derived structures of scorpion toxins. *Neuron.* **15**, 1169-1181.
- Alizadeh, A.A. y Staudt, L.M. (2000) Genomic-scale gene expression profiling of normal and malignant immune cells. *Curr. Opin. Immunol.* **12**, 219-225.
- Alonso, G. y Widmer, H. (1997) Clustering of KV4.2 potassium channels in postsynaptic membrane of rat supraoptic neurons: an ultrastructural study. *Neuroscience.* **77**, 617-621.
- An, W.F., Bowlby, M.R., Betty, M., Cao, J., Ling, H.P., Mendoza, G., Hinson, J.W., Mattsson, K.I., Strassle, B.W., Trimmer, J.S. y Rhodes, K.J. (2000) Modulation of A-type potassium channels by a family of calcium sensors. *Nature.* **403**, 553-556.
- Armstrong, C.M. (1971) Interaction of tetraethylammonium ion derivatives with the potassium channels of giant axons. *J. Gen. Physiol.* **58**, 413-437.
- Armstrong, C.M. y Hille, B. (1998) Voltage-gated ion channels and electrical excitability. *Neuron.* **20**, 371-380.
- Artym, V.V. y Petty, H.R. (2002) Molecular proximity of Kv1.3 voltage-gated potassium channels and  $\gamma$ -integrins on the plasma membrane melanoma cells: effects of cell adherence and channel blockers. *J. Gen. Physiol.* **120**, 29-37.
- Ashcroft, F.M. (2000) Ion Channels and Disease. Academic Press. London, UK.
- Attali, B., Romey, G., Honore, E., Schmid-Alliana, A., Mattei, M.G., Lesage, F., Ricard, P., Barhain, J. y Lazdunski, M. (1992) Cloning, functional expression, and regulation of two K<sup>+</sup> channels in human T lymphocytes. *J. Biol. Chem.* **267**, 8650-8657.
- Autieri, M.V., Belkowski, S.M., Constantinescu, C.S. Cohen, J.A. y Prystowsky, M.B. (1997) Lymphocyte-specific inducible expression of potassium channel beta subunits. *J. Neuroimmunol.* **77**, 8-16.
- Bar-Or, A., Oliveira, E.M., Anderson, D.E., Krieger, J.I., Duddy, M., O'Connor, K.C. y Hafler, D.A. (2001) Immunological memory: contribution of memory B cells expressing costimulatory molecules in the resting state. *J. Immunol.* **167**, 5669-5677.
- Baukronitz, T. y Yellen, G. (1995) Modulation of K current by frequency and external K<sup>+</sup>: a tale of two inactivation mechanisms. *Neuron.* **15**, 951-960.
- Beeton, C., Wulff, H., Barbaria, J., Clot-Faybesse, O., Pennington, M., Bernard, D., Cahalan, M.D., Chandy, K.G. y Beraud, E. (2001) Selective blockade of T lymphocyte K<sup>+</sup> channels ameliorates experimental autoimmune encephalomyelitis, a model for multiple sclerosis. *Proc. Natl. Acad. Sci. USA.* **98**, 13942-13947.
- Beneski, D.A. y Catterall, W.A. (1980) Covalent labeling of protein components of the sodium channel with a photoactivable derivative of scorpion toxin. *Proc. Natl. Acad. USA.* **77**, 639-643.
- Bernèche, S. y Roux B. (2005) A gate in the selectivity filter of potassium channels. *Structure.* **13**, 591-600.
- Bernstein, J. (1902) Untersuchungen zur Thermodynamik der bioelectrischen Ströme. *Pfluegers Arch.* **92**, 521-562.
- Bernstein, J. (1912) Elektrobiologie. Die Lehre von den elektrischen Vorgängen im Organismus auf moderner Grundlage dargestellt. Braunschweig: Vieweg & Sohn.

- Bezanilla, F. (2005) The voltage-sensor structure in a voltage-gated channel. *TRENDS Biochem. Sci.* **30**, 166-168.
- Bixby, K.A., Nanao, M.H., Shen, N.V., Kreusch, A., Bellamy, H., Pfaffinger, P.J. y Choe, S. (1999) Zn<sup>2+</sup>-binding and molecular determinants of tetramerization in voltage-gated K<sup>+</sup> channels. *Nature Struc. Biol.* **6**, 38-43.
- Bock, J., Szabo, I., Gamper, N., Adams, C. y Gulbins, E. (2003) Ceramide inhibits the potassium channel Kv1.3 by the formation of membrane platforms. *Biochem. Biophys. Res. Commun.* **305**, 890-897.
- Bock, J., Szabo, I., Jeckle, A. y Gulbis, E. (2002) Actinomycin D-induced apoptosis involves the potassium channel Kv1.3. *Biochem. Biophys. Res. Commun.* **295**, 526-531.
- Brown, D.A. y London, E. (1997) Structure of detergent-resistant membrane domains: does phase separation occur in biological membranes? *Biochem. Biophys. Res. Commun.* **240**, 1-7.
- Brown, D.A. y Rose, J.K. (1992) Sorting of GPI-anchored proteins to glycolipid-enriched membrane subdomains during transport to the apical cell surface. *Cell.* **68**, 533-544.
- Burke, N.A., Takimoto, K., Li, D., Han, W., Watkins, S.C. and Levitan, E.S. Distinct structural requirements for clustering and immobilization of K<sup>+</sup> channels by PSD-95. *J. Gen. Physiol.* **113**, 71-80.
- Cahalan, M.D. y Chandy, G.K. (1997) Ion channels in the immune system as targets for immunosuppression. *Curr. Opi. Biotech.* **8**, 749-756.
- Cahalan, M.D., Wulff, H. y Chandy, K.G. (2001) Molecular properties and physiological roles of ion channels in the immune system. *J. Clin. Immunol.* **21**, 235-252.
- Cai, Y.C., Osborne, P.B., North, R.A., Dooley, D.C. y Douglass, J. Characterization and functional expression of genomic DNA encoding the human lymphocyte type n potassium channel. *DNA Cell Biol.* **11**, 163-172.
- Campomanes, C.R., Carroll, K.I., Manganas, L.N., Hershberger, M.E., Gong, B., Antonucci, D.E., Rhodes, K.J. y Trimmer, J.S. (2001) Kvγ subunit oxidoreductase activity and Kv1 potassium channel trafficking. *J. Biol. Chem.* **277**, 8298-8305.
- Carbo, N., Lopez-Soriano, F.J. y Argiles, J.M. (1998) Tumour necrosis factor-α does not cross the rat placenta. *Cancer Lett.* **128**, 101-104.
- Catterall, W.A. (1988) Structure and function of voltage-sensitive ion channels. *Science.* **242**, 50-60.
- Chandy, K.G., Douglas, J., Gutman, G.A., Jan, L., Joho, R., Kaczmarek, L., MacKinnon, D., North, R.A., Numa, S., Philipson, L. y cols. (1991) A simplified gene nomenclature. *Nature (Lond).* **352**, 26.
- Chandy, K.G., Cahalan, M.D. y Grissmer, S. (1990) Autoimmune diseases linked to abnormal K<sup>+</sup> channel expression in doubled-negative CD4-CD8- T cells. *Eur. J. Immunol.* **20**, 747-751.
- Chandy, K.G., Decoursey, T.E., Cahalan, M.D., McLaughlin, C. y Gupta, S. (1984) Voltage-gated potassium channels are required for human T lymphocytes activation. *J. Exp. Med.* **160**, 369-385.
- Chandy, K.G., Williams, C.B., Spencer, R.H., Aguilar, B.A., Chanshani, S., Tempel, B.L., Gutman, G.A. (1990) A family of three mouse potassium channel genes with intronless coding regions. *Science.* **247**, 973-975.
- Chen, H., Kim, L.A., Rajan, S., Xu, S. y Goldstein, S.A. (2003) Charybdotoxin binding in the I(Ks) pore demonstrates two MinK subunits in each channel complex. *Neuron.* **40**, 15-23.
- Chittajallu, R., Chen, Y., Wang, H., Yuan, X., Ghiani, C.A., Bacchetti, A., Rosati, B., Wnake, E., Olivotto, M. y Arcangeli, A. (2000) HERG potassium channels are more frequently expressed in human endometrial cancer as compared to non-cancerous endometrium. *Br. J. Cancer.* **83**, 1722-1729.
- Cho, K.O., Hunt, C.A. y Kennedy, M.B. (1992) The rat brain postsynaptic density fraction contains a homolog of the Drosophila discs-large tumor suppressor protein. *Neuron.* **9**, 929-942.
- Choi, K.L., Aldrich, R.W. y Yellen, G. (1991) Tetraethylammonium blockage distinguishes two inactivation mechanisms in voltage-activated K<sup>+</sup> channels. *Proc. Natl. Acad. Sci. USA.* **88**, 2092-2095.
- Christie, M.J., North, R.A., Osborne, P.B., Douglass, J. y Adelman, J.P. (1990) Heteropolymeric potassium channels expressed in *Xenopus* oocytes from clones subunits. *Neuron*, **2**, 405-411.
- Cohen, B.E., Grabe, M. y Jan, L.Y. (2003). Answers and questions from the KvAP structures. *Neuron.* **39**, 395-400.

- Coleman, S.K., Newcombe, J., Pryke, J. y Dolly, J.O. (1999) Subunit composition of Kv1 channels in human CNS. *J. Neurochem.* **73**, 849-858.
- Coma, M., Vicente, R., Busquets, S., Carbo, N., Tamkun, M.M., López-Soriano, F.J., Argiles, J.M. y Felipe, A. (2003) Impaired voltage-gated K<sup>+</sup> channel expression in brain during experimental cancer cachexia. *FEBS Lett.* **536**, 45-50.
- Comalada, M., Valledor, A.F., Sanchez-Tilló, E., Umbert, I., Xaus, J. y Celada, A. (2003) Macrophage colony-stimulating factor-dependent macrophage proliferation is mediated through a calcineurin-independent but immunophilin-dependent mechanism that mediates the activation of external regulated kinases. *Eur. J. Immunol.* **33**, 3091-3100.
- Cook, K.K. y Fadoo, D.A. (2002) Two adaptor proteins differentially modulate the phosphorylation and biophysics of Kv1.3 ion channel by Src kinase. *J. Biol. Chem.* **277**, 13268-13280.
- Cooper, E.C., Milroy, A., Jan, Y.N., Jan, L.Y. y Lowenstein, D.H. (1998) Presynaptic localization of Kv1.4-containing A-type potassium channels near excitatory synapses in the hippocampus. *J. Neurosci.* **18**, 965-974.
- Couet, J., Sargiacomo, M. y Lisanti, M.P. (1997) Interaction of a receptor tyrosine kinase, EGF-R, with caveolins. Caveolin binding negatively regulates tyrosine and serine/threonine kinase activities. *J. Biol. Chem.* **272**, 30429-30438.
- Covarrubias, M., Wei, A.A. y Salkoff, L. (1991) Shaker, Shab, Shal and Shaw express independent K<sup>+</sup> current systems. *Neuron.* **7**, 763-773.
- Dallaporta, B., Hirsch, T., Susin, S.A., Zamzani, N., Larochette, N., Brenner, C., Marzo, I. y Kroemer, G. (1998) Potassium leakage during apoptotic degradation phase. *J. Immunol.* **160**, 5605-5615.
- Deal, K.K., England, S.K. y Tamkun, M.M. (1996) Molecular physiology of cardiac potassium channels. *Physiol. Rev.* **76**, 49-67.
- DeCoursey, T.E., Chandy, K.G. Gupta, S. y Cahalan, M.D. (1984) Voltage-gated K<sup>+</sup> channels in human T lymphocytes: a role in mitogenesis? *Nature.* **307**, 465-468.
- Decoursey, T.E., Chandy, K.G., Gupta, S. y Cahalan, M.D. (1987) Mitogen induction of ion channels in murine T lymphocytes. *J. Gen. Physiol.* **89**, 405-420.
- DeCoursey, T.E., Kim, S.Y., Silver, M.R. y Quandt, F.N. (1996) Ion channel expression in PMA-differentiated human THP-1 macrophages. *J. Membr. Biol.* **152**, 141-157.
- Defarias, F.P., Stevens, S.P. y Leonard R.J. (1995) Stable expression of Kv1.3 potassium channels resets the resting membrane potential of cultured mammalian cells. *Receptors Channels.* **3**, 273-281.
- Demo, S.D. y Yellen G. (1991) The inactivation gate of the *Shaker* K<sup>+</sup> channel behaves like an open-channel blocker. *Neuron.* **7**, 743-753.
- Deschenes, I. y Tomaselli, G. (2002) Modulation of Kv4.3 current by accessory subunits. *FEBS Lett.* **528**, 183.
- Deschenes, I., DiSilvestre, D., Juang, G.J., Wu, R.C., An, W.F. y Tomaselli, G.F. (2002) Regulation of Kv4.3 current by KChIP2 splice variants: a component of native cardiac I(to)? *Circulation.* **106**, 423-429.
- Deutsch, C. y Chen, Li-Qiong. (1993) Heterologous expression of specific K<sup>+</sup> channels in T lymphocytes. Functional consequences for volume regulation. *Proc. Natl. Acad. USA.* **90**, 10036-10040.
- Deutsch, C., Krause, D. y Lee, S.C. (1986) Voltage-gated potassium conductance in human T lymphocytes stimulated with phorbol ester. *J. Physiol. (Lond).* **372**, 405-423.
- Dolmetsch, R.E., Xu, K. y Lewis, R. (1998) Calcium oscillations increase the efficiency and specificity of gene expression. *Nature.* **392**, 933-936.
- Douglass, O., Osborne, P.B., Cai, Y.C., Wilkinson, M., Christie, M.J. y adelman, J.P. (1990) Characterization and functional expression of a rat genomic DNA clone encoding a lymphocyte potassium channel. *J. Immunol.* **144**, 4841-4850.
- Doyle, D.A., Morais-Cabral, J., Pfuetzner, A.K., Gulbis, J.M., Cohen, S.T., Chait, B.T. y MacKinnon. (1998) The structure of the potassium channel: molecular basis of K<sup>+</sup> conduction and selectivity. *Science.* **280**, 69-77.
- Drouet, C., Shakhov, A.N. y Jongeneel, C.V. (1991) Enhancers and transcription factors controlling the inducibility of the tumor necrosis factor-alpha promoter in primary macrophages. *J. Immunol.* **147**, 1694-1700.
- Eder, C. y Fischer, H.G. (1997) Effects of colony-stimulating factors on voltage-gated K<sup>+</sup> currents of bone marrow-derived

- macrophages. *Naunyn Schmiedebergs Arch. Pharmacol.* **355**, 198-202.
- Eddin, M., Zagyansky, Y. y Lardner, T.J. (1976) Measurement of membrane protein lateral diffusion in single cells. *Science*. **191**, 466-468.
- Eldstrom, J., Doerksen, K.W., Steele, D.F. y Fedida, D. (2002) N-terminal PDZ-binding domain in Kv1 potassium channels. *FEBS Lett.* **531**, 529-537.
- England, S.K., uebele, V.N., Shear, H. Kodali, J., Bennett, P.B. y Tamkun, M.M. (1995) Characterization of voltage-gated K<sup>+</sup> channel beta subunit expressed in human heart. *Proc. Natl. Acad. Sci. USA.* **92**, 6309-6313.
- Fadool, D.A., Holmes, T.C., Berman, K., Dagan, D. y Levitan I.B. (1997) Tyrosine phosphorylation modulates current amplitude and kinetics of a neuronal voltage-gated potassium channel. *J. Neurophysiol.* **78**, 1563-1573.
- Fadool, D.A., Tucker, K., Perkins, R., Fasciani, G., Thompson, R.N., Parsons, A.D., Overton, J.M., Koni, P.A., Flavell, R.A. y Kaczmarek, L.K. (2004) Kv1.3 channel gene-targeted deletion produces "super-smeller mice" with altered glomeruli, interacting scaffolding proteins, and biophysics. *Neuron*. **41**, 389-404.
- Felipe, A., Snyders, D.J., Deal, K.K. y Tamkun, M.M. (1993) Influence of cloned voltage-gated K<sup>+</sup> channel expression on alanine transport, Rb<sup>+</sup> uptake, and cell volume. *Am J Physiol.* **265**, 1230-1238.
- Fink, M., Duprat, F., Lesage, F., Heurteaux, C., Romey, G., Barhanin, J. y Lazdunski, M. (1996) A new K channel beta subunit to specifically enhance Kv2.2 (CDRK) expression. *J. Biol. Chem.* **271**, 341-348.
- Floto, R.A., Mahaut-Smith, M.P., Allen, J.M. y Somasundaram, B. (1996) Diferentiation of the human monocytic cell line U937 results in an upregulation of the calcium release-activated current, ICRAC. *J. Physiol. (Lond.)*. **495**, 331-338.
- Folco, E., Liu, G.X. y Koren G. (2004) Caveolin-3 and SAP-97 form a scaffolding protein complex that regulates the voltage-gate potassium channel Kv1.5. *Am. J. Physiol. Heart Circ. Physiol.* **287**, 681-690.
- Frase, S.P., grimes, J.A., Diss, J.K.J., Stewart, D., Dolly, J.O. y Djamgoz, M.B.A. (2003) Predominant expression of Kv1.3 voltage-gated K<sup>+</sup> channel subunit in rat prostate cancer cell lines: electrophysiological, pharmacological and molecular characterization. *Plügers Arch.* **446**, 559-571.
- Friedrich, M., Kramming, S., Henze, M., Docke, W.D., Sterry, W. y Asadullah, K. (2000) Flow cytometric characterization of lesional T cells in psoriasis: intracellular cytokine and surface antigen expression indicates an activated, memory effector/type 1 immunophenotype. *Arch. Dermatol. Res.* **292**, 519-521.
- Galbiati, F., Razani, B. y Lisanti, M.P. Emerging themes in lipid rafts and caveolae. *Cell*. **106**, 403-411.
- Gallin, E.K. (1984) Calcium- and voltage-activated potassium channels in human macrophages. *Biophys. J.* **46**, 821-825.
- Gallin, E.K. (1989) Evidence for a Ca-activated inwardly rectifying K<sup>+</sup> channel in human macrophages. *Am. J. Physiol.* **257**, 77-85.
- Gallin, E.K. y McKinney, L.C. (1988) Patch-clamp studies in human macrophages: single channel and whole-cell characterization of two K conductances. *J. Membr. Biol.* **103**, 55-66.
- Gallin, E.K. y Sheehy, P.A. (1985) Differential expression of inward and outward potassium currents in the macrophage-like cell line. *J. Physiol. (Lond.)*. **369**, 475-499.
- Garber, S.S. y Cahalan, M.D. (1997) Volume-regulated anion channels and the control of a simple cell behavior. *Cell Physiol. Biochem.* **7**, 229-241.
- Garcia-Martinez, C., Costelli, P., Lopez-Soriano, F.J. y Argiles, J.M. (1997) Is TNF really involved in cachexia? *Cancer Invest.* **15**, 47-54.
- Ghanshani, S., Wulff, H., Miller, M.J., Rohm, H., Neben, A., Gutman, G.A., Cahalan, M.D. y Chandy, K.G. Up-regulation of the IKCa1 potassium channel during T-cell activation. *J. Biol. Chem.* **47**, 37137-37149.
- Godreau, D., Vranckx, R., Maguy, A., Rücker-Martin, C., Goyenvalle, C., Abdelshafy, S., Tessier, S., Couétil, J.P. y Hatem, S.N. (2002) Expression, regulation and role of the MAGUK protein SAP-97 in human atrial myocardium. *Cardiovasc. Res.* **56**, 433-442.
- Gomez-Lagunas, F. y Armstrong, C.M. (1995) Inactivation in ShakerB K<sup>+</sup> channels: a test for the number of inactivating particles on each channel. *Biophys. J.* **68**, 89-95.
- Gong, J., Xu, J., Bezanilla, M., van Huizen, R., Derin, R. y Li, M. (1999) Diferential stimulation of PKC phosphorylation of

- potassium channels by ZIP1 and ZIP2. *Science*. **285**, 1565-1569.
- Grande, M., Suárez, E., Vicente, R., Cantó, N., Coma, M., Tamkun, M.M., Zorzano, A., Gumà, A. y Felipe, A. (2003) Voltage-dependent K<sup>+</sup> channel  $\gamma$  subunits in muscle: differential regulation during postnatal development and myogenesis. *J. Cell. Physiol.* **195**, 187.
- Green, D.R. y Reed, J.C. (1998) Mitochondria and apoptosis. *Science*. **281**, 1309-1312.
- Grissmer, S. y Cahalan, M.D. (1989) TEA prevents inactivation while blocking open K<sup>+</sup> channels in human T lymphocytes. *Biophys. J.* **55**, 203-206.
- Grissmer, S., Dethlefs, B., Wasmuth, J.J., Goldin, A.L., Gutman, G.A., Cahalan, M.D. y Chandy, K.G. (1990) Expression and chromosomal localization of a lymphocytes K<sup>+</sup> channel gene. *Proc. Natl. Acad. Sci. USA*. **87**, 9411-9415.
- Grissmer, S., Ghanshani, S., Dethlefs, B., McPherson, J.D., Wasmuth, J.J., Gutman, G.A., Cahalan, M.D. y Chandy, K.G. (1992) The Shaw-related potassium channel gene, Kv3.1, on human chromosome 11, encodes the type I K channel in T cells. *J. Biol. Chem.* **267**, 20971-20979.
- Grissmer, S., Nguyen, A.N. y Cahalan, M.D. (1993) Calcium-activated potassium channels in resting and activated human T lymphocytes. Expression level, calcium dependence, ion selectivity and pharmacology. *J. Gen. Physiol.* **102**, 601-630.
- Grunnet, M., Jespersen, T., MacAulay, N., Jorgensen, N.K., Schmitt, N., Pongs, O., Olesen, S.P. y Klaerke, D.A. (2003) KCNQ1 channels sense small changes in cell volume. *J. Physiol.* **549**, 419-427.
- Gulbis, E., Szabo, I., Baltzer, K. y Lang, F. (1997) Ceramide-induced inhibition of T-lymphocyte voltage-gated potassium channel is mediated by tyrosine kinases. *Proc. Natl. Acad. Sci. USA*. **94**, 7661-7666.
- Gulbis, J.M., Mann, S. y MacKinnon, R. (1999) Structure of a voltage-dependent K<sup>+</sup> channel beta subunit. *Cell*. **97**, 943-952.
- Gulbis, J.M., Zhou, M., Mann, S. y MacKinnon, R. (2000) Structure of the cytoplasmic  $\beta$  subunit-T1 assembly of voltage-dependent K<sup>+</sup> channels. *Science*. **289**, 123-127.
- Guse A.H., da Silva, C.P., Emmrich, F., Ashamu, G.A., Potter, B.V. y Mayr, G.W. (1995) Characterization of cyclic adenosine diphosphate-ribose induced Ca<sup>2+</sup> release in mouse T-lymphoma cells. *J. Immunol.* **155**, 3353-3359.
- Guse, A.H., da Silva, C.P., Berg, I., Skapenko, A.L., Weber, K., Heyer, P., Hohenegger, M., Ashamu, G.A., Schulze-Koops, H., Potter, B.V. y Mayr, G.W. (1999) Regulation of calcium signaling in T lymphocytes is activated by depletion of intracellular Ca<sup>2+</sup> stores. *Nature*. **398**, 70-73.
- Gutman, G.A. y Chandy, K.G. (1993) Nomenclature for vertebrate voltage-gated K<sup>+</sup> channels. *Sem. Neurosci.* **5**, 101-106.
- Gutman, G.A., Chandy, G.K., Adelamn, J.P., Aiyar, J., Bayliss, D.A., Clapham, D.E., Covarriubias, M., Desir, G.V., Furuichi, K., Ganetzky, B. y cols. (2003) International union of pharmacology. XLI. Compendium of voltage-gated ion channels: potassium channels. *Pharmacol. Rev.* **55**, 583-586.
- Hajdu, P., Varga, Z., Pieri, C., Panyi, G. y Gaspar, R.J. (2003) Cholesterol modifies the gating of Kv1.3 in human T lymphocytes. *Pflugers Arch.* **446**, 674-682.
- Hamill, O.P., Marty, A., Neher, E., Sakmann, B. y Sigworth, F.J. (1981) Improved patch clamp techniques for high-resolution current recording from cells and cell-free membrane patches. *Pfuegers Arch.* **391**, 85-100.
- Hanlon, M.R. y Wallace, B.A. (2002) Structure and function of voltage-dependent ion channel regulatory  $\gamma$  subunits. *Biochemistry*. **41**, 2886-2894.
- Hanover, J.A., Beguinot, L., Willingham, M.C. y Pastan, I.H. (1985) Transit of receptors for epidermal growth factor and transferrin through clathrin-coated pits. Analysis of the kinetics of receptor entry. *J Biol Chem.* **260**, 15938-15945.
- Harder, T. y Simons, K. (1997) Caveolae, DIGs, and the dynamics of apingolipid-cholesterol microdomains. *Curr. Opin. Cell Biol.* **9**, 534-542.
- Heginbotham, L., Lu, Z., Abramson, T. y MacKinnon, R. (1994) Mutations in the K<sup>+</sup> channel signature sequence. *J. Biophys.* **66**, 1061-1067.
- Heinemann, S.H., rettig, J., Graack, H.R. y Pongs, O. (1996) Functional characterization of Kv channel beta-subunits from rat brain. *J. Physiol.* **493**, 625-633.
- Hille, B. (1968) Pharmacological modifications of the sodium channels of frog nerve. *J. Gen. Physiol.* **51**, 221-236.

- Hille, B. (2001) Ion channels of excitable cells. 3<sup>rd</sup> Ed. Sinauer Associates, Sunderland.
- Hodgkin, A.L. y Huxley, A.F. (1939) Action potentials recorded from inside a nerve fibre. *Nature Lond.* **144**, 710-711.
- Hodgkin, A.L. y Huxley, A.F. (1945) Resting and action potentials in single nerve fibres. *J. Physiol. Lond.* **104**, 176-195.
- Hodgkin, A.L. y Huxley, A.F. (1952) A quantitative description of membrane current and its application to conduction and excitation in nerve. *J. Physiol. Lond.* **117**, 500-544.
- Hodgkin, A.L. y Huxley, A.F. (1952) The components of membrane conductance in the giant axon of *Loligo*. *J. Physiol. Lond.* **116**, 473-496.
- Hodgkin, A.L. y Katz, B. (1949) The effect of sodium ions on the electrical activity of the giant axon of the squid. *J. Physiol. Lond.* **108**, 37-77.
- Hodgkin, A.L., Huxley, A.F. y Katz, B. (1952) Measurement of current-voltage relations in the membrane of the giant axon of *Loligo*. *J. Physiol. Lond.* **116**, 424-448.
- Holmes, T.C., Fadool, D.A., Ren, R. y Levitan, I.B. (1996) Association of Src tyrosine kinase with a human potassium channel mediated by SH3 domain. *Science*. **274**, 2089-2094.
- Horie, M., Irisawa, H. y Noma, A. (1987) Voltage-dependent magnesium block of adenosine-triphosphate-sensitive potassium channel in guinea-pig ventricular cells. *J. Physiol. (Lond.)*. **387**, 251-272.
- Hoshi, T., Zagotta, W.N. y Aldrich, R.W. (1990) Biophysical and molecular mechanisms of Shaker potassium channel inactivation. *Science*. **250**, 533-538.
- Houzen, H., Kikuchi, S., Kanno, M., Shinpo, K. y Tashiro, K. (1997) Tumor necrosis factor enhancement of transient outward potassium currents in cultured rat cortical neurons. *J. Neurosci. Res.* **50**, 990-999.
- Hugnot, J.P., Salinas, M., Lesage, F., Guillemare, E., Weille, J., Heurteaux, C., Mattei, M.G. y Lazdunski, M. (1996) Kv8.1 a new neuronal potassium channel subunit with specific inhibitory properties towards Shab and Shaw channels. *EMBO J.* **15**, 3322-3331.
- Hulme, J.T., Coppock, E.A., Felipe, A., Martens, J.R. y Tamkun, M.M. (1999) Oxygen sensitivity of cloned voltage-gated K(+) channels expressed in the pulmonary vasculature. *Circ Res.* **85**, 489-497.
- Ince, C., Van Duijn, B., Ypey, D.L., Van Bavel, E., Weidema, F. y Leijh, P.C. (1987) Ion channels and membrane hyperpolarization in human macrophages. *J. Membr. Biol.* **97**, 251-258.
- Isacoff, E.Y., Jan Y.N. y Jan, L.Y. (1990) Evidence for the formation of heteromultimeric potassium channels in *Xenopus* oocytes. *Nature*. **345**, 530-534.
- Jäger, H., Rauer, H., Nguen, A.N., Aiyar, J., Chandy, K.G. y Grissmer, S. (1998) Regulation of mammalian *Shaker* related K<sup>+</sup> channels: evidence of non-conducting closed and non-conducting inactivated states. *J. Physiol.* **506**, 291-301.
- Jiang, Y., Lee, A., Chen, J., Ruta, V., Cadene, M., Chait, B.T. y MacKinnon, R. (2003) X-ray structure of voltage-dependent K channel. *Nature*. **423**, 33-41.
- Jiang, Y., Ruta, V., Chen, J., Lee, A. y MacKinnon (2003) The principle of gating charge movement in a voltage-dependent K<sup>+</sup> channel. *Nature*. **423**, 42-48.
- Kalman, K., Pennington, M.W., Lanigan, M.D., Nguyen, A., Rauer, H., Mahnir, V., Paschetto, K., Kem, W.R., Grissmer, S., Gutman, G.A., Christian, E.P., Cahalan, M.D., Norton, R.S. y Chandy, K.G. (1998) ShK-Dap22, a potent Kv1.3-specific immunosuppressive polypeptide. *J. Biol. Chem.* **273**, 32697-32707.
- Khanna, R., Myers, M.P., Lainé, M. y Papazian, D.M. (2001) Glycosylation increases potassium channel stability and surface expression in mammalian cells. *J. Biol. Chem.* **276**, 34028-34034.
- Kim, E. y Sheng M. (1996) Differential K channel clustering activity of PSD-95 and SAP-97, two related membrane-associated putative guanidated kinases. *Neuropharmacology*. **35**, 993-1000.
- Kim, E., Niethammer, M., Rothschild, A., Jan Y.N. y Sheng, M. (1995) Clustering of *Shaker*-type K<sup>+</sup> channels by interaction with a family of membrane-associated guanylate kinases. *Nature*. **378**, 85-88.
- Kirkham, M., Fujita, A., Chadda, R., Nixon, S.J., Kurzchalia, T.V., Sharma, D.K., Pagano, R.E., Hancock, J.F., Mayor, S. y Parton, R.G. (2005) Ultrastructural identification of uncoated caveolin-independent early endocytic vesicles. *J. Cell Biol.* **168**, 465-475.
- Koch, R.O., Wanner, S.G., Koschak, A., Hanner, M., Schwarzer, C., Kaczorowski, G.J., Slaughter, R.S., Garcia, M.L. y Knaus, H.G. (1997) Complex subunit assembly of



- neuronal voltage-gated K<sup>+</sup> channels. Basis for high-affinity toxin interactions and pharmacology. *J. Biol. Chem.* **272**, 27577-27581.
- Koller, H., Allert, N., Oel, D., Stoll, G. y Siebler, M. (1998) TNF alpha induces a protein kinase C-dependent reduction in astroglial K<sup>+</sup> conductance. *Neuroreport*. **9**, 1375-1378.
- Koni, P.A., Khann, R., Chang, M.C., Tnag, M.D., Kaczmarek, L.K., Schlichter, L.C. y Flavell, R.A. (2003) Compensatory anion currents in Kv1.3 channel-deficient thymocytes. *J. Biol. Chem.* **278**, 39443-39451.
- Koo, G.C., Blake, J.T., Talento, A., Nguyen, M., Lin, S., Sirotina, A., Shah, K., Mulvany, K., Hora, D., Cunningham, P., Wunderler, D.L., McManus, O.B., Slaughter, R., Bugianesi, R., Felix, J., Garcia, M., Williamson, J., Kaczorowski, G., Sigal, N.H., Springer, M.S. y Feeney, W. (1997) Blockade of the voltage-gated potassium channel Kv1.3 inhibits immune responses in vivo. *J. Immunol.* **158**, 5120-5128.
- Kopito, R.R. (1997) ER quality control: the cytoplasmic connection. *Cell*. **88**, 427-430.
- Kotecha, S.A. y Schlichter, L.C. (1999) A Kv1.5 to Kv1.3 switch in endogenous hippocampal microglia and role in proliferation. *J. Neurosci.* **15**, 10680-10693.
- Kourrich, S., Mourre, C. y Soumireu-Mourat, B. (2001) Kaliotoxin, a Kv1.1 and Kv1.3 channel blocker, improves associative learning in rats. *Behav. Brain. Res.* **120**, 35-46.
- Kreusch, A., Pfaffinger, P.J., Stevens, C.F. y Choe, S. (1998) Crystal structure of the tetramerization domain of the *Shaker* potassium channel. *Nature*. **392**, 945-948.
- Kubo, Y., Baldwin, T.J., Jan, Y.N. y Jan, L.Y. (1993) Primary structure and functional expression of a mouse inward rectifier potassium channel. *Nature*. **362**, 127-133.
- Kubo, Y., Baldwin, T.J., Jan, Y.N. y Jan, L.Y. (1993) Primary structure and functional expression of a rat G-protein-coupled muscarinic potassium channel. *Nature*. **364**, 802-806.
- Kues, W.A. y Wunder, F. (1992) Heterologous expression patterns of mammalian potassium channel genes in developing and adult brain. *Eur. J. Neurosci.* **4**, 1296-1308.
- Kurokawa, J., Motoike, H.K. y Kass R.S. (2001) TEA(+)-sensitive KCNQ1 constructs reveal pore-independent access to KCNE1 in assembled I(Ks) channels. *J. Gen. Physiol.* **117**, 43-52.
- Kuryshv, Y.A., Gudz., T.I., Brown, A.M. y Wible, B.A. (2000) KchAP as a chaperone for specific K<sup>+</sup> channels. *Am. J. Physiol. Cell Physiol.* **278**, 931-941.
- Kuryshv, Y.A., Wible, B.A., Gudz, T.I., Ramirez, A.N. y Brown, A.M. (2001) KchAP/Kvγ1.2 interactions and their effects on cardiac Kv channel expression. *Am. J. Physiol. Cell Physiol.* **281**, 290-299.
- Kwak, Y.G., Hu, N., Wei, J., George, A.L., Grobaski, T.D., Tamkun, M.M. y Murray, K.T. (1999) Protein kinase A phosphorylation alters Kvβ1.3 subunit-mediated inactivation of the Kv1.5 potassium channel. *J. Biol. Chem.* **274**, 928-932.
- Kwak, Y.G., Navarro-Polanco, R.A., Grobaski, T., Gallagher, D.J. y Tamkun, M.M. (1999) Phosphorylation is required for alteration of Kv1.5 K(+) channel function by the Kvβ1.3 subunit. *J. Biol. Chem.* **274**, 355-361.
- Lainé, M., Lin, M., Bannister, J.P., Silverman, W.R., Mock, A.F., Roux, B. y Papazian, D.M. (2003) Atomic proximity between S4 segment and pore domain in shaker potassium channels. *Neuron*. **39**, 467-481.
- Lampert, A., Müller, M.M., Berchtold, S., Lang, K.S., Palmada, M., Dobrovinskaya, O. and Lang, F. (2003) Effect of dexamethasone on voltage-gated K<sup>+</sup> channels in Jurkat T-lymphocytes. *Eur. J. Physiol.* **447**, 168-174.
- Lang, F., Gulbis, E., Szabo, I., Lepple-Wienhues, A., Huber, S.M., Duraton, C., Lang, K.S. y Wieder, T. (2004) Cell volume and the regulation of apoptotic cell death. *J. Mol. Recognit.* **17**, 473-480.
- Laube, G., Rober, J., Pitt, J.C., Sewing, S., Kistner, U., Garner, C.C., Pongs, O. y Veh, R.W. (1996) Ultrastructural localization of *Shaker*-related potassium channel subunits and synapse-associated protein 90 to septate-like junctions in rat cerebellar *Pinceaux*. *Brain. Res. Mol. Brain. Res.* **42**, 51-61.
- Leonard, R.J., García, M.L., Slaughter, R.S. y Reuben, J.P. (1992) Selective blockers of voltage-gated K channels depolarize human T lymphocytes: mechanism of the antiproliferative effect of Charybdotoxin. *Proc. Natl. Acad. Sci. USA.* **89**, 10094-10098.
- Lewis, R.S. (2001) Calcium signaling mechanisms in T lymphocytes. *Annu. Rev. Immunol.* **19**, 497-521.
- Li, M., Jan, Y.N. y Jan, L.Y. (1992) Specification of subunit assembly by the

- hydrophilic amino-terminal domain of the shaker potassium channel. *Science*. **257**, 1225-1230.
- Li, M., Unwin, N., Stauffer, K.A., Jan, Y.N. y Jan, L.Y. (1994) Images of purified *Shaker* potassium channels. *Curr. Biol.* **4**, 110-115.
- Lim, S.T., Antonucci, D.E., Scannevin, R.H. y Trimmer, J.S. (2000) A novel targeting signal for proximal clustering of the Kv2.1 K<sup>+</sup> channel in hippocampal neurons. *Neuron*. **25**, 385-397.
- Lin, C.S., Boltz, R.C., Blake, J.T., Nguyen, M., Talento, A., Fischer, P.A., Springer, M.S., Sigal, N.H., Slaughter, R.S., García, M.L., Kaczorowski, G.J. y Koo, G.C. (1993) voltage-gated potassium channels regulate calcium-dependent pathways involved in human T lymphocyte activation. *J. Exp. Med.* **177**, 637-645.
- Liu, Y., Jurman, M.E. y Yellen, G. (1996) Dynamic rearrangement of the outer mouth of a K<sup>+</sup> channel during gating. *Neuron*, **16**, 859-867.
- Llovera, M., Garcia-Martinez, C., Agell, N., Lopez-Soriano, F.J. y Argiles J.M. (1997) TNF can directly induce the expression of ubiquitin-dependent proteolytic system in rat soleus muscles. *Biochem Biophys Res Commun.* **230**, 238-241.
- Lopatin, A.N., Makhina, E.N. y Nichols, C.G. (1994) Potassium channel block by cytoplasmic polyamines as the mechanism of intrinsic rectification. *Nature (Lond.)*. **372**, 366-369.
- López-Barneo, J., Hoshi, T., Heinemann, S. y Aldrich, R. (1993) Effects of external cations and mutations in the pore region on C-type inactivation of *Shaker* potassium channels. *Receptors Channels*. **1**, 61-71.
- Lu, Z., Kiem, A.M. y Ramu, Y. (2001) Ion conduction pore is conserved among potassium channels. *Nature*. **413**, 809-813.
- Lu, Z., Kiem, A.M. y Ramu, Y. (2002) Coupling between voltage sensors and activation gate in voltage-gated K<sup>+</sup> channels. *J. Gen. Physiol.* **120**, 663-676.
- Mackenzie, A.B., Chirakkal, H. y North, R.A. (2003) Kv1.3 potassium channels in human alveolar macrophages. *Am. J. Physiol. Lung Cell. Mol. Physiol.* **285**, 862-868.
- MacKinnon, R. (1991) Determination of the subunit stoichiometry of a voltage activated potassium channel. *Nature (Lond.)*. **350**: 232-235.
- MacKinnon, R., Aldrich, R.W. y Lee, A.W. (1993) Functional stoichiometry of Shaker potassium channel inactivation. *Science*. **262**, 757-759.
- Malayev, A. y Nelson, D.J. (1995) Extracellular pH modulates the Ca current activated by depletion of intracellular Ca stores in human macrophages. *J. Membr. Biol.* **116**, 47-56.
- Manganas, L.N. y Trimmer, J.S. (2000) Subunit composition determines Kv1 potassium channel surface expression. *J. Biol. Chem.* **275**, 29685-29693.
- Martens, J.R., Kwak, Y.G. y Tamkun, M.M. (1999) Modulation of Kv channel  $\gamma/\gamma$  subunit interactions. *Trends Card. Med.* **9**, 253-258.
- Martens, J.R., Navarro-Polanco, R., Coppock, E.A., Nishiyama, A., Parshley, L., Grobaski, T.D. y Tamkun M.M. (2000) Differential targeting of *Shaker*-like potassium channels to lipid rafts. *J. Biol. Chem.* **275**, 7443-7446.
- Martens, J.R., Sakamoto, N., Sullivan, S.A., Grobaski, T.D. y Tamkun M.M. (2001) Isoform-specific localization of voltage-gated K<sup>+</sup> channels to distinct lipid raft populations. *J. Biol. Chem.* **276**, 8409-8414.
- Martin, S., Tellam, J., Livingstone, C., Slot, J.W., Gould, G.W. y James, D.E. (1996) The glucose transporter (GLUT-4) and vesicle-associated membrane protein-2 (VAMP-2) are segregated from recycling endosomes in insulin-sensitive cells. *J. Cell. Biol.* **117**, 1181-1196.
- Marx, S.O., Kurokawa, J., Reiken, S., Motoike, H., Armiento, J., Marks, A.R. y Kass, R.S. (2002) Requirement of a macromolecular signaling complex for beta adrenergic receptor modulation of the KCNQ1-KCNE1 potassium channel. *Science*. **295**, 496-499.
- Matsuda, H., Saigusa, A. y Irisawa, H. (1987) Ohmic conductance through inward rectifying K<sup>+</sup> channel and blocking by internal Mg<sup>2+</sup>. *Nature (Lond.)*. **325**, 156-157.
- Matteson, D.R. y Deutsch, C., (1984) K channels in T lymphocytes: a patch clamp study using monoclonal antibody adhesion. *Nature*. **307**, 468-471.
- McCormarck, T., McCormarck, K., Nadal, M.S., Vieira, E., Ozatia, E. y Rudy, B. (1999) The effects of *Shaker*  $\gamma$ -subunits on the human lymphocyte K<sup>+</sup> channel Kv1.3. *J. Biol. Chem.* **274**, 20123-20126.

- McCrossan, Z.A. y Abbott, G.W. (2004) The MinK-related peptides. *Neuropharmacology*. **47**, 787-821.
- McCrossan, Z.A., Lewis, A., Panaghie, G., Jordan, P.N., Christini, D.J., Lerner, D.J., Abott, G.W. (2003) MinK-related peptide 2 modulates Kv2.1 and Kv3.1 potassium channels in mammalian brain. *J. Neurosci.* **23**, 8077-8091.
- McKinney, L.C. y Gallin, E.K. (1990) Effect of adherence, cell morphology, and lipopolysaccharide on potassium conductance and passive membrane properties of murine macrophage J774.1 cells. *J. Membr. Biol.* **116**, 47-56.
- Meerpohl, H.G., Lohmann-Matthes, M.L. y Fisher, H. (1976) Studies on the activation of muose bone-marrow derived macrophages by the macrophage cytotoxicity factor (MCF) *Eur. J. Immunol.* **6**, 213-217.
- Melkonian, K.A., Ostermeyer, A.G., Chen, J.Z., Roth, M.G. y Brown, D.A. (1999) Role of lipid modifications in targeting proteins to detergent-resistant membrane rafts. Many raft proteins are acylated, while few are prenylated. *J. Biol. Chem.* **274**, 3910-3917.
- Melman, Y.F., Domenech, A. y McDonald, T.V. (2001) Structural determinants of KvLQT1 control by KCNE family of proteins. *J. Biol. Chem.* **276**, 6439-6444.
- Melman, Y.F., Krumer, A. y McDonald, T.V. (2002) A single transmembrane site in the KCNE-encoded proteins controls the specificity of KvLQT1 channel gating. *J. Biol. Chem.* **277**, 25178-25194.
- Minor, D.L., Lin, Y-F., Mobley, B.C., Avelar, A., Jan, Y.N., Jan, L.Y. y Berger, J.M. (2000) The polar T1 interface in linked to conformational changes that open the voltage-gated potassium channel. *Cell.* **102**, 657-670.
- Murata, M., Buckett, P.D., Zhou, J., Brunner, M. Folco, E. y Koren G. (2001) SAP-97 interacts with Kv1.5 in heterologous expression systems. *Am. J. Physiol.* **281**, 2575-2584.
- Murrell-Langnado, R.D. y Aldrich, R.W. (1993) Energetics of *Shaker* K<sup>+</sup> channels block by inactivation peptides. *J.Gen. Physiol.* **102**, 949-975.
- Nagaya, N. y Papazian, D.M. (1997) Potassium channel alpha and beta subunits assemble in the endoplasmic reticulum. *J. Biol. Chem.* **272**, 3022-3027.
- Nakahira, K., Shi, G., Rhodes, K.J. (1996) Selective interaction of voltage-gated K<sup>+</sup> channel beta-subunits with alpha-subunit. *J. Biol. Chem.* **271**, 7084-7089.
- Narahashi, T., Moore, J.W. y Scott, W.R. (1964) Tetrodotoxin blockage of sodium conductance increase in lobster giant axons. *J. Gen. Physiol.* **47**, 965-974.
- Neher, E. y Sackmann, B. (1976) single channel currents recorded from membrane of denervated frog muscle fibres. *Nature Lond.* **260**, 799-802.
- Nelson, D.J., Jow, B. y Jow, F. (1990) Whole-cell currents in macrophages. I. Human monocyte-derived macrophages. *J. Membr. Biol.* **117**, 29-44.
- Nelson, D.J., Jow, B. y Jow, F. (1992) Lipopolysaccharide induction of outward potassium current expression in human monocyte-derived macrophages: lack of correlation with secretion. *J. Membr. Biol.* **125**, 207-218.
- Nerst, W. (1888) Zur Kinetik der in Lösung befindlichen Körper: Theorie der Diffusion. *Z. Phys. Chem.* 613-637.
- Nesti, E., Everill, B. y Morielli, A.D. (2004) Endocytosis as a mechanism for tyrosine kinase-dependent suppression of voltage-gated potassium channel. *Mol. Biol. Cell.* **15**, 4073-4088.
- Nichols, B.J. y Lippincott-Schwartz, J. (2001) Endocytosis without clathrin coats. *Trends Cell Biol.* **11**, 406-412.
- Nichols, C.G. y Lopatin, A.N. (1997) Inward rectifier potassium channels. *Annu. Rev. Physiol.* **59**, 171-191.
- Nilius, B., Schwarz, G. y Droogmans, G. (1993) Control of intracellular calcium by membrane potential in human melanoma cells. *Am. J. Physiol. Cell. Physiol.* **265**, 1501-1510.
- Noda, M., Shimizu, S., Tanabe, T., Takai, T., Kayano, T., Ikeda, T., Takahashi, H., Kakayama, Y., Minamino, N., Kangawa, K., Matsuo, H., Raftery, M.A., Hirose, T., Inayama, S., Hayashida, H., Miyatta, T. y Numa, S. (1984) Primary structure of *Electrophorus electricus* sodium channel deduced from cDNA sequence. *Nature.* **312**, 121-127.
- Nörenberg, W., Cordes, A., Blöbbaum, G., Frölich, R. e Illes, P. (1997) Coexistence of purino- and pyrimidinoceptors on activated rat microglia cells. *Br. J. Pharmacol.* **121**, 1087-1098.
- Nörenberg, W., Gebicke-Haerter, P.J. e Illes, P. (1992) Inflammatory stimuli induce a new K

- outward current in cultured rat microglia. *Neurosci. Lett.* **147**, 171-174.
- Nörenberg, W., Gebicke-Haerter, P.J. e Illes, P. (1994) Voltage-dependent potassium channels in activated rat microglia. *J. Physiol. (Lond.)* **475**, 15-32.
- O'connel, K.M.S. y Tamkun, M.M. (2005) Targeting of voltage-gated potassium channel isoforms to distinct cell surface microdomains. *J. Cell. Sci.* **118**, 2155-2166.
- O'Connor, K.C., Bar-Or, A. y Hafler, D.A. (2001) The neuroimmunology of multiple sclerosis: possible roles of T and B lymphocytes in immunopathogenesis. *J. Clin. Immunol.* **21**, 81-92.
- Olcese, R., Latorre, R., Toro, L., Bezanilla, F. y Stefani, E. (1997) Correlation between charge movement and ionic current during slow inactivation in Shaker K channels. *J. Gen. Physiol.* **11**, 579-589.
- Ortega-Sáez, P., Pardal, R., Castellano, A. y López-Barneo. (2000) Collapse of conductance is prevented by glutamate residue conserved in voltage-dependent K<sup>+</sup> channels. *J. Gen. Physiol.* **116**, 181-190.
- Panyi, G., Bagdany, M., Bodnar, A., Vamosi, G., Szentesi, G., Jenei, A., Matyus, L., Waldmann, T.A. y Damjanovich, S. (2003) Colocalization and nonrandom distribution of Kv1.3 potassium channels and CD3 molecules in the plasma membrane of human T lymphocytes. *Proc. Natl. Acad. Sci. USA.* **100**, 2592-2597.
- Panyi, G., Sheng, Z. y Deutch, C. (1995) C-type inactivation of voltage-gated K<sup>+</sup> channel occurs by a cooperative mechanism. *Biophys. J.* **69**, 896-903.
- Papazian, D.M., Schwarz, T.L., Tempel, B.L., Jan, Y.N. y Jan, L.Y. (1987) Cloning of genomic and complementary DNA from Shaker, a putative potassium channel gene from *Drosophila*. *Science.* **237**, 749-753.
- Parcej, D.N., Scott, V.E.S., Dolly, O. (1992) Oligomeric properties of alpha-dendrotoxin-sensitive potassium ion channels purified from bovine brain. *Biochemistry.* **31**, 84-88.
- Pardo, L.A. (2004) Voltage-gated potassium channels in cell proliferation. *Physiology.* **19**, 285-292.
- Pardo, L.A. Heinemann, S.H., Terlau, H., Ludewig, U., Lorra, C., Pongs, O. y Stühmer. (1992) Extracellular K<sup>+</sup> specifically modulates a rat brain K<sup>+</sup> channel. *Proc. Natl. Acad. Sci. USA.* **89**, 2466-2470.
- Pelkmans, L. y Helenius, A. (2002) Endocytosis via caveolae. *Traffic.* **3**, 311-320.
- Pennington, M.W., Mahnir, V.M., Krafte, D.S., Zaydenberg, L., Byrnes, M.E., Khaytin, I., Crowley, K. y Kem, W.R. (1996) Identification of three separate binding sites on SHK toxin, a potent inhibitor of voltage-dependent potassium channels in human T-lymphocytes and rat brain. *Biochem. Biophys. Res. Commun.* **219**, 696-701.
- Pérez-García, M.T., López-López, J.R. y González, C. (1999) Kvγ1.2 subunit coexpression in HEK293 cells confers O<sub>2</sub> sensitivity to Kv4.2 but not to Shaker channels. *J. Gen. Physiol.* **113**, 897-907.
- Peri, R., Wible, B.A. y Brown, A.M. (2001) Mutations in the Kvγ2 binding site for NADPH and their effects on Kv1.4. *J. Biol. Chem.* **276**, 738-741.
- Post, M.A., Kirsch, G.E. y Brown, A.M. (1996) Kv2.1 and electrically silent Kv6.1 potassium channels combine and express a novel current. *FEBS Lett.* **399**, 177-182.
- Preuyat, K., Beetz, C., Schrey, M., Krfaft, R., Wöfl, S., Kalf, R. y Patt, S. (2003) Expression of voltage-gated potassium channels Kv1.3 and Kv1.5 in human gliomas. *Neurosci. Lett.* **346**, 33-36.
- Price, M., Lee, S.C. y Deutsch, C. (1989) Charybdotoxin inhibits proliferation and interleukin 2 production in human peripheral blood lymphocytes. *Proc. Natl. Acad. Sci. USA.* **86**, 10171-10175.
- Rasband, M.N., Trimmer, J.S., Schwarz T.L., Levinson, S.R., Ellisman, M.H., Schachner, M. y Shrager, P. (1998) Potassium channel distribution, clustering, and function in remyelinating rat axons. *J. Neurosci.* **18**, 36-47.
- Ren, X., Ostermeyer, A.G., Ramcharan, L.T., Zeng, Y., Lublin, D.M. and Brown, D.A. (2004) Conformational defects slow Golgi exit, block oligomerization, and reduce raft affinity of caveolin-1 mutant proteins. *Mol. Biol. Cell.* **15**, 4556-4567.
- Rettig, J., Heinemann S.H., Wunder, F., Lorra, C., Parcej, D.N., Dolly, J.O. y Pongs, O. (1994) Inactivation properties of voltage-gated K<sup>+</sup> channels altered by presence of γ-subunit. *Nature (Lond)* **369**, 289-294.
- Reuver, S.M. y Garner, C.C. (1998) E-cadherin mediated cell adhesion recruits SAP97 into the cortical cytoskeleton. *J. Cell. Sci.* **111**, 1071-1080.
- Rhoades, K.L., Golub, S.H. y Economou, J.S. (1992) The regulation of the human tumor necrosis factor alpha promoter region in

- macrophage, T cell, and B cell lines. *J Biol Chem.* **267**, 22102-22107.
- Rohrschneider, L.R., Bourette, R.P., Lioubin, M.N., Algate, P.A., Myles, G.M. y Carlberg, K. (1997) Growth and differentiation signals regulated by the M-CSF receptor. *Mol. Reprod. Dev.* **46**, 96-103.
- Ros-Baró, A., López-Iglesias, C., Peiró, S., Bellido, D., Palacin, M., Zorzano, A. y Camps, M. (2001) Lipid rafts are required for GLUT4 internalization in adipose cells. *Proc. Natl. Acad. Sci. USA.* **98**, 12050-12055.
- Ross, P.E. y Cahalan, M.D. (1995) Ca<sup>2+</sup> influx pathways mediated by swelling or stores depletion in mouse thymocytes. *J. Gen. Physiol.* **106**, 415-444.
- Ruppersberg, J.P., Schroter, K.H., Sakmann, B., Stocker, M., Sewing, S. y Pongs, O. (1990) Heteromultimeric channels formed by rat brain potassium channel proteins. *Nature.* **345**, 535-537.
- Salinas, M., de Weille, J., Guillemare, E., Lazdunski, M. y Hugnot, J.P. (1997) Modes of regulation of *Shab* K channel activity by the Kv8.1 subunit. *J. Biol. Chem.* **272**, 8774-8780.
- Salinas, M., Duprat, F., Heurteaux, C., Hugnot, J.P. y Lazdunski, M. (1997) New modulatory  $\gamma$  subunits for mammalian *Shab* K<sup>+</sup> channels. *J. Biol. Chem.* **272**, 24371-24379.
- Santana, M.A., Pedraza-Alva, G., Olivares-Zanvaleta, N., Madrid-Marina, V., Horejsi, V., Burakoff, S.J. y Rosenstein, Y. (2000) CD43-mediated signals induce DNA binding activity of AP-1, NF-AT, and NFkappa B transcription factors in human T lymphocytes. *J. Biol. Chem.* **275**, 31460-31468.
- Sargiacomo, M., Sudol, M., Tang, Z. y Lisanti, M.P. (1993) Signal transducing molecules and glycosyl-phosphatidylinositol-linked proteins form a caveolin-rich insoluble complex in MDCK cells. *J Cell Biol.* **122**, 789-807.
- Schlichter, L., Sidell, N. y Hagiwara, S. (1986) K channels are expressed early in human T cells development. *Proc. Natl. Acad. Sci. USA.* **83**, 5625-5629.
- Scott, V.E., Rettig, J., Parcej, D.N., Keen, J.N., Findlay, J.B.C, Pongs, O. y Dolly, O. (1994) Primary structure of a  $\gamma$ -subunit of  $\gamma$ -dendrotoxin-sensitive K<sup>+</sup> channels from bovine brain. *Proc. Natl. Acad. Sci. USA.* **91**, 1637-1641.
- Seoh, S.A., Sigg, D. Papazian, D.M. y Bezanilla, F. (1996) Voltage-sensing residues in the S2 and S4 segments of the *Shaker* K<sup>+</sup> channel. *Neuron.* **16**, 1159-1167.
- Sesti, F. y Goldstein, S.A. (1998) Single-channel characteristics of wild-type IKs channels and channels formed with two minK mutants that cause long QT syndrome. *J. Gen. Physiol.* **112**, 651-663.
- Sewing, S., Roeper, J. y Pongs, O. (1996) Kv $\beta$ 1 subunit binding specific for *Shaker*-related potassium channel alpha subunits. *Neuron.* **16**, 455-463.
- Shamotienko, O.G., Parcej, D.N. y Dolly, J.O. (1997) Subunit combinations defined for K channel Kv1 subtypes in synaptic membranes from bovine brain. *Biochemistry.* **36**, 8195-8201.
- Sheng, M., y Wyszynski, M. (1997) Ion channel targeting in neurons. *Bioessays.* **19**, 847-853.
- Shi, G.Y., Nakahira, K., Hammond, S., Rhodes, K.J., Schechter, L.E. y Trimmer, J.S. (1996)  $\gamma$ -subunits promote K channel surface expression through effects early in biosynthesis. *Neuron.* **16**, 843-852.
- Sigal, N.H. y Dumont, F. (1992) Cyclosporine A, FK506 and rapamycin: pharmacologic probes of lymphocyte signal transduction. *Annu. Rev. Immunol.* **10**, 519-560.
- Simons, K. e Ikonen, E. (1997) Functional rafts in cell membranes. *Nature.* **387**, 569-572.
- Sokolova, O., Kolmakova-Partensky, L. y Grigorieff, N. (2001) Three-dimensional structure of a voltage gated potassium channel. *Structure Fol. Des.* **9**, 215-220.
- Soler, C., Garcia-Manteiga, J., Valdes, R., Xaus, J., Comalada, M., Casado, F.J., Pastor-Anglada, M., Celada, A. y Felipe, A. (2001) Macrophages require different nucleoside transport systems for proliferation and activation. *FASEB J.* **15**, 1979-1988.
- Sorkina, T., Bild, A., Tebar, F. y Sorkin, A. (1999) Clathrin, adaptors and eps15 in endosomes containing activated epidermal growth factor receptors. *J. Cell. Sci.* **112**, 317-327.
- Splawski, I., Tristani, F., Lehmann, M.H., Sanguinetti, M.C. y Keating, M.T. (1997) Mutations in the hMinK gene cause long QT syndrome and suppress Iks function. *Nat. Genet.* **17**, 338-340.
- Steffan, N.M., Bren, G.D. Frantz, B., Tocci, M.J., O'Neill, E.A. y Paya, C.V. (1995) Regulation of Ikb alpha phosphorylation by PKC- and Ca(2+)-dependent signal

- transduction pathways. *J. Immunol.* **155**, 4685-4691.
- Storey, N.M., Gomez-Angelats, M., Bortner, C.D., Armstrong, D.L., Cidlowski, J.A. (2003) Stimulation of Kv1.3 potassium channels by death receptors during apoptosis in Jurkat T lymphocytes. *J. Biol. Chem.* **278**, 33319-33326.
- Stühmer, W., Ruppersberg, J.P., Schroter, K.H., Sakmann, B., Stocker, M., Giese, K.P., Perschke, A., Baumann, A. y Pongs, O. (1989) Molecular basis of functional diversity of voltage-gated potassium channels in mammalian brain. *EMBO J.* **8**, 3235-3244.
- Suarez-Kurtz, G., Vianna-Jorge, R., Pereira, B., Garcia, M. y Kaczorowski, G. (1999) Peptidyl inhibitors of Shaker-type Kv1 channels elicit twitches in guinea pig ileum by blocking Kv1.1 at anteric nervous system and enhancing acetylcholine release. *J. Pharmacol. Exp. Ther.* **289**, 1517-1522.
- Swanson, R., Marshall, J., Smith, J.S., Williams, J.B., Boyle, M.B., Folander, K., Luneau, C.J., Antanavage, J., Oliva, C., Buhrow, S.A., Bennett, C., Stein, R.B. y Kaczmarek, L.K. (1990) Cloning and expression of cDNA and genomic clones encoding three delayed rectifier potassium channel in rat brain. *Neuron.* **4**, 929-39.
- Szabo, I., Gulbis, E., Apfel, H., Zhang, X., Barth, P., Busch, A.E., Schlottmann, K., Pongs, O. y Lang F. (1996) Tyrosine phosphorylation-dependent suppression of a voltage-gated K<sup>+</sup> channel in T lymphocytes upon Fas stimulation. *J. Biol. Chem.* **271**, 20465-20469.
- Szabò, I., Adams, C. y Gulbins, E. (2004) Ion channels and membrane rafts in apoptosis. *Eur. J. Physiol.* **448**, 304-312.
- Tai, K.K. y Goldstein, S.A. (1998) The conduction pore of a cardiac potassium channel. *Nature.* **391**, 605-608.
- Takei, K. y Hauke, V. (2001) Clathrin-mediated endocytosis: membrane factors pull the trigger. *Trends Cell Biol.* **11**, 385-391.
- Takimoto, K. and Levitan, E.S. (1996) Altered K<sup>+</sup> channel subunit composition following hormone induction of Kv1.5 gene expression. *Biochemistry.* **35**, 14149-14156.
- Takimoto, K., Fomina, A.F., Gealy, R., Trimmer, J.S. y Levitan, E.S. (1993) Dexamethasone rapidly induces Kv1.5 K<sup>+</sup> channel gene transcription and expression in clonal pituitary cells. *Neuron.* **11**, 359-369.
- Takimoto, K., Yang, E.K. y Conforti, L. (2002) Palmitoylation of KchIP splicing variants is required for efficient cell surface expression of Kv4.3 channels. *J. Biol. Chem.* **277**, 26904-26911.
- Tapper, A.R. y George, A.L. (2000) MinK subdomains that mediate modulation of and association with KvLQT1. *J. Gen. Physiol.* **116**, 379-390.
- Tapper, A.R. y George, A.L. (2001) Location and orientation of MinK within the I(Ks) potassium channel complex. *J. Biol. Chem.* **276**, 38249-38254.
- Tessitore, L., Bonelli, G. y Baccino, F.M. (1987) Early development of protein metabolic perturbations in the liver and skeletal muscle of tumour-bearing rats. A model system for cancer cachexia. *Biochem. J.* **241**, 153-159.
- Tiffany, A.M., Manganas, L.N., Kim E., Hsueh, Y.P., Sheng, M. y Trimmer, J.S. (2005) PSD-95 y SAP-97 exhibit distinct mechanisms for regulating K<sup>+</sup> channel surface expression and clustering. *J. Cell. Biol.* **148**, 147-157.
- Trimmer, J.S. (1993) Expression of delayed rectifier K<sup>+</sup> channel isoforms in the developing rat brain. *FEBS Lett.* **324**, 205-210.
- Trushin, S.A., Pennington, K.N., Algeciras-Schimmich, A. y Paya, C.V. (1999) Protein kinase C and calcineurin synergize to activate IkappaB kinase and NF-kappaB in T lymphocytes. *J. Biol. Chem.* **274**, 22923-22931.
- Tu, L., Santarelli, V., Sheng, Z., Skach, W., Pain, D. y Deutsch C. (1996) Voltage-gated K<sup>+</sup> channels contain multiple intersubunit association sites. *J. Biol. Chem.* **271**, 18904-18911.
- Turrin, N.P. y Plata-Salaman, C.R. Cytokine-cytokine interactions and the brain. (2000) *Brain Res Bull.* **51**, 3-9.
- Uebele, V.N., England, S.K., Chaudhary, A., Tamkun, M.M. y Snyders, D.J. (1996) Functional differences in Kv1.5 currents expressed in mammalian cell lines are due to the presence of endogenous Kvγ2.1 subunits. *J. Biol. Chem.* **271**, 2406-2412.
- Uebele, V.N., England, S.K., Gallagher, D.J., Snyders, D.J., Bennett, P.B. y Tamkun, M.M. (1998) Distinct domains of the voltage-gated K<sup>+</sup> channel Kv γ 1.3 γ - subunit affect voltage-dependent gating. *Am. J. Physiol.* **274**, 1485-1495.

- Valledor, A.F. y Ricote, M. (2004) Nuclear receptor signaling in macrophages. *Biochem. Pharmacol.* **67**, 201-212.
- Valledor, A.F., Xaus, J., Comalada, M., Soler, C. y Celada, A. (2000) Protein kinase C $\gamma$  is required for the induction of mitogen-activated protein kinase phosphatase-1 in lipopolysaccharide-stimulated macrophages. *J. Immunol.* **164**, 29-37.
- Valverde, P., Kawai, T. y Taubman, M.A. (2004) Selective blockade of voltage-gated potassium channels reduces inflammatory bone resorption in experimental periodontal disease. *J. Bone Miner. Res.* **19**, 155-164.
- Van Furth, R. (1992) Production and migration of monocytes and kinetics of macrophages. Kluwer Academic Publisher, Dordrecht, Netherlands.
- Vandenberg, C.A. (1987) Inward rectification of a potassium channel in cardiac ventricular cells depends on internal magnesium ions. *Proc. Natl. Acad. Sci. USA.* **84**, 2560-2564.
- Vautier, F., Belachew, S., Chittajallu, R. y Gallo, V. (2004) Shaker-type potassium channel subunits differentially control oligodendrocyte progenitor proliferation. *Glia.* **48**, 337-345.
- Velasco, M., Díaz-Guerra, M.J.M., Díaz-Achirica, P., Andreu, D., Rivas, L. y Boscá, L. (1997) Macrophage triggering with cerropin A and melittin-derived peptides induces type II nitric oxide synthase expression. *J. Immunol.* **158**, 4437-4443.
- Verheugen, J.A., Vijverberg, H.P., Oortgiesen, M. y Cahalan, M.D. (1995) Voltage-gated and Ca<sup>2+</sup> activated K channels in intact human T lymphocytes. Noninvasive measurements of membrane currents, membrane potential and intracellular calcium. *J. Gen. Physiol.* **105**, 765-794.
- Villareal, M.L. y Cook, J.S. (1977) Role of the membrane potential in serum-stimulated uptake of amino acid in a diploid human fibroblast. *J. Supramol. Struct.* **6**, 179-189.
- Villareal, M.L. y Cook, J.S. (1978) Regulation of active amino acid transport by growth-related changes in membrane potential in a human fibroblast. *J. Biol. Chem.* **253**, 8257-8262.
- Visentin, S., Agresti, C., Patrizio, M. y Levi, G. (1995) Ion channels in rat microglia and their different sensitivity to lipopolysaccharide and interferon- $\gamma$ . *J. Neurosci.* **42**, 439-451.
- Wang, H., Kunkel, D.D., Martin, T.M., Schwartzkroin, P.A. y Tempel, B.L. (1993) Heteromultimeric K<sup>+</sup> channels in terminal and juxtapanodal regions of neurons. *Nature.* **365**, 75-79.
- Wang, Z., Kiehn, J., Yang, Q., Brown, M. y Wible, B.A. (1996) Comparison of binding and block produced by alternatively spliced Kv $\beta$  subunits. *J. Biol. Chem.* **271**, 311-317.
- Watanabe, I., Zhu, J., Esperanza, R.P. y Thornhill, W.B. (2004) Glycosylation affects the protein stability and cell surface expression of Kv1.4 but not Kv1.1 potassium channels. *J. Biol. Chem.* **279**, 8879-8885.
- Wundergem, N., Gong, W., Monen, S.H., Dooley, S.N., Gonce, J.L., Conner, T.D., Houser, M., Ecay, T.W. y Ferslew, K.E. (2001) Blocking swelling-activated chloride current inhibits mouse liver cell proliferation. *J. Physiol.* **532**, 661-672.
- Wonderlin, W.F. y Strobl, J.L. (1996) Potassium channels, proliferation and G1 progression. *J. Membrane Biol.* **154**, 91-107.
- Wong, W. y Schlichter, L.C. (2004) Differential recruitment of Kv1.4 and Kv4.2 to lipid rafts by PSD-95. *J. Biol. Chem.* **279**, 444-452.
- Wu, H., Reuver, S.M., Kuhlendahl, S., Chung, W.J. y Garner, C.C. (1998) Subcellular targeting and cytoskeletal attachment of SAP97 to the epithelial lateral membrane. *J. Cell. Sci.* **111**, 2365-2376.
- Wulff, H., Calabresi, P.A., Allie, R., Yun, S., Pennington, M., Beeton, C. y Chandy, K.G. (2003) The voltage-gated Kv1.3 K<sup>+</sup> channel in effector memory T cells as new target for MS. *J. Clin. Invest.* **111**, 1703-1713.
- Wulff, H., Knaus, H.G., Pennington, M. y Chandy, K.G. (2004) K Channels expression during B cell differentiation: Implications for immunomodulation and autoimmunity. *J. Immunol.* **173**, 776-786.
- Wulff, H., Miller, M.J., Hänsel, W., Grissmer, S., Cahalan, M.D. y Chandy, K.G. (2000) Design of a potent and selective inhibitor of the intermediate-conductance Ca-activated K<sup>+</sup> channel, IKCa1: a potential immunosupresor. *Proc. Acad. Natl. Sci. USA.* **97**, 8151-8156.
- Xu, J. y Li, M. (1997) Kv $\gamma$ 2 inhibits the Kv $\gamma$ 1-mediated inactivation of K<sup>+</sup> channels in transfected mammalian cells. *J. Biol. Chem.* **272**, 11728-11735.
- Xu, J., Yu, W., Jan, Y.M., Jan, L.Y. y Li, M. (1995) Assembly of voltage-gated potassium channels. Conserved hydrophilic motifs determines subfamily-specific

- interactions between the  $\gamma$  subunits. *J. Biol. Chem.* **270**, 24761-24768.
- Yang, Y., Yan, Y. y Sigworth, F.J. (1997) How does the W434F mutation block current in Shaker potassium channels? *J.Gen.Physiol.* **109**, 779-789.
- Yellen, G. (1998) The moving part of voltage-gated ion channels. *Q.Rev.Biophys.* **31**, 239-295.
- Yellen, G.D., Sodicksoon, D., Chen, T. y Jurman, M.E. (1994) An engineered cysteine in the external mouth of a  $K^+$  channel allows inactivation to be modulated by metal binding. *Biophys.J.* **66**, 1068-1075.
- Yoon, J.W. y Jun, H.S. (2001) Cellular and molecular pathogenic mechanisms of insulin-dependent diabetes mellitus. *Ann. NY Acad. Sci.* **928**, 200-211.
- Zagotta, W.N. y Aldrich, R.W. (1990) Voltage-dependent gating of Shaker A-type potassium channel in *Drosophila* muscle. *J. Gen. Physiol.* **95**, 29-60.
- Zagotta, W.N., Hoshi, T. y Aldrich, R.W. (1990) Restoration of inactivation in mutants of Shaker potassium channels by peptide derived from ShB. *Science.* **250**, 568-571.
- Zhou, M., Morais-Cabral, J.H., Mann, S., y MacKinnon, R. (2001) Potassium channel receptor site for the inactivation gate and quaternary amine inhibitors. *Nature.* **411**, 657-661.
- Zhou, W., Qian, Y., Kunjilwar, K., Pfaffinger, P.J. y Choe, S. (2004) Structural insights into the functional interaction of KchIP1 with *Shal*-Type K Channels. *Neuron.* **41**, 573-586.
- Zhu, J., Watanabe, I., Gomez, B. y Thornhill, W.B. (2003) Heteromeric Kv1 potassium channel expression. *J. Biol. Chem.* **28**, 25558-25567.
- Zhu, J., Watanabe, I., Gomez, B., y Thornhill, W.B. (2001) Determinants involved in Kv1 potassium channel folding in the endoplasmic reticulum, glycosylation in the Golgi, and cell surface expression. *J. Biol. Chem.* **276**, 39419-39427.
- Zweifach, A. y Lewis, R.S. (1993) Mitogen-regulated  $Ca^{2+}$  current of T lymphocytes is activated by depletion of intracellular  $Ca^{2+}$  stores. *Proc. Natl. Acad. Sci. USA.* **90**, 6295-6299.