

Tesi doctoral presentada per En/Na

Marta PUIGMULÉ RAURICH

amb el títol

**"Caracterització dels sistemes renals de ratolí i humà
(PCT3 i HK-2). Mecanismes moleculars implicats en la
nefrotoxicitat produïda per la CsA en el túbul proximal
renal"**

per a l'obtenció del títol de Doctor/a en

BIOLOGIA

Barcelona, 29 de maig de 2008

Facultat de Biologia
Departament de Bioquímica i Biologia Molecular



BIBLIOGRAFIA

A

Abbas A.K. 2002. 4rta edición. "Inmunología Celular y Molecular"

Alfonso-Jaume MA, Mahimkar R, Lovett DH: Co-operative interactions between NFAT (nuclear factor of activated T cells) c1 and the zinc finger transcription factors Sp1/Sp3 and Egr-1 regulate MT1-MMP (membrane type 1 matrix metalloproteinase) transcription by glomerular mesangial cells. *Biochem J* 380:735-747, 2004.

Aliabadi HM, Elhasi S, Brocks DR, Lavasanifar A: Polymeric micellar delivery reduces kidney distribution and nephrotoxic effects of Cyclosporine A after multiple dosing. *J Pharm Sci*, 2007.

Allain F, Denys A, Spik G: Characterization of surface binding sites for cyclophilin B on a human tumor T-cell line. *J Biol Chem* 269:16537-16540, 1994.

Allain F, Boutillon C, Mariller C, Spik G: Selective assay for CyPA and CyPB in human blood using highly specific anti-peptide antibodies. *J Immunol Methods* 178:113-120, 1995.

Allain F, Durieux S, Denys A, Carpentier M, Spik G: Cyclophilin B binding to platelets supports calcium-dependent adhesion to collagen. *Blood* 94:976-983, 1999.

Allain F, Vanpouille C, Carpentier M, Slomianny MC, Durieux S, Spik G: Interaction with glycosaminoglycans is required for cyclophilin B to trigger integrin-mediated adhesion of peripheral blood T lymphocytes to extracellular matrix. *Proc Natl Acad Sci U S A* 99:2714-2719, 2002.

Al-Shahrour F, Diaz-Uriarte R, Dopazo J: FatiGO: a web tool for finding significant associations of Gene Ontology terms with groups of genes. *Bioinformatics* 20:578-580, 2004.

Al-Shahrour F, Minguez P, Vaquerizas JM, Conde L, Dopazo J: BABELOMICS: a suite of web tools for functional annotation and analysis of groups of genes in high-throughput experiments. *Nucleic Acids Res* 33:W460-464, 2005.

Altschuh D: Cyclosporin A as a model antigen: immunochemical and structural studies. *J Mol Recognit* 15:277-285, 2002.

Andreeva L, Tanveer A, Crompton M: Evidence for the involvement of a membrane-associated cyclosporin-A-binding protein in the Ca(2+)-activated inner membrane pore of heart mitochondria. *Eur J Biochem* 230:1125-1132, 1995.

Arber S, Krause KH, Caroni P: s-cyclophilin is retained intracellularly via a unique COOH-terminal sequence and colocalizes with the calcium storage protein calreticulin. *J Cell Biol* 116:113-125, 1992.

BIBLIOGRAFIA

Arevalo-Rodriguez M, Heitman J: Cyclophilin A is localized to the nucleus and controls meiosis in *Saccharomyces cerevisiae*. *Eukaryot Cell* 4:17-29, 2005.

Ashburner M, Ball CA, Blake JA, Botstein D, Butler H, Cherry JM, Davis AP, Dolinski K, Dwight SS, Eppig JT, Harris MA, Hill DP, Issel-Tarver L, Kasarskis A, Lewis S, Matese JC, Richardson JE, Ringwald M, Rubin GM, Sherlock G: Gene ontology: tool for the unification of biology. The Gene Ontology Consortium. *Nat Genet* 25:25-29, 2000.

B

Baines CP, Kaiser RA, Purcell NH, Blair NS, Osinska H, Hambleton MA, Brunskill EW, Sayen MR, Gottlieb RA, Dorn GW, Robbins J, Molkentin JD: Loss of cyclophilin D reveals a critical role for mitochondrial permeability transition in cell death. *Nature* 434:658-662, 2005.

Bakker RC, van Kooten C, van de Lagemaat-Paape ME, Daha MR, Paul LC: Renal tubular epithelial cell death and cyclosporin A. *Nephrol Dial Transplant* 17:1181-1188, 2002.

Benard G, Faustin B, Passerieux E, Galinier A, Rocher C, Bellance N, Delage JP, Casteilla L, Letellier T, Rossignol R: Physiological diversity of mitochondrial oxidative phosphorylation. *Am J Physiol Cell Physiol* 291:C1172-1182, 2006.

Bennett WM, Pulliam JP: Cyclosporine nephrotoxicity. *Ann Intern Med* 99:851-854, 1983.

Bergsma DJ, Eder C, Gross M, Kersten H, Sylvester D, Appelbaum E, Cusimano D, Livi GP, McLaughlin MM, Kasyan K, et al.: The cyclophilin multigene family of peptidyl-prolyl isomerase. Characterization of three separate human isoforms. *J Biol Chem* 266:23204-23214, 1991.

Bernstein E, Caudy AA, Hammond SM, Hannon GJ: Role for a bidentate ribonuclease in the initiation step of RNA interference. *Nature* 409:363-366, 2001.

Besarab A, Jarrell BE, Hirsch S, Carabasi RA, Cressman MD, Green P: Use of the isolated perfused kidney model to assess the acute pharmacologic effects of cyclosporine and its vehicle, cremophor EL. *Transplantation* 44:195-201, 1987.

Billich A, Winkler G, Aschauer H, Rot A, Peichl P: Presence of cyclophilin A in synovial fluids of patients with rheumatoid arthritis. *J Exp Med* 185:975-980, 1997.

Bommer UA, Thiele BJ: The translationally controlled tumour protein (TCTP). *Int J Biochem Cell Biol* 36:379-385, 2004.

Borel JF, Feurer C, Gubler HU, Stahelin H: Biological effects of cyclosporin A: a new antilymphocytic agent. *Agents Actions* 6:468-475, 1976.

Borel JF, Baumann G, Chapman I, Donatsch P, Fahr A, Mueller EA, Vigouret JM: In vivo pharmacological effects of ciclosporin and some analogues. *Adv Pharmacol* 35:115-246, 1996.

Bram RJ, Crabtree GR: Calcium signalling in T cells stimulated by a cyclophilin B-binding protein. *Nature* 371:355-358, 1994.

Brenner BM. 1997. The Kidney 5th ed. Saunders, Philadelphia

Broekemeier KM, Pfeiffer DR: Inhibition of the mitochondrial permeability transition by cyclosporin A during long time frame experiments: relationship between pore opening and the activity of mitochondrial phospholipases. *Biochemistry* 34:16440-16449, 1995.

Burdmann EA, Andoh TF, Yu L, Bennett WM: Cyclosporine nephrotoxicity. *Semin Nephrol* 23:465-476, 2003.

Burkrinsky MI: Cyclophilins: unexpected messengers in intercellular communications. *Trends Immunol* 7:323-325, 2002.

Busauschina A, Schnuelle P, van der Woude FJ: Cyclosporine nephrotoxicity. *Transplant Proc* 36:229S-233S, 2004.

C

Campa MJ, Wang MZ, Howard B, Fitzgerald MC, Patz EF, Jr.: Protein expression profiling identifies macrophage migration inhibitory factor and cyclophilin a as potential molecular targets in non-small cell lung cancer. *Cancer Res* 63:1652-1656, 2003.

Cande C, Vahsen N, Kouranti I, Schmitt E, Daugas E, Spahr C, Luban J, Kroemer RT, Giordanetto F, Garrido C, Penninger JM, Kroemer G: AIF and cyclophilin A cooperate in apoptosis-associated chromatinolysis. *Oncogene* 23:1514-1521, 2004.

Cartier N, Lacave R, Vallet V, Hagege J, Hellio R, Robine S, Pringault E, Cluzeaud F, Briand P, Kahn A, et al.: Establishment of renal proximal tubule cell lines by targeted oncogenesis in transgenic mice using the L-pyruvate kinase-SV40 (T) antigen hybrid gene. *J Cell Sci* 104 (Pt 3):695-704, 1993.

Carvalho da Costa M, de Castro I, Neto AL, Ferreira AT, Burdmann EA, Yu L: Cyclosporin A tubular effects contribute to nephrotoxicity: role for Ca²⁺ and Mg²⁺ ions. *Nephrol Dial Transplant* 18:2262-2268, 2003.

BIBLIOGRAFIA

Cattaneo D, Perico N, Gaspari F, Remuzzi G: Nephrotoxic aspects of cyclosporine. *Transplant Proc* 36:234S-239S, 2004.

Cebrian C, Areste C, Nicolas A, Olive P, Carceller A, Piulats J, Meseguer A: Kidney androgen-regulated protein interacts with cyclophilin B and reduces cyclosporine A-mediated toxicity in proximal tubule cells. *J Biol Chem* 276:29410-29419, 2001.

Chiu R, Rey O, Zheng JQ, Twiss JL, Song J, Pang S, Yokoyama KK: Effects of altered expression and localization of cyclophilin A on differentiation of p19 embryonic carcinoma cells. *Cell Mol Neurobiol* 23:929-943, 2003.

Christians U, Gottschalk S, Miljus J, Hainz C, Benet LZ, Leibfritz D, Serkova N: Alterations in glucose metabolism by cyclosporine in rat brain slices link to oxidative stress: interactions with mTOR inhibitors. *Br J Pharmacol* 143:388-396, 2004.

Clements JL, Boerth NJ, Lee JR, Koretzky GA: Integration of T cell receptor-dependent signaling pathways by adapter proteins. *Annu Rev Immunol* 17:89-108, 1999.

Coates PJ, Nenutil R, McGregor A, Picksley SM, Crouch DH, Hall PA, Wright EG: Mammalian prohibitin proteins respond to mitochondrial stress and decrease during cellular senescence. *Exp Cell Res* 265:262-273, 2001.

Colgan J, Asmal M, Luban J: Isolation, characterization and targeted disruption of mouse ppia: cyclophilin A is not essential for mammalian cell viability. *Genomics* 68:167-178, 2000.

Coppinger JA, Cagney G, Toomey S, Kislinger T, Belton O, McRedmond JP, Cahill DJ, Emili A, Fitzgerald DJ, Maguire PB: Characterization of the proteins released from activated platelets leads to localization of novel platelet proteins in human atherosclerotic lesions. *Blood* 103:2096-2104, 2004.

Crompton M, Ellinger H, Costi A: Inhibition by cyclosporin A of a Ca²⁺-dependent pore in heart mitochondria activated by inorganic phosphate and oxidative stress. *Biochem J* 255:357-360, 1988.

Crompton M, Virji S, Ward JM: Cyclophilin-D binds strongly to complexes of the voltage-dependent anion channel and the adenine nucleotide translocase to form the permeability transition pore. *Eur J Biochem* 258:729-735, 1998.

Crompton M: The mitochondrial permeability transition pore and its role in cell death. *Biochem J* 341 (Pt 2):233-249, 1999.

D

Dahlquist KD, Salomonis N, Vranizan K, Lawlor SC, Conklin BR: GenMAPP, a new tool for viewing and analyzing microarray data on biological pathways. *Nat Genet* 31:19-20, 2002.

Dave V, Childs T, Whitsett JA: Nuclear factor of activated T cells regulates transcription of the surfactant protein D gene (Sftpd) via direct interaction with thyroid transcription factor-1 in lung epithelial cells. *J Biol Chem* 279:34578-34588, 2004.

de Graauw M, Tijdens I, Cramer R, Corless S, Timms JF, van de Water B: Heat shock protein 27 is the major differentially phosphorylated protein involved in renal epithelial cellular stress response and controls focal adhesion organization and apoptosis. *J Biol Chem* 280:29885-29898, 2005.

de Mattos AM, Olyaei AJ, Bennett WM: Nephrotoxicity of immunosuppressive drugs: long-term consequences and challenges for the future. *Am J Kidney Dis* 35:333-346, 2000.

Decker ED, Zhang Y, Cocklin RR, Witzmann FA, Wang M: Proteomic analysis of differential protein expression induced by ultraviolet light radiation in HeLa cells. *Proteomics* 3:2019-2027, 2003.

Demeule M, Laplante A, Sepehr-Arae A, Murphy GM, Wenger RM, Beliveau R: Association of cyclophilin A with renal brush border membranes: redistribution by cyclosporine A. *Kidney Int* 57:1590-1598, 2000.

Denys A, Allain F, Masy E, Dessaint JP, Spik G: Enhancing the effect of secreted cyclophilin B on immunosuppressive activity of cyclosporine. *Transplantation* 65:1076-1084, 1998.

Deppe CE, Heering PJ, Tinell H, Kinne-Saffran E, Grabensee B, Kinne RK: Effect of cyclosporine A on Na⁺/K⁽⁺⁾-ATPase, Na⁺/K⁺/2Cl⁻ cotransporter, and H⁺/K⁽⁺⁾-ATPase in MDCK cells and two subtypes, C7 and C11. *Exp Nephrol* 5:471-480, 1997.

Diehl JA, Yang W, Rimerman RA, Xiao H, Emili A: Hsc70 regulates accumulation of cyclin D1 and cyclin D1-dependent protein kinase. *Mol Cell Biol* 23:1764-1774, 2003.

Doller A, Akool el S, Muller R, Gutwein P, Kurowski C, Pfeilschifter J, Eberhardt W: Molecular mechanisms of cyclosporin A inhibition of the cytokine-induced matrix metalloproteinase-9 in glomerular mesangial cells. *J Am Soc Nephrol* 18:581-592, 2007.

Doniger SW, Salomonis N, Dahlquist KD, Vranizan K, Lawlor SC, Conklin BR: MAPPFinder: using Gene Ontology and GenMAPP to create a global gene-expression profile from microarray data. *Genome Biol* 4:R7, 2003.

BIBLIOGRAFIA

Dostal C, Tesar V, Rychlik I, Zabka J, Vencovsky J, Bartunkova J, Stejskalova A, Tegzova D: Effect of 1 year cyclosporine A treatment on the activity and renal involvement of systemic lupus erythematosus: a pilot study. *Lupus* 7:29-36, 1998.

Doyle V, Virji S, Crompton M: Evidence that cyclophilin-A protects cells against oxidative stress. *Biochem J* 341 (Pt 1):127-132, 1999.

E

Eder AM, Dominguez L, Franke TF, Ashwell JD: Phosphoinositide 3-kinase regulation of T cell receptor-mediated interleukin-2 gene expression in normal T cells. *J Biol Chem* 273:28025-28031, 1998.

Elbashir SM, Lendeckel W, Tuschl T: RNA interference is mediated by 21- and 22-nucleotide RNAs. *Genes Dev* 15:188-200, 2001.

Elbashir SM, Harborth J, Weber K, Tuschl T: Analysis of gene function in somatic mammalian cells using small interfering RNAs. *Methods* 26:199-213, 2002.

Endrich MM, Gehring H: The V3 loop of human immunodeficiency virus type-1 envelope protein is a high-affinity ligand for immunophilins present in human blood. *Eur J Biochem* 252:441-446, 1998.

Esposito C, Fornoni A, Cornacchia F, Bellotti N, Fasoli G, Foschi A, Mazzucchelli I, Mazzullo T, Semeraro L, Dal Canton A: Cyclosporine induces different responses in human epithelial, endothelial and fibroblast cell cultures. *Kidney Int* 58:123-130, 2000.

F

Fellstrom B: Cyclosporine nephrotoxicity. *Transplant Proc* 36:220S-223S, 2004.

Ferrer-Martinez A, Felipe A, Barcelo P, Casado FJ, Ballarin J, Pastor-Anglada M: Effects of cyclosporine A on Na,K-ATPase expression in the renal epithelial cell line NBL-1. *Kidney Int* 50:1483-1489, 1996.

Feutren G, Abeywickrama K, Friend D, von Graffenreid B: Renal function and blood pressure in psoriatic patients treated with cyclosporin A. *Br J Dermatol* 122 Suppl 36:57-69, 1990.

Fire A, Xu S, Montgomery MK, Kostas SA, Driver SE, Mello CC: Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature* 391:806-811, 1998.

Fischer G, Bang H, Mech C: [Determination of enzymatic catalysis for the cis-trans-isomerization of peptide binding in proline-containing peptides]. *Biomed Biochim Acta* 43:1101-1111, 1984.

Fischer G, Schmid FX: The mechanism of protein folding. Implications of in vitro refolding models for de novo protein folding and translocation in the cell. *Biochemistry* 29:2205-2212, 1990.

Franke EK, Yuan HE, Luban J: Specific incorporation of cyclophilin A into HIV-1 virions. *Nature* 372:359-362, 1994.

Friedman J, Weissman I, Friedman J, Alpert S: An analysis of the expression of cyclophilin C reveals tissue restriction and an intriguing pattern in the mouse kidney. *Am J Pathol* 144:1247-1256, 1994.

G

Gaido ML, Cidlowski JA: Identification, purification, and characterization of a calcium-dependent endonuclease (NUC18) from apoptotic rat thymocytes. NUC18 is not histone H2B. *J Biol Chem* 266:18580-18585, 1991.

Galat A: Peptidylproline cis-trans-isomerases: immunophilins. *Eur J Biochem* 216:689-707, 1993

Galat A, Lane WS, Standaert RF, Schreiber SL: A rapamycin-selective 25-kDa immunophilin. *Biochemistry* 31:2427-2434, 1992.

Ghosh JG, Houck SA, Clark JI: Interactive domains in the molecular chaperone human alphaB crystallin modulate microtubule assembly and disassembly. *PLoS ONE* 2:e498, 2007.

Gomi S, Nakao M, Niiya F, Imamura Y, Kawano K, Nishizaka S, Hayashi A, Sobao Y, Oizumi K, Itoh K: A cyclophilin B gene encodes antigenic epitopes recognized by HLA-A24-restricted and tumor-specific CTLs. *J Immunol* 163:4994-5004, 1999.

Gonzalez-Cuadrado S, Bustos C, Ruiz-Ortega M, Ortiz A, Guijarro C, Plaza JJ, Egido J: Expression of leucocyte chemoattractants by interstitial renal fibroblasts: up-regulation by drugs associated with interstitial fibrosis. *Clin Exp Immunol* 106:518-522, 1996.

Gooch JL, Toro JJ, Guler RL, Barnes JL: Calcineurin A-alpha but not A-beta is required for normal kidney development and function. *Am J Pathol* 165:1755-1765, 2004-1.

Gooch JL, Gorin Y, Zhang BX, Abboud HE: Involvement of calcineurin in transforming growth factor-beta-mediated regulation of extracellular matrix accumulation. *J Biol Chem* 279:15561-15570, 2004-2.

Gooch JL, Roberts BR, Cobbs SL, Tumlin JA: Loss of the alpha-isoform of calcineurin is sufficient to induce nephrotoxicity and altered expression of transforming growth factor-beta. *Transplantation* 83:439-447, 2007.

BIBLIOGRAFIA

Gothel SF, Marahiel MA: Peptidyl-prolyl cis-trans isomerases, a superfamily of ubiquitous folding catalysts. *Cell Mol Life Sci* 55:423-436, 1999.

Goto T, Kino T, Hatanaka H, Nishiyama M, Okuhara M, Kohsaka M, Aoki H, Imanaka H: Discovery of FK-506, a novel immunosuppressant isolated from *Streptomyces tsukubaensis*. *Transplant Proc* 19:4-8, 1987.

H

Hagar H, Ueda N, Shah SV: Role of reactive oxygen metabolites in DNA damage and cell death in chemical hypoxic injury to LLC-PK1 cells. *Am J Physiol* 271:F209-215, 1996.

Hamilton AJ, Baulcombe DC: A species of small antisense RNA in posttranscriptional gene silencing in plants. *Science* 286:950-952, 1999.

Han SY, Chang EJ, Choi HJ, Kwak CS, Park SB, Kim HC, Mun KC: Apoptosis by cyclosporine in mesangial cells. *Transplant Proc* 38:2244-2246, 2006.

Handschoen RE, Harding MW, Rice J, Drugge RJ, Speicher DW: Cyclophilin: a specific cytosolic binding protein for cyclosporin A. *Science* 226:544-547, 1984.

Harding MW, Handschoen RE, Speicher DW: Isolation and amino acid sequence of cyclophilin. *J Biol Chem* 261:8547-8555, 1986.

Harding MW, Galat A, Uehling DE, Schreiber SL: A receptor for the immunosuppressant FK506 is a cis-trans peptidyl-prolyl isomerase. *Nature* 341:758-760, 1989.

Healy E, Dempsey M, Lally C, Ryan MP: Apoptosis and necrosis: mechanisms of cell death induced by cyclosporine A in a renal proximal tubular cell line. *Kidney Int* 54:1955-1966, 1998.

Heitman J, Movva NR, Hiestand PC, Hall MN: FK 506-binding protein proline rotamase is a target for the immunosuppressive agent FK 506 in *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A* 88:1948-1952, 1991.

Hocherl K, Dreher F, Vitzthum H, Kohler J, Kurtz A: Cyclosporine A suppresses cyclooxygenase-2 expression in the rat kidney. *J Am Soc Nephrol* 13:2427-2436, 2002.

Hoey T, Sun YL, Williamson K, Xu X: Isolation of two new members of the NF-AT gene family and functional characterization of the NF-AT proteins. *Immunity* 2:461-472, 1995.

Holtz-Heppelmann CJ, Algeciras A, Badley AD, Paya CV: Transcriptional regulation of the human FasL promoter-enhancer region. *J Biol Chem* 273:4416-4423, 1998.

Hong F, Lee J, Song JW, Lee SJ, Ahn H, Cho JJ, Ha J, Kim SS: Cyclosporin A blocks muscle differentiation by inducing oxidative stress and inhibiting the peptidyl-prolyl-cis-trans isomerase activity of cyclophilin A: cyclophilin A protects myoblasts from cyclosporin A-induced cytotoxicity. *Faseb J* 16:1633-1635, 2002.

Hong F, Lee J, Piao YJ, Jae YK, Kim YJ, Oh C, Seo JS, Yun YS, Yang CW, Ha J, Kim SS: Transgenic mice overexpressing cyclophilin A are resistant to cyclosporin A-induced nephrotoxicity via peptidyl-prolyl cis-trans isomerase activity. *Biochem Biophys Res Commun* 316:1073-1080, 2004.

Howard BA, Furumai R, Campa MJ, Rabbani ZN, Vujaskovic Z, Wang XF, Patz EF, Jr.: Stable RNA interference-mediated suppression of cyclophilin A diminishes non-small-cell lung tumor growth in vivo. *Cancer Res* 65:8853-8860, 2005.

Huh WK, Falvo JV, Gerke LC, Carroll AS, Howson RW, Weissman JS, O'Shea EK: Global analysis of protein localization in budding yeast. *Nature* 425:686-691, 2003.

I

Islam M, Burke JF, Jr., McGowan TA, Zhu Y, Dunn SR, McCue P, Kanalas J, Sharma K: Effect of anti-transforming growth factor-beta antibodies in cyclosporine-induced renal dysfunction. *Kidney Int* 59:498-506, 2001.

Iwai N, Inagami T: Molecular cloning of a complementary DNA to rat cyclophilin-like protein mRNA. *Kidney Int* 37:1460-1465, 1990.

J

Jain J, Loh C, Rao A: Transcriptional regulation of the IL-2 gene. *Curr Opin Immunol* 7:333-342, 1995.

Jennings P, Koppelstaetter C, Aydin S, Abberger T, Wolf AM, Mayer G, Pfaller W: Cyclosporine A induces senescence in renal tubular epithelial cells. *Am J Physiol Renal Physiol* 293:F831-838, 2007.

Jiang T, Acosta D: An in vitro model of cyclosporine-induced nephrotoxicity. *Fundam Appl Toxicol* 20:486-495, 1993.

Jin ZG, Lungu AO, Xie L, Wang M, Wong C, Berk BC: Cyclophilin A is a proinflammatory cytokine that activates endothelial cells. *Arterioscler Thromb Vasc Biol* 24:1186-1191, 2004.

BIBLIOGRAFIA

Jin ZG, Melaragno MG, Liao DF, Yan C, Haendeler J, Suh YA, Lambeth JD, Berk BC: Cyclophilin A is a secreted growth factor induced by oxidative stress. *Circ Res* 87:789-796, 2000.

Johnson DT, Harris RA, French S, Blair PV, You J, Bemis KG, Wang M, Balaban RS: Tissue heterogeneity of the mammalian mitochondrial proteome. *Am J Physiol Cell Physiol* 292:C689-697, 2007.

Jung J, Kim M, Kim MJ, Kim J, Moon J, Lim JS, Kim M, Lee K: Translationally controlled tumor protein interacts with the third cytoplasmic domain of Na,K-ATPase alpha subunit and inhibits the pump activity in HeLa cells. *J Biol Chem* 279:49868-49875, 2004.

Justo P, Lorz C, Sanz A, Egido J, Ortiz A: Intracellular mechanisms of cyclosporin A-induced tubular cell apoptosis. *J Am Soc Nephrol* 14:3072-3080, 2003.

K

Kainer DB, Doris PA: Cyclophilin B expression in renal proximal tubules of hypertensive rats. *Hypertension* 35:958-964, 2000.

Ke HM, Zydowsky LD, Liu J, Walsh CT: Crystal structure of recombinant human T-cell cyclophilin A at 2.5 Å resolution. *Proc Natl Acad Sci U S A* 88:9483-9487, 1991.

Keicher C, Gambaryan S, Schulze E, Marcus K, Meyer HE, Butt E: Phosphorylation of mouse LASP-1 on threonine 156 by cAMP- and cGMP-dependent protein kinase. *Biochem Biophys Res Commun* 324:308-316, 2004.

Kennerdell JR, Carthew RW: Use of dsRNA-mediated genetic interference to demonstrate that frizzled and frizzled 2 act in the wingless pathway. *Cell* 95:1017-1026, 1998.

Khanna AK, Plummer MS, Hilton G, Pieper GM, Ledbetter S: Anti-transforming growth factor antibody at low but not high doses limits cyclosporine-mediated nephrotoxicity without altering rat cardiac allograft survival: potential of therapeutic applications. *Circulation* 110:3822-3829, 2004.

Khanna A: Tacrolimus and cyclosporine in vitro and in vivo induce osteopontin mRNA and protein expression in renal tissues. *Nephron Exp Nephrol* 101:e119-126, 2005.

Kim MJ, Kwon JS, Suh SH, Suh JK, Jung J, Lee SN, Kim YH, Cho MC, Oh GT, Lee K: Transgenic overexpression of translationally controlled tumor protein induces systemic hypertension via repression of Na⁺,K⁺-ATPase. *J Mol Cell Cardiol* 44:151-159, 2008.

Klahr S, Ishidoya S, Morrissey J: Role of angiotensin II in the tubulointerstitial fibrosis of obstructive nephropathy. *Am J Kidney Dis* 26:141-146, 1995.

Kopp JB, Klotman PE: Cellular and molecular mechanisms of cyclosporin nephrotoxicity. *J Am Soc Nephrol* 1:162-179, 1990.

Ku NO, Omari MB: A disease- and phosphorylation-related nonmechanical function for keratin 8. *J Cell Biol* 174:115-125, 2006.

L

Lacave R, Bens M, Cartier N, Vallet V, Robine S, Pringault E, Kahn A, Vandewalle A: Functional properties of proximal tubule cell lines derived from transgenic mice harboring L-pyruvate kinase-SV40 (T) antigen hybrid gene. *J Cell Sci* 104 (Pt 3):705-712, 1993.

Lally C, Healy E, Ryan MP: Cyclosporine A-induced cell cycle arrest and cell death in renal epithelial cells. *Kidney Int* 56:1254-1257, 1999.

Le Hir M, Su Q, Weber L, Woerly G, Granelli-Piperno A, Ryffel B: In situ detection of cyclosporin A: evidence for nuclear localization of cyclosporine and cyclophilins. *Lab Invest* 73:727-733, 1995.

Lebeau MC, Massol N, Herrick J, Faber LE, Renoir JM, Radanyi C, Baulieu EE: P59, an hsp 90-binding protein. Cloning and sequencing of its cDNA and preparation of a peptide-directed polyclonal antibody. *J Biol Chem* 267:4281-4284, 1992.

Li M, Zhai Q, Bharadwaj U, Wang H, Li F, Fisher WE, Chen C, Yao Q: Cyclophilin A is overexpressed in human pancreatic cancer cells and stimulates cell proliferation through CD147. *Cancer* 106:2284-2294, 2006.

Liao DF, Jin ZG, Baas AS, Daum G, Gygi SP, Aebersold R, Berk BC: Purification and identification of secreted oxidative stress-induced factors from vascular smooth muscle cells. *J Biol Chem* 275:189-196, 2000.

Lieberthal W, Levine JS: Mechanisms of apoptosis and its potential role in renal tubular epithelial cell injury. *Am J Physiol* 271:F477-488, 1996.

Lin DT, Lechleiter JD: Mitochondrial targeted cyclophilin D protects cells from cell death by peptidyl prolyl isomerization. *J Biol Chem* 277:31134-31141, 2002.

Lin TY, Emerman M: Cyclophilin A interacts with diverse lentiviral capsids. *Retrovirology* 3:70, 2006.

Liu J, Sakane T, Tsunematsu T: The effects of FK-506 and cyclosporin A on the proliferation of PHA-stimulated T cells in response to IL-2, IL-4 or IL-6. *Int Arch Allergy Immunol* 98:293-298, 1992.

BIBLIOGRAFIA

Lloveras J: Use of cyclosporine in renal transplantation. *Transplant Proc* 36:107S-113S, 2004

Luban J, Bossolt KL, Franke EK, Kalpana GV, Goff SP: Human immunodeficiency virus type 1 Gag protein binds to cyclophilins A and B. *Cell* 73:1067-1078, 1993.

M

Machida K, Ohta Y, Osada H: Suppression of apoptosis by cyclophilin D via stabilization of hexokinase II mitochondrial binding in cancer cells. *J Biol Chem* 281:14314-14320, 2006.

Mariller C, Allain F, Kouach M, Spik G: Evidence that human milk isolated cyclophilin B corresponds to a truncated form. *Biochim Biophys Acta* 1293:31-38, 1996.

Marks WH, Harding MW, Handschumacher R, Marks C, Lorber MI: The immunochemical distribution of cyclophilin in normal mammalian tissues. *Transplantation* 52:340-345, 1991.

Martinou JC, Green DR: Breaking the mitochondrial barrier. *Nat Rev Mol Cell Biol* 2:63-67, 2001.

Marzo I, Brenner C, Zamzami N, Susin SA, Beutner G, Brdiczka D, Remy R, Xie ZH, Reed JC, Kroemer G: The permeability transition pore complex: a target for apoptosis regulation by caspases and bcl-2-related proteins. *J Exp Med* 187:1261-1271, 1998.

Masuda ES, Imamura R, Amasaki Y, Arai K, Arai N: Signalling into the T-cell nucleus: NFAT regulation. *Cell Signal* 10:599-611, 1998.

Massagué J: Transforming growth factor alpha. A model for membrane-anchored growth factors. *J. Biol Chem* 35: 21393-21396, 1990.

Matouschek A, Rospert S, Schmid K, Glick BS, Schatz G: Cyclophilin catalyzes protein folding in yeast mitochondria. *Proc Natl Acad Sci U S A* 92:6319-6323, 1995.

Matsuda S, Moriguchi T, Koyasu S, Nishida E: T lymphocyte activation signals for interleukin-2 production involve activation of MKK6-p38 and MKK7-SAPK/JNK signaling pathways sensitive to cyclosporin A. *J Biol Chem* 273:12378-12382, 1998.

Mauri P, Scarpa A, Nascimbeni AC, Benazzi L, Parmagnani E, Mafficini A, Della Peruta M, Bassi C, Miyazaki K, Sorio C: Identification of proteins released by pancreatic cancer cells by multidimensional protein identification technology: a strategy for identification of novel cancer markers. *Faseb J* 19:1125-1127, 2005.

McEnery MW, Snowman AM, Trifiletti RR, Snyder SH: Isolation of the mitochondrial benzodiazepine receptor: association with the voltage-dependent anion channel and the adenine nucleotide carrier. Proc Natl Acad Sci U S A 89:3170-3174, 1992.

McLaughlin MM, Bossard MJ, Koser PL, Cafferkey R, Morris RA, Miles LM, Strickler J, Bergsma DJ, Levy MA, Livi GP: The yeast cyclophilin multigene family: purification, cloning and characterization of a new isoform. Gene 111:85-92, 1992.

Meseguer A, Catterall JF: Mouse kidney androgen-regulated protein messenger ribonucleic acid is expressed in the proximal convoluted tubules. Mol Endocrinol 1:535-541, 1987.

Meseguer A, Watson CS, Catterall JF: Nucleotide sequence of kidney androgen-regulated protein mRNA and its cell-specific expression in Tfm/Y mice. Mol Endocrinol 3:962-967, 1989.

Meseguer A, Catterall JF: Cell-specific expression of kidney androgen-regulated protein messenger RNA is under multihormonal control. Mol Endocrinol 4:1240-1248, 1990.

Meseguer A, Catterall JF: Effects of pituitary hormones on the cell-specific expression of the KAP gene. Mol Cell Endocrinol 89:153-162, 1992.

Meunier L, Usherwood YK, Chung KT, Hendershot LM: A subset of chaperones and folding enzymes form multiprotein complexes in endoplasmic reticulum to bind nascent proteins. Mol Biol Cell 13:4456-4469, 2002.

Mihatsch MJ, Thiel G, Ryffel B: Brief review of the morphology of ciclosporin nephropathy. Contrib Nephrol 51:156-161, 1986.

Mihatsch MJ, Thiel G, Ryffel B: Cyclosporin A: action and side-effects. Toxicol Lett 46:125-139, 1989.

Mihatsch MJ, Kyo M, Morozumi K, Yamaguchi Y, Nickeleit V, Ryffel B: The side-effects of ciclosporine-A and tacrolimus. Clin Nephrol 49:356-363, 1998.

Mikol V, Kallen J, Pflugl G, Walkinshaw MD: X-ray structure of a monomeric cyclophilin A-cyclosporin A crystal complex at 2.1 Å resolution. J Mol Biol 234:1119-1130, 1993.

Mikol V, Kallen J, Walkinshaw MD: X-ray structure of a cyclophilin B/cyclosporin complex: comparison with cyclophilin A and delineation of its calcineurin-binding domain. Proc Natl Acad Sci U S A 91:5183-5186, 1994.

BIBLIOGRAFIA

Molkentin JD, Lu JR, Antos CL, Markham B, Richardson J, Robbins J, Grant SR, Olson EN: A calcineurin-dependent transcriptional pathway for cardiac hypertrophy. *Cell* 93:215-228, 1998.

Montague JW, Gaido ML, Frye C, Cidlowski JA: A calcium-dependent nuclease from apoptotic rat thymocytes is homologous with cyclophilin. Recombinant cyclophilins A, B, and C have nuclease activity. *J Biol Chem* 269:18877-18880, 1994.

Montague JW, Hughes FM, Jr., Cidlowski JA: Native recombinant cyclophilins A, B, and C degrade DNA independently of peptidylprolyl cis-trans-isomerase activity. Potential roles of cyclophilins in apoptosis. *J Biol Chem* 272:6677-6684, 1997.

Morishima N, Nakanishi K, Takenouchi H, Shibata T, Yasuhiko Y: An endoplasmic reticulum stress-specific caspase cascade in apoptosis. Cytochrome c-independent activation of caspase-9 by caspase-12. *J Biol Chem* 277:34287-34294, 2002.

Morris SM, Jr., Kepka-Lenhart D, McGill RL, Curthoys NP, Adler S: Specific disruption of renal function and gene transcription by cyclosporin A. *J Biol Chem* 267:13768-13771, 1992.

Moz Y, Levi R, Lavi-Moshayoff V, Cox KB, Molkentin JD, Silver J, Naveh-Many T: Calcineurin Abeta is central to the expression of the renal type II Na/Pi co-transporter gene and to the regulation of renal phosphate transport. *J Am Soc Nephrol* 15:2972-2980, 2004.

Myers BD, Ross J, Newton L, Luetscher J, Perlroth M: Cyclosporine-associated chronic nephropathy. *N Engl J Med* 311:699-705, 1984.

N

Nagata T, Kishi H, Liu QL, Yoshino T, Matsuda T, Jin ZX, Murayama K, Tsukada K, Muraguchi A: Possible involvement of cyclophilin B and caspase-activated deoxyribonuclease in the induction of chromosomal DNA degradation in TCR-stimulated thymocytes. *J Immunol* 165:4281-4289, 2000.

Nakagawa T, Shimizu S, Watanabe T, Yamaguchi O, Otsu K, Yamagata H, Inohara H, Kubo T, Tsujimoto Y: Cyclophilin D-dependent mitochondrial permeability transition regulates some necrotic but not apoptotic cell death. *Nature* 434:652-658, 2005.

Nassberger L: Effect of cyclosporin A and different vehicles on ATP production in mitochondria isolated from the rat kidney cortex. *Pharmacol Toxicol* 67:147-150, 1990.

Nelson PA, Lippke JA, Murcko MA, Rosborough SL, Peattie DA: cDNA encoding murine FK506-binding protein (FKBP): nucleotide and deduced amino acid sequence. *Gene* 109:255-258, 1991.

O

Ojo AO, Meier-Kriesche HU, Hanson JA, Leichtman AB, Cibrik D, Magee JC, Wolfe RA, Agodoa LY, Kaplan B: Mycophenolate mofetil reduces late renal allograft loss independent of acute rejection. *Transplantation* 69:2405-2409, 2000.

Ortiz A, Lorz C, Catalan M, Ortiz A, Coca S, Egido J: Cyclosporine A induces apoptosis in murine tubular epithelial cells: role of caspases. *Kidney Int Suppl* 68:S25-29, 1998.

Owens-Grillo JK, Hoffmann K, Hutchison KA, Yem AW, Deibel MR, Jr., Handschumacher RE, Pratt WB: The cyclosporin A-binding immunophilin CyP-40 and the FK506-binding immunophilin hsp56 bind to a common site on hsp90 and exist in independent cytosolic heterocomplexes with the untransformed glucocorticoid receptor. *J Biol Chem* 270:20479-20484, 1995.

P

Pages F, Ragueneau M, Rottapel R, Truneh A, Nunes J, Imbert J, Olive D: Binding of phosphatidylinositol-3-OH kinase to CD28 is required for T-cell signalling. *Nature* 369:327-329, 1994.

Papadopoulos V, Dharmarajan AM, Li H, Culty M, Lemay M, Sridaran R: Mitochondrial peripheral-type benzodiazepine receptor expression. Correlation with gonadotropin-releasing hormone (GnRH) agonist-induced apoptosis in the corpus luteum. *Biochem Pharmacol* 58:1389-1393, 1999.

Parra Cid T, Conejo Garcia JR, Carballo Alvarez F, de Arriba G: Antioxidant nutrients protect against cyclosporine A nephrotoxicity. *Toxicology* 189:99-111, 2003.

Parry RV, Olive D, Westwick J, Sansom DM, Ward SG: Evidence that a kinase distinct from protein kinase C and phosphatidylinositol 3-kinase mediates ligation-dependent serine/threonine phosphorylation of the T-lymphocyte co-stimulatory molecule CD28. *Biochem J* 326 (Pt 1):249-257, 1997.

Pastorino JG, Shulga N, Hoek JB: Mitochondrial binding of hexokinase II inhibits Bax-induced cytochrome c release and apoptosis. *J Biol Chem* 277:7610-7618, 2002.

Peattie DA, Harding MW, Fleming MA, DeCenzo MT, Lippke JA, Livingston DJ, Benasutti M: Expression and characterization of human FKBP52, an immunophilin that associates with the 90-kDa heat shock protein and is a component of steroid receptor complexes. *Proc Natl Acad Sci U S A* 89:10974-10978, 1992.

Plyte S, Boncristiano M, Fattori E, Galvagni F, Paccani SR, Majolini MB, Oliviero S, Ciliberto G, Telford JL, Baldari CT: Identification and characterization of a novel nuclear factor of activated T-cells-1 isoform expressed in mouse brain. *J Biol Chem* 276:14350-14358, 2001.

BIBLIOGRAFIA

Ponticelli C, Tarantino A, Campise M, Montagnino G, Aroldi A, Passerini P: From cyclosporine to the future. *Transplant Proc* 36:557S-560S, 2004.

Price ER, Zydowsky LD, Jin MJ, Baker CH, McKeon FD, Walsh CT: Human cyclophilin B: a second cyclophilin gene encodes a peptidyl-prolyl isomerase with a signal sequence. *Proc Natl Acad Sci U S A* 88:1903-1907, 1991.

Price ER, Jin M, Lim D, Pati S, Walsh CT, McKeon FD: Cyclophilin B trafficking through the secretory pathway is altered by binding of cyclosporin A. *Proc Natl Acad Sci U S A* 91:3931-3935, 1994.

Puri S, Magenheimer BS, Maser RL, Ryan EM, Zien CA, Walker DD, Wallace DP, Hempson SJ, Calvet JP: Polycystin-1 activates the calcineurin/NFAT (nuclear factor of activated T-cells) signaling pathway. *J Biol Chem* 279:55455-55464, 2004.

Pushkarsky T, Zybarth G, Dubrovsky L, Yurchenko V, Tang H, Guo H, Toole B, Sherry B, Bukrinsky M: CD147 facilitates HIV-1 infection by interacting with virus-associated cyclophilin A. *Proc Natl Acad Sci U S A* 98:6360-6365, 2001.

R

Rao A, Luo C, Hogan PG: Transcription factors of the NFAT family: regulation and function. *Annu Rev Immunol* 15:707-747, 1997.

Reddy PA, Atreya CD: Identification of simian cyclophilin A as a calreticulin-binding protein in yeast two-hybrid screen and demonstration of cyclophilin A interaction with calreticulin. *Int J Biol Macromol* 25:345-351, 1999.

Reiff A, Rawlings DJ, Shaham B, Franke E, Richardson L, Szer IS, Bernstein BH: Preliminary evidence for cyclosporin A as an alternative in the treatment of recalcitrant juvenile rheumatoid arthritis and juvenile dermatomyositis. *J Rheumatol* 24:2436-2443, 1997.

Rezzani R: Cyclosporine A and adverse effects on organs: histochemical studies. *Prog Histochem Cytochem* 39:85-128, 2004.

Rivera A, Maxwell SA: The p53-induced gene-6 (proline oxidase) mediates apoptosis through a calcineurin-dependent pathway. *J Biol Chem* 280:29346-29354, 2005.

Rodriguez LC, Araujo CR, Posleman SE, Rey Mdel R: Hepatotoxic effect of cyclosporin A in the mitochondrial respiratory chain. *J Appl Toxicol* 27:310-317, 2007.

Ruiz-Ortega M, Egido J: Angiotensin II modulates cell growth-related events and synthesis of matrix proteins in renal interstitial fibroblasts. *Kidney Int* 52:1497-1510, 1997.

Rusnak F, Mertz P: Calcineurin: form and function. *Physiol Rev* 80:1483-1521, 2000.

Ryan MJ, Johnson G, Kirk J, Fuerstenberg SM, Zager RA, Torok-Storb B: HK-2: an immortalized proximal tubule epithelial cell line from normal adult human kidney. *Kidney Int* 45:48-57, 1994.

Ryczyn MA, Reilly SC, O'Malley K, Clevenger CV: Role of cyclophilin B in prolactin signal transduction and nuclear retrotranslocation. *Mol Endocrinol* 14:1175-1186, 2000.

Ryczyn MA, Clevenger CV: The intranuclear prolactin/cyclophilin B complex as a transcriptional inducer. *Proc Natl Acad Sci U S A* 99:6790-6795, 2002.

Ryffel B, Woerly G, Greiner B, Haendler B, Mihatsch MJ, Foxwell BM: Distribution of the cyclosporine binding protein cyclophilin in human tissues. *Immunology* 72:399-404, 1991.

S

Sarró E, Tornavaca O, Plana M, Meseguer A, Itarte E: Phosphoinositide 3-kinase inhibitors protect mouse kidney cells from cyclosporine-induced cell death. *Kidney International* 1:77-85, 2007.

Schinzel AC, Takeuchi O, Huang Z, Fisher JK, Zhou Z, Rubens J, Hetz C, Danial NN, Moskowitz MA, Korsmeyer SJ: Cyclophilin D is a component of mitochondrial permeability transition and mediates neuronal cell death after focal cerebral ischemia. *Proc Natl Acad Sci U S A* 102:12005-12010, 2005.

Schleicher M, Shepherd BR, Suarez Y, Fernandez-Hernando C, Yu J, Pan Y, Acevedo LM, Shadel GS, Sessa WC: Prohibitin-1 maintains the angiogenic capacity of endothelial cells by regulating mitochondrial function and senescence. *J Cell Biol* 180:101-112, 2008.

Schneider H, Charara N, Schmitz R, Wehrli S, Mikol V, Zurini MG, Quesniaux VF, Movva NR: Human cyclophilin C: primary structure, tissue distribution, and determination of binding specificity for cyclosporins. *Biochemistry* 33:8218-8224, 1994.

Schreiber SL, Liu J, Albers MW, Karmacharya R, Koh E, Martin PK, Rosen MK, Standaert RF, Wandless TJ: Immunophilin-ligand complexes as probes of intracellular signaling pathways. *Transplant Proc* 23:2839-2844, 1991.

Schreiber SL, Crabtree GR: The mechanism of action of cyclosporin A and FK506. *Immunol Today* 13:136-142, 1992.

BIBLIOGRAFIA

Scorrano L, Ashiya M, Buttle K, Weiler S, Oakes SA, Mannella CA, Korsmeyer SJ: A distinct pathway remodels mitochondrial cristae and mobilizes cytochrome c during apoptosis. *Dev Cell* 2:55-67, 2002.

Sehgal SN: Sirolimus: its discovery, biological properties, and mechanism of action. *Transplant Proc* 35:7S-14S, 2003.

Serkova N, Klawitter J, Niemann CU: Organ-specific response to inhibition of mitochondrial metabolism by cyclosporine in the rat. *Transpl Int* 16:748-755, 2003.

Sherr CJ, Roberts JM: CDK inhibitors: positive and negative regulators of G1-phase progression. *Genes Dev* 13:1501-1512, 1999.

Sherry B, Cerami A: Small cytokine superfamily. *Curr Opin Immunol* 3:56-60, 1991.

Sherry B, Zybarth G, Alfano M, Dubrovsky L, Mitchell R, Rich D, Ulrich P, Bucala R, Cerami A, Bukrinsky M: Role of cyclophilin A in the uptake of HIV-1 by macrophages and T lymphocytes. *Proc Natl Acad Sci U S A* 95:1758-1763, 1998.

Shihab FS: Cyclosporine nephropathy: pathophysiology and clinical impact. *Semin Nephrol* 16:536-547, 1996.

Shihab FS, Andoh TF, Tanner AM, Yi H, Bennett WM: Expression of apoptosis regulatory genes in chronic cyclosporine nephrotoxicity favors apoptosis. *Kidney Int* 56:2147-2159, 1999.

Siekierka JJ, Hung SH, Poe M, Lin CS, Sigal NH: A cytosolic binding protein for the immunosuppressant FK506 has peptidyl-prolyl isomerase activity but is distinct from cyclophilin. *Nature* 341:755-757, 1989.

Sigal NH, Lin CS, Siekierka JJ: Inhibition of human T-cell activation by FK 506, rapamycin, and cyclosporine A. *Transplant Proc* 23:1-5, 1991.

Silva WA, Jr., Covas DT, Panepucci RA, Proto-Siqueira R, Siufi JL, Zanette DL, Santos AR, Zago MA: The profile of gene expression of human marrow mesenchymal stem cells. *Stem Cells* 21:661-669, 2003.

Smith T, Ferreira LR, Hebert C, Norris K, Sauk JJ: Hsp47 and cyclophilin B traverse the endoplasmic reticulum with procollagen into pre-Golgi intermediate vesicles. A role for Hsp47 and cyclophilin B in the export of procollagen from the endoplasmic reticulum. *J Biol Chem* 270:18323-18328, 1995.

Sole E, Calvo R, Obregon MJ, Meseguer A: Thyroid hormone controls the cell-specific expression of the kidney androgen-regulated protein gene in S3 mouse kidney cells. *Endocrinology* 135:2120-2129, 1994.

Sole E, Calvo R, Obregon MJ, Meseguer A: Effects of thyroid hormone on the androgenic expression of KAP gene in mouse kidney. *Mol Cell Endocrinol* 119:147-159, 1996.

Soler M, Tornavaca O, Sole E, Menoyo A, Hardy D, Catterall JF, Vandewalle A, Meseguer A: Hormone-specific regulation of the kidney androgen-regulated gene promoter in cultured mouse renal proximal-tubule cells. *Biochem J* 366:757-766, 2002.

Song J, Lu YC, Yokoyama K, Rossi J, Chiu R: Cyclophilin A is required for retinoic acid-induced neuronal differentiation in p19 cells. *J Biol Chem* 279:24414-24419, 2004.

Spik G, Haendler B, Delmas O, Mariller C, Chamoux M, Maes P, Tartar A, Montreuil J, Stedman K, Kocher HP, et al.: A novel secreted cyclophilin-like protein (SCYLP). *J Biol Chem* 266:10735-10738, 1991.

Standaert RF, Galat A, Verdine GL, Schreiber SL: Molecular cloning and overexpression of the human FK506-binding protein FKBP. *Nature* 346:671-674, 1990.

Steinmann B, Bruckner P, Superti-Furga A: Cyclosporin A slows collagen triple-helix formation in vivo: indirect evidence for a physiologic role of peptidyl-prolyl cis-trans-isomerase. *J Biol Chem* 266:1299-1303, 1991.

Stoddard BL, Flick KE: Calcineurin-immunosuppressor complexes. *Curr Opin Struct Biol* 6:770-775, 1996.

Su Q, Weber L, Le Hir M, Zenke G, Ryffel B: Nephrotoxicity of cyclosporin A and FK506: inhibition of calcineurin phosphatase. *Ren Physiol Biochem* 18:128-139, 1995.

Sugimoto T, Haneda M, Sawano H, Isshiki K, Maeda S, Koya D, Inoki K, Yasuda H, Kashiwagi A, Kikkawa R: Endothelin-1 induces cyclooxygenase-2 expression via nuclear factor of activated T-cell transcription factor in glomerular mesangial cells. *J Am Soc Nephrol* 12:1359-1368, 2001.

Sun J, Wang Y: Effects of cyclosporin A on proliferation of cultured rat mesangial cells. *J Tongji Med Univ* 17:115-117, 1997.

Svoboda P, Stein P, Hayashi H, Schultz RM: Selective reduction of dormant maternal mRNAs in mouse oocytes by RNA interference. *Development* 127:4147-4156, 2000.

BIBLIOGRAFIA

T

Tarapore P, Okuda M, Fukasawa K: A mammalian in vitro centriole duplication system: evidence for involvement of CDK2/cyclin E and nucleophosmin/B23 in centrosome duplication. *Cell Cycle* 1:75-81, 2002.

Tegeder I, Schumacher A, John S, Geiger H, Geisslinger G, Bang H, Brune K: Elevated serum cyclophilin levels in patients with severe sepsis. *J Clin Immunol* 17:380-386, 1997.

Teixidó N, Soler M, Rivera N, Bernues J, Meseguer A: CCAAT/enhancer binding protein-mediated role of thyroid hormone in the developmental expression of the kidney androgen-regulated protein gene in proximal convoluted tubules. *Mol Endocrinol* 20:389-404, 2006.

Temkin V, Huang Q, Liu H, Osada H, Pope RM: Inhibition of ADP/ATP exchange in receptor-interacting protein-mediated necrosis. *Mol Cell Biol* 26:2215-2225, 2006.

Tendron A, Decramer S, Justrabo E, Gouyon JB, Semama DS, Gilbert T: Cyclosporin A administration during pregnancy induces a permanent nephron deficit in young rabbits. *J Am Soc Nephrol* 14:3188-3196, 2003.

Thomas SE, Andoh TF, Pichler RH, Shankland SJ, Couser WG, Bennett WM, Johnson RJ: Accelerated apoptosis characterizes cyclosporine-associated interstitial fibrosis. *Kidney Int* 53:897-908, 1998.

Tokuyama Y, Horn HF, Kawamura K, Tarapore P, Fukasawa K: Specific phosphorylation of nucleophosmin on Thr(199) by cyclin-dependent kinase 2-cyclin E and its role in centrosome duplication. *J Biol Chem* 276:21529-21537, 2001.

Tornero D, Cena V, Gonzalez- Garcia C, Jordan J: [The role of the mitochondrial permeability transition pore in neurodegenerative processes]. *Rev Neurol* 35:354-361, 2002.

Tropschug M, Nicholson DW, Hartl FU, Kohler H, Pfanner N, Wachter E, Neupert W: Cyclosporin A-binding protein (cyclophilin) of *Neurospora crassa*. One gene codes for both the cytosolic and mitochondrial forms. *J Biol Chem* 263:14433-14440, 1988.

Tse KC, Cham TM: Nephrotoxicity of immunosuppressive agents in renal transplantation. *Hong Kong Journal of Nephrology* 4(2): 65-72, 2002

Tumlin JA, Someren JT, Swanson CE, Lea JP: Expression of calcineurin activity and alpha-subunit isoforms in specific segments of the rat nephron. *Am J Physiol* 269:F558-563, 1995.

Tumlin JA: Expression and function of calcineurin in the mammalian nephron: physiological roles, receptor signaling, and ion transport. *Am J Kidney Dis* 30:884-895, 1997.

W

Watanabe S, Tsuruoka S, Vijayakumar S, Fischer G, Zhang Y, Fujimura A, Al-Awqati Q, Schwartz GJ: Cyclosporin A produces distal renal tubular acidosis by blocking peptidyl prolyl cis-trans isomerase activity of cyclophilin. *Am J Physiol Renal Physiol* 288:F40-47, 2005.

Wolf G, Thaiss F, Stahl RA: Cyclosporine stimulates expression of transforming growth factor-beta in renal cells. Possible mechanism of cyclosporines antiproliferative effects. *Transplantation* 60:237-241, 1995.

Woodfield KY, Price NT, Halestrap AP: cDNA cloning of rat mitochondrial cyclophilin. *Biochim Biophys Acta* 1351:27-30, 1997.

Woodfield K, Ruck A, Brdiczka D, Halestrap AP: Direct demonstration of a specific interaction between cyclophilin-D and the adenine nucleotide translocase confirms their role in the mitochondrial permeability transition. *Biochem J* 336 (Pt 2):287-290, 1998.

Wu MH, Yung BY: UV stimulation of nucleophosmin/B23 expression is an immediate-early gene response induced by damaged DNA. *J Biol Chem* 277:48234-48240, 2002.

X

Xu Q, Leiva MC, Fischkoff SA, Handschumacher RE, Lytle CR: Leukocyte chemotactic activity of cyclophilin. *J Biol Chem* 267:11968-11971, 1992.

Y

Yang H, Li M, Chai H, Yan S, Lin P, Lumsden AB, Yao Q, Chen C: Effects of cyclophilin A on cell proliferation and gene expressions in human vascular smooth muscle cells and endothelial cells. *J Surg Res* 123:312-319, 2005.

Yasuda O, Fukuo K, Sun X, Nishitani M, Yotsui T, Higuchi M, Suzuki T, Rakugi H, Smithies O, Maeda N, Ogihara T: Apop-1, a novel protein inducing cyclophilin D-dependent but Bax/Bak-related channel-independent apoptosis. *J Biol Chem* 281:23899-23907, 2006.

Yu JY, DeRuiter SL, Turner DL: RNA interference by expression of short-interfering RNAs and hairpin RNAs in mammalian cells. *Proc Natl Acad Sci U S A* 99:6047-6052, 2002.

Yurchenko V, Zybarth G, O'Connor M, Dai WW, Franchin G, Hao T, Guo H, Hung HC, Toole B, Gallay P, Sherry B, Bukrinsky M: Active site residues of cyclophilin A are crucial for its signaling activity via CD147. *J Biol Chem* 277:22959-22965, 2002.

BIBLIOGRAFIA

Yurchenko V, Pushkarsky T, Li JH, Dai WW, Sherry B, Bukrinsky M: Regulation of CD147 cell surface expression: involvement of the proline residue in the CD147 transmembrane domain. *J Biol Chem* 280:17013-17019, 2005.

Z

Zamore PD, Tuschl T, Sharp PA, Bartel DP: RNAi: double-stranded RNA directs the ATP-dependent cleavage of mRNA at 21 to 23 nucleotide intervals. *Cell* 101:25-33, 2000.

Zamzami N, Kroemer G: The mitochondrion in apoptosis: how Pandora's box opens. *Nat Rev Mol Cell Biol* 2:67-71, 2001.

Zanelli CF, Maragno AL, Gregio AP, Komili S, Pandolfi JR, Mestriner CA, Lustri WR, Valentini SR: eIF5A binds to translational machinery components and affects translation in yeast. *Biochem Biophys Res Commun* 348:1358-1366, 2006.

Zhang J, Herscovitz H: Nascent lipidated apolipoprotein B is transported to the Golgi as an incompletely folded intermediate as probed by its association with network of endoplasmic reticulum molecular chaperones, GRP94, ERp72, BiP, calreticulin, and cyclophilin B. *J Biol Chem* 278:7459-7468, 2003.

Zhu C, Wang X, Deinum J, Huang Z, Gao J, Modjtahedi N, Neagu MR, Nilsson M, Eriksson PS, Hagberg H, Luban J, Kroemer G, Blomgren K: Cyclophilin A participates in the nuclear translocation of apoptosis-inducing factor in neurons after cerebral hypoxia-ischemia. *J Exp Med* 204:1741-1748, 2007.

Zhu P, Ding J, Zhou J, Dong WJ, Fan CM, Chen ZN: Expression of CD147 on monocytes/macrophages in rheumatoid arthritis: its potential role in monocyte accumulation and matrix metalloproteinase production. *Arthritis Res Ther* 7:R1023-1033, 2005.