

ESTUDI AMB MICROSCOPI
ELECTRÒNIC DE RASTREIG
AMBIENTAL DE LA MORFOLOGIA
DE LA SUPERFÍCIE ARTICULAR
D'EMPELTS OSTEOCONDRAIS.
VALORACIÓ DE DOS MÈTODES
DE CRIOPRESERVACIÓ.

BIBLIOGRAFIA

1. **Almqvist KF, Wang L, Broddelez C, Veys EM, Verbruggen G.** Biological freezing of human articular chondrocytes. *Osteoarthritis Cartilage* 2001; 9: 341-350.
2. **Arakawa T, Carpenter J, Kita Y, Crowe J.** The basis for toxicity of certain cryoprotectants. *Cryobiology* 1990; 27: 401-415.
3. **Aubin PP, Cheah HK, Davis AM, Gross AE.** Long-term followup of fresh femoral osteochondral allografts for posttraumatic knee defects. *Clin Orthop Relat Res* 2001; 391 Suppl: S318-S327.
4. **Aydelotte MB, Raiss RX, Caterson B, Kuettner KE.** Influence of interleukin-1 on the morphology and proteoglycan metabolism of cultured bovine articular chondrocytes. *Connect Tissue Res* 1992; 28: 143-159.
5. **Bailey.** *Statistical methods in biology.* Hodder and Stoughton, Second edition. London. 1981, 56-89 .
6. **Bakay A, Csonge L, Papp G, Fekete L.** Osteochondral resurfacing of the knee joint with allograft. Clinical analysis of 33 cases. *Int Orthop* 1998; 22: 277-281.

7. **Bald WB, Robards AW.** A device for the rapid freezing of biological specimens under precisely controlled and reproducible conditions. *J Microsc* 1978; 112: 3-15.

8. **Ball ST, Amiel D, Williams SK, Tontz W, Chen AC, Sah RL, Bugbee WD.** The effects of storage on fresh human osteochondral allografts. *Clin Orthop Relat Res* 2004; 418: 246-252.

9. **Basavaraja N, Hegde SN.** Cryopreservation of the endangered mahseer (Tor khudree) spermatozoa: I. Effect of extender composition, cryoprotectants, dilution ratio, and storage period on post-thaw viability. *Cryobiology* 2004; 49: 149-156.

10. **Bauer M, Jackson RW.** Chondral lesions of the femoral condyles: a system of arthroscopic classification. *Arthroscopy* 1988; 4: 97-102.

11. **Bhayana JN, Tan ZT, Bergsland J, Balu D, Singh JK, Hoover EL.** Beneficial effects of fluosol-polyethylene glycol cardioplegia on cold, preserved rabbit heart. *Ann Thorac Surg* 1997; 63: 459-464.

12. **Bloebaum RD, Wilson AS.** The morphology of the surface of articular cartilage in adult rats. *J Anat* 1980; 131: 333-346.

13. **Bottomley MJ, Baicu S, Boggs JM, Marshall DP, Clancy M, Brockbank KG, Bravery CA.** Preservation of embryonic kidneys for transplantation. *Transplant Proc* 2005; 37: 280-284.

14. **Brittberg M, Lindahl A, Nilsson A, Ohlsson C, Isaksson O, Peterson L.** Treatment of deep cartilage defects in the knee with autologous chondrocyte transplantation. *N Engl J Med* 1994; 331: 889-895.

15. **Brockbank KG, Bank HL.** Measurement of postcryopreservation viability. *J Card Surg* 1987; 2: 145-151.

16. **Buckwalter JA.** Activity vs. rest in the treatment of bone, soft tissue and joint injuries. *Iowa Orthop J* 1995; 15: 29-42.

17. **Buckwalter JA.** Evaluating methods of restoring cartilaginous articular surfaces. *Clin Orthop Relat Res* 1999; 367 Suppl: S224-S238.

18. **Buckwalter JA, Mankin HJ.** Articular cartilage: degeneration and osteoarthritis, repair, regeneration, and transplantation. *Instr Course Lect* 1998; 47: 487-504.

19. **Buckwalter JA, Rosenberg LC.** Electron microscopic studies of cartilage proteoglycans. *Electron Microsc Rev* 1988; 1: 87-112.
20. **Buckwalter JA, Roughley PJ, Rosenberg LC.** Age-related changes in cartilage proteoglycans: quantitative electron microscopic studies. *Microsc Res Tech* 1994; 28: 398-408.
21. **Carbonell JA.** Estudio de la morfología de la superficie articular de injertos osteocondrales frescos, congelados y criopreservados empleando un Microscopio Electrónico de Barrido Ambiental. Tesis Doctoral. Universidad de Barcelona, Facultat de Medicina. 2002. Barcelona
22. **Carsi B, Lopez-Lacomba JL, Sanz J, Marco F, Lopez-Duran L.** Cryoprotectant permeation through human articular cartilage. *Osteoarthritis Cartilage* 2004; 12: 787-792.
23. **Cepero S, Ullot R, Sastre S.** Osteochondritis of the femoral condyles in children and adolescents: our experience over the last 28 years. *J Pediatr Orthop B* 2005; 14: 24-29.
24. **Chien S, Zhang F, Niu W, Tseng MT, Gray L, Jr.** Comparison of university of wisconsin, euro-collins, low-potassium dextran, and krebs-henseleit

- solutions for hypothermic lung preservation. *J Thorac Cardiovasc Surg* 2000; 119: 921-930.
25. **Clark JM, Simonian PT.** Scanning electron microscopy of "fibrillated" and "malacic" human articular cartilage: technical considerations. *Microsc Res Tech* 1997; 37: 299-313.
26. **Convery FR, Meyers MH, Akeson WH.** Fresh osteochondral allografting of the femoral condyle. *Clin Orthop Relat Res* 1991; 273: 139-145.
27. **Coutts RD, Healey RM, Ostrander R, Sah RL, Goomer R, Amiel D.** Matrices for cartilage repair. *Clin Orthop Relat Res* 2001; 391 Suppl: S271-S279.
28. **Cram AE, Domayer MA, Scupham R.** Preservation of human skin: a study of two media using the athymic (nude) mouse model. *J Trauma* 1985; 25: 128-130.
29. **Csonge L, Bravo D, Newman-Gage H, Rigley T, Conrad EU, Bakay A, Strong DM, Pellet S.** Banking of osteochondral allografts, Part II. Preservation of Chondrocyte Viability During Long-Term Storage. *Cell Tissue Bank* 2002; 3: 161-168.

30. **Curl WW, Krome J, Gordon ES, Rushing J, Smith BP, Poehling GG.** Cartilage injuries: a review of 31,516 knee arthroscopies. *Arthroscopy* 1997; 13: 456-460.
31. **Curran RC, Gibson T.** The uptake of labelled sulphate by human cartilage cells and its use as a test for viability. *Proc R Soc Lond B Biol Sci* 1956; 144: 572-576.
32. **De Bari C, Dell'Accio F, Vandenabeele F, Vermeesch JR, Raymackers JM, Luyten FP.** Skeletal muscle repair by adult human mesenchymal stem cells from synovial membrane. *J Cell Biol* 2003; 160: 909-918.
33. **De Santis E, Espa E, Manunta A, Lisai P, Rosa MA.** Scanning electron microscopy study of articular cartilage in the evolution of hip arthritis. *Ital J Orthop Traumatol* 1993; 19: 87-93.
34. **Dempsey GP, Bullivant S.** A copper block method for freezing non-cryoprotected tissue to produce ice-crystal-free regions for electron microscopy. I. Evaluation using freeze-substitution. *J Microsc* 1976; 106: 251-260.

35. **Diduch DR, Jordan LC, Mierisch CM, Balian G.** Marrow stromal cells embedded in alginate for repair of osteochondral defects. *Arthroscopy* 2000; 16: 571-577.

36. **Dijkgraaf LC, de Bont LG, Boering G, Liem RS.** Normal cartilage structure, biochemistry, and metabolism: a review of the literature. *J Oral Maxillofac Surg* 1995; 53: 924-929.

37. **Eyre DR, Wu JJ.** Collagen structure and cartilage matrix integrity. *J Rheumatol Suppl* 1995; 43: 82-85.

38. **Fernández de Retana P.** Osteointegración del homoinjerto óseo triturado en los defectos cavitarios. Tesis Doctoral. Universidad de Barcelona, Facultat de Medicina. 1993. Barcelona

39. **Ficat P, Arlet J, Lartigue G, Pujol M, Tan MA.** [Post-injury reflex algodystrophies. Hemodynamic and anatomopathological study]. *Rev Chir Orthop Reparatrice Appar Mot* 1973; 59: 401-414.

40. **Friedlaender GE, Strong DM, Tomford WW, Mankin HJ.** Long-term follow-up of patients with osteochondral allografts. A correlation between

- immunologic responses and clinical outcome. *Orthop Clin North Am* 1999; 30: 583-588.
41. **Fu LL, Maffulli N, Chan KM.** Intra-articular hyaluronic acid following knee immobilisation for 6 weeks in rabbits. *Clin Rheumatol* 2001; 20: 98-103.
42. **Fuchinoue K, Fukunaga N, Chiba S, Nakajo Y, Yagi A, Kyono K.** Freezing of human immature oocytes using cryoloops with Taxol in the vitrification solution. *J Assist Reprod Genet* 2004; 21: 307-309.
43. **Gardner DL.** The influence of microscopic technology on knowledge of cartilage surface structure. *Ann Rheum Dis* 1972; 31: 235-258.
44. **Gardner DL, McGillivray DC.** Surface structure of articular cartilage. Historical review. *Ann Rheum Dis* 1971; 30: 10-14.
45. **Gardner DL, O'Connor P, Middleton JF, Oates K, Orford CR.** An investigation by transmission electron microscopy of freeze replicas of dog articular cartilage surfaces: the fibre-rich surface structure. *J Anat* 1983; 137 : 573-582.

46. **Gillogly SD, Voight M, Blackburn T.** Treatment of articular cartilage defects of the knee with autologous chondrocyte implantation. *J Orthop Sports Phys Ther* 1998; 28: 241-251.

47. **Gole MD, Poulsen D, Marzo JM, Ko SH, Ziv I.** Chondrocyte viability in press-fit cryopreserved osteochondral allografts. *J Orthop Res* 2004; 22: 781-787.

48. **Goodman SB, Fornasier VL, Lee J, Kei J.** The effects of bulk versus particulate titanium and cobalt chrome alloy implanted into the rabbit tibia. *J Biomed Mater Res* 1990; 24: 1539-1549.

49. **Goodwin DW, Zhu H, Dunn JF.** In vitro MR imaging of hyaline cartilage: correlation with scanning electron microscopy. *AJR Am J Roentgenol* 2000; 174: 405-409.

50. **Gross AE, Aubin P, Cheah HK, Davis AM, Ghazavi MT.** A fresh osteochondral allograft alternative. *J Arthroplasty* 2002; 17: 50-53.

51. **Guilak F, Meyer BC, Ratcliffe A, Mow VC.** The effects of matrix compression on proteoglycan metabolism in articular cartilage explants. *Osteoarthritis Cartilage* 1994; 2: 91-101.

52. **Guilak F, Ratcliffe A, Lane N, Rosenwasser MP, Mow VC.** Mechanical and biochemical changes in the superficial zone of articular cartilage in canine experimental osteoarthritis. *J Orthop Res* 1994; 12: 474-484.
53. **Gutierrez CE, Bello PR, Borrego Dominguez JM, Hernandez FA, Munoz GJ, Prieto GM, Ordonez FA.** Cardiac cryopreservation at subzero temperatures: study of systolic and diastolic function. *Rev Esp Cardiol* 2000; 53: 1189-1194.
54. **Hagiwara H, Schroter-Kermani C, Merker HJ.** Localization of collagen type VI in articular cartilage of young and adult mice. *Cell Tissue Res* 1993; 272: 155-160.
55. **Harding NR, Lipton JF, Vigorita VJ, Bryk E.** Experimental lead arthropathy: an animal model. *J Trauma* 1999; 47: 951-955.
56. **Hayat MA.** Principles and techniques of electron microscopy. Third edition, Mac Millan press scientific and medical. 1989, 78-127.
57. **Helminen HJ, Jurvelin J, Kuusela T, Heikkila R, Kiviranta I, Tammi M.** Effects of immobilization for 6 weeks on rabbit knee articular surfaces as

- assessed by the semiquantitative stereomicroscopic method. *Acta Anat* 1983; 115: 327-335.
58. **Heyner S.** The survival of embryonic mammalian cartilage after freezing to -79 degrees C. *J Exp Zool* 1960; 144: 165-176.
59. **Hinkelmann K. KO.** Design and analysis of experiments. Wiley-Interscience, New York. 1994, 26-58 .
60. **Hong SP, Henderson CN.** Articular cartilage surface changes following immobilization of the rat knee joint. A semiquantitative scanning electron-microscopic study. *Acta Anat (Basel)* 1996; 157: 27-40.
61. **Huibregtse BA, Johnstone B, Goldberg VM, Caplan AI.** Effect of age and sampling site on the chondro-osteogenic potential of rabbit marrow-derived mesenchymal progenitor cells. *J Orthop Res* 2000; 18: 18-24.
62. **Imhof M, Hofstetter G, Bergmeister H, Rudas M, Kain R, Lipovac M, Huber J.** Cryopreservation of a whole ovary as a strategy for restoring ovarian function. *J Assist Reprod Genet* 2004; 21: 459-465.

63. **Insall JN, Windsor R, Scott W, Kelly m, Aglietti P.** Surgery of the knee. Second edition. Churchill Livingstone. New York. 1993, 217-239.
64. **Jakstys B.** Artifacts in sampling specimens for biological electron microscopy. In: Artifacts in biological electron microscopy. Plenum Press, New York. 1988, 12-45 . 2004;
65. **Jobanputra P, Parry D, Fry-Smith A, Burls A.** Effectiveness of autologous chondrocyte transplantation for hyaline cartilage defects in knees: a rapid and systematic review. Health Technol Assess 2001; 5: 1-57.
66. **Jomha NM, Anoop PC, McGann LE.** Intramatrix events during cryopreservation of porcine articular cartilage using rapid cooling. J Orthop Res 2004; 22: 152-157.
67. **Jomha NM, Lavoie G, Muldrew K, Schachar NS, McGann LE.** Cryopreservation of intact human articular cartilage. J Orthop Res 2002; 20: 1253-1255.
68. **Jurvelin J, Kuusela T, Heikkila R, Pelttari A, Kiviranta I, Tammi M, Helminen HJ.** Investigation of articular cartilage surface morphology with a

- semiquantitative scanning electron microscopic method. *Acta Anat* 1983; 116: 302-311.
69. **Kelly MA, Insall JN.** Historical perspectives of chondromalacia patellae. *Orthop Clin North Am* 1992; 23: 517-521.
70. **Kobayashi S, Yonekubo S, Kurogouchi Y.** Cryoscanning electron microscopic study of the surface amorphous layer of articular cartilage. *J Anat* 1995; 187: 429-444.
71. **Ku DD, Willis WL, Caulfield JB.** Retention of endothelium-dependent vasodilatory responses in canine coronary arteries following cryopreservation. *Cryobiology* 1990; 27: 511-520.
72. **Kubo T, Arai Y, Namie K, Takahashi K, Hojo T, Inoue S, Ueshima K, Shiga T, Yutani Y, Hirasawa Y.** Time-sequential changes in biomechanical and morphological properties of articular cartilage in cryopreserved osteochondral allografting. *J Orthop Sci* 2001; 6: 276-281.
73. **LaPrade RF.** Autologous chondrocyte implantation was superior to mosaicplasty for repair of articular cartilage defects in the knee at one year. *J Bone Joint Surg Am* 2003; 85: 2259.

74. **LaPrade RF, Botker JC.** Donor-site morbidity after osteochondral autograft transfer procedures. *Arthroscopy* 2004; 20: 69-73.
75. **LaPrade RF, Burnett QM, Veenstra MA, Hodgman CG.** The prevalence of abnormal magnetic resonance imaging findings in asymptomatic knees. With correlation of magnetic resonance imaging to arthroscopic findings in symptomatic knees. *Am J Sports Med* 1994; 22: 739-745.
76. **LaPrade RF, Swiontkowski MF.** New horizons in the treatment of osteoarthritis of the knee. *JAMA* 1999; 281: 876-878.
77. **Lexer E.** Substitution of whole or half joint from freshly amputated extremities by free plastic operation. *Sur Gynecol Obst* 1908; 6: 601-607.
78. **Li B, Marshall D, Roe M, Aspden RM.** The electron microscope appearance of the subchondral bone plate in the human femoral head in osteoarthritis and osteoporosis. *J Anat* 1999; 195: 101-110.
79. **Luyet B, Keane J, Jr.** A critical temperature range apparently characterized by sensitivity of bull semen to high freezing velocity. *Biodynamica* 1955; 7: 281-292.

80. **Mackay AM, Beck SC, Murphy JM, Barry FP, Chichester CO, Pittenger MF.** Chondrogenic differentiation of cultured human mesenchymal stem cells from marrow. *Tissue Eng* 1998; 4: 415-428.
81. **Majumdar MK, Wang E, Morris EA.** BMP-2 and BMP-9 promotes chondrogenic differentiation of human multipotential mesenchymal cells and overcomes the inhibitory effect of IL-1. *J Cell Physiol* 2001; 189: 275-284.
82. **Manaa J, Sraieb T, Khayat O, Ben Romdhane N, Hamida J, Amor A.** [The effect of cryopreservation on the structural and functional properties of human vascular allografts]. *Tunis Med* 2003; 81 Suppl 8: 645-651.
83. **Mankin HJ, Buckwalter JA.** Restoration of the osteoarthrotic joint. *J Bone Joint Surg Am* 1996; 78: 1-2.
84. **Marco F, Leon C, Lopez-Oliva F, Perez AJ, Sanchez-Barba A, Lopez-Duran SL.** Intact articular cartilage cryopreservation. In vivo evaluation. *Clin Orthop Relat Res* 1992; 283: 11-20.
85. **Mazur P.** Freezing of living cells: mechanisms and implications. *Am J Physiol* 1984; 247: C125-C142.

86. **McDermott AG, Langer F, Pritzker KP, Gross AE.** Fresh small-fragment osteochondral allografts. Long-term follow-up study on first 100 cases. Clin Orthop Relat Res 1985; 197: 96-102.
87. **McGee H.A.Jr., Martin W.** Cryochemistry. Cryogenics 1962; 2: 1-11.
88. **Minas T.** Chondrocyte implantation in the repair of chondral lesions of the knee: economics and quality of life. Am J Orthop 1998; 27: 739-744.
89. **Minas T, Nehrer S.** Current concepts in the treatment of articular cartilage defects. Orthopedics 1997; 20: 525-538.
90. **Mollenhauer J, Bee JA, Lizarbe MA, von der MK.** Role of anchorin CII, a 31,000-mol-wt membrane protein, in the interaction of chondrocytes with type II collagen. J Cell Biol 1984; 98: 1572-1579.
91. **Muldrew K, Novak K, Studholme C, Wohl G, Zernicke R, Schachar NS, McGann LE.** Transplantation of articular cartilage following a step-cooling cryopreservation protocol. Cryobiology 2001; 43: 260-267.

92. **Muldrew K, Novak K, Yang H, Zernicke R, Schachar NS, McGann LE.**
Cryobiology of articular cartilage: ice morphology and recovery of chondrocytes. *Cryobiology* 2000; 40: 102-109.
93. **Muller-Schweinitzer E, Mihatsch MJ, Schilling M, Haefeli WE.**
Functional recovery of human mesenteric and coronary arteries after cryopreservation at -196 degrees C in a serum-free medium. *J Vasc Surg* 1997; 25: 743-750.
94. **O'Connor P, Oates K, Gardner DL, Middleton JF, Orford CR, Brereton JD.** Low temperature and conventional scanning electron microscopic observations of dog femoral condylar cartilage surface after anterior cruciate ligament division. *Ann Rheum Dis* 1985; 44: 321-327.
95. **Oegema TR, Jr.** A model of osteoarthritis and a potential new therapy. *J Lab Clin Med* 1996; 127: 520-521.
96. **Outerbridge RE.** The etiology of chondromalacia patellae. *J Bone Joint Surg Br* 1961; 43: 752-767.

97. **Padros E, Creus M, Padros JL, Manero JM.** Una nueva etapa en la investigación odontológica con el microscopio electrónico de barrido ambiental. Revista del Colegio de Odontólogos de España (RCOE). 1999, 4: 73-80
98. **Paulsen HU, Thomsen JS, Hougen HP, Mosekilde L.** A histomorphometric and scanning electron microscopy study of human condylar cartilage and bone tissue changes in relation to age. Clin Orthod Res 1999; 2: 67-78.
99. **Pfaffle M, Borchert M, Deutzmann R, von der MK, Fernandez MP, Selmin O, Yamada Y, Martin G, Ruggiero F, Garrone R.** Anchorin CII, a collagen-binding chondrocyte surface protein of the calpactin family. Prog Clin Biol Res 1990; 349: 147-157.
100. **Prat S.** Sustitución del ligamento cruzado anterior con aloinjertos tendinosos criopreservados. Estudios experimental de plastias en disposición helicoidal. Tesis Doctoral. Universidad Autónoma de Barcelona. Facultat de Medicina. 1992. Barcelona.
101. **Pynsent P, Fairbank J, Carr A.** Outcomes measures in orthopaedics. Butterworth Heinemann. Oxford. 1994, 59-84 .

102. **Rendal-Vazquez ME, Maneiro-Pampin E, Rodriguez-Cabarcos M, Fernandez-Mallo O, Lopez dU, I, Andion-Nunez C, Blanco FJ.** Effect of cryopreservation on human articular chondrocyte viability, proliferation, and collagen expression. *Cryobiology* 2001; 42: 2-10.
103. **Rigol M.** Efectes de la criopreservació sobre els empelts arterials de petit calibre en un model porcí. Tesis Doctoral. Universidad de Barcelona, Facultat de Medicina.1998. Barcelona.
104. **Rigol M, Heras M, Martinez A, Zurbano MJ, Agusti E, Roig E, Pomar JL, Sanz G.** Changes in the cooling rate and medium improve the vascular function in cryopreserved porcine femoral arteries. *J Vasc Surg* 2000; 31: 1018-1025.
105. **Schachar NS, McGann LE.** Investigations of low-temperature storage of articular cartilage for transplantation. *Clin Orthop Relat Res* 1986; 208: 146-150.
106. **Schachar NS, Novak K, Hurtig M, Muldrew K, McPherson R, Wohl G, Zernicke RF, McGann LE.** Transplantation of cryopreserved osteochondral Dowel allografts for repair of focal articular defects in an ovine model. *J Orthop Res* 1999; 17: 909-919.

107. **Schilling A, Glusa E, Muller-Schweinitzer E.** Nature of the vehicle solution for cryopreservation of human peripheral veins: preservation of reactivity to pharmacological stimuli. *Cryobiology* 1995; 32: 109-113.
108. **Segur JM.** Anàlisi dels factors d'optimització dels resultats d'un Banc d'Ossos Regional. Tesi Doctoral. Universitat de Barcelona, Facultat de Medicina. 1995. Barcelona.
109. **Segur JM, Suso S, Garcia S, Combalia A, Farinas O, Llovera A.** The procurement team as a factor of bone allograft contamination. *Cell Tissue Bank* 2000; 1: 117-119.
110. **Segur JM, Suso S, Garcia S, Combalia A, Ramon R.** Bone allograft contamination in multiorgan and tissue donors. *Arch Orthop Trauma Surg* 1998; 118: 156-158.
111. **Shortkroff S, Barone L, Hsu HP, Wrenn C, Gagne T, Chi T, Breinan H, Minas T, Sledge CB, Tubo R, Spector M.** Healing of chondral and osteochondral defects in a canine model: the role of cultured chondrocytes in regeneration of articular cartilage. *Biomaterials* 1996; 17: 147-154.

112. **Smith A.** Survival of frozen chondrocytes isolated from cartilage adult mammals. *Nature*. 1965, 205: 782 .
113. **Soeder S, Kuhlmann A, Aigner T.** Analysis of protein distribution in cartilage using immunofluorescence and laser confocal scanning microscopy. *Methods Mol Med* 2004; 101: 107-125.
114. **Solanes N, Rigol M, Castella M, Khabiri E, Ramirez J, Segales J, Roque M, Agusti E, Perez-Villa F, Roig E, Pomar JL, Sanz G, Heras M.** Cryopreservation alters antigenicity of allografts in a porcine model of transplant vasculopathy. *Transplant Proc* 2004; 36: 3288-3294.
115. **Song YC, An YH, Kang QK, Li C, Boggs JM, Chen Z, Taylor MJ, Brockbank KG.** Vitreous preservation of articular cartilage grafts. *J Invest Surg* 2004; 17: 65-70.
116. **Stein H, Levanon D.** Articular cartilage of the rabbit knee after synovectomy: a scanning electron microscopy study. *J Anat* 1998; 192: 343-349.
117. **Stevenson S.** Enhancement of fracture healing with autogenous and allogeneic bone grafts. *Clin Orthop Relat Res* 1998; 355 Suppl: S239-S246.

118. **Suso S, Carbonell JA, Segur JM, Manero J, Planell JA.** Cartilage appearance using an environmental scanning electron microscope. *Cell Preservation Technology* 2004; 2: 51-54.
119. **Tan AH, Mitra AK, Chang PC, Tay BK, Nag HL, Sim CS.** Assessment of blood-induced cartilage damage in rabbit knees using scanning electron microscopy. *J Orthop Surg* 2004; 12: 199-204.
120. **Taniai H, Hines IN, Bharwani S, Maloney RE, Nimura Y, Gao B, Flores SC, McCord JM, Grisham MB, Aw TY.** Susceptibility of murine periportal hepatocytes to hypoxia-reoxygenation: role for NO and Kupffer cell-derived oxidants. *Hepatology* 2004; 39: 1544-1552.
121. **Taylor MJ, Bailes JE, Elrifai AM, Shih TS, Teeple E, Leavitt ML, Baust JC, Maroon JC.** Asanguineous whole body perfusion with a new intracellular acellular solution and ultraprofound hypothermia provides cellular protection during 3.5 hours of cardiac arrest in a canine model. *ASAIO J* 1994; 40: M351-M358.
122. **Tomford WW, Fredericks GR, Mankin HJ.** Studies on cryopreservation of articular cartilage chondrocytes. *J Bone Joint Surg Am* 1984; 66: 253-259.

123. **Tomford WW, Mankin HJ.** Investigational approaches to articular cartilage preservation. Clin Orthop Relat Res 1983; 174: 22-27.
124. **van den Berg WB.** The role of cytokines and growth factors in cartilage destruction in osteoarthritis and rheumatoid arthritis. Z Rheumatol 1999; 58: 136-141.
125. **Viebahn R, Metzdorf B, Besenthal I.** Preservation studies using acinar cell cultures of the pancreas: stimulation of amylase/lipase release before and after hypoxic stress. Transpl Int 1994; 7 Suppl 1: S446-S448.
126. **Vila L, García J.** Revisión de los aspectos termodinámicos y inéticos implicados en un proceso de criopreservación biológica. Biol Clin Hematol 1983; 5: 135-142.
127. **Weakley B.S.** A Beginner's handbook in biological transmission Electron Microscopy. Second edition. Churchill Livingstone, New York. 1981, 49.
128. **Wiedmann-Al-Ahmad M, Gutwald R, Gellrich NC, Hubner U, Schmelzeisen R.** Search for ideal biomaterials to cultivate human osteoblast-like cells for reconstructive surgery. J Mater Sci Mater Med 2005; 16: 57-66.

129. **Williams MA.** Quantitative methods in biology, in: Practical Methods in Electron Microscopy, Vol 6, Part II. Elsevier. New York. 1977, 15-34 .
130. **Williams RJ, III, Dreese JC, Chen CT.** Chondrocyte survival and material properties of hypothermically stored cartilage: an evaluation of tissue used for osteochondral allograft transplantation. Am J Sports Med 2004; 32: 132-139.
131. **Williams SK, Amiel D, Ball ST, Allen RT, Wong VW, Chen AC, Sah RL, Bugbee WD.** Prolonged storage effects on the articular cartilage of fresh human osteochondral allografts. J Bone Joint Surg Am 2003; 85: 2111-2120.
132. **Wu DD, Burr DB, Boyd RD, Radin EL.** Bone and cartilage changes following experimental varus or valgus tibial angulation. J Orthop Res 1990; 8: 572-585.