

*Caracterització proteòmica de l'espermatozoide
humà. Proteïnes diferencials trobades en pacients
astenozoospèrmics.*

Per Juan Martínez Heredia



7.- Bibliografía

Bibliografia

7.- Bibliografía.

- Abramoff MD, Magelhaes PJ, Ram SJ (2004) Image Processing with ImageJ. *Biophotonics Int* 11,36-42.
- Aitken RJ, Best FS, Richardson DW, Djahanbakhch O, Templeton A, Lees MM (1982). An analysis of semen quality and sperm function in cases of oligozoospermia. *Fertil Steril* 38,705-11.
- Alanen HI, Williamson RA, Howard MJ, Hatahet FS, Salo KE, Kauppila A, Kellokumpu S and Ruddock LW (2006). ERp27, a new non-catalytic endoplasmic reticulum-located human protein disulfide isomerase family member, interacts with ERp57. *J Biol Chem* 281 (44):33727-33738
- Ammer H, Henschen A, Lee CH (1986). Isolation and amino-acid sequence analysis of human sperm protamines P1 and P2. Occurrence of two forms of protamine P2. *Biol Chem Hoppe Seyler* 367, 515–522.
- Anderson NG, Anderson L (1982). The Human Protein Index. *Clin Chem*. 28(4 Pt 2), 739-48.
- Anguiano A, Oates RD, Amos JA, Dean M, Gerrard B, Stewart C, Maher TA, White MB, Milunsky A (1992). Congenital bilateral absence of the vas deferens. A primarily genital form of cystic fibrosis. *JAMA* 267, 1794-7.
- Aoki VW, Liu L, Carrell DT (2005) Identification and evaluation of a novel sperm protamine abnormality in a population of infertile males. *Hum Reprod* 20, 1298–1306.
- Autiero M, Abrescia P and Guardiola J (1991). Interaction of seminal plasma proteins with cell surface antigens: presence of a CD4-binding glycoprotein in human seminal plasma. *Exp Cell Res* 197,268-271
- Baccetti B, Burrini AG, Collodel G, Magnano AR, Piomboni P, Renieri T and Sensini C (1989). Crater defect in human spermatozoa. *Gamete Res* 22,249–255.
- Baccetti B, Collodel G, Estenoz M, Manca D, Moretti E, Piomboni P (2005). Gene deletions in an infertile man with sperm fibrous sheath dysplasia. *Hum Rep* 20 (10), 2790-2794

Bibliografia

- Bach O, Glander HJ, Scholz G, Schwarz J (1990). Electrophoretic patterns of spermatozoal nucleoproteins (NP) in fertile men and infertility patients and comparison with NP of somatic cells. *Andrologia* 22, 217–224.
- Baker MA, Reeves G, Hetherington L, Müller J, Baur I, Aitken RJ (2007). Identification of gene products present in Triton X-100 soluble and insoluble fractions of human spermatozoa lysates using LC-MS/MS análisis. *Proteomics - Clinical Applications*. 1,524-532.
- Baker MA, Witherdin R, Hetherington L, Cunningham-Smith K, Aitken RJ (2005). Identification of post-translational modifications that occur during sperm maturation using difference in two-dimensional gel electrophoresis. *Proteomics* 5,1003-1012.
- Balhorn R, Reed S, Tanphaichitr N (1988). Aberrant protamine 1/protamine 2 ratios in sperm of infertile human males. *Experientia* 44,52-55.
- Bergamo P, Balestrieri M, Cammarota G, Guardiola J and Abrescia P (1997). CD4-mediated anchoring of the seminal antigen gp17 onto the spermatozoon surface. *Hum Immunol* 58, 30-41.
- Blanchard Y, Lescoat D, Le Lannou D (1990). Anomalous distribution of nuclear basic proteins in round-headed human spermatozoa. *Andrologia* 22, 549–555.
- Blum H, Beier H, Gross HJ (1987). Improved silver staining of plant proteins, RNA and DNA in polyacrylamide gels. *Electrophoresis* 8, 93-99.
- Bohring C, Krause E, Habermann B, Krause W (2001). Isolation and identification of sperm membrane antigens recognized by antisperm antibodies, and their possible role in immunological infertility disease. *Mol Hum Reprod* 7, 113–118.
- Bonde J, Ernst E, Jensen TK, Hjollund N, Kolstad H, Henriksen TB, Scheike T, Giwercman A, Olsen J, Skakkebæk NE (1998). Relation between semen quality and fertility: a population-based study of 430 first-pregnancy planners. *Lancet* 352, 1172–77
- Bostofte E, Serup J, Rebbe H. Relation between morphologically abnormal spermatozoa and pregnancies obtained during a twenty-year follow-up period (1982). *Int J Androl* 5, 379-86.

- Bradford, MM (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein dye binding. *Analytical Biochem* 72: 248-254
- Brener E, Rubinstein S, Cohen G, Shternall K, Rivlin J, Breitbart H (2003). Remodelling of the actin cytoskeleton during mammalian sperm capacitation and acrosome reaction. *Biology Reprod* 68, 837–845.
- Capkova J, Elzeinová F, Novák P (2007). Increased expression of secretory actin-binding protein on human spermatozoa is associated with poor semen quality. *Hum Reprod* 22(5), 1396-404
- Caputo E, Carratore V, Ciullo M, Tiberio C, Mani JC, Piatier-Tonneau D, Guardiola J (1999) Biosynthesis and immunobiochemical characterization of gp17/GCDFP-15. A glycoprotein from seminal vesicles and from breast tumors, in HeLa cells and in *Pichia pastoris* yeast. *Eur J Biochem* 265(2), 664-70.
- Caputo E, Manco G, Mandrich L, Guardiola J (2000). A novel aspartyl proteinase from apocrine epithelia and breast tumors. *J Biol Chem* 275(11), 7935-41.
- Cardullo RA, Baltz JM (1991). Metabolic regulation in mammalian sperm: Mitochondrial volume determines sperm length and flagellar beat frequency. *Cell Motil Cytoskel* 19, 180-188
- Casals T, Bassas L, Ruiz-Romero J, Chillon M, Gimenez J, Ramos MD, Tapia G, Narvaez H, Nunes V, Estivill X (1995). Extensive analysis of 40 infertile patients with congenital absence of the vas deferens: in 50% of cases only one CFTR allele could be detected. *Hum Genet* 95, 205-11.
- Cedenho AP, Lima SB, Cenedeze MA, Spaine DM, Ortiz V, Oehninger S (2006). Oligozoospermia and heat-shock protein expression in ejaculated spermatozoa. *Hum Reprod* 21(7), 1791-4.
- Chauvin TR, Griswold MD (2004). Characterization of the expression and regulation of genes necessary for myo-inositol biosynthesis and transport in the seminiferous epithelium. *Biol Reprod* 70(3), 744-51.
- Chevaillier P, Mauro N, Feneux D, Jouannet P, David G (1987). Anomalous protein complement of sperm nuclei in some infertile men. *Lancet* 2, 806–807.

Bibliografia

- Chillon M, Casals T, Mercier B, Bassas L, Lissens W, Silber S, Romey MC, Ruiz-Romero J, Verlingue C, Claustres M, et al (1995). Mutations in the cystic fibrosis gene in patients with congenital absence of the vas deferens. *N Engl J Med* 332, 1475-80.
- Choe LH, Lee KH (2000). A comparison of three commercially available isoelectric focusing units for proteome analysis: the multiphor, the IPGphor and the protean IEF cell. *Electrophoresis* 21, 993-1000.
- Churikov D, Siino J, Svetlova M, Zhang K, Gineitis A, Morton Bradbury E, Zalensky A (2004). Novel human testis-specific histone H2B encoded by the interrupted gene on the X chromosome. *Genomics* 84, 745-56.
- Clark AM, Griswold MD (1997). Expression of clusterin/sulfated glycoprotein-2 under conditions of heat stress in rat Sertoli cells and a mouse Sertoli cell line. *J Androl* 18(3), 257-63.
- Coetzee K, Kruger TF, Lombard CJ (1998). Predictive value of normal sperm morphology: a structured literature review. *Hum Reprod Update* 4, 73-82.
- Compton SJ, Jones CG (1985). Mechanism of dye response and interference in the Bradford protein assay. *Anal Biochem* 151, 369-374
- Corazzari M, Lovat PE, Armstrong JL, Fimia GM, Hill DS, Birch-Machin M, Redfern CP, Piacentini M (2007). Targeting homeostatic mechanisms of endoplasmic reticulum stress to increase susceptibility of cancer cells to fenretinide-induced apoptosis: the role of stress proteins ERdj5 and ERp57. *Br J Cancer* 96(7):1062-71.
- Coughlin EM, Christensen E, Kunz PL, Krishnamoorthy KS, Walker V, Dennis NR, Chalmers RA, Elpeleg ON, Whelan D, Pollitt RJ, Ramesh V, Mandell R and Shih VE (1998). Molecular analysis and prenatal diagnosis of human fumarase deficiency. *Mol Genet Metab* 63 (4), 254-262.
- Crazzolara S, Wunder D, Nageli E, Bodmer C, Graf S, Birkhauser MH (2007). Semen parameters in a fertile Swiss population. *Swiss Med Wkly* 137, 166-72.
- Cryns K, Shamir A, Van Acker N, Levi I, Daneels G, Goris I, Bouwknecht JA, Andries L, Kass S, Agam G, Belmaker H, Bersudsky Y, Steckler T, Moechars D (2007).

- IMPA1 is Essential for Embryonic Development and Lithium-Like Pilocarpine Sensitivity. *Neuropsychopharmacology* ,[Epub ahead of print]
- Cutler P, Birrell H, Haran M, Man W, Neville B, Rosier S, Skehel M, White I (1999). Proteomics in pharmaceutical research and development. *Biochem Soc Trans* 27, 555-9. Review.
- David, G., Bisson, J.P., Czyglik, F. et al. (1975) Anomalies morphologiques du spermatozoïde humain. 1) Propositions pour un système de classification. *J. Gynécol. Obstet. Biol. Reprod.*, 4 (Suppl. 1), 17–36.
- De Braekeleer M, Dao TN (1991). Cytogenetic studies in male infertility: a review. *Hum Reprod* 6, 245-50. Review.
- de Mateo S, Martínez-Heredia J, Estanyol JM, Domínguez-Fandos D, Vidal-Taboada JM, Ballescà JL, Oliva R (2007). Marked correlations in protein expression identified by proteomic analysis of human spermatozoa. *Proteomics*, epub.
- de Yebra L, Ballescà JL, Vanrell JA, Bassas L, Oliva R (1993) Complete selective absence of protamine P2 in humans. *J Biol Chem* 268, 10553–10557.
- de Yebra L, Ballescà JL, Vanrell JA, Corzett M, Balhorn M and Oliva R (1998). Detection of P2 precursors in the sperm cells of infertile patients who have reduced protamine P2 levels. *Fertil Steril* 69, 755–759.
- de Yebra L, Oliva R (1993). Rapid analysis of mammalian sperm nuclear proteins. *Anal Biochem* 209, 201–203.
- DeMarini DM (2004). Genotoxicity of tobacco smoke and tobacco smoke condensate: a review. *Mutat Res* 567, 447-74. Review.
- Dym M, Fawcett DW (1971). Further observations on the numbers of spermatogonia, spermatocytes, and spermatids connected by intercellular bridges in the mammalian testis. *Biol Reprod* 4, 195-215.
- Edman P (1950). Preparation of phenyl thiohydantoins from some natural amino acids. *Acta chem. Scand.* 4, 277.
- Eggert-Kruse W, Reimann-Andersen J, Rohr G, Pohl S, Tilgen W, Runnebaum B (1995). Clinical relevance of sperm morphology assessment using strict criteria

- and relationship with sperm-mucus interaction in vivo and in vitro. *Fertil Steril* 63, 612-24.
- Eggert-Kruse W, Rohr G, Bockem-Hellwig S, Huber K, Christmann-Edoga M, Runnebaum B (1995). Immunological aspects of subfertility. *Int J Androl* 18 Suppl 2:43-52.
- Egozcue J, Sarrate Z, Codina-Pascual M, Egozcue S, Oliver-Bonet M, Blanco J, Navarro J, Benet J, Vidal F. Meiotic abnormalities in infertile males (2005). *Cytogenet Genome Res* 111, 337-42. Review.
- Eisen MB, Spellman PT, Brown PO and Botstein D (1998). Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci USA* 95, 14863-14868.
- Eliasson R (1971). Standards for investigation of human semen? *Andrologia*, 3, 49–64.
- Emanuele N, Emanuele MA (1997). The endocrine system: alcohol alters critical hormonal balance. *Alcohol Health Res World* 21, 53-64. Review.
- Fazekas de St. Groth S, Webster RG, Datyner A (1963). Two new staining procedures for quantitative estimation of proteins on electrophoretic strips. *Biochim Biophys Acta* 71, 377–391
- Fegatella F, Ostrowski M, Cavicchioli R (1999). An assessment of protein profiles from the marine oligotrophic ultramicrobacterium, *Sphingomonas* sp. strain RB2256. *Electrophoresis* 20, 2094-8.
- Fenn JB, Mann M, Meng CK, Wong SF, Whitehouse CM (1989). Electrospray ionization for mass spectrometry of large biomolecules. *Science* 246(4926), 64-71.
- Ficarro S, Chertihin O, Westbrook VA, White F, Jayes F, Kalab P, Marto JA, Shabanowitz J, Herr JC, Hunt DF, Visconti PE (2003). Phosphoproteome analysis of capacitated human sperm. Evidence of tyrosine phosphorylation of a kinase-anchoring protein 3 and valosin-containing protein/p97 during capacitation. *J Biol Chem* 278(13), 11579-89.
- Foster JA, Klotz KL, Flickinger CJ, Thomas TS, Wright RM, Castillo JR, Herr JC (1994). Human SP-10: acrosomal distribution, processing, and fate after the acrosome reaction. *Biol Reprod* 51(6), 1222-31.

- Franken DR, Smith M, Menkveld R, Kruger TF, Sekadde-Kigondu C, Mbizvo M, Akande EO (2000). The development of a continuous quality control programme for strict sperm morphology among sub-Saharan African laboratories. *Hum Reprod* 15, 667–71.
- Fredericsson B (1979). Morphologic evaluation of spermatozoa in different laboratories. *Andrologia*, 11, 57–61.
- Freund M (1966). Standards for the rating of human sperm morphology. A co-operative study. *Int J Fertil* 11, 97–110.
- Furusawa M, Ohnishi T, Taira T, Iguchi-Ariga SM, Ariga H (2001). AMY-1, a c-Myc-binding protein, is localized in the mitochondria of sperm by association with S-AKAP84, an anchor protein of cAMP-dependent protein kinase. *J Biol Chem* 276, 36647–36651.
- George VK, Li H, Teloken C, Grignon DJ, Lawrence WD, Dhabuwala CB (1996). Effects of long-term cocaine exposure on spermatogenesis and fertility in peripubertal male rats. *J Urol* 155, 327-31.
- Gorg A (2004). 2-D Electrophoresis. Principles and methods. GE Healthcare, online.
- Gorg A, Obermaier C, Boguth G, Harder A, Scheibe B, Wildgruber R, Weiss W (2000). The current state of two-dimensional electrophoresis with immobilized pH gradients. *Electrophoresis* 21, 1037-53. Review.
- Govin J, Caron C, Escoffier E, Ferro M, Kuhn L, Rousseaux S, Eddy EM, Garin J, Khochbin S (2006). Post-meiotic shifts in HSPA2/HSP70.2 chaperone activity during mouse spermatogenesis. *J Biol Chem* 281(49), 37888-92.
- Gur Y, Breitbart H (2006). Mammalian sperm translate nuclear-encoded proteins by mitochondrial-type ribosomes. *Genes Dev* 20, 411–416.
- Gusse M, Sautiere P, Belaiche D, Martinage A, Roux C, Dadoune JP, Chevaillier P (1986). Purification and characterization of nuclear basic proteins of human sperm. *Biochim Biophys Acta* 884(1), 124-34.
- Guzick DS, Overstreet JW, Factor-Litvak P, Brazil CK, Nakajima ST, Coutifaris C, Carson SA, Cisneros P, Steinkampf MP, Hill JA, Xu D, Vogel DL (2001). Sperm morphology, motility, and concentration in fertile and infertile men. *N Engl J Med* 345(19), 1388-93.

Bibliografia

- Hamer G, Gell K, Kouznetsova A, Novak I, Benavente R, Hoog C (2006). Characterization of a novel meiosis-specific protein within the central element of the synaptonemal complex. *J Cell Sci* 119(Pt 19), 4025-32.
- Hellstrom M, Lexander H, Franzen B, Egevad L (2007). Proteomics in prostate cancer research. *Anal Quant Cytol Histol* 29, 32-40. Review.
- Henzel WJ, Billeci TM, Stults JT, Wong SC, Grimley C, Watanabe C (1993). Identifying proteins from two-dimensional gels by molecular mass searching of peptide fragments in protein sequence databases. *Proc Natl Acad Sci U S A*. 90(11), 5011-5.
- Hinting A, Comhaire F, Vermeulen L, Dhont M, Vermeulen A, Vandekerckhove D (1990). Value of sperm characteristics and the result of in-vitro fertilization for predicting the outcome of assisted reproduction. *Int J Androl* 13, 59-66.
- Hofmann N, Freundl G, Florack M (1985). Die formstörungen der spermatozoen im sperma und zervikalschleim als spiegel testikulärer erkrankungen. *Gynäkologe*, 18, 189–192.
- Holmes-Davis R, Tanaka CK, Vensel WH, Hurkman WJ, McCormick S (2005). Proteome mapping of mature pollen of *Arabidopsis thaliana*. *Proteomics* 5, 4864-84.
- Honbou K, Suzuki NN, Horiuchi M, Niki T, Taira T, Ariga H, Inagaki F (2003). The crystal structure of DJ-1, a protein related to male fertility and Parkinson's disease. *J Biol Chem* 278(33), 31380-4.
- Hoshi K, Tsukikawa S, Sato A (1991). Importance of Ca²⁺, K⁺ and glucose in the medium for sperm penetration through the human zona pellucida. *Tohoku J Exp Med* 165, 99–104.
- Hozumi A, Satoh Y, Ishibe D, Kaizu M, Konno A, Ushimaru Y, Toda T, Inaba K (2004). Local database and the search program for proteomic analysis of sperm proteins in the ascidian *Ciona intestinalis*. *Biochem Biophys Res Commun* 319(4), 1241-6.
- Huszar G, Ozkavukcu S, Jakab A, Celik-Ozenci C, Sati GL, Cayli S (2006). Hyaluronic acid binding ability of human sperm reflects cellular maturity and fertilizing

- potential: selection of sperm for intracytoplasmic sperm injection. *Curr Opin Obstet Gynecol* 18(3), 260-7.
- Huttemann M, Jaradat S and Grossman LI (2003). Cytochrome c oxidase of mammals contains a testes-specific isoform of subunit VIb--the counterpart to testes-specific cytochrome c? *Mol Reprod Dev* 66(1), 8-16.
- Ibrahim NM, Gilbert GR, Loseth KL and Crabo BG (2000). Correlation between Clusterin-Positive Spermatozoa determined by flow cytometry in bull semen and fertility. *J Androl* 21, 887-894
- Ibrahim NM, Troedsson MH, Foster DN, Loseth KJ, Farris JA, Blaschuk O, Crabo BG (1999). Reproductive tract secretions and bull spermatozoa contain different clusterin isoforms that cluster cells and inhibit complement-induced cytolysis. *J Androl* 20(2), 230-40.
- Iciek M, Wlodek L (2001). Biosynthesis and biological properties of compounds containing highly reactive, reduced sulfane sulfur. *Pol J Pharmacol* 53, 215-25. Review.
- Isidori AM, Pozza C, Gianfrilli D, Isidori A (2006). Medical treatment to improve sperm quality. *Reproductive BioMedicine Online* 12, 704-714
- Jaffe SB, Jewelewicz R (1991). The basic infertility investigation. *Fertil Steril* 56, 599-613. Review.
- Gómez E, Amorocho B, Martínez MC, Sánchez R, Quesada-Quintana B, Landeras J, Ballesteros A, Remohí J (2000). Análisis básico del semen. En: Manual práctico de esterilidad y reproducción humana., Remohí J, Romero JL, Pellicer A, Simón C, Navarro J ed., McGraw-Hill Interamericana., pp: 185-205,
- Vanrell JA (1992). Esterilidad, subfertilidad e infertilidad: definición, frecuencia y etiología. En: Fertilidad y esterilidad humanas., Vanrell J, Calaf J, Balasch J, Viscasillas P ed., Ediciones Científicas y Técnicas, SA, pp: 1-43.
- Ballescà JL (2002). Estudio del varón estéril. En: Reproducción humana., Remohí J, Pellicer A, Simón C, Navarro J ed., McGraw-Hill Interamericana, pp: 279-285.
- James P, Quadroni M, Carafoli E, Gonnet G (1993). Protein identification by mass profile fingerprinting. *Biochem Biophys Res Commun* 195, 58-64.

Bibliografia

- Jassim A, Gillott DJ, al-Zuhdi Y, Gray A, Foxon R, Bottazzo GF (1992). Isolation and biochemical characterization of the human sperm tail fibrous sheath. *Hum Reprod* 7(1), 86-94.
- Jenne DE, Tschopp J (1989). Molecular structure and functional characterization of a human complement cytolytic inhibitor found in blood and seminal plasma: identity to sulfated glycoprotein 2, a constituent of rat testis fluid. *Proc Natl Acad Sci USA* 86(18), 7123-7.
- Jequier AM, Ansell ID, Bullimore NJ (1985). Congenital absence of the vasa deferentia presenting with infertility. *J Androl* 6, 15-9.
- Johnston DS, Wooters J, Kopf GS, Qiu Y, Roberts KP (2005). Analysis of the human sperm proteome. *Ann N Y Acad Sci* 1061, 190-202.
- Khanal RC, Nemere I (2007). The ERp57/GRp58/1,25D₃-MARRS receptor: multiple functional roles in diverse cell systems. *Curr Med Chem* 14(10):1087-93.
- Kierszenbaum AL, Tres LL (2004) The acrosome-acroplaxome-manchette complex and the shaping of the spermatid head. *Arch Histol Cytol* 67, 271-284.
- Kinter M, Sherman NE (2000). Protein sequencing and identification using tandem mass spectrometry. Wiley Intescience, USA.
- Klose J (1975). Protein mapping by combined isoelectric focusing and electrophoresis of mouse tissues: a novel approach to testing for induced point mutations in mammals. *Humangenetik* 26, 231-243.
- Krausz C, Degl'Innocenti S (2006). Y chromosome and male infertility: update, 2006. *Front Biosci* 11, 3049-61. Review.
- Kruger TF, Acosta AA, Simmons KF, Swanson RJ, Matta JF, Oehninger S (1988). Predictive value of abnormal sperm morphology in in vitro fertilization. *Fertil Steril* 49, 112-7.
- Kruger TF, Menkveld R, Stander FS, Lombard CJ, Van der Merwe JP, van Zyl JA, Smith K (1986). Sperm morphologic features as a prognostic factor in in vitro fertilization. *Fertil Steril* 46, 1118-23.

- Kruger TF, Acosta AA, Simmons KF, Swanson RJ, Matta JF, Veeck LL, Morshedi M, Brugo S (1987). New method of evaluating sperm morphology with predictive value for human in vitro fertilization. *Urology*, 30, 248–251.
- Kucherla K, Saxena R, Mohan D (1985). Semen analysis in alcohol dependence syndrome. *Andrologia* 17, 558-63.
- Kupker W, Schwinger E, Hiort O, Ludwig M, Nikolettos N, Schlegel PN, Diedrich K (1999). Genetics of male subfertility: consequences for the clinical work-up. *Hum Reprod* 14 Suppl 1, 24-37. Review.
- Laemmli UK (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227(5259), 680-5.
- Lefievre L, Barratt CL, Harper CV, Conner SJ, Flesch FM, Deeks E, Moseley FL, Pixton KL, Brewis IA, Publicover SJ (2003). Physiological and proteomic approaches to studying prefertilization events in the human. *Reprod Biomed Online* 7(4), 419-27.
- Lefievre L, Chen Y, Conner SJ, Scott JL, Publicover SJ, Ford WC, Barratt CL (2007). Human spermatozoa contain multiple targets for protein S-nitrosylation: An alternative mechanism of the modulation of sperm function by nitric oxide? *Proteomics* 7, 3066-84.
- Levesque L, Bor YC, Matzat LH, Jin L, Berberoglu S, Rekosh D, Hammarskjold ML, Paschal BM (2006). Mutations in tap uncouple RNA export activity from translocation through the nuclear pore complex. *Mol Biol Cell* 17(2), 931-43.
- Li LW, Fan LQ, Zhu WB, Nien HC, Sun BL, Luo KL, Liao TT, Tang L, Lu GX (2007). Establishment of a high-resolution 2-D reference map of human spermatozoal proteins from 12 fertile sperm-bank donors. *Asian J Androl* 9, 321-9.
- Liang X, Zhu D, Schulz H (1999). Delta3,5,7,Delta2,4,6-trienoyl-CoA isomerase, a novel enzyme that functions in the beta-oxidation of polyunsaturated fatty acids with conjugated double bonds. *J Biol Chem* 274, 13830-5.
- Lilja H, Abrahamsson PA and Lundwall A (1989). Semenogelin, the predominant protein in human semen. Primary structure and identification of closely related proteins in the male accessory sex glands and on the spermatozoa. *J Biol Chem* 264, 1894-1900

Bibliografia

- Liu DY, Clarke GN, Baker HW (2006). Hyper-osmotic condition enhances protein tyrosine phosphorylation and zona pellucida binding capacity of human sperm. *Hum Reprod* 21(3), 745-52.
- Lowry OH, Rosenbrough NJ, Farr AL, Randall RJ (1951). Protein measurement with the Folin Phenol reagent. *J Biol Chem* 193, 265-275
- Luconi M, Forti G and Baldi E (2006). Pathophysiology of sperm motility *Front Biosci* 11, 1433-1447
- Machesky LM, Install RH (1999). Signaling to actin dynamics. *J Cell Biol* 146, 267–272.
- Mahony MC, Alexander NJ (1991). Sites of antisperm antibody action. *Hum Reprod* 6, 1426-30.
- Manevich Y, Fisher AB (2005). Peroxiredoxin 6, a 1-Cys peroxiredoxin, functions in antioxidant defense and lung phospholipid metabolism. *Free Radic Biol Med* 38(11):1422-32.
- Mann M, Hojrup P, Roepstorff P (1993). Use of mass spectrometric molecular weight information to identify proteins in sequence databases. *Biol Mass Spectrom* 22, 338-345.
- Marcon L, Boissonneault G (2004). Transient DNA strand breaks during mouse and human spermiogenesis new insights in stage specificity and link to chromatin remodeling. *Biol Reprod* 70(4), 910-8.
- Marshburn PB, Kutteh WH (1994). The role of antisperm antibodies in infertility. *Fertil Steril* 61, 799-811. Review.
- Marshburn PB, Sloan CS, Hammond MG (1989). Semen quality and association with coffee drinking, cigarette smoking, and ethanol consumption. *Fertil Steril* 52, 162-5.
- Martinez C, Mar C, Azcarate M, Pascual P, Aritzeta JM, Lopez-Urrutia A (2000). Sperm motility index: a quick screening parameter from sperm quality analyser-IIB to rule out oligo- and asthenozoospermia in male fertility study *Hum Reprod* 15(8), 1727-1733.

- Martinez-Heredia J, Estanyol JM, Ballesca JL and Oliva R (2006). Proteomic identification of human sperm proteins. *Proteomics* 6(15), 4356-69.
- Maurya P, Meleady P, Dowling P, Clynes M (2007). Proteomic approaches for serum biomarker discovery in cancer. *Anticancer Res* 27, 1247-55. Review.
- Mengual L (2003). Infertilitat masculina: Causes, factors de risc genètic i caracterització molecular dels espermatozoides. Tesis doctoral presentada a la UB.
- Mengual L, Ballescà JL, Ascaso C and Oliva R (2003). Marked differences in protamine content and P1/P2 ratios in sperm cells from percoll fractions between patients and controls. *J Androl* 24(3), 438-447.
- Menkveld R, Stander FS, Kotze TJ, Kruger TF, van Zyl JA (1990). The evaluation of morphological characteristics of human spermatozoa according to stricter criteria. *Hum Reprod* 5, 586-92.
- Meschede D, Lemcke B, Behre HM, De Geyter C, Nieschlag E, Horst J (2000). Clustering of male infertility in the families of couples treated with intracytoplasmic sperm injection. *Hum Reprod* 15, 1604-8.
- Mezquita C (1985). Chromatin composition, structure and function in spermatogenesis. *Revis Biol Celular* 5:V-XIV, 1-124. Review.
- Miki K, Qu W, Goulding EH, Willis WD, Bunch DO, Strader LF, Perreault SD, Eddy EM, O'Brien DA (2004). Glyceraldehyde 3-phosphate dehydrogenase-S, a sperm-specific glycolytic enzyme, is required for sperm motility and male fertility. *Proc Natl Acad Sci USA* 101(47), 16501-6.
- Miller MJ, Merril C (1989). Strategies and techniques for testing the precision, reliability and reproducibility of computerized two-dimensional gel electrophoresis analysis systems. *Appl Theor Electrophor* 1, 127-35.
- Miyamoto T, Hasuike S, Yoge L, Maduro MR, Ishikawa M, Westphal H, Lamb DJ (2003) Azoospermia in patients heterozygous for a mutation in SYCP3. *Lancet* 362:1714-1719.
- Mueller BA, Daling JR, Weiss NS, Moore DE (1990). Recreational drug use and the risk of primary infertility. *Epidemiology* 1, 195-200.

Bibliografia

- Naaby-Hansen S, Mandal A, Wolkowicz MJ, Sen B, Westbrook VA, Shetty J, Coonrod SA, Klotz KL, Kim YH, Bush LA, Flickinger CJ, Herr JC (2002). CABYR, a novel calcium-binding tyrosine phosphorylation-regulated fibrous sheath protein involved in capacitation. *Dev Biol* 242(2), 236-54.
- Nagy F, Pendergrass PB, Bowen DC, Yeager JC (1986). A comparative study of cytological and physiological parameters of semen obtained from alcoholics and non-alcoholics. *Alcohol Alcohol* 21, 17-23.
- Navarro J, Templado C, Benet J, Lange R, Rajmil O, Egoscue J (1990). Sperm chromosome studies in an infertile man with partial, complete asynapsis of meiotic bivalents. *Hum Reprod* 5, 227-9.
- Nayernia K, Adham I, Kremling H, Reim K, Schlüter M, Engel W (1996). Stage and developmental specific gene expression during mammalian spermatogenesis. *Int J Dev Biol* 40, 379-383.
- Neumann F (1984). Effects of drugs and chemicals on spermatogenesis. *Arch Toxicol Suppl* 7, 109-17.
- O'Farrell PH (1975). High resolution two-dimensional gel electrophoresis of proteins. *J Biol Chem* 250, 4007-4021.
- Oates RD (1991). Using transrectal ultrasonography in the diagnosis of ejaculatory duct obstruction. *Contemp Urol* 3, 47; 50-8; 63. Review.
- O'Bryan MK, Baker HW, Saunders JR, Kirsbaum L, Walker ID, Hudson P, Liu DY, Glew MD, d'Apice AJ, Murphy BF (1990). Human seminal clusterin (SP-40,40). Isolation and characterization. *J Clin Invest* 85(5), 1477-86.
- O'Bryan MK, Murphy BF, Liu DY, Clarke GN and Baker HW (1994). The use of anticlusterin monoclonal antibodies for the combined assessment of human sperm morphology and acrosome integrity. *Hum Reprod* 9(8), 1490-6.
- Oehninger S, Acosta AA, Morshed M, Veeck L, Swanson RJ, Simmons K, Rosenwaks Z (1988). Corrective measures and pregnancy outcome in in vitro fertilization in patients with severe sperm morphology abnormalities. *Fertil Steril* 50, 283-7.
- O'Farrell PZ, Gold LM, Huang WM (1973). The identification of prereplicative bacteriophage T4 proteins. *J Biol Chem* 248(15), 5499-501.

- Oliva R (2006). Protamines and male infertility. *Hum Reprod Update* 12(4):417-35.
- Oliva R, Dixon GH (1991). Vertebrate protamine genes and the histone-to-protamine replacement reaction. *Prog Nucleic Acid Res Mol Biol* 40, 25-94.
- Oliva R, Mezquita C (1982). Histone H4 hyperacetylation and rapid turnover of its acetyl groups in transcriptionally inactive rooster testis spermatids. *Nucleic Acids Res* 10(24), 8049-59.
- Oliva R, Mezquita C (1986). Marked differences in the ability of distinct protamines to disassemble nucleosomal core particles in vitro. *Biochemistry* 25, 6508-11.
- Ombelet W, Bosmans E, Janssen M, Cox A, Maes M, Punjabi U, Blaton V, Gunst J, Haidl G, Wouters E, Spiessens C, Bornman MS, Pienaar E, Menkveld R, Lombard CJ (1998). Multicenter study on reproducibility of sperm morphology assessments. *Arch Androl* 41(2), 103-14.
- Ombelet W, Fourie FL, Vandeput H, Bosmans E, Cox A, Janssen M, Kruger T (1994). Teratozoospermia and in-vitro fertilization: a randomized prospective study. *Hum Reprod.* 9, 1479-84.
- Ostermeier GC, Goodrich RJ, Moldenhauer JS, Diamond MP, Krawetz SA (2005). A suite of novel human spermatozoal RNAs. *J Androl* 26(1), 70-4.
- Ostrowski LE, Blackburn K, Radde KM, Moyer MB, Schlatzer DM, Moseley A, Boucher RC (2002). A proteomic analysis of human cilia: identification of novel components. *Mol Cell Proteomics* 1(6), 451-65.
- Palermo GD, Colombero LT, Rosenwaks Z (1997). The human sperm centrosome is responsible for normal syngamy and early embryonic development. *Rev Reprod* 2(1), 19-27.
- Pappin DJC, Hojrup P, Bleasby AJ (1993). Rapid identification of proteins by peptide-mass fingerprinting. *Curr Biol* 3, 327-332.
- Parvinen M, Lahdetie J, Parvinen LM (1984). Toxic and mutagenic influences on spermatogenesis. *Arch Toxicol Suppl* 7, 128-39.
- Patton WF, Lopez MF, Barry P, Skea WM (1992). A mechanically strong matrix for protein electrophoresis with enhanced silver staining properties. *Biotechniques* 12, 580-585.

Bibliografia

- Peng BC, Tomashefsky P, Nagler HM (1990). The cofactor effect: varicocele and infertility. *Fertil Steril* 54, 143-8..
- Peterson GL (1979). Review of the Folin phenol protein quantitation method of Lowry, Rosebrough, Farr and Randall. *Anal Biochem* 100, 201-220.
- Phillips DM (1970). Ultrastructure of spermatozoa of the wooly opossum *Caluromys philander*. *J Ultrastruct Res* 33, 381-97.
- Phipps WR, Cramer DW, Schiff I, Belisle S, Stillman R, Albrecht B, Gibson M, Berger MJ, Wilson E (1987). The association between smoking and female infertility as influenced by cause of the infertility. *Fertil Steril* 48, 377-82.
- Pixton KL, Deeks ED, Flesch FM, Moseley FL, Bjorndahl L, Ashton PR, Barratt CL and Brewis IA.(2004) Sperm proteome mapping of a patient who experienced failed fertilization at IVF reveals altered expression of at least 20 proteins compared with fertile donors: case report. *Hum Reprod* 19, 1438-1447.
- Pizarro E, Pasten C, Kong M, Morales P (2004). Proteasomal activity in mammalian spermatozoa. *Mol Reprod Dev* 69(1), 87-93.
- Reina Bouvet B, Vicenta Paparella C, Nestor Feldman R (2007). Effect of tobacco consumption on the spermatogenesis in males with idiopathic infertility. *Arch Esp Urol* 60, 273-7.
- Reisner AH, Nemes P, Bucholtz Z (1975). The use of Coomassie Brilliant Blue G-250 perchloric acid solution for staining in electrophoresis and isoelectric focusing on polyacrylamide gels. *Anal Biochem* 64, 509–516.
- Reyes-Moreno C, Boilard M, Sullivan R and Sirard MA (2002). Characterization and identification of epididymal factors that protect ejaculated bovine sperm during in vitro storage. *Biol Reprod* 66(1), 159-66.
- Richthoff J, Elzanaty S, Rylander L, Hagmar L, Giwercman A (2007). Association between tobacco exposure and reproductive parameters in adolescent males. *Int J Androl*. [Epub ahead of print]
- Robinson BH (1995). Lactic acidemia (disorders of pyruvate carboxylase, pyruvate dehydrogenase). In Scriver CR, Beaudet al., Sly WS and Valle D (eds) *The metabolic and molecular bases of inherited disease*. McGraw-Hill, New York, USA, pp. 1479–1499.

- Rousseaux S, Caron C, Govin J, Lestrat C, Faure AK and Khochbin S (2005). Establishment of male-specific epigenetic information. *Gene* 345, 139-153.
- Rousseaux-Prevost R, de Almeida M, Jouannet P, Hublau P, Sautiere P, Rousseaux J (1992). Auto-antibodies to human sperm basic nuclear proteins in infertile and vasectomized men: characterization of antigens and epitopes recognized by antibodies. *Mol Immunol* 29, 895-902.
- Rowley JD (1974). Letter: Missing sex chromosomes and translocations in acute leukaemia. *Lancet* 2, 835-6.
- Salemi M, Calogero AE, Di Benedetto D, Cosentino A, Barone N, Rappazzo G, Vicari E (2004). Expression of SPANX proteins in human-ejaculated spermatozoa and sperm precursors. *Int J Androl* 27(3), 134-9.
- Samra Z, Soffer Y, Pansky M (1994). Prevalence of genital chlamydia and mycoplasma infection in couples attending a male infertility clinic. *Eur J Epidemiol* 10, 69-73.
- Sautiere P, Martinage A, Belaiche D, Arkhis A, Chevaillier P (1988). Comparison of the amino acid sequences of human protamines HP2 and HP3 and of intermediate basic nuclear proteins HPS1 and HPS2. Structural evidence that HPS1 and HPS2 are pro-protamines. *J Biol Chem* 263(23), 11059-62.
- Schaller J, Akiyama K, Kimura H, Hess D, Affolter M, Rickli EE (1991) Primary structure of a new actin-binding protein from human seminal plasma. *Eur J Biochem* 196 (3), 743-750.
- Scheele GA (1975). Two-dimensional gel analysis of soluble proteins. Characterization of guinea pig exocrine pancreatic proteins. *J. Biol. Chem.* 250, 5375-5385.
- Sedmak JJ, Grossberg SE (1977). A rapid, sensitive and versatile assay for protein using Coomassie Brilliant Blue G-250. *Anal Biochem* 79, 544–552.
- Seligman J, Zipser Y, Kosower NS (2004) Tyrosine phosphorylation, thiol status and protein tyrosine phosphatase in rat epididymal spermatozoa. *Biol Reprod* 71, 1009–1015.
- Sherins RJ (1995). Are semen quality and male fertility changing? *N Engl J Med* 332, 327-8.

Bibliografia

- Shin JH, Weitzdoerfer R, Fountoulakis M, Lubec G (2004). Expression of cystathionine beta-synthase, pyridoxal kinase, and ES1 protein homolog (mitochondrial precursor) in fetal Down syndrome brain. *Neurochem Int* 45(1), 73-9.
- Smith CG, Asch RH (1987). Drug abuse and reproduction. *Fertil Steril* 48, 355-73. Review.
- Soler C, de Monserrat JJ, Gutierrez R, Nunez J, Nunez M, Sancho M, Perez-Sanchez F, Cooper TG (2003). Use of the Sperm-Class Analyser for objective assessment of human sperm morphology. *Int J Androl* 26, 262-70
- Stein KK, Go JC, Lane WS, Primakoff P, Myles DG (2006). Proteomic analysis of sperm regions that mediate sperm-egg interactions. *Proteomics* 6, 3533-43.
- Stillman RJ, Rosenberg MJ, Sachs BP (1986). Smoking and reproduction. *Fertil Steril* 46, 545-66. Review.
- Suganuma R, Yanagimachi R, Meistrich ML (2005). Decline in fertility of mouse sperm with abnormal chromatin during epididymal passage as revealed by ICSI. *Hum Reprod* 20(11), 3101-8.
- Switzer RC 3rd, Merril CR, Shifrin S (1979). A highly sensitive silver stain for detecting proteins and peptides in polyacrylamide gels. *Anal Biochem* 98, 231-7.
- Tan Y, Fan L, Luo K, Zhu W, Lu G (2004). Establishment of the two-dimensional gel electrophoretic protein map of the human sperm head. *Zhonghua Nan Ke Xue* 10, 886-889.
- Tanaka K, Waki H, Ido Y, Akita S, Yoshida Y, Yoshida T, Matsuo T (1988). Protein and polymer analyses up to m/z 100.000 by laser ionization TOF-MS. *Rapid Commun. Mass. Spectrom.* 2, 151-153.
- Taniuchi I, Mizutani S, Namiki M, Okuyama A, Kodama M (1991). Short arm dicentric Y chromosome in a sterile man: a case report. *J Urol* 146, 415-6.
- Templado C, Navarro J, Requena R, Benet J, Ballesta F, Egoscue J (1990). Meiotic and sperm chromosome studies in a reciprocal translocation t(1;2)(q32;q36). *Hum Genet* 84, 159-62.
- The Practice Committee of the American Society for Reproductive Medicine (2006). Definition of “infertility”. *Fertility and Sterility*, 86: S228

- Thompson ST (1994). Prevention of male infertility: an update. *Urol Clin North Am* 21, 365-76. Review.
- Torregrosa N, Dominguez-Fandos D, Camejo MI, Shirley CR, Meistrich ML, Ballesca JL, Oliva R (2006). Protamine 2 precursors, protamine 1/protamine 2 ratio, DNA integrity and other sperm parameters in infertile patients. *Hum Reprod* 21(8), 2084-9.
- Tsatsoulis A, Shalet SM (1991). Antisperm antibodies in the polyglandular autoimmune (PGA) syndrome type I: response to cyclical steroid therapy. *Clin Endocrinol (Oxf)* 35, 299-303.
- Turner RM (2003). Tales from the tail: what do we really know about sperm motility? *J Androl* 24(6), 790-803.
- Van Blerkom J, Davis P (1995). Evolution of the sperm aster after microinjection of isolated human sperm centrosomes into meiotically mature human oocytes. *Hum Reprod* 10(8), 2179-82.
- Welch JE, Brown PL, O'Brien DA, Magyar PL, Bunch DO, Mori C, Eddy EM (2000). Human glyceraldehyde 3-phosphate dehydrogenase-2 gene is expressed specifically in spermatogenic cells. *J Androl* 21, 328–338.
- Welch JE, Schatte EC, O'Brien DA, Eddy EM (1992). Expression of a glyceraldehyde 3-phosphate dehydrogenase gene specific to mouse spermatogenic cells. *Biol Reprod* 46, 869–878.
- Westbrook VA, Diekman AB, Klotz KL, Khole VV, von Kap-Herr C, Golden WL, Eddy RL, Shows TB, Stoler MH, Lee CY, et al (2000). Spermatid-specific expression of the novel X-linked gene product SPAN-X localized to the nucleus of human spermatozoa. *Biol Reprod* 63, 469–481.
- Westbrook VA, Schoppee PD, Vanage GR, Klotz KL, Diekman AB, Flickinger CJ, Coppola MA, Herr JC (2006). Hominoid-specific SPANXA/D genes demonstrate differential expression in individuals and protein localization to a distinct nuclear envelope domain during spermatid morphogenesis. *Mol Hum Reprod* 12(11), 703-16.
- Wilkins MR, Sanchez JC, Gooley AA, Appel RD, Humphrey-Smith I, Hochstrasser DF, Williams KL (1995). Progress with Proteome Projects: Why All Proteins

- Expressed by a Genome Should be Identified and How to Do It. *Biotech Gen Eng Rev* 13, 19–50.
- Williams AC, Ford WC (2001) The role of glucose in supporting motility and capacitation in human spermatozoa. *J Androl* 22, 680–695.
- Williams WW (ed.) (1964). *Sterility, the Diagnostic Survey of the Infertile Couple.* W.W. Williams Inc, Springfield, MA, 9pp.
- Wilson MR, Easterbrook-Smith SB (2000). Clusterin is a secreted mammalian chaperone. *Trends Biochem Sci* 25(3), 95-8.
- Winkler C, Denker K, Wortelkamp S, Sickmann A (2007). Silver- and Coomassie-staining protocols: detection limits and compatibility with ESI MS. *Electrophoresis* 28, 2095-9.
- World Health Organization (1980) WHO Laboratory Manual for the Examination of Human Semen and Semen–Cervical Mucus Interaction, 1st edn. Press Concern, Singapore.
- World Health Organization (1987) WHO Laboratory Manual for the Examination of Human Semen and Semen–Cervical Mucus Interaction, 2nd edn. Cambridge University Press, Cambridge.
- World Health Organization (1992) WHO Laboratory Manual for the Examination of Human Semen and Semen–Cervical Mucus Interaction, 3rd edn. Cambridge University Press, Cambridge.
- World Health Organization (1999). WHO Laboratory Manual for Examination of human semen and Semen–Cervical Mucus Interaction. 4th edn. Cambridge University Press, Cambridge, UK.
- Yang GS, Wang W, Wang YM, Chen ZD, Wang S, Fang JJ (2006). Effect of cocaine on germ cell apoptosis in rats at different ages. *Asian J Androl* 8, 569-75.
- Yates JR, Speicher S, Griffin PR, Hukapiller T (1993). Peptide mass maps: a highly informative approach to protein identification. *Anal Biochem* 214, 397-408.
- Yauk CL, Berndt ML, Williams A, Rowan-Carroll A, Douglas GR, Stampfli MR (2007). Mainstream tobacco smoke causes paternal germ-line DNA mutation. *Cancer Res* 67, 5103-6.

- Yoshida K, Yamasaki T, Yoshiike M, Takano S, Sato I and Iwamoto T (2003). Quantification of seminal plasma motility inhibitor/semenogelin in human seminal plasma. *J Androl* 24, 878–84.
- Yoshii T, Kuji N, Komatsu S, Iwahashi K, Tanaka Y, Yoshida H, Wada A, Yoshimura Y (2005). Fine resolution of human sperm nucleoproteins by two-dimensional electrophoresis. *Mol Hum Reprod* 11(9), 677-81.
- Zendman AJ, Zschocke J, van Kraats AA, de Wit NJ, Kurpisz M, Weidle UH, Ruiter DJ, Weiss EH, van Muijen GN (2003). The human SPANX multigene family: genomic organization, alignment and expression in male germ cells and tumor cell lines. *Gene* 309(2), 125-33.
- Zhang D, Liang X, He XY, Alipui OD, Yang SY, Schulz H (2001). Delta 3,5,delta 2,4-dienoyl-CoA isomerase is a multifunctional isomerase. A structural and mechanistic study. *J Biol Chem* 276(17), 13622-7
- Zhang QH, Ye M, Wu XY, Ren SX, Zhao M, Zhao CJ, Fu G, Shen Y, Fan HY, Lu G, et al (2000). Cloning and functional analysis of cDNAs with open reading frames for 300 previously undefined genes expressed in CD34+ hematopoietic stem/progenitor cells. *Genome Res* 10(10), 1546-1560.
- Zhao C, Huo R, Wang FQ, Lin M, Zhou ZM and Sha JH (2007). Identification of several proteins involved in regulation of sperm motility by proteomic analysis. *Fertil Steril* 87(2), 436-8.
- Zinkham WH, Blanco A and Clowry LJ, Jr (1964). An unusual isozyme of lactic dehydrogenase in mature testes: localization, ontogeny, and kinetic properties. *Ann NY Acad Sci* 121, 571-588.