



MODELS MATEMÀTICS I DE SIMULACIÓ DEL POLIMORFISME CROMOSÒMIC

PRODUÏT PER INVERSIONS

Memòria presentada per
optar al grau de Doctor
en Biologia per la Univer-
sitat de Barcelona per
en

JORDI OCAÑA I REBULL

Vist i Plau
El Director de la Tesi

Dr. ANTONI PREVOSTI I PELEGRIN
Catedràtic de Genètica
Director del Departament de Genètica
Facultat de Biologia
Universitat de Barcelona

Barcelona, Setembre de 1981.



BIBLIOGRAFIA


BIBLIOGRAFIA

- ACTON, A.B. (1969). On the significance of rare inversions. *Amer. Natur.*, 103: 543-546.
- ALONSO, G. (1975). Estudio de la distribución geográfica del polimorfismo cromosómico en Drosophila subobscura. Tesina.
- ANDERSON, W., DOBZHANSKY, Th., PAVLOVSKY, D., POWELL, J., YARDLEY, D. (1975). Genetics of natural populations XLII. Three decades of genetics change in Drosophila pseudoobscura. *Evolution*, 29: 24-36.
- AVERY, P.J. (1977). The effect of random selection coefficients on populations of finite size-some particular models. *Genet. Res. Camb.*, 29: 97-112.
- AVISE, J.C., SMITH, J.J., AYALA, F.J. (1975). Adaptative differentiation with little genic change between two native california minnows. *Evolution*, 29: 411-426.
- AYALA, F.J., AYALA, M. (1969). Oviposition preferences in D. melanogaster. *Drosophila Inform. Serv.*, 44: 120.
- AYALA, F.J., CAMPBELL, C. (1974). Frequency-dependent selection. *Ann. Rev. Ecol. Syst.*, 5: 115-138.
- AYALA, F.J., POWELL, J.R., DOBZHANSKY, Th. (1971). Enzyme variability in the Drosophila willistoni group. II. Polymorphisms in island and continental populations of Drosophila willistoni. *Proc. Natl. Acad. Sci. USA*, 68: 2480-2483.
- AYALA, F.J., POWELL, J.R., TRACEY, M.L., MOURAO, C.A., PEREZ-SALAS, S. (1972). Enzyme variability in the Drosophila willinstoni group IV. Genetic variation in natural populations of Drosophila willinstoni. *Genetics*, 70: 113-139.
- BAKER, J., MAYNARD SMITH, J.; STROBECK, C. (1975). Genetic polymorphism in the bladder campion, Silene maritima. *Biochem. Genetics*, 13: 393-410.
- BALKAU, B., FELDMAN, M.W. (1973). Selection for migration modification. *Genetics*, 74: 171-174.

- BATTAGLIA, B., SMITH, H. (1961). The Darwinian fitness of polymorphic and monomorphic populations of Drosophila pseudoobscura at 16°. *Heredity* 16: 475-484.
- BEARDMORE, J. (1970). Ecological factors and the variability of gene-pools in Drosophila. *Essays in Evolution and Genetics in Honor of Theodosius Dobzhansky*, M.K. Hecht, W.C. Steare, Eds., 299-314. North Holland Pub. Comp.
- BEARDMORE, J.A., DOBZHANSKY, T.H., PAVLOVSKY, O.A. (1960). An attempt to compare the fitness of polymorphic and monomorphic experimental populations of Drosophila pseudoobscura. *Heredity*, 14: 19-33.
- BENGTSSON, B.O., BODMER, W.F. (1976). On the increase of chromosome mutations under random mating. *Theor. Popul. Biol.* 9 : 260-281.
- BENZER, S. (1967). Behavioral mutants of *Drosophila* isolated by countercurrent distribution. *Proc. Natl. Acad. Sci. U.S.* 58: 1112-1119.
- BERGER, E. (1976). Heterosis and the maintenance of enzyme polymorphism. *Amer. Natur.*, 110: 823-839.
- BIJLSMA, R. (1978). Polymorphism at the G6PD and 6PGD loci in Drosophila melanogaster. II. Evidence of interaction in fitness. *Genet. Res. Camb.*, 31: 227-237.
- BIJLSMA, R., VAN DELDEN, W. (1977). Polymorphism at the G6PD and 6PGD loci in Drosophila melanogaster: I. Evidence for selection in experimental populations. *Genet. Res., Camb.*, 30: 221-236.
- BIRCH, L.C., DOBZHANSKY, T.H., ELLIOTT, P.O., LEWONTIN, R.C. (1963). Relative fitness of geographic races of Drosophila serrata. *Evolution*, 17: 72-83.
- BLAYLOCK, B.G., SHUGART, H.H. Jr. (1972). The effect of radiation-induced mutations on the fitness of Drosophila populations. *Genetics*, 72: 469-474.
- BODMER, W.F., CAVALLI-SFORZA, L.L. (1968). A migration matrix model for the study of random genetic drift. *Genetics* 59: 565-592.
- BODMER, W.E., FELSENSTEIN, J. (1967). Linkage and selection: Theoretical analysis of the deterministic two locus random mating model. *Genetics*, 57: 237-265.

- BODMER, W.F., PARSONS, P.A. (1962). Linkage and recombination in Evolution. *Advan. Genet.* 11: 1-100.
- BRATTON, S.P. (1976). Resource division in a understory herb community: responses to temporal and microtopographic gradients. *Amer. Natur.*, 110: 679-693.
- BRNIC, D., KOREF-SANTIBAÑEZ, S. (1964). Mating activity of homo- and heterokaryotypes in *Drosophila pavani*. *Genetics*, 49: 585-591.
- BROWN, A.H.D., MARSHALL, D.R., WEIR, B.S. (1975). Population differentiation under the charge state model. *Genetics*, 81 : 739-748.
- BRUSSARD, P.F. (1975). Geographic variation in North American colonies of *Cepaea nemoralis*. *Evolution*, 29: 402-410.
- BRYANT, E.H. (1973). Habitat selection in a variable environmet. *J. Theor. Biol.*, 41: 421-429.
- BRYANT, E.H. (1974). On the adaptative significance of enzyme polymorphisms in relation to environmental variability. *Amer. Natur.*, 108: 1-19.
- BRYANT, E.H. (1974b). An addendum on the statistical relationship between enzyme polymorphisms and environmental variability. *Amer. Natur.* 108: 698-701.
- BRYANT, E.H. (1976). A comment on the role of environment variation in maintaining polymorphisms in natural populations. *Evolution*, 30: 188-190.
- BUCHLER, E.R. (1976). Prey selection by *Myotis lucifugus*. (Chiroptera: vespertilionidae). *Amer. Natur.*, 110: 619-628.
- BULMER, M.G. (1972). Multiple niche polymorphism. *Amer. Natur.* 106: 254-257.
- BURNET, B., SEWELL, D., BOS, M. (1977). Genetic analysis of larval feeding behaviour in *Drosophila melanogaster*. II. Growth relations and competition between selected lines. *Genet. Res., Camb.*, 30: 149-161.
- BURNS, J.M., JOHNSON, F.M. (1971). Esterase polymorphism in the butterfly *Hemiargus isola*: stability in a variable environment. *Proc. Natl. Acad. Sci. U.S.A.*, 68: 34-37.

- CAIN, A.J., CURRY, J.D. (1963). Area effects in Cepaea. Philos. Trans. R. Soc. Sect. B 246: 1-81.
- CAIN, A.J., SHEPPARD, P.M. (1954). Natural selection in Cepaea. Genetics, 39: 89-116.
- CANNINGS, C. (1971). Natural selection at a multiallelic autosomal locus with multiple niches. J. Genet., 60: 255-259.
- CANNINGS, C. (1973). An increasing fitness function for a population with many niches. Nature 241: 47.
- CARSON, H.L. (1951). Breeding sites of Drosophila pseudoobscura and Drosophila persimilis in the Transition zone of the Sierra Nevada. Evolution, 5: 91-96.
- CARSON, H.L. (1955a). The genetic characteristics of marginal populations of Drosophila. Spring Harbor Symposium on Quantitative Biology, 20: 276-286. (Reimprés a "Readings in Population genetics: Dawson, P.S., King, C.E., Editors, Prentice Hall, Inc.; New Jersey, pàg. 276-286).
- CARSON, H.L. (1955b). Variation in genetic recombination in natural populations. Comp. Physiol., 45 suppl. 2: 221-236.
- CARSON, H.L. (1958). The populations genetics of Drosophila robusta. Advances in Genet., 9: 1-40.
- CARSON, H.L. (1959). Genetic conditions that promote or retard the formation of species. Cold Spring Harbor Symp. Quant. Biol., 24: 87-103.
- CARSON, H.L. (1965). Chromosomal Morphism in Geographically Widespread Species of Drosophila. The Genetics of Colonizing species. H.G. Baker, G. Ledyard Stebbins Eds.: 503-531. Academic Press.
- CARSON, H.L., HARDY, D.E., SPIETH, H.T., STONE, W.S. (1970). The evolutionary biology of the Hawaiian Drosophilidae. Pages 437-543 in M.K. Hetcht and W.C. Steere, eds. Essays in evolution and genetics in honor of Theodosius Dobzhansky. Appleton-Century-Crofts.
- CARSON, H.L., KANESHIRO, K.Y. (1976). Drosophila of Hawaii: systematics and ecological genetics. Annu. Rev. Ecol. Syst. 7: 311-345.
- CAVALLI-SFORZA, L.L.; BODMER, W.F. (1971). The genetics of Human Populations. San Francisco. Freeman.



- CAVANER, D.R., CLEGG, M.T. (1978). Dynamics of correlated genetic systems. IV. Multilocus effects of ethanol stress environments. *Genetics*, 90: 629-644.
- CHARLESWORTH, B. (1974). Inversion polymorphism in a two-locus genetic system. *Genet. Res., Camb.*, 23: 259-280.
- CHARLESWORTH, B.; CHARLESWORTH, D. (1973a). A study of linkage disequilibrium in populations of *Drosophila melanogaster*. *Genetics* 73: 351-359.
- CHARLESWORTH, B., CHARLESWORTH, D. (1973b). Selection of new inversions in multilocus genetic systems. *Genet. Res.*, 21: 167-183.
- CHRISTIANSEN, F.B. (1974). Sufficient conditions for protected polymorphism in a subdivided population. *Amer. Natur.*, 108: 157-166.
- CHRISTIANSEN, F.B. (1975). Hard and soft selection in a subdivided population. *Amer. Natur.*, 109: 11-16.
- CHRISTIANSEN, F.B., FELDMAN, M.W. (1975). Subdivided populations: a review of the one and two-locus deterministic theory. *Theor. Pop. Biol.* 7: 13-38.
- CHRISTIANSEN, F.B., FRYDENBERG, O. (1974). Geographical patterns of four polymorphisms in *Zoarces viviparus* as evidence of selection. *Genetics*, 77: 765-770.
- CLARKE, B. (1966). The evolution of morph ratio clines. *Amer. Natur.*, 100: 389-402.
- CLARKE, B. (1968). Balanced polymorphism and regional differentiation in land snails. A: *Evolution and Environment*, ed. E.T. Drake: 351-368, Yale University Press, New Haven.
- CLARKE, J.M., MAYNARD SMITH, J. (1955). The genetics and cytology of *Drosophila subobscura*. XI. Hybrid vigour and longevity. *J. Genet.*, 53: 172-180.
- CLARKE, C.A., SHEPPARD, P. (1960). The evolution of mimicry in the butterfly *Papilo dardanus*. *Heredity*, 14: 163-174.
- COOPER, D.M. (1960). Food preferences of larval and adult *Drosophila*. *Evolution*, 14: 41-55.
- CORDEIRO, A.R.; SALZANO, F.M., MARQUES, V.B. (1960). An interracial hybridization experiment in natural populations of *Drosophila willistoni*. *Heredity*, 15: 35-44.

- CROSBY, J.L. (1973). Computer simulation in genetics. J. Wiley & Sons.
- DA CUNHA, A.B. (1951). Modification of the adaptative values of chromosomal types in Drosophila pseudoobscura by nutritional variables. *Evolution*, 5: 395-404.
- DA CUNHA, A.B. (1956). Adaptation of carriers of different chromosomal types in Drosophila willistoni to a variety of environments. *Rev. Brasi. Biol.*, 16: 263-272.
- DA CUNHA, A.B. (1960). Chromosomal variation and adaptation in insects. *Ann. Rev. Entomology*, 5: 85-110.
- DA CUNHA, A.B., BRNCIC, D., SALZANO, F.M. (1953). A comparative study of chromosomal polymorphism in certain south American species of Drosophila. *Heredity*, 7: 193-202.
- DA CUNHA, A.B., BURLA, H., DOBZHANSKY, Th. (1950). Adaptative chromosomal polymorphism in Drosophila willistoni. *Evolution*, 4: 212-235.
- DA CUNHA, A.B., DOBZHANSKY, Th. (1954). A further study of chromosomal polymorphism in Drosophila willistoni in its relation to environment. *Evolution*, 8: 119-134.
- DA CUNHA, A.B.; DOBZHANSKY, Th., PAVLOVSKY, O., SPASSKY, B. (1959). Genetics of natural populations. XXVIII. Supplementary data on the chromosomal polymorphism in Drosophila willistoni in its relation to the environment. *Evolution*, 13: 399-404.
- DA CUNHA, A.B., DOBZHANSKY, Th., SOKOLOFF, A. (1951). On food preferences of sympatric species of Drosophila. *Evolution*, 6: 97-101.
- DA CUNHA, A.B., SHEHATA, A.M., DE OLIVEIRA, W. (1957). A study of the diets and nutritional preferences of tropical species of Drosophila. *Ecology*, 38: 98-106.
- DARLINGTON, C.D. (1939). The evolution of genetic systems. Cambridge.
- DAY, T.H., MILLIER, P.C., CLARKE, B. (1974a). Properties of genetically polymorphic isozymes of alcohol dehydrogenase in Drosophila melanogaster. *Biochem. Genet.*, 11: 141-153.
- De FRUTOS, R. (1975). Variaciones del polimorfismo cromosómico de Drosophila subobscura, frente a la selección natural. Tesi, Dep. de Genètica, Fac. de Biologia, Universitat de Barcelona.

- De SOUZA; H.M.L., Da CUNHA, A.B., Dos SANTOS, E.P. (1970). Adaptive polymorphism of behavior evolved in laboratory populations of Drosophila willistoni. *Amer. Natur.*, 104: 175-189.
- DEAKIN, M.A.B. (1966). Sufficient conditions for genetic polymorphism. *Am. Nat.*, 100: 690-692.
- DEAKIN, M.A.B. (1972). A model for inversion polymorphism. *Journal of Theoretical Biology*, 35: 191-212.
- DEAKIN, M.A.B. (1973). On the status of mean fitness maximization as a governing principle in Evolution. *Bull. Math. Biology*, 35: 43-50.
- Del SOLAR, E. (1966). Sexual isolation caused by selection for positive and negative phototaxis and geotaxis in Drosophila pseudoobscura. *Proc. Nat. Acad. Sci. USA.*, 56: 484-487.
- Del SOLAR, E. (1968). Selection for and against gregariousness in the choice of oviposition sites by Drosophila pseudoobscura. *Genetics*, 58: 275-282.
- Del SOLAR, E., PALOMINO, H. (1966). Choice of oviposition in Drosophila melanogaster. *Amer. Natur.*, 100: 127-134.
- DELLEN, W. van, BOEREMA, A.C., KAMPING, A. (1978). The alcohol dehydrogenase polymorphism in populations of Drosophila melanogaster. I. Selection in different environments. *Genetics*, 90: 161-191.
- DEMPSTER, E.R. (1955). Maintenance of genetic heterogeneity. *Cold Spring Harbor Symp. Quant. Biol.* 20: 25-32.
- DETHIER, V.G. (1954). Evolution of feeding preferences in phytophagous insects. *Evolution*, 8: 33-54.
- DEWEES, A.A. (1975). Genetic modification of recombination rate in *Tribolium castaneum*. *Genetics*, 81: 537-552.
- DICKINSON, H., ANTONOVICS, J. (1973a). Theoretical considerations on sympatric divergence. *Amer. Natur.* 107: 256-274.
- DICKINSON, H., ANTONOVICS, J. (1973b). The effects of environmental heterogeneity on the genetics of finite populations. *Genetics*, 73: 713-735.
- DOBZHANSKY, Th. (1948a). Genetics of natural populations of Drosophila pseudoobscura and Drosophila persimilis. *Genetics*, 33: 158-176.

- DOBZHANSKY, Th. (1948b). Genetics of natural populations. XVIII. Experiments on chromosomes of Drosophila pseudoobscura from different geographic regions. *Genetics*, 33: 588-602.
- DOBZHANSKY, Th. (1948c). Genetic structure of natural populations. Annual Report Div. Dep. Genetics, Carnegie Inst. Washington Year Book, 47: 193-203.
- DOBZHANSKY, Th. (1950). Genetics of natural populations. XIX. Origin of heterosis through natural selection of Drosophila pseudoobscura. *Genetics*, 35: 288-302.
- DOBZHANSKY, Th. (1952). Genetics of natural populations. XX. Changes induced by drought in Drosophila pseudoobscura and Drosophila persimilis. *Evolution*, 6: 234-243.
- DOBZHANSKY, Th. (1957). Mendelian populations as genetic systems. Cold Spring Harbor Symp. Quant. Biol., 22: 385-393.
- DOBZHANSKY, Th. (1962). Rigid vs. flexible chromosomal polymorphisms in Drosophila. *Amer. Natur.*, 96: 321-328.
- DOBZHANSKY, Th. (1963). Genetics of natural populations. XXXIII. A progress report on genetic changes in populations of Drosophila pseudoobscura and Drosophila persimilis in a locality of California. *Evolution*, 17: 333-339.
- DOBZHANSKY, Th. (1972). Genetics and the diversity of behavior. *American Psychologist*, 27: 523-530.
- DOBZHANSKY, Th., ANDERSON, W.W., PAVLOVSKY, O., SPASSKY, B., WILLS, C.J. (1964). Genetics of natural populations. XXXV. A progress report on genetic changes in populations of Drosophila pseudoobscura in the American southwest. *Evolution*, 18: 164-176.
- DOBZHANSKY, Th., BURLA, H., DA CUNHA, A.B., (1950). A comparative study of chromosomal polymorphism in sibling species of the willistoni group of Drosophila. *Amer. Natur.*, 84: 229-246.
- DOBZHANSKY, T.H., DA CUNHA, A.B. (1955). Differentiation of nutritional preferences in brazilian species of Drosophila. *Ecology*, 36: 34-39.
- DOBZHANSKY, T., EPLING, C. (1948). The suppression of crossing over in inversion heterozygotes of Drosophila pseudoobscura. *Proc. Natl. Acad. Sci. USA*, 34: 137-141.

- DOBZHANSKY, Th., LEVENE, H. (1948). Genetics of natural populations. XVII. Proof of operation of natural selection in wild populations of Drosophila pseudoobscura. *Genetics*, 33: 537-547.
- DOBZHANSKY, Th., LEVENE, H. (1951). Development of heterosis through natural selection in experimental populations of Drosophila pseudoobscura. *Amer. Natur.*, 85: 247-264.
- DOBZHANSKY, Th., LEVENE, H. (1955). Genetics of natural populations. XXIV. Developmental homeostasis in natural populations of Drosophila pseudoobscura. *Genetics*, 40: 797-808.
- DOBZHANSKY, Th., LEWONTIN, R.C., PAVLOVSKY, O. (1964). The capacity for increase in chromosomally polymorphic and monomorphic populations of Drosophila pseudoobscura. *Evolution*, 19: 597-614.
- DOBZHANSKY, Th., PAVAN, C. (1950). Local and seasonal variations in relative frequencies of species of Drosophila in Brazil. *J. Anim. Ecol.*, 19: 1-14.
- DOBZHANSKY, Th., PAVLOVSKY, O. (1955). An extreme case of heterosis in a central american population of Drosophila tropicalis. *Proc. Nat. Acad. Sci., USA*, 41: 289-295.
- DOBZHANSKY, Th., PAVLOVSKY, O. (1958). Interracial hybridization and breakdown of coadapted gene complexes in Drosophila paulistorum and Drosophila willistoni. *Proc. Nat. Acad. Sci. USA*, 44: 622-629.
- DOBZHANSKY, Th., PAVLOVSKY, O. (1961). A further study of fitness of chromosomally polymorphic and monomorphic populations of Drosophila pseudoobscura. *Heredity*, 16: 169-179.
- DOBZHANSKY, T., PAVLOVSKY, O. (1971). Experimentally created incipient species of Drosophila. *Nature*, 230: 289-292.
- DOBZHANSKY, Th., PAVLOVSKY, O., ANDREGG, M. (1975). Distribution among the chromosomes of Drosophila pseudoobscura of the genes governing the response to light. *Genetics*, 81: 357-367.
- DOBZHANSKY, Th., PAVLOVSKY, O., SPASSKY, B., SPASSKY, N. (1955). Genetics of natural populations. XXIII. Biological role of deleterious recessives in populations of Drosophila pseudoobscura. *Genetics*, 40: 781-796.
- DOBZHANSKY, Th., SPASSKY, B. (1953). Genetics of natural populations. XXII. A comparison of the concealed variability in Drosophila prosaltans with that in other species. *Genetics* 39: 472-487.

- DOBZHANSKY, Th., SPASSKY, N. (1954). Environmental modification of heterosis in Drosophila pseudoobscura. Proc. Natl. Acad. Sci. USA, 40: 407-415.
- DOBZHANSKY, Th., SPASSKY, B. (1962). Selection for geotaxis in monomorphic and polymorphic populations of D. pseudoobscura. Proc. Natl. Acad. Sci. USA, 48: 1704-1712.
- DOBZHANSKY, Th., SPASSKY, B. (1967a). Effects of selection and migration on geotactic and phototactic behaviour of Drosophila. I. Proc. Roy. Soc. B., 168: 27-47.
- DOBZHANSKY, Th., SPASSKY, B. (1967b). An experiment on migration and simultaneous selection for several traits in Drosophila pseudoobscura. Genetics, 55: 723-734.
- DOBZHANSKY, Th., SPASSKY, B. (1969). Artificial and natural selection for two behavioral traits in Drosophila pseudoobscura. Proc. Nat. Acad. Sci. USA., 62: 75-80.
- DOBZHANSKY, Th., SPASSKY, B., SPASSKY, N. (1952). A comparative study of mutation rates in two ecologically diverse species of Drosophila. Genetics, 37: 650-664.
- DOBZHANSKY, Th., SPASSKY, B., SPASSKY, N. (1954). Rates of spontaneous mutation in the second chromosomes of the sibling species. Drosophila pseudoobscura and Drosophila persimilis. Genetics, 39: 899-907.
- DOBZHANSKY, Th., SPASSKY, B., SVED, J. (1968). Effects on selection and migration on geotactic and phototactic behaviour of Drosophila. II. Proc. Roy. Soc. B., 173: 191-207.
- DOBZHANSKY, Th., WRIGHT, S. (1943). Genetics of natural populations. X. Dispersion rates of Drosophila pseudoobscura. Genetics, 28: 304-340.
- DOBZHANSKY, Th., WRIGHT, S. (1947). Genetics of natural population. XV. Rate of diffusion of a mutant gene through a population of Drosophila pseudoobscura. Genetics, 32: 303-324.
- DOYLE, R.W. (1975). Settlement of planktonic larvae: a theory of habitat selection in varying environments. Amer. Natur., 109: 113-126.
- DOYLE, R.W., (1976). Analysis of habitat loyalty and habitat preference in the settlement behavior of planktonic marine larvae. Amer. Natur. 110: 719-730.

- DRUGER, M. (1966). Stability of chromosomal polymorphism in populations of Drosophila pseudoobscura. *Heredity*, 21: 317-321.
- DUDAY, Y.D., JAN, Y-N., BYERS, D., QUINN, W.G., BENZER, S. (1976). Dunce, a mutant of Drosophila deficient in learning. *Proc. Natl. Acad. Sci. USA*, 73: 1684-1688.
- EHRMAN, L. (1966). Mating success and genotype frequency in Drosophila. *Anim. Behav.* 14,: 332-339.
- EHRMAN, L. (1967). Further studies on genotype frequency and mating success in Drosophila. *Amer. Natur.* 101: 415-424.
- EHRMAN, L. (1970). A release experiment testing the mating advantage of rare Drosophila males. *Behavioral Science*, 15: 363-365.
- EHRMAN, L., PETIT, C. (1968). Genotype frequency and mating success in the willistoni species group of Drosophila. *Evolution*, 22: 649-658.
- EHRMAN, L., PROBBER, J. (1978). Rare Drosophila males: the mysterious matter of choice. *American Scientist*, 66: 216-222.
- EHRMAN, L., SPASSKY, B., PAVLOVSKY, O., DOBZHANSKY, Th. (1965). Sexual selection, geotaxis, and chromosomal polymorphism in experimental populations of Drosophila pseudoobscura. *Evolution*, 19: 337-346.
- EMLEN, J.M. (1975). Niches and genes: some further thoughts. *Amer. Natur.*, 109: 472-476.
- ENDLER, J. (1973). Gene flow and population differentiation. *Science*, 179: 243-250.
- EPLING, C., MITCHELL, D.F., MATTONI, R.H.T. (1957). The relation of an inversion system to recombination in wild populations. *Evolution*, 11: 225-247.
- ESHEL, I. (1971). On evolution in a population with an infinite number of types. *Theor. Population Biol.*, 2: 209-236.
- ESHEL, I., FELDMAN, M.W. (1970). On the evolutionary effect of recombination. *Theor. Population Biol.*, 1: 88-100.
- EWENS, W.J. (1972). The sampling theory of selectively neutral alleles. *Theor. Pop. Biol.*, 3: 87-112.
- EWENS, W.J. (1979). *Mathematical Population Genetics*. Springer.

- EWING, E.P. (1979). Genetic variation in a heterogeneous environment VII. Temporal and spatial heterogeneity in infinite populations. *Am. Natur.*, 114: 197-212.
- FEDERER, W.T., STEEL, R.G.D., WALLACE, B. (1967). Mathematical models for chromosomal inversions. *Genetics*, 55: 783-795.
- FELDMAN, M.W. (1972). Selection for linkage modification: 1. Random mating populations. *Theor. Pop. Biol.*, 3: 324-346.
- FELDMAN, M.W., BALKAU, B. (1973). Selection for linkage modification. II. A recombination balance for neutral modifiers. *Genetics*, 74: 713-726.
- FELDMAN, M.W., CHRISTIANSEN, F.B. (1975). The effect of population subdivision on two loci without selection. *Gen. Res.* 24: 151-162.
- FELDMAN, M.W., KRAKAUER, J. (1976). Gene modification and modifier polymorphisms. *Population Genetics and Ecology*. S. Karlin, E. Nevo, Eds: 547-583. Academic Press.
- FELSENSTEIN, J. (1974). The evolutionary advantage of recombination. *Genetics*, 78: 737-756.
- FELSENSTEIN, J. (1975). Genetic drift in clines which are maintained by migration and natural selection. *Genetics*, 81: 191-207.
- FELSENSTEIN, J. (1976). The theoretical population genetics of variable selection and migration. *Annual Review of Genetics*, 10: 253-280.
- FELSENSTEIN, J. (1979). Excursions along the interface between disruptive and stabilizing selection. *Genetics*, 93: 773-795.
- FELSENSTEIN, J., YOKOYAMA, S. (1976). The evolutionary advantage of recombination. II. Individual selection for recombination. *Genetics*, 83: 845-859.
- FISHER, R.A. (1930). *The genetical theory of natural selection*. Clarendon Press, Oxford (Segona edició a càrrec de: Dover publications, New York, 1958).
- FISHMAN, G.S. (1973). *Concepts and methods in discrete event digital simulation*. John Wiley & Sons.

- FONTDEVILA, A. (1969). Interacción genotipo temperatura en cepas isogénicas de Drosophila melanogaster. Anales de la Estación Experimental de Aula Dei, 9: 223-234.
- FONTDEVILA, A. (1970). Genotype-temperature interaction in Drosophila melanogaster. I. Viability. Genetica, 41: 257-264.
- FONTDEVILA, A. (1971). Estudio de la interacción genotipo-temperatura en caracteres relacionados con la eficacia biológica en Drosophila melanogaster. Tesis Doctoral. Dep. de Genètica, Facultat de Ciències. Universitat de Barcelona.
- FONTDEVILA, A. (1973). Genotype-temperatura interaction in Drosophila melanogaster. II. Body weight. Genetics, 73: 125-134.
- FONTDEVILA, A. (1975). Interacción genotipo-temperatura en Drosophila melanogaster (II). Genet. Iber., 25: 69-83.
- FONTDEVILA, A., RUIZ, A., ALONSO, G., OCAÑA, J. (1981). The evolutionary strategy of colonization of Drosophila buzzatii. I. Natural chromosomal polymorphism in colonized populations of the Old world. Evolution, 35: 148-157.
- FONTDEVILA, A., STARMER, W.T., HEED, W.B., RUSSELL, J.S. (1977). Migrant selection in a natural population of Drosophila. Experientia, 33: 1447.
- FORD, E.B. (1976). Genetics and Adaptation. The Institute of Biology, Studies in Biology, nº 69. Edward Arnold.
- FRANKLIN, I., LEWONTIN, R.C. (1970). Is the gene the unit of selection? Genetics, 65: 707-734.
- FRASER, A., BURNELL, D. (1967). Simulation of genetic systems. XII. Models of inversion polymorphism. Genetics, 57: 267-282.
- FRASER, A., BURNELL, D. (1970). Computer models in Genetics. McGraw-Hill
- FRASER, A., BURNELL, D., MILLER, D. (1966). Simulation of genetic systems. X. Inversion polymorphism. J. Theor. Biol., 13: 1-14.
- FUERST, P.A., CHAKRABORTY, R., NEI, M. (1977). Statistical studies on protein polymorphism in natural populations. I. Distribution of single locus heterozygosity. Genetics, 86: 455-483.

- FUYAMA, Y. (1976). Behavior genetics of olfactory responses in Drosophila. I. Olfactometry and strain differences in Drosophila melanogaster. *Behavior Genetics*, 6: 407-420.
- GARCIA, M.P. (1979). Desequilibrio en el ligamiento en aloenzimas y ordenaciones del cromosoma O de Drosophila subobscura. Tesis Doctoral. Dep. de Genética. Fac. de Biología. Univ. de Barcelona.
- GIBSON, J.B., THODAY, J.M. (1962). Effects of disruptive selection. II. A second chromosome polymorphism. *Heredity*, 17: 1-26.
- GILBERT, L.E., SINGER, M.C. (1973). Dispersal and gene flow in a butterfly species. *Amer. Natur.*, 107: 58-72.
- GILLESPIE, J. (1972). The effects of stochastic environment on allele frequencies in natural populations. *Theor. Pop. Biol.* 3: 241-248.
- GILLESPIE, J.H. (1973a). Natural selection with varying selection coefficients—a haploid model. *Genet. Res.*, 21: 115-120.
- GILLESPIE, J. (1973b). Polymorphism in random environments. *Theor. Pop. Biol.*, 4: 193-195.
- GILLESPIE, J.H. (1974a). The role of environmental grain in the maintenance of genetic variations. *Amer. Natur.*, 108: 831-836.
- GILLESPIE, J. (1974b) Polymorphism in patchy environments. *Amer. Natur.*, 108: 145-151.
- GILLESPIE, J.H. (1975). The role of migration in the genetic structure of populations in temporarily and spatially varying environments. I. Conditions for polymorphism. *Amer. Natur.*, 109: 127-135.
- GILLESPIE, J.H. (1976). A general model to account for enzyme variation in natural populations. II. Characterization of the fitness functions. *Amer. Natur.*, 110: 809-821.
- GILLESPIE, J.H. (1977a). Multilocus behavior in random environments. II. Linkage disequilibrium in an additive model. *Genetics*, 87: 569-579.
- GILLESPIE, J.H. (1977b). A general model to account for enzyme variation in natural populations. III. Multiple alleles. *Evolution*, 31: 85-90.

- GILLESPIE, J.H. (1977c). A general model to account for enzyme variation in natural populations. IV. The quantitative genetics of viability mutants. *Lecture Notes in Biomathematics*, 19. Christiansen, F.B., Fenchel, T.M. (eds): 301-314. Berlin. Springer.
- GILLESPIE, J.H. (1977b). Sampling theory for alleles in a random environment. *Nature*, 266: 443-445.
- GILLESPIE, J.H. (1978). A general model to account for enzyme variation in natural populations. V. The SAS-CFF model. *Theor. Pop. Biol.*, 14: 1-45.
- GILLESPIE, J., LANGLEY, C.H. (1974). A general model to account for enzyme variation in natural populations. *Genetics*, 76: 837-884.
- GILLESPIE, J., LANGLEY, C. (1976). Multilocus behavior in random environments. I. Random Levene models. *Genetics*, 82: 123-137.
- GILPIN, M.E. (1974). Habitat selection and a Liapunov function for competition communities. *Lectures Notes in Biomathematics* (S. Levi, Ed.), 2: 62-65. (Mathematical Problems in Biology, Victoria Conference, van den Drissche, P. Ed.) Springer.
- GOOCH, J.L., SCHOPF, T.J.M. (1972). Genetic variability in the deep sea: relation to environmental variability. *Evolution*, 26: 545-552.
- GOODHART, C.B. (1963). "Area effects" and nonadaptive variations between populations of Cepaea (Mollusca). *Heredity*, 18: 459-465.
- GORMAN, G.C., SOULE, M., YANG, S.Y., NEVO, E. (1975). Evolutionary genetics of insular Adriatic lizards. *Evolution*, 29: 52-71.
- GOULD, S.J., JOHNSTON, R.F. (1972). Geographic variation. *Ann. Rev. Ecol. Syst.* 3: 457-498.
- GRANT, V. (1958). The regulation of recombination in plants. *Cold Spring Harbor Symposia Quant. Biol.*, 23: 337-363.
- GROMKO, M.H., RICHMOND, R.C. (1978). Modes of selection maintaining an inversion polymorphism in Drosophila paulistorum. *Genetics*, 88: 357-366.
- HALDANE, J.B.S. (1957). The conditions for co-adaptation in polymorphism for inversions. *Journal of Genetics*, 55: 218-225.

- HALDANE, J.B.S., JAYAKAR, S.D. (1962). Polymorphism due to selection of varying direction. *J. Genet.*, 58: 237-242.
- HAMRICK, J.L., ALLARD, R.W. (1972). Microgeographic variation in allozyme frequencies in *Avena barbata*. *Proc. Natl. Acad. Sci. USA.*, 69: 2100-2104.
- HANSELL, R.J.C., MARCHI, E. (1974). Aspects of evolutionary theory and the theory of games. *Lectures Notes in Biomathematics*, (S. Levin, Ed.); 2.(Mathematical Problems in Biology, Victoria Conference): 66-72. Springer
- HARTL, D.L., COOK, R.D. (1973). Balanced polymorphisms of quasi neutral alleles. *Theor. Pop. Biol.*, 4: 163-172.
- HARTL, D.L., COOK, R.D. (1974). Autocorrelated random environments and their effects on gene frequency. *Evolution*, 28: 275-280.
- HARTL, D.L., COOK, R.D. (1976). Stochastic selection and the maintenance of genetic variation. In *Population Genetics and Ecology*, ed. S. Karlin, E. Nevo: 593-615.
- HASTINGS, A., ROHLF, F.J. (1974). Gene flow: effect in stochastic models of differentiation. *Am. Natur.*, 108: 701-705.
- HEDRICK, P.W. (1974). Genetic variation in a heterogeneous environment. I. Temporal heterogeneity and the absolute dominance model. *Genetics*, 78: 757-770.
- HEDRICK, P.W. (1976). Genetic variation in a heterogeneous environment. II. Temporal heterogeneity and directional selection. *Genetics*, 84: 145-157.
- HEDRICK, P.W. (1978). Genetic variation in a heterogeneous environment. V. Spatial heterogeneity in finite populations. *Genetics*, 89: 389-401.
- HEDRICK, P.W., GINEVAN, M.E., EWING, E.P. (1976). Genetic polymorphism in heterogeneous environments. *Ann. Rev. Ecol. Syst.*, 7: 1-32.
- HEED, W.B. (1971). Host plant specificity and speciation in Hawaiian *Drosophila*. *Taxon*, 20: 115-121.
- HILL, W.G., ROBERTSON, A. (1966). The effect of linkage on limits to artificial selection. *Genet. Res.*, 8: 269-294.
- HOEKSTRA, R.F. (1975). A deterministic model of cyclical selection. *Genet. Res.*, 25: 1-15.

- HOEKSTRA, R.F. (1978). Sufficient conditions for polymorphism with cyclical selection in a subdivided population. *Genet. Res., Camb.*, 31: 67-73.
- HOENIGSBERG, H.F., CASTRO, L.E., GRANOBLES, L.A., IDROBO, J.M. (1969). Population genetics in the American tropics. II. The comparative genetics of Drosophila in European and Neo-Tropical environments. *Genetica*, 40: 43-60.
- HOLLANDER, M., WOLFE, D.A. (1973). Nonparametric Statistical Methods. John Wiley & Sons.
- HOLLINGSWORTH, M.J., MAYNARD SMITH, J., (1955). The effects of inbreeding on rate of development and on fertility in Drosophila subobscura. *J. Genet.*, 53: 295-314.
- HUBBY, J.L., LEWONTIN, R.C. (1966). A molecular approach to the study of genic heterozygosity in natural populations. I. The number of alleles at different loci in Drosophila pseudoobscura. *Genetics*, 54: 577-594.
- HUTCHINSON, G.E. (1957). Concluding remarks. Cold Spring Harbor Symp. Quant. Biol., 22: 415-427.
- IKEDA, H. (1976). Effects of light conditions on mating speed in Drosophila mercatorum. *Behavior Genetics*, 6: 305-313.
- IMMELMANN, K. (1975). Ecological significance of imprinting and early learning. *Ann. Rev. Ecol. Syst.*, 6: 15-37.
- ISHII, K., CHARLESWORTH, B. (1977). Associations between allozyme loci and gene arrangements due to hitch-hiking effects of new inversions. *Genet. Res., Camb.*, 30: 93-106.
- JAIN, S.K., BRADSHAW, A.D. (1966). Evolutionary divergence among adjacent plant populations. I. The evidence and its theoretical analysis. *Heredity*, 21: 407-441.
- JAMES, S.H. (1970). A demonstration of a possible mechanism of sympatric divergence using simulation techniques. *Heredity*, 25: 241-252.
- JENSEN, L. (1973). Random selective advantages of genes and their probabilities of fixation. *Genet. Res.* 21: 215-219.
- JOHNSON, M.S. (1971). Adaptative lactate dehydrogenase variation in the crested blenny, Anoplarchus. *Heredity*, 27: 205-226.

- JOHNSON, F.M., POWELL, A. (1974). The alcohol dehydrogenases In Drosophila melanogaster: Frequency changes associated with heat and cold shock. Proc. Nat. Acad. Sci., 71: 1783-1784.
- JOHNSTON, J.S., HEED, W.B. (1975). Dispersal of Drosophila: the effect of baiting on the behavior and distribution of natural populations. Amer. Natur., 109: 207-216.
- JONES, D.A. (1977). Population structure and local differentiation in Liatris cylindracea: a criticism. Amer. Natur., 111: 608-610.
- JONES, J.S. (1973). Ecological genetics of a population of the snail Cepaea nemoralis at the northern limit of its range. Heredity, 31: 201-211.
- KALMUS, H., MAYNARD SMITH, S. (1966). Some evolutionary consequences of pegmatypic mating systems (imprinting). Amer. Natur., 100: 619-635.
- KANESHIRO, K.Y., CARSON, H.L., CLAYTON, F.E., HEED, W.B. (1973). Niche separation in a pair of homosequential Drosophila species from the island of Hawaii. Amer. Natur., 107: 766-774.
- KARLIN, S. (1973). Sex and infinity: a mathematical analysis of the advantages and disadvantages of genetic recombination. The Mathematical Theory of Dynamics of Biological Populations. M.S. Barlett, R.H. Hiorns, Eds.: 155-194. Academic Press.
- KARLIN, S. (1976). Population subdivision and selection migration interaction Population Genetics and Ecology. S. Karlin, E. Nevo. Eds.: 617-657. Academic Press.
- KARLIN, S. (1977a). Gene frequency patterns in the Levene Subdivided Population Model. Theor. Pop. Biol., 11: 356-385.
- KARLIN, S. (1977b). Protection of recessive and dominant traits in a subdivided population with general migration structure. Amer. Natur., 111: 1145-1162.
- KARLIN, S., FELDMAN, M. (1970). Linkage and selection: two locus symmetrical viability model. Theor. Pop. Biol., 1: 39-71.
- KARLIN, S., KENETT, R.S. (1977). Variable spatial selection with two stages of migrations and comparisons between different timings. Theor. Pop. Biol., 11, 386-409.

- KARLIN, S., LEVIKSON, B. (1974). Temporal fluctuations in selection intensities: cases of small population size. *Theor. Pop. Biol.*, 6: 383-412.
- KARLIN, S., LIBERMAN, V. (1974). Random temporal variation in selection intensities: case of large population size. *Theor. Pop. Biol.*, 6: 355-382.
- KARLIN, S., MCGREGOR, J.L., (1972a). The evolutionary development of modifier genes. *Proc. Nat. Acad. Sci. USA.*, 69: 3611-3614.
- KARLIN, S., MCGREGOR, J.L. (1972b). Polymorphisms for genetic and ecological systems with weak coupling. *Theor. Popul. Biol.*, 3: 210-238.
- KARLIN, S., MCGREGOR, J.L. (1974). Towards a theory of the evolution of modifier genes. *Theor. Pop. Biol.*, 5: 59-103.
- KARLIN, S., RICHTER-DYN, N. (1976). Some theoretical analysis of migration selection interaction in a cline: a generalized two range environment. *Population Genetics and Ecology*. S. Karlin, E. Nevo, Eds.: 659-706.
- KAUL, D., PARSONS, P.A. (1965). The genotypic control of mating speed and duration of computation in *Drosophila pseudoobscura*. *Heredity*, 20: 381-392.
- KEKIC, V., MARINKOVIC, D. (1974). Multiple-choice selection for light preference in *Drosophila subobscura*. *Behavior Genetics*, 4: 285-300.
- KESSELL, S. (1979). Adaptation and dimorphism in eastern hemlock, *Tsuga canadiensis* (L) Carr. *Amer. Natur.*, 113: 333-350.
- KETTLEWELL, H.B.D. (1973). *The Evolution of Melanism*. Oxford: Clarendon.
- KIMURA, M. (1953). "Stepping stone" model of population. *Ann. Rep. Nat. Inst. Genetics*, 3: 63-65.
- KIMURA, M. (1954). Process leading to quasi-fixation of genes in natural populations due to random fluctuation of selection intensities. *Genetics*, 39: 280-295.
- KIMURA, M. (1956). A model of a system which leads to closer linkage by natural selection. *Evolution*, 10: 278-287.
- KIMURA, M. (1965). Attainment of quasi linkage equilibrium when gene frequencies are changing by natural selection. *Genetics*, 52: 875-900.

- KIMURA, M. (1968). Genetic variability maintained in a finite population due to mutational production of neutral and nearly neutral isoalleles. *Genet. Res.*, 11: 247-269.
- KIMURA, M., OHTA, T. (1971). Protein polymorphism as a phase of molecular evolution. *Nature*, 229: 467-469.
- KOEHN, R.K. (1969). Esterase heterogeneity: Dynamics of a polymorphism. *Science*, 163: 943-944.
- KOEHN, R.K., MILKMAN, R., MITTON, J.B. (1976). Population genetics of marine pelecypods. IV. Selection, migration, and genetic differentiation in the blue mussel, Mytilus edulis. *Evolution*, 30: 2-32.
- KOEHN, R.K., MITTON, J.B. (1972). Population genetics of marine pelecypods. I. Ecological heterogeneity and evolutionary strategy at an enzyme locus. *Amer. Natur.*, 106: 47-56.
- KOEHN, R.K., RASMUSSEN, D.I. (1967). Polymorphic and monomorphic serum esterase heterogeneity in catostomid fish populations. *Biochem. Genet.*, 1: 131-144.
- KOJIMA, K. (1959). Stable equilibria of the optimum model. *Proc. Natl. Acad. Sci. USA.*, 45: 989-993.
- KOJIMA, K., GILLESPIE, J.M., TOBARI, Y.N. (1970). A profile of Drosophila species, enzymes assayed by electrophoresis. I. Number of alleles, heterozygosities and linkage disequilibrium in glucose-metabolizing systems and some other enzymes. *Biochem. Genet.*, 4: 627-637.
- KOJIMA, K., KELLEHER, T.M. (1961). Changes of mean fitness in random mating populations when epistasis and linkage are present. *Genetics*, 46: 527-540.
- KOJIMA, K., SMOUSE, P., YANG, S., NAIR, P.S., BRNIC, D. (1972). Isozyme frequency patterns in Drosophila pavani associated with geographic and seasonal variables. *Genetics*, 72: 721-731.
- KORNFIELD, I.L., KOEHN, R.K. (1975). Genetic variation and speciation in New World cichlids. *Evolution*, 29: 427-437.
- KRIMBAS, C.B. (1967). The genetics of Drosophila subobscura populations. III. Inversion polymorphism and Climatic Factors. *Molec. Gen. Genetics*, 99: 133-150.
- KRIMBAS, C.B., LOUKAS, M. (1980). The inversion polymorphism of Drosophila subobscura. *Evolutionary Biology*, 12: 163-234.

- LAMOTTE, M. (1959). Polymorphism of natural populations of Cepaea nemoralis. Cold Spring Harbor Symp. Quant. Biol., 24: 65-86.
- LANGLEY, C.H., TOBARI, Y.N., KOJIMA, K. (1974). Linkage disequilibrium in natural populations of Drosophila melanogaster. *Genetics*, 78: 921-936.
- LATTER, B.D.H. (1973). The island model of population differentiation—a general solution. *Genetics*, 73: 147-157.
- LEVENE, H. (1953). Genetic equilibrium when more than one ecological niche is available. *Amer. Natur.*, 81: 331-333.
- LEVENE, H., PAVLOVSKY, O., DOBZHANSKY, Th. (1954). Interaction of the adaptive values in polymorphic experimental populations of Drosophila pseudoobscura. *Evolution*, 8: 335-349.
- LEVENE, H., PAVLOVSKY, O., DOBZHANSKY, Th. (1958). Dependence of adaptive values of certain genotypes in Drosophila pseudoobscura on the composition of the gene pool. *Evolution*, 12: 18-23.
- LEVIKSON, B., KARLIN, S., (1975). Random temporal variation in selection intensities acting on infinite diploid populations: diffusion method analysis. *Theor. Pop. Biol.*, 8: 292-300.
- LEVIN, D.A. (1970). Reinforcement of reproductive isolation: plants versus animals. *Amer. Natur.*, 104: 571-581.
- LEVIN, D.A. (1975). Pest pressure and recombination systems in plants. *Amer. Natur.* 109: 437-451.
- LEVINS, R. (1962). Theory of fitness in a heterogeneous environment. I. The fitness set and the adaptive function. *Amer. Natur.*, 46: 361-374.
- LEVINS, R. (1964). Theory of fitness in a heterogeneous environment. Part. III. The response to selection. *J. Theor. Biol.* 7: 224-240.
- LEVINS, R. (1965). Theory of fitness in a heterogeneous environment. V. Optimal genetic systems. *Genetics*, 52: 891-904.
- LEVINS, R. (1968). *Evolution in Changing Environments*. Princeton University Press.
- LEVINS, R. (1969). Thermal acclimation and heat resistance in Drosophila species. *Amer. Natur.*, 103: 483-499.

- LEVINS, R. (1973). The limits of Complexity. A: Hierarchy Theory. The challenge of Complex Systems. Pattee H. Ed., George Braziller.
- LEVINS, R., McARTHUR, R. (1966). The maintenance of genetic polymorphism in a spatially heterogeneous environment: variations on a theme by Howard Levene. *Amer. Natur.*, 100: 585-589.
- LEVINTON, J. (1973). Genetic variation in a gradient of environmental variability: Marine bivalva (Mollusca). *Science*, 80: 75-76.
- LEVITAN, M. (1978). Studies of linkage in populations. IX. The effect of altitude on X-chromosomal arrangement combinations in Drosophila robusta. *Genetics*, 89: 751-763.
- LEWONTIN, R.C. (1956). Studies on homeostasis and heterozygosity I. General considerations. Abdominal bristle number in second chromosome homozygotes of Drosophila melanogaster. *Amer. Natur.*, 90: 237-255.
- LEWONTIN, R.C. (1957). The adaptations of populations to varying environments. *Cold Spring Harbor Symposia Quant. Biol.*, 22: 395-408.
- LEWONTIN, R.C. (1964a). The interaction of selection and linkage. I. General considerations, heterotic models. *Genetics*, 49: 49-67.
- LEWONTIN, R.C. (1964b). The interaction of selection and linkage II. Optimum models. *Genetics*, 50: 757-782.
- LEWONTIN, R.C. (1971). The effect of genetic linkage on the mean fitness of a population. *Proceedings of the National Academy of Sciences, USA.*, 68: 984-986.
- LEWONTIN, R.C., FELSENSTEIN, J. (1965). The robustness of homogeneity tests in 2xN tables. *Biometrics*, 21: 19-33.
- LEWONTIN, R.C., GINZBURG, L.R., TULJAPURKAR, S.D. (1978). Heterosis as an explanation for large amounts of genic polymorphism. *Genetics*, 88: 149-170.
- LEWONTIN, R.C., KOJIMA, K. (1960). The evolutionary dynamics of complex polymorphisms. *Evolution*, 14: 458-472.
- LEWONTIN, R.C., KRAKAUER, J. (1973). Distribution of gene frequency as a test of the theory of the selective neutrality of polymorphisms. *Genetics*, 74: 175-195.

- LEWONTIN, R.C., KRAKAUER, J. (1975). Testing the heterogeneity of F values. *Genetics*, 80: 397-398.
- LI, C.C. (1955). The stability of an equilibrium and the average fitness of a population. *Amer. Natur.*, 89: 281-295.
- LI, W.H., NEI, M. (1974). Stable linkage disequilibrium without epistasis in subdivided populations. *Theor. Pop. Biol.*, 6: 173-183.
- LINDSAY, S.L. (1958). Food preferences of Drosophila larvae. *Amer. Natur.*, 92: 279-285.
- LORENZ, K. (1937). The companion in the birds' world. *Auk*, 54: 245-273.
- LOUKAS, M., KRIMBAS, C.B., MORGAN, K. (1980). The genetics of Drosophila subobscura populations. XIV. Further data on linkage disequilibria. *Genetics*, 95: 757-768.
- MAINNING, J.T. (1976). Is sex maintained to facilitate or minimize mutational advance?. *Heredity*, 36: 351-357.
- MALECOT, G. (1950). Quelques schémas probabilistes sur la variabilité des populations naturelles. *Annales Université de Lyon, Sciences Section A*, 13: 37-60.
- MALECOT, G. (1951). Un traitement stochastique problèmes linéaires (mutation, linkage et migration) en génétique de populations. *Annales Université de Lyon, Sciences Section A*, 14: 79-117.
- MALECOT, G. (1959). Les modèles stochastiques en génétique de Publ. Inst. Stat. Univ. Paris, 8 (F3): 173-210.
- MALECOT, G. (1962). Migration et parenté génétique moyenne. *Les Déplacements Humains, Entretiens de Monaco en Sciences Humaines*: 205-212.
- MALECOT, G. (1966). Probabilités et Hérité. Presses. Univ. Fr., Inst. Natl. Etudes Demogr. Cahier, n° 47.
- MARINKOVIC, D., AYALA, F.J. (1975a). Fitness of allozyme variant in Drosophila pseudoobscura. I. Selection at the PGM-1 and ME-2 loci. *Genetics*, 79: 85-95.
- MARINKOVIC, D., AYALA, F.J. (1975b). Fitness of allozyme variants in Drosophila pseudoobscura. II. Selection at the Est-5, Odh and Mdh-2 loci. *Genet. Res.*, 24: 137-149.

- MARTIN, J. (1969). On the origin of inversion polymorphism. *Amer. Natur.*, 103: 267-275.
- MARUYAMA, T. (1970). Effective number of alleles in a subdivided population. *Theor. Popul. Biol.*, 1: 273-306.
- MATHER, K. (1941). Variation and selection of polygenic characters. *J. Genet.* 41: 159-193.
- MATHER, K. (1942). The balance of polygenic combinations. *J. Genet.*, 43: 309-336.
- MATHER, K. (1943). Polygenic inheritance and natural selection. *Biol. Revs. Cambridge Phil. Soc.*, 18: 32-64.
- MATHER, K. (1955). Polymorphism as an outcome of disruptive selection. *Evolution*, 9: 52-61.
- MATHER, K., HARRISON, B.J. (1949a). The manifold effect of selection. Part I. *Heredity*, 3: 1-52.
- MATHER, K., HARRISON, B.J. (1949b). The manifold effect of selection. Part II. *Heredity*, 3: 131-162.
- MAYHEW, S.H., KATO, S.K., BALL, F.M., EPLING, C. (1966). Comparative studies of arrangements within and between populations of *Drosophila pseudoobscura*. *Evolution*, 20: 646-662.
- MAYNARD SMITH, J. (1962). Disruptive selection, polymorphism and sympatric speciation. *Nature (London)*, 195: 585-589.
- MAYNARD SMITH, J. (1966). Sympatric speciation. *Amer Natur.*, 100: 637-650.
- MAYNARD SMITH, J. (1970). Genetic polymorphism in a varied environment. *Amer. Natur.*, 104: 487-490.
- MAYNARD SMITH, J. (1971). What use is sex?. *J. Theor. Biol.*, 30: 319-335.
- MAYNARD SMITH, J., MAYNARD SMITH, S. (1954). Genetics and cytology of *Drosophila subobscura*. VIII. Heterozygosity, viability and rate of development. *J. Genet.*, 52: 152-164.
- MCARTHUR, R.H., RECHER, H., CODY, M. (1966). On the relation between habitat selection and species diversity. *Amer. Natur.*, 100: 319-322.
- MCDONALD, J.F., AYALA, F.J. (1979). Genetic response to environmental heterogeneity. *Nature*, 250: 572-574.

- McDONALD, J.F., AYALA, F.J. (1978). Genetic and biochemical basis of enzyme activity variation in natural populations. I. Alcohol dehydrogenase in Drosophila melanogaster. *Genetics*, 89: 371-388.
- McDONALD, J., PARSONS, P.A. (1973). Dispersal activities of the sibling species Drosophila melanogaster and Drosophila simulans. *Behavior Genetics*, 3: 293-301.
- McKECHNIE, S.W., EHRLICH, P.R., WHITE, R.R. (1976). Population genetics of Euphydryas butterflies. I. Genetic variation and the neutrality hypothesis. *Genetics*, 81: 571-594.
- McPHEE, C.P., ROBERTSON, A. (1970). The effect of suppressing crossing over on the response to selection on Drosophila melanogaster. *Genet. Res.*, 16: 1-16.
- MENGE, B.A., SUTHERLAND, J.P. (1976). Species diversity gradients: synthesis of the roles of predation, competition, and temporal heterogeneity. *Amer. Natur.*, 110: 351-369.
- MERRIT, R.B. (1972). Geographic distribution and enzymatic properties of lactate dehydrogenase allozymes in the fathead minnow, Pimephales promelas. *Amer. Natur.*, 196: 173-184.
- METTLER, L.E., VOELKER, R.A., MUKAI, T. (1977). Inversion clines in populations of Drosophila melanogaster. *Genetics*, 87: 169-176.
- MINAWA, A., BIRLEY, A.J. (1978). The genetical response to natural selection by varied environments. I. Short-term observations. *Heredity*, 40: 39-50.
- MITTER, C., FUTUYMA, D.J. (1979). Population genetic consequences of feeding habits in some forest lepidoptera. *Genetics* 92: 1005-1021.
- MITTON, J.B., KOEHN, R.K. (1973). Population genetics of marine pelecypods. III. Epistasis between functionally related isoenzymes of Mitilus edulis. *Genetics*, 73: 487-496.
- MOHN, N., SPIESS, E.B. (1963). Cold resistance of Karyotypes in Drosophila persimilis from Timberline of California. *Evolution*, 17: 548-563.
- MOORE, J.A. (1952). Competition between Drosophila melanogaster and Drosophila simulans. I. Population cage experiments. *Evolution*, 6: 407-420.


- MORAN, P.A.P. (1964). On the monoexistence of adaptative topographies. *Ann. Hum. Genet.*, 27: 383-393.
- MUKAI, T., METTLER, L.E., CHIGUSA, S.I. (1970). On the linkage equilibrium of isozymes in a Raleigh, N.C. population of *Drosophila melanogaster*. *Drosophila Information Service*, 45: 77.
- MUKAI, T., METTLER, L.E., CHIGUSA, S.I. (1971). Linkage disequilibrium in a local population of *Drosophila melanogaster*. *Proc. Nat. Acad. Sci. USA.*, 68: 1065-1069.
- MUKAI, T., WATANABE, T.K., YAMAGUCHI, O. (1974). The genetic structure of natural populations of *Drosophila melanogaster*. XII. Linkage disequilibrium in a large population. *Genetics*, 77: 771-793.
- MULLER, H.J. (1932). Some genetic aspects of sex. *Amer. Natur.*, 66: 118-138.
- MULLER, H.J. (1964). The relation of recombination to mutational advance. *Mutation Research*, 1: 2-9.
- NAIR, P.S., BRNIC, D. (1971). Allelic variations within identical chromosome inversions. *Amer. Natur.*, 105: 291-294.
- NAIR, P.S., CARSON, H.L., SENE, F.M. (1977). Isozyme polymorphism due to regulatory influence. *Amer. Natur.*, 111: 613-621.
- NEI, M. (1967). Modification of linkage intensity by natural selection. *Genetics*, 57: 625-641.
- NEI, M. (1969). Linkage modification and sex difference in recombination. *Genetics*, 63: 681-699.
- NEI, M., KOJIMA, K., SCHAFFER, H. (1967). Frequency changes of new inversions in populations under mutation-selection equilibria. *Genetics*, 57: 625-641.
- NEI, M., LI, W.H. (1973). Linkage disequilibrium in subdivided populations. *Genetics*, 75: 213-219.
- NEY, M., MARUYAMA, T. (1975). Lewontin-Krakauer test for neutral genes. *Genetics*, 80: 395.
- NEVO, E. (1973). Test of selection and neutrality in natural populations. *Nature*, 244: 573-575.

- NEVO, E. (1976). Adaptative strategies of genetic systems in constant and varying environments. *Population Genetics and Ecology*, S. Karlin, E. Nevo. Eds.: 141-158. Academic Press.
- NEVO, E., BARZ, Z. (1976). Natural selection of genetic polymorphisms along climate gradients. *Population genetics and Ecology*, S. Karlin, E. Nevo, Eds.: 159-184. Academic Press.
- NEVO, E., DESSAUER, H.C., CHUANG, K. (1975). Genetic variation as a test of natural selection. *Proc. Natl. Acad. Sci.*, 72: 2145-2149.
- NEVO, E., SHAW, C.R. (1972). Genetic variation in a subterranean mammal, Spalax ehrenbergi. *Biochem. Genet.*, 7: 235-241.
- NICKERSON, R.P., DRUGER, M. (1973). Maintenance of chromosomal polymorphism in a population of Drosophila pseudoobscura. II. Fecundity, longevity, viability and competitive fitness. *Evolution*, 27: 125-133.
- O'DONALD, P. (1968). Models of the evolution of dominance. *Roy. Soc. (London). Proc.*, B, 171: 127-143.
- OCAÑA, J., ALONSO, G., RUIZ DE VILLA, M.C. (1978). Proposta d'un model de simulació d'una població mendeliana. *Bioestadística. Dep. de Genètica, Facultat de Biologia. Comunicació interna.*
- OHBA, S. (1967). Chromosomal polymorphism and capacity for increase under near optimal conditions. *Heredity*, 22: 169-186.
- OHTA, T. (1976). Role of very slightly deleterious mutations in molecular evolution and polymorphism. *Theor. Pop. Biol.*, 10: 254-275.
- PANDEY, K.K. (1972). Origin of genetic variation: regulation of genetic recombination in the higher organism: a theory. *Theor. Appl. Genetics*, 42: 250-261.
- PARSONS, P.A. (1959). Genotypic-environmental interactions for various temperatures in Drosophila melanogaster. *Genetics*, 44: 1325-1333.
- PARSONS, P.A. (1975). Phototactic responses along a gradient of light intensities for the sibling species Drosophila melanogaster and Drosophila simulans. *Behavior Genetics*, 5: 17-25.

- PARSONS, P.A., KAUL, D. (1966). Mating speed and duration of copulation in Drosophila pseudoobscura. *Heredity*, 21: 219-225.
- PAVAN, C., CORDEIRO, A.R., DOBZHANSKY, Th., DOBZHANSKY, N., MALOGOLOWKIN, C., SPASSKY, B., WEDEL, M. (1951). Concealed genic variability in Brazilian populations of Drosophila willinstonii, *Genetics*, 36: 13-30.
- PAVLOVSKY, O., DOBZHANSKY, Th. (1966). Genetics of natural populations. XXXVII. The coadapted system of chromosomal variants in a population of Drosophila pseudoobscura. *Genetics*, 53: 843-854.
- PETIT, C. (1966). La concurrence larvaire et le maintien du polymorphisme. *Compt. Rend. Acad. Sci. Paris*, t. 263: 1262-1265.
- PIANKA, E.R. (1966). Latitudinal gradients in species diversity: a review of concepts. *Amer. Natur.*, 100: 33-46.
- PIANKA, E.R. (1974). *Evolutionary ecology*. Happer & Row.
- PIMENTEL, D., SMITH, G.J.C., SOANS, J. (1967). A population model of sympatric speciation. *Amer. Natur.*, 101: 493-504.
- PIPKIN, S.B., RODRIGUEZ, R.L., LEON, J. (1966). Plant host specificity among flower-feeding meotropical Drosophila (Diptera: Drosophilidae). *Amer. Natur.*, 100: 135-156.
- POLIVANOV, S. (1975). Response of Drosophila persimilis to phototactic and geotactic selection. *Behavior genetics*, 5: 255-267.
- POLLAK, E. (1972). Some effects of two types of migration on the survival of a gene. *Biometrics*, 28: 385-400.
- POLLAK, E. (1974). The survival of a mutant gene and the maintenance of polymorphism in subdivided populations. *Amer. natur.*, 108: 20-28.
- POWELL, J.R. (1971). Genetic polymorphisms in varied environments. *Science*, 174: 1035-1036.
- POWELL, J.R. (1973). Chromosomal versus protein polymorphisms in natural populations of Drosophila. *Genetics*, 74: s. 217.
- POWELL, J.R., DOBZHANSKY, Th. (1976). How far do flies fly?. *American Scientist*, 60: 179-185.

- POWELL, J.R., DOBZHANSKY, Th., HOOK, J.E., WISTRAND, H.E. (1975) Genetics of natural populations. XLIII. Further studies on rates of dispersal of Drosophila pseudoobscura and its relatives. *Genetics*, 82: 493-506.
- POWELL, J.R., DOBZHANSKY, Th., HOOK, J., WISTRAND, H.E. (1976). Genetics of natural populations. XLIII. Further studies on rates of dispersal of Drosophila pseudoobscura and its relatives. *Genetics*, 82: 493-506.
- POWELL, J.R., WISTRAND, H. (1978). The effect of heterogeneous environments and a competitor of genetic variation in Drosophila. *Amer. Natur.*, 112: 935-947.
- PRAKASH, S. (1965). Mating speed of homokaryotypes and heterokaryotypes in Drosophila robusta (Abstr.). *Genetics*, 52: 468. (Abstracts of papers presented at the 1965 meetings of the Genetics Society of America, Fort Collins, Colorado, September, 8-September 10, 1965).
- PRAKASH, S. (1967). Association between mating speed and fertility in Drosophila robusta. *Genetics*, 57: 655-663.
- PRAKASH, S. (1973). Low gene variation in Drosophila busckii. *Genetics*, 75: 571-576.
- PRAKASH, S., LEVITAN, M. (1973). Associations of alleles of the esterase-1 locus with gene arrangements of the left arm of the second chromosome in Drosophila robusta. *Genetics*, 75: 371-379.
- PRAKASH, S., LEWONTIN, R.C. (1968). A molecular approach to the study of genic heterozygosity in natural populations. III. Direct evidence of coadaptation in gene arrangements of Drosophila. *Proc. Natl. Acad. Sci. USA*, 59: 398-405.
- PRAKASH, S., LEWONTIN, R.C., HUBBY, J.L. (1969). A molecular approach to the study of genic heterozygosity in natural populations. IV. Patterns of genic variation in central, marginal and isolated populations of Drosophila pseudoobscura. *Genetics*, 61: 841-858.
- PREVOSTI, A. (1957). Viabilidad en cruces entre poblaciones de Drosophila subobscura de distinta procedencia geográfica. *Publicaciones del Inst. Biol. Aplicada*, XXVI: 53-60.
- PREVOSTI, A. (1971). Chromosomal polymorphism in Drosophila subobscura. Coll. populations from the Canary Islands. *Genet. Ibér.*, 23: 69-84.

- PREVOSTI, A. (1972). Chromosomal polymorphism in Drosophila subobscura populations from the Madeira Island. *Genét. Ibér.*, 24: 11-21.
- PREVOSTI, A. (1974a). Chromosomal inversion polymorphism in the southwestern range of Drosophila subobscura distribution area. *Genetica*, 45: 111-125.
- PREVOSTI, A. (1974b). La distancia genética. *Miscellánea Alcobé*: 109-118.
- PREVOSTI, A. (1978). Polimorfisme cromosómico y evolución. *Investigación y Ciencia*, Noviembre: 90-103.
- PREVOSTI, A., OCAÑA, J., ALONSO, G., (1975). Distances between populations of D. subobscura based on chromosome arrangement frequencies. *Theor. Appl. Gen.*, 45: 231-244.
- PROUT, T. (1968). Sufficient conditions for multiple niche polymorphism. *Am. Naturalist*, 102: 493-496.
- PROUT, T. (1973). Apèndix l'article de Mitton, J.B., Koehn, R.K. "Population genetics of marine pelecypods. III. Epistasis between functionally related isoenzymes of *Mytilus edulis*". *Genetics*, 73: 487-496.
- PYLE, D.W. (1976). Oviposition site differences in strains of Drosophila melanogaster selected for divergent maze behavior. *Amer. Natur.*, 110: 181-184.
- QUINN, W.G., HARRIS, W.A., BENZER, S. (1974). Conditioned behavior in Drosophila melanogaster. *Proc. Natl. Acad. Sci. USA*, 71: 708-712.
- RICK, C.M., FOBES, J.F., (1975). Allozymes of galapagos tomatoes: polymorphism, geographic distribution, and affinities *Evolution*, 29: 443-457.
- RICKLEFS, R.E. (1977). Environmental heterogeneity and plant species diversity: a hypothesis. *Amer. Natur.*, 111: 376-381.
- RICO, M. (1975). Genetic Simulation through APL. Universidad Politécnica de Valencia.
- ROBERTSON, A. (1956). The effect of selection against extreme deviants based on deviation or homozygosity. *J. Genet.*, 54: 236-248.
- ROBERTSON, A. (1970). A theory of limits in artificial selection with many linked loci. *Mathematical topics in Population Genetics*: 246-288. K. Kojima Ed., Springer



- ROBERTSON, A. (1975a). Remarks on the Lewontin-Krakauer test. *Genetics*, 80: 396.
- ROBERTSON, A. (1975b). Gene frequency distribution as a test of selective neutrality. *Genetics*, 81: 775-785.
- ROCWELL, R.F., COOKE, F., HARMSSEN, R. (1975). Photobehavioral differentiation in natural populations of Drosophila pseudoobscura and D. persimilis. *Behavior Genetics*, 5: 189-202.
- ROCKWELL, R.F., SEIGER, M.B..(1973). A comparative study of photoreponse in Drosophila pseudoobscura and Drosophila persimilis. *Behavior genetics*, 3: 163-174.
- ROCKWOOD-SLUSS; E.S., JOHNSTON, J.S., HEED, W.B. (1973). Allozyme genotype-environment relationship. I. Variation in natural populations of Drosophila pachea. *Genetics*, 73: 135-146.
- ROTHSTEIN, S.I. (1973). The niche-variation model-is it valid? *Amer. Natur.*, 107: 598-620.
- ROUGHGARDEN, J. (1974). Niche width: biogeographic patterns among Anolis lizards populations. *Amer. Natur.*, 108: 429-442.
- SABATH, M.D. (1974). Niche breadth and genetic variability in sympatric natural populations of Drosophilid flies. *Amer. Natur.*, 108: 533-540.
- SAUL, S.H., SINSKO, M.J., GRIMSTAD, P.R., GRAIG, G.B. (1978). Population genetics of the mosquito Aedes triseriatus: genetic-ecological correlation at an esterase locus. *Amer. Natur.*, 112: 333-339.
- SCHAAL, B.A. (1975). Population structure and local differentiation in Liatris cylindracea. *Amer. Natur.*, 109: 511-528.
- SCHAAL, B.A. (1977). Genetic structure of Liatris cylindracea. *Amer. Natur.*, 111: 610-612.
- SCHAFFER, H.E., JOHNSON, F.M. (1974). Isozyme allelic frequencies related to selection and gene-flow hypotheses. *Genetics*, 77: 163-168.
- SCHAFFER, H.E., YARDLEY, D., ANDERSON, W.W. (1977). Drift or selection: a statistical test of gene frequency variation over generations. *Genetics*, 87: 371-379.
- SCHEUER, P.A.G., MANDEL, S.P.H. (1959). An inequality in population genetics. *Heredity*, 13: 519-524.

- SCHULTZ, J., REDFIELD, H. (1951). Interchromosomal effects on crossing-over in Drosophila. Cold Spring Harbor Symp. Quant. Biol., 16: 175-197.
- SEIGER, M.B. (1967). A computer simulation study of the influence of imprinting on population structure. Amer. Natur., 101: 47-57.
- SELANDER, R.K., HUDSON, R.O. (1976). Animal population structure under close inbreeding: The land snail Rumina in Southern France. Amer. Natur., 110: 695-718.
- SELANDER, R.K., JOHNSON, W.E. (1973). Genetic variation among vertebrate species. Ann. Rev. Ecol. Syst., 4: 75-91.
- SELANDER, R.K., KAUFMAN, D.W. (1973). Genic variability and strategies of adaptation in animals. Proc. Natl. Acad. Sci. USA, 70: 1875-1877.
- SELANDER, R.K., KAUFMAN, D.W. (1975). Genetic structure of populations of the brown snail (Helix aspera). I. Microgeographic variation. Evolution, 29: 385-401.
- SEWELL, D., BURNET, B., CONNOLLY, K. (1975). Genetic analysis of larval feeding behaviour in Drosophila melanogaster. Genet. Res., Camb., 24: 163-173.
- SHAH, B.V. (1973). On Mathematics of populations simulation models. A: Computer Simulation in Human Population Studies. B. Dyke, J.W. McCluer, Eds.: 421-434. Academic Press.
- SHEPPARD, P.M. (1955). Genetic variability and polymorphism: synthesis. Cold Spring Harbor Symposia Quant. Biol., 20: 271-275.
- SHIKATA, M. (1964). Interference effect of cross-overs in selfed populations. J. Theor. Biol., 7: 181-223.
- SHUGART, H.H. (Jr.), BLAYLOCK, B.G. (1973). The niche variation hypothesis: and experimental study with Drosophila populations. Amer. Natur., 107: 575-579.
- SLATKIN, M., CHARLESWORTH, D. (1978). The spatial distribution of transient alleles in a subdivided populations: a simulation study. Genetics, 89: 793-810.
- SLATKIN, M., MARUYAMA, T. (1975). Genetic drift in a cline. Genetics, 81: 209-222.
- SMOUSE, P.E., KOJIMA, K. (1972). Maximum likelihood analysis of population differences in allelic frequencies. Genetics, 72: 709-712.

- SNAYDON, R.W. (1970). Rapid population differentiation in mosaic environment. I. The response of Anthoxanthum odoratum populations to soils. *Evolution*, 24: 257-269.
- SOMERO, G.N., SOULE, M. (1974). Genetic variation in marine fishes as a test of the niche-variation hypothesis. *Nature*, 249: 670-672.
- SOULE, M. (1972). Phenetics of natural populations. III. Variation in insular populations of a lizard. *Amer. Natur.*, 106: 429-446.
- SOULE, M. (1973). The epistasis cycle: a theory of marginal populations. *Ann. Rev. Ecol. Syst.*, 4: 165-187.
- SOULE, M. (1976). Allozyme variation: its determinants in space and time. *Molecular Evolution*, F.J. Ayala, Eds.: 60-77.
- SOULE, M., STEWART, B.R. (1970). The "niche-variation" hypothesis: a test and alternatives. *Amer. Natur.*, 104: 85-97.
- SOULE, M., YANG, S.Y. (1973). Genetic variation in side-blotched lizards on islands in the gulf of California. *Evolution*, 27: 593-600.
- SPASSKY, B., DOBZHANSKY, Th. (1967). Responses of various strains of Drosophila pseudoobscura and Drosophila persimilis to light and gravity. *Amer. Natur.*, 101: 59-63.
- SPERLICH, D. (1966). Equilibria for inversions induced by X-rays in isogenic strains of Drosophila pseudoobscura. *Genetics*, 53: 835-842.
- SPIESS, E.B. (1954). Physiological properties of gene arrangement carriers in Drosophila persimilis. III. Cytoplasmic influence on fecundity of arrangement heterozygotes. *Evolution*, 8: 29-32.
- SPIESS, E.B. (1957). Relation between frequencies and adaptive values of chromosomal arrangements in Drosophila persimilis. *Evolution*, 11: 84-93.
- SPIESS, E.B. (1958). Chromosomal adaptive polymorphism in Drosophila persimilis. II. Effects of population cage conditions of life cycle components. *Evolution*, 12: 234-245.
- SPIESS, E.B. (1968a). Low frequency advantage in mating of Drosophila pseudoobscura karyotypes. *Amer. Natur.*, 102: 363-379.
- SPIESS, E.B. (1968b). Experimental populations genetics. *Ann. Rev. Genet.*, 2: 165-208.

- SPIESS, E.B. (1970). Mating propensity and its genetic basis in Drosophila. Essays in Evolution and Genetics in Honor of Theodosius Dobzhansky, M.K. Hecht, W.C. Steere, Eds.: 315-379.
- SPIESS, E.B., KETCHEL, M., KINNE, B.P. (1952). Physiological properties of gene arrangement carriers in Drosophila persimilis. I. Egg-laying capacity and longevity of adults. Evolution, 6: 208-215.
- SPIESS, E.B., LANGER, B. (1961). Chromosomal adaptative polymorphism in Drosophila persimilis. IV. Mating propensity of homokaryotips. Evolution, 15: 535-544.
- SPIESS, E.B., LANGER, B. (1964a). Mating speed control by gene arrangement carriers in Drosophila persimilis. Evolution, 18: 430-444.
- SPIESS, E.B., LANGER, B. (1964b). Mating speed control by gene arrangements in Drosophila pseudoobscura homokaryotipes. Proc. Natl. Acad. Sci., USA, 51: 1015-1019.
- SPIESS, E.B., LANGER, B., SPIESS, L.D. (1966). Mating control by gene arrangements in Drosophila pseudoobscura. Genetics 54: 1139-1149.
- SPIESS, E.B., SCHUELLEIN, R.J. (1956). Chromosomal adaptative polymorphism in Drosophila persimilis I. Life cycle components under near optimal conditions. Genetics, 41: 501-516.
- SPIESS, E.B., SPIESS, L.D. (1964). Selection for rate of development and gene arrangement frequencies in Drosophila persimilis. Genetics, 50: 863-877.
- SPIESS, E.B., SPIESS, L.D. (1966). Selection for rate of development and gene arrangement frequencies in Drosophila persimilis. II. Fitness properties at equilibrium. Genetics, 53: 695-708.
- SPIESS, E.B., SPIESS, L.D. (1967). Mating propensity, chromosomal polymorphism, and dependent conditions in Drosophila persimilis. Evolution, 21: 672-678.
- SPIESS, E.B., TERRILE, B.A., BLUMENHEIM, U. (1952). Physiological properties of gene arrangement carriers in Drosophila persimilis. II. Wing-beat frequency and wing dimensions. Evolution, 6: 421-427.
- SPIESS, L.D., SPIESS, E.B. (1969). Minority advantage in inter-populational matings of Drosophila persimilis. Amer. Natur. 103: 155-172.

- SPIETH, H.T., HEED, W.B. (1972). Experimental systematics and ecology of Drosophila. *Ann. Rev. Ecol. Syst.*, 3: 269-288.
- SPIETH, P.T. (1979). Environmental heterogeneity: a problem of contradictory selection pressures, gene flow, and local polymorphism. *Amer. Natur.*, 113: 247-260.
- STALKER, H.D. (1980). Chromosome studies in wild populations of Drosophila melanogaster. II. Relationship of inversion frequencies to latitude, season, wing-loading and flight activity. *Genetics*, 95: 211-223.
- STEINER, W.W.M. (1977). Niche width and genetic variation in hawaiian Drosophila. *Amer. Natur.*, 111: 1037-1045.
- STRICKBERGER, M.W. (1963). Comparative fitness of experimental populations of Drosophila pseudoobscura. *Heredity*, 18: 385-395.
- STRICKBERGER, M.W. (1972). Viabilities of third chromosomes of Drosophila pseudoobscura differing in relative competitive fitness. *Genetics*, 72: 679-689.
- STRICKBERGER, M.W., WILLS, C.J. (1966). Monthly frequency changes of Drosophila pseudoobscura third chromosome gene arrangements in a California locality. *Evolution*, 20: 592-602.
- STROBECK, C. (1974). Sufficient conditions for polymorphism with N niches and M mating groups. *Amer. Natur.*, 108: 152-156.
- STROBECK, C. (1975). Selection in a fine-grained environment. *Amer. Natur.*, 109: 419-425.
- STROBECK, C. (1976). The three locus model with multiplicative fitness values: the crystallization of the genome. *Population Genetics and Ecology*. S. Karlin, E. Nevo, Eds.: 781-790. Academic Press.
- STROBECK, C., MAYNARD SMITH, J., CHARLESWORTH, B. (1976). The Effects of hitchhiking on a gene for recombination. *Genetics*, 82: 547-558.
- STURTEVANT, A.H., BEADLE, G.W. (1936). The relation of inversions in the X chromosome of Drosophila melanogaster to crossing over and disjunction. *Genetics*, 21: 554-604.
- STURTEVANT, A.H., MATHER, K. (1938). The interrelations of inversions, heterosis and recombination. *Amer. Natur.*, 72: 447-452.

- SVED, J.A. (1968). The stability of linked systems of loci with a small population size. *Genetics*, 59: 543-563.
- SYBENGA, J. (1975). Meiotic configurations. Springer-Verlag.
- SYMCHEN, G., STAMBERG, J. (1969). Genetic control of recombination in Schizophyllum commune: specific and independent regulation of adjacent and non-adjacent chromosomal regions. *Heredity*, 24: 359-381.
- TABACHNICK, W.J., POWELL, J.R. (1977). Adaptative flexibility of "marginal" versus "central" populations of Drosophila willistoni. *Evolution*, 31: 692-694.
- THODAY, J.M., BOAM, T.B. (1959). Effects of disruptive selection. II. Polymorphism and divergence without isolation. *Heredity*, 13: 205-218.
- THODAY, J.M., GIBSON, J.B. (1970). The probability of isolation by disruptive selection. *Amer. Natur.*, 104: 219-230.
- THORPE, W.H. (1939). Further studies on preimaginal olfactory conditioning in insects. *Roy. Soc. (London), Proc. B.*, 127: 424-433.
- TOBARI, Y.N. (1964). Relation between adaptative values and composition of the population in Drosophila ananassae. *Evolution*, 18: 343-348.
- TOMAS, M. (1975). Desequilibrio del ligamento en poblaciones naturales de Drosophila melanogaster. Tesina. Dep. de Genética, Fac. de Biología, Univ. de Barcelona.
- TOMASZEWSKI, E.K., SCHAFFER, H.E., JOHNSON, F.M. (1973). Isozyme genotype-environment associations in natural populations of the harvester ant, Pogonomyrex badius. *Genetics*, 75: 405-421.
- TOWNSEND, J.I. (1952). Genetics of marginal populations of Drosophila willinstonii. *Evolution*, 6: 428-442.
- TURNER, B.J. (1974). Genetic divergence of Death Valley pupfish species: biochemical versus morphological evidence. *Evolution*, 28: 281-294.
- TURNER, J.R.G. (1967a). On supergenes: I. The evolution of supergenes. *Amer. Natur.*, 101: 195-221.
- TURNER, J.R.G. (1967b). Why does the genotype not congeal?. *Evolution*, 21: 645-656.

- Van VALEN, L. (1965). Morphological variation and the width of the ecological niche. *Amer. Natur.*, 99: 377-390.
- Van VALEN, L., GRANT, P.R. (1970). Variation and niche width reexamined. *Amer. Natur.*, 104: 589-590.
- Van VALEN, L., LEVINS, R. (1968). The origins of inversion polymorphisms. *Amer. Natur.*, 102: 5-24.
- VANDERMEER, J.H. (1972). Niche Theory. *Annu. Rev. Ecol. Syst.* 3: 107-132.
- VANN, E. (1966). The fate of X-ray induced chromosomal rearrangements introduced into laboratory populations of Drosophila melanogaster. *Amer. Natur.*, 100: 425-449.
- VIGUE, C.L., JOHNSON, F.M. (1973). Isozyme variability in species of the genus Drosophila. VI. Frequency-property-environment relationship of allelic alcohol dehydrogenase in D. melanogaster. *Biochem. Genet.*, 9: 213-227.
- VOELKER, R.A., COCKERHAM, C.C., JOHNSON, F.M., SCHAFFER, H.E., MUKAI, T., METTLER, L.E. (1978). Inversions fail to account for allozyme clines. *Genetics*, 88: 515-527.
- WALLACE, B. (1948). Studies on "sex-ratio" in Drosophila pseudoobscura. I. Selection and sex ratio. *Evolution*, 2: 189-217.
- WALLACE, B. (1966). Natural and radiation-induced chromosomal polymorphism in Drosophila. *Mutation Res.*, 3: 194-200.
- WALLACE, B. (1968). Polymorphism, population size, and genetic load. In *Population Biology and Evolution* (E.C. Lewontin, Ed.): 87-108. Syracuse Univ. Press.
- WALLACE, B. (1975). Hard and soft selection revisited. *Evolution*, 29: 465-473.
- WARD, R.D. (1974). Alcohol dehydrogenase in Drosophila melanogaster: Activity variation in natural populations. *Biochem. Genet.*, 12: 449-458.
- WARD, R.D., HEBERT, P.D.N. (1972). Variability of alcohol dehydrogenase activity in a natural population of Drosophila melanogaster. *Natur. New Biol.*, 236: 243-244.
- WASSERMAN, M. (1968). Recombination-induced chromosomal heterosis. *Genetics*, 58: 128-139.

- WASSERMAN, M. (1972). Factors influencing fitness in chromosomal strains of Drosophila subobscura. *Genetics*, 72: 691-708.
- WASSERMAN, M., KOEPFER, H.R. (1975). Fitness of Karyotypes in Drosophila pseudoobscura. *Genetics*, 79: 113-126.
- WATANABE, T.K., YAMAZAKI, T. (1976). Evidence for coadaptation: negative correlation between lethal genes and polymorphic inversions in Drosophila melanogaster. *Genetics*, 82: 697-702.
- WHITE, M.J.D. (1956). Adaptative chromosomal polymorphism in an australian grasshopper. *Evolution*, 10: 298-313.
- WHITE, M.J.D. (1973). *Animal Cytology and Evolution*. Cambridge Univ. Press.
- WIENS, J.A. (1976). Population responses to patchy environments. *Ann. Rev. Ecol. Syst.*, 7: 81-120.
- WILLIAMS, G.C., MITTON, J.B. (1973). Why reproduce sexually? *J. Theor. Biol.*, 39: 545-554.
- WILLS, C. (1978). Rank-order selection is capable of maintaining all genetic polymorphisms. *Genetics*, 89: 403-417.
- WILLS; C., CRENSHAW, J., VITALE, J. (1970). A computer model allowing maintenance of large amounts of genetic variability in Mendelian populations. I. Assumptions and results of large populations. *Genetics*, 64: 107-123.
- WILLS, C., MILLER, C. (1976). A computer model allowing maintenance of large amounts of genetic variability in mendelian populations. II. The balance of force between linkage and random assortment. *Genetics*, 82: 377-399.
- WILLS, C., NICHOLS, L. (1971). Single gene heterosis in Drosophila revealed by inbreeding. *Nature*, 233: 123-125.
- WILLS, C., NICHOLS, L. (1972). How genetic background masks single-gene heterosis in Drosophila. *Proc. Natl. Acad. Sci.*, 69: 323-325.
- WILLS, C., PHELPS, J., FERGUSON, R. (1975). Further evidence for selective difference between isoalleles in Drosophila. *Genetics*, 79: 127-141.
- WILLSON, M.F. (1979). Avian niche size and morphological variation. *Amer. Natur.*, 103: 531-542.

- WOLSTENHOLME, D.R., THODAY, J.M. (1963). Effects of disruptive selection. VIII. A third chromosome polymorphism. *Heredity*, 18: 413-431.
- WRIGHT, S. (1935). Evolution in populations in approximate equilibrium. *J. Genet.*, 30: 257-266.
- WRIGHT, S. (1940). Breeding structure of populations in relation to speciation. *Amer. Natur.*, 74: 232-248.
- WRIGHT, S. (1949). Adaptation and selection. *Genetics, Paleontology and Evolution*. Ed. G.L. Jepson: 365-389. Princeton Univ. Press.



UNIVERSIDAD DE BARCELONA

Leída esta Memoria el día 10 de Noviembre de 1981 en la Facultad de Biología, ante el siguiente Tribunal:

PRESIDENTE

J. Puig
VOCALES

Mano Propia

Guadua *R. Mampall* *P. Puig*

Fue calificada de Sobresaliente "cum laude"

