

Regulació de la producció de gelatinases (MMP2 i MMP9) pels limfòcits.

**Implicació en malalties inflamatòries i
síndromes limfoproliferatives**

Tesi presentada per
Marta Segarra Blasco
per a optar al grau de Doctora en Bioquímica
per la Universitat de Barcelona

Tesi dirigida per la Dra. Ma. Cinta Cid Xutglà
Departament de Medicina
Facultat de Medicina
Universitat de Barcelona, IDIBAPS

Barcelona, Març 2006

BIBLIOGRAFIA

BIBLIOGRAFIA

- Akagi, T., Murata, K., Shishido, T. and Hanafusa, H. (2002) v-Crk activates the phosphoinositide 3-kinase/AKT pathway by utilizing focal adhesion kinase and H-Ras. *Mol Cell Biol*, **22**, 7015-7023.
- Altomare, D.A. and Testa, J.R. (2005) Perturbations of the AKT signaling pathway in human cancer. *Oncogene*, **24**, 7455-7464.
- Aplin, A.E., Hogan, B.P., Tomeu, J. and Juliano, R.L. (2002) Cell adhesion differentially regulates the nucleocytoplasmic distribution of active MAP kinases. *J Cell Sci*, **115**, 2781-2790.
- Avraham, H., Park, S.Y., Schinkmann, K. and Avraham, S. (2000) RAFTK/Pyk2-mediated cellular signalling. *Cell Signal*, **12**, 123-133.
- Baker, A.H., Edwards, D.R. and Murphy, G. (2002) Metalloproteinase inhibitors: biological actions and therapeutic opportunities. *J Cell Sci*, **115**, 3719-3727.
- Barille, S., Akhoudi, C., Collette, M., Mellerin, M.P., Rapp, M.J., Harousseau, J.L., Bataille, R. and Amiot, M. (1997) Metalloproteinases in multiple myeloma: production of matrix metalloproteinase-9 (MMP-9), activation of proMMP-2, and induction of MMP-1 by myeloma cells. *Blood*, **90**, 1649-1655.
- Barille, S., Bataille, R., Rapp, M.J., Harousseau, J.L. and Amiot, M. (1999) Production of metalloproteinase-7 (matrilysin) by human myeloma cells and its potential involvement in metalloproteinase-2 activation. *J Immunol*, **163**, 5723-5728.
- Bartlett, J.B., Dredge, K. and Dalglish, A.G. (2004) The evolution of thalidomide and its IMiD derivatives as anticancer agents. *Nat Rev Cancer*, **4**, 314-322.
- Bello, L., Lucini, V., Carrabba, G., Giussani, C., Machluf, M., Pluderi, M., Nikas, D., Zhang, J., Tomei, G., Villani, R.M., Carroll, R.S., Bikfalvi, A. and Black, P.M. (2001) Simultaneous inhibition of glioma angiogenesis, cell proliferation, and invasion by a

Bibliografia

- naturally occurring fragment of human metalloproteinase-2. *Cancer Res*, **61**, 8730-8736.
- Bergers, G., Brekken, R., McMahon, G., Vu, T.H., Itoh, T., Tamaki, K., Tanzawa, K., Thorpe, P., Itohara, S., Werb, Z. and Hanahan, D. (2000) Matrix metalloproteinase-9 triggers the angiogenic switch during carcinogenesis. *Nat Cell Biol*, **2**, 737-744.
- Boesen, P. and Sorensen, S.F. (1987) Giant cell arteritis, temporal arteritis, and polymyalgia rheumatica in a Danish county. A prospective investigation, 1982-1985. *Arthritis Rheum*, **30**, 294-299.
- Bourguignon, L.Y., Gunja-Smith, Z., Iida, N., Zhu, H.B., Young, L.J., Muller, W.J. and Cardiff, R.D. (1998) CD44v(3,8-10) is involved in cytoskeleton-mediated tumor cell migration and matrix metalloproteinase (MMP-9) association in metastatic breast cancer cells. *J Cell Physiol*, **176**, 206-215.
- Boyer, B., Bourgeois, Y. and Poupon, M.F. (2002) Src kinase contributes to the metastatic spread of carcinoma cells. *Oncogene*, **21**, 2347-2356.
- Boylen, J.B., Horne, H.H. and Johnson, W.J. (1963) Teratogenic effects of thalidomide and related substances. *Lancet*, **1**, 552.
- Brand, S., Dambacher, J., Beigel, F., Olszak, T., Diebold, J., Otte, J.M., Goke, B. and Eichhorst, S.T. (2005) CXCR4 and CXCL12 are inversely expressed in colorectal cancer cells and modulate cancer cell migration, invasion and MMP-9 activation. *Exp Cell Res*, **310**, 117-130.
- Brooks, P.C., Stromblad, S., Sanders, L.C., von Schalscha, T.L., Aimes, R.T., Stetler-Stevenson, W.G., Quigley, J.P. and Cheresh, D.A. (1996) Localization of matrix metalloproteinase MMP-2 to the surface of invasive cells by interaction with integrin alpha v beta 3. *Cell*, **85**, 683-693.
- Burnham, M.R., Bruce-Staskal, P.J., Harte, M.T., Weidow, C.L., Ma, A., Weed, S.A. and Bouton, A.H. (2000) Regulation of c-SRC activity and function by the adapter protein CAS. *Mol Cell Biol*, **20**, 5865-5878.

- Cance, W.G., Harris, J.E., Iacocca, M.V., Roche, E., Yang, X., Chang, J., Simkins, S. and Xu, L. (2000) Immunohistochemical analyses of focal adhesion kinase expression in benign and malignant human breast and colon tissues: correlation with preinvasive and invasive phenotypes. *Clin Cancer Res*, **6**, 2417-2423.
- Carman, C.V. and Springer, T.A. (2003) Integrin avidity regulation: are changes in affinity and conformation underemphasized? *Curr Opin Cell Biol*, **15**, 547-556.
- Cary, L.A., Chang, J.F. and Guan, J.L. (1996) Stimulation of cell migration by overexpression of focal adhesion kinase and its association with Src and Fyn. *J Cell Sci*, **109 (Pt 7)**, 1787-1794.
- Cawston, T. (1998) Matrix metalloproteinases and TIMPs: properties and implications for the rheumatic diseases. *Molecular Medicine Today*, **4**, 130-137.
- Cawston, T.E. and Billington, C. (1996) Metalloproteinases in the rheumatic diseases. *J Pathol*, **180**, 115-117.
- Chang, L. and Karin, M. (2001) Mammalian MAP kinase signalling cascades. *Nature*, **410**, 37-40.
- Chen, W.T. and Wang, J.Y. (1999) Specialized surface protrusions of invasive cells, invadopodia and lamellipodia, have differential MT1-MMP, MMP-2, and TIMP-2 localization. *Ann N Y Acad Sci*, **878**, 361-371.
- Cid, M.C., Font, C., Coll-Vinent, B. and Grau, J.M. (1998) Large vessel vasculitides. *Curr Opin Rheumatol*, **10**, 18-28.
- Cid, M.C., Font, C., Oristrell, J., de la Sierra, A., Coll-Vinent, B., Lopez-Soto, A., Vilaseca, J., Urbano-Marquez, A. and Grau, J.M. (1998) Association between strong inflammatory response and low risk of developing visual loss and other cranial ischemic complications in giant cell (temporal) arteritis. *Arthritis Rheum*, **41**, 26-32.
- Cobb, M.H. and Goldsmith, E.J. (2000) Dimerization in MAP-kinase signaling. *Trends Biochem Sci*, **25**, 7-9.

Bibliografia

- Corry, D.B., Rishi, K., Kanellis, J., Kiss, A., Song Lz, L.Z., Xu, J., Feng, L., Werb, Z. and Kheradmand, F. (2002) Decreased allergic lung inflammatory cell egression and increased susceptibility to asphyxiation in MMP2-deficiency. *Nat Immunol*, **3**, 347-353.
- Coussens, L.M., Fingleton, B. and Matrisian, L.M. (2002) Matrix metalloproteinase inhibitors and cancer: trials and tribulations. *Science*, **295**, 2387-2392.
- Cuzner, M.L. and Opdenakker, G. (1999) Plasminogen activators and matrix metalloproteases, mediators of extracellular proteolysis in inflammatory demyelination of the central nervous system. *J Neuroimmunol*, **94**, 1-14.
- D'Souza-Schorey, C., Boettner, B. and Van Aelst, L. (1998) Rac regulates integrin-mediated spreading and increased adhesion of T lymphocytes. *Mol Cell Biol*, **18**, 3936-3946.
- Deryugina, E.I., Ratnikov, B., Monosov, E., Postnova, T.I., DiScipio, R., Smith, J.W. and Strongin, A.Y. (2001) MT1-MMP initiates activation of pro-MMP-2 and integrin alphavbeta3 promotes maturation of MMP-2 in breast carcinoma cells. *Exp Cell Res*, **263**, 209-223.
- Dolfi, F., Garcia-Guzman, M., Ojaniemi, M., Nakamura, H., Matsuda, M. and Vuori, K. (1998) The adaptor protein Crk connects multiple cellular stimuli to the JNK signaling pathway. *Proc Natl Acad Sci U S A*, **95**, 15394-15399.
- Edmunds, J.W. and Mahadevan, L.C. (2004) MAP kinases as structural adaptors and enzymatic activators in transcription complexes. *J Cell Sci*, **117**, 3715-3723.
- Engelhardt, B. and Briskin, M.J. (2005) Therapeutic targeting of alpha 4-integrins in chronic inflammatory diseases: tipping the scales of risk towards benefit? *Eur J Immunol*, **35**, 2268-2273.
- Esparza, J., Vilardell, C., Calvo, J., Juan, M., Vives, J., Urbano-Marquez, A., Yague, J. and Cid, M.C. (1999) Fibronectin upregulates gelatinase B (MMP-9) and induces coordinated expression of gelatinase A (MMP-2) and its activator MT1-MMP (MMP-

- 14) by human T lymphocyte cell lines. A process repressed through RAS/MAP kinase signaling pathways. *Blood*, **94**, 2754-2766.
- Felisati, D. (1964) Teratogenic Action Of Thalidomide. *Lancet*, **15**, 724-725.
- Fiore, E., Fusco, C., Romero, P. and Stamenkovic, I. (2002) Matrix metalloproteinase 9 (MMP-9/gelatinase B) proteolytically cleaves ICAM-1 and participates in tumor cell resistance to natural killer cell-mediated cytotoxicity. *Oncogene*, **21**, 5213-5223.
- Freestone, T., Turner, R.J., Coady, A., Higman, D.J., Greenhalgh, R.M. and Powell, J.T. (1995) Inflammation and matrix metalloproteinases in the enlarging abdominal aortic aneurysm. *Arterioscler Thromb Vasc Biol*, **15**, 1145-1151.
- Galvez, B.G., Matias-Roman, S., Albar, J.P., Sanchez-Madrid, F. and Arroyo, A.G. (2001) Membrane type 1-matrix metalloproteinase is activated during migration of human endothelial cells and modulates endothelial motility and matrix remodeling. *J Biol Chem*, **276**, 37491-37500.
- Galvez, B.G., Matias-Roman, S., Yanez-Mo, M., Sanchez-Madrid, F. and Arroyo, A.G. (2002) ECM regulates MT1-MMP localization with beta1 or alphavbeta3 integrins at distinct cell compartments modulating its internalization and activity on human endothelial cells. *J Cell Biol*, **159**, 509-521.
- Garcia-Martinez, A., Hernandez-Rodriguez, J., Segarra, M., Lozano, E. and Cid, M.C. (2005) Prevalence of aortic aneurysm in the follow-up of patients with giant-cell arteritis (GCA). A prospective study. *Arthritis Rheum*, **52**, S222-S223, Suppl.
- Garcia-Vicuna, R., Gomez-Gaviro, M.V., Dominguez-Luis, M.J., Pec, M.K., Gonzalez-Alvaro, I., Alvaro-Gracia, J.M. and Diaz-Gonzalez, F. (2004) CC and CXC chemokine receptors mediate migration, proliferation, and matrix metalloproteinase production by fibroblast-like synoviocytes from rheumatoid arthritis patients. *Arthritis Rheum*, **50**, 3866-3877.

Bibliografia

- Geiger, B., Bershadsky, A., Pankov, R. and Yamada, K.M. (2001) Transmembrane crosstalk between the extracellular matrix--cytoskeleton crosstalk. *Nat Rev Mol Cell Biol*, **2**, 793-805.
- Giancotti, F.G. and Ruoslahti, E. (1999) Integrin signaling. *Science*, **285**, 1028-1032.
- Giannelli, G., Falk-Marzillier, J., Schiraldi, O., Stetler-Stevenson, W.G. and Quaranta, V. (1997) Induction of cell migration by matrix metalloprotease-2 cleavage of laminin-5. *Science*, **277**, 225-228.
- Gijbels, K., Masure, S., Carton, H. and Opdenakker, G. (1992) Gelatinase in the cerebrospinal fluid of patients with multiple sclerosis and other inflammatory neurological disorders. *J Neuroimmunol*, **41**, 29-34.
- Glading, A., Uberall, F., Keyse, S.M., Lauffenburger, D.A. and Wells, A. (2001) Membrane proximal ERK signaling is required for M-calpain activation downstream of epidermal growth factor receptor signaling. *J Biol Chem*, **276**, 23341-23348.
- Goetzl, E.J., Banda, M.J. and Leppert, D. (1996) Matrix metalloproteinases in immunity. *J Immunol*, **156**, 1-4.
- Gonzalez-Amaro, R., Mittelbrunn, M. and Sanchez-Madrid, F. (2005) Therapeutic anti-integrin (α 4 and α L) monoclonal antibodies: two-edged swords? *Immunology*, **116**, 289-296.
- Gonzalez-Gay, M.A., Alonso, M.D., Aguero, J.J., Bal, M., Fernandez-Camblor, B. and Sanchez-Andrade, A. (1992) Temporal arteritis in a northwestern area of Spain: study of 57 biopsy proven patients. *J Rheumatol*, **19**, 277-280.
- Gross, J. and Nagai, Y. (1965) Specific degradation of the collagen molecule by tadpole collagenolytic enzyme. *Proc Natl Acad Sci U S A*, **54**, 1197-1204.
- Hall, A. (1998) Rho GTPases and the actin cytoskeleton. *Science*, **279**, 509-514.
- Han, J., Rose, D.M., Woodside, D.G., Goldfinger, L.E. and Ginsberg, M.H. (2003) Integrin alpha 4 beta 1-dependent T cell migration requires both phosphorylation and

- dephosphorylation of the alpha 4 cytoplasmic domain to regulate the reversible binding of paxillin. *J Biol Chem*, **278**, 34845-34853.
- Han, Z., Boyle, D.L., Chang, L., Bennett, B., Karin, M., Yang, L., Manning, A.M. and Firestein, G.S. (2001) c-Jun N-terminal kinase is required for metalloproteinase expression and joint destruction in inflammatory arthritis. *J Clin Invest*, **108**, 73-81.
- Harte, M.T., Hildebrand, J.D., Burnham, M.R., Bouton, A.H. and Parsons, J.T. (1996) p130Cas, a substrate associated with v-Src and v-Crk, localizes to focal adhesions and binds to focal adhesion kinase. *J Biol Chem*, **271**, 13649-13655.
- Hauck, C.R., Hsia, D.A., Puente, X.S., Cheresh, D.A. and Schlaepfer, D.D. (2002) FRNK blocks v-Src-stimulated invasion and experimental metastases without effects on cell motility or growth. *Embo J*, **21**, 6289-6302.
- Hayashi, I., Vuori, K. and Liddington, R.C. (2002) The focal adhesion targeting (FAT) region of focal adhesion kinase is a four-helix bundle that binds paxillin. *Nat Struct Biol*, **9**, 101-106.
- Hernandez-Rodriguez, J., Segarra, M., Vilardell, C., Sanchez, M., Garcia-Martinez, A., Esteban, M.J., Grau, J.M., Urbano-Marquez, A., Colomer, D., Kleinman, H.K. and Cid, M.C. (2003) Elevated production of interleukin-6 is associated with a lower incidence of disease-related ischemic events in patients with giant-cell arteritis: angiogenic activity of interleukin-6 as a potential protective mechanism. *Circulation*, **107**, 2428-2434.
- Hernandez-Rodriguez, J., Segarra, M., Vilardell, C., Sanchez, M., Garcia-Martinez, A., Esteban, M.J., Queralt, C., Grau, J.M., Urbano-Marquez, A., Palacin, A., Colomer, D. and Cid, M.C. (2004) Tissue production of pro-inflammatory cytokines (IL-1beta, TNFalpha and IL-6) correlates with the intensity of the systemic inflammatory response and with corticosteroid requirements in giant-cell arteritis. *Rheumatology (Oxford)*, **43**, 294-301.

Bibliografia

- Hideshima, T. and Anderson, K.C. (2002) Molecular mechanisms of novel therapeutic approaches for multiple myeloma. *Nat Cancer Rev*, **2**, 927-937.
- Hildebrand, J.D., Taylor, J.M. and Parsons, J.T. (1996) An SH3 domain-containing GTPase-activating protein for Rho and Cdc42 associates with focal adhesion kinase. *Mol Cell Biol*, **16**, 3169-3178.
- Hogg, N., Laschinger, M., Giles, K. and McDowall, A. (2003) T-cell integrins: more than just sticking points. *J Cell Sci*, **116**, 4695-4705.
- Holmbeck, K., Bianco, P., Caterina, J., Yamada, S., Kromer, M., Kuznetsov, S.A., Mankani, M., Robey, P.G., Poole, A.R., Pidoux, I., Ward, J.M. and Birkedal-Hansen, H. (1999) MT1-MMP-deficient mice develop dwarfism, osteopenia, arthritis, and connective tissue disease due to inadequate collagen turnover. *Cell*, **99**, 81-92.
- Honda, H., Nakamoto, T., Sakai, R. and Hirai, H. (1999) p130(Cas), an assembling molecule of actin filaments, promotes cell movement, cell migration, and cell spreading in fibroblasts. *Biochem Biophys Res Commun*, **262**, 25-30.
- Hsia, D.A., Mitra, S.K., Hauck, C.R., Streblow, D.N., Nelson, J.A., Illic, D., Huang, S., Li, E., Nemerow, G.R., Leng, J., Spencer, K.S., Cheresh, D.A. and Schlaepfer, D.D. (2003) Differential regulation of cell motility and invasion by FAK. *J Cell Biol*, **160**, 753-767.
- Hunger-Glaser, I., Fan, R.S., Perez-Salazar, E. and Rozengurt, E. (2004) PDGF and FGF induce focal adhesion kinase (FAK) phosphorylation at Ser-910: dissociation from Tyr-397 phosphorylation and requirement for ERK activation. *J Cell Physiol*, **200**, 213-222.
- Hunter, T. and Sefton, B.M. (1980) Transforming gene product of Rous sarcoma virus phosphorylates tyrosine. *Proc Natl Acad Sci U S A*, **77**, 1311-1315.
- Hynes, R.O. (1992) Integrins: versatility, modulation, and signaling in cell adhesion. *Cell*, **69**, 11-25.

- Ilic, D., Furuta, Y., Kanazawa, S., Takeda, N., Sobue, K., Nakatsuji, N., Nomura, S., Fujimoto, J., Okada, M. and Yamamoto, T. (1995) Reduced cell motility and enhanced focal adhesion contact formation in cells from FAK-deficient mice. *Nature*, **377**, 539-544.
- Irby, R.B., Mao, W., Coppola, D., Kang, J., Loubeau, J.M., Trudeau, W., Karl, R., Fujita, D.J., Jove, R. and Yeatman, T.J. (1999) Activating SRC mutation in a subset of advanced human colon cancers. *Nat Genet*, **21**, 187-190.
- Irby, R.B. and Yeatman, T.J. (2000) Role of Src expression and activation in human cancer. *Oncogene*, **19**, 5636-5642.
- Jimenez, C., Portela, R.A., Mellado, M., Rodriguez-Frade, J.M., Collard, J., Serrano, A., Martinez, A.C., Avila, J. and Carrera, A.C. (2000) Role of the PI3K regulatory subunit in the control of actin organization and cell migration. *J Cell Biol*, **151**, 249-262.
- Johnatty, R.N., Taub, D.D., Reeder, S.P., Turcovski-Corrales, S.M., Cottam, D.W., Stephenson, T.J. and Rees, R.C. (1997) Cytokine and chemokine regulation of proMMP-9 and TIMP-1 production by human peripheral blood lymphocytes. *J Immunol*, **158**, 2327-2333.
- Johnsen, M., Lund, L.R., Romer, J., Almholt, K. and Dano, K. (1998) Cancer invasion and tissue remodeling: common themes in proteolytic matrix degradation. *Curr Opin Cell Biol*, **10**, 667-671.
- Karabudak, R., Kurne, A., Guc, D., Sengelen, M., Canpinar, H. and Kansu, E. (2004) Effect of interferon beta-1a on serum matrix metalloproteinase-9 (MMP-9) and tissue inhibitor of matrix metalloproteinase (TIMP-1) in relapsing remitting multiple sclerosis patients. One year follow-up results. *J Neurol*, **251**, 279-283.
- Keely, P.J., Westwick, J.K., Whitehead, I.P., Der, C.J. and Parise, L.V. (1997) Cdc42 and Rac1 induce integrin-mediated cell motility and invasiveness through PI(3)K. *Nature*, **390**, 632-636.

Bibliografia

- Khwaja, A., Rodriguez-Viciana, P., Wennstrom, S., Warne, P.H. and Downward, J. (1997) Matrix adhesion and Ras transformation both activate a phosphoinositide 3-OH kinase and protein kinase B/Akt cellular survival pathway. *Embo J*, **16**, 2783-2793.
- Kinashi, T. (2005) Intracellular signalling controlling integrin activation in lymphocytes. *Nat Rev Immunol*, **5**, 546-559.
- Klemke, R.L., Cai, S., Giannini, A.L., Gallagher, P.J., de Lanerolle, P. and Cheresh, D.A. (1997) Regulation of cell motility by mitogen-activated protein kinase. *J Cell Biol*, **137**, 481-492.
- Klemke, R.L., Leng, J., Molander, R., Brooks, P.C., Vuori, K. and Cheresh, D.A. (1998) CAS/Crk coupling serves as a "molecular switch" for induction of cell migration. *J Cell Biol*, **140**, 961-972.
- Kornberg, L.J. (1998) Focal adhesion kinase and its potential involvement in tumor invasion and metastasis. *Head Neck*, **20**, 745-752.
- Kossakowska, A.E., Edwards, D.R., Prusinkiewicz, C., Zhang, M.C., Guo, D., Urbanski, S.J., Grogan, T., Marquez, L.A. and Janowska-Wieczorek, A. (1999) Interleukin-6 regulation of matrix metalloproteinase (MMP-2 and MMP-9) and tissue inhibitor of metalloproteinase (TIMP-1) expression in malignant non-Hodgkin's lymphomas. *Blood*, **94**, 2080-2089.
- Kossakowska, A.E., Urbanski, S.J. and Janowska-Wieczorek, A. (2000) Matrix metalloproteinases and their tissue inhibitors - expression, role and regulation in human malignant non-Hodgkin's lymphomas. *Leuk Lymphoma*, **39**, 485-493.
- Kuittinen, O., Apaja-Sarkkinen, M. and Turpeenniemi-Hujanen, T. (2003) Gelatinases (MMP-2 and MMP-9), TIMP-1 expression and the extent of neovascularization in aggressive non-Hodgkin's lymphomas. *Eur J Haematol*, **71**, 91-99.
- Kunkel, E.J. and Butcher, E.C. (2003) Plasma-cell homing. *Nat Rev Immunol*, **3**, 822-829.

- Kuppers, R. (2005) Mechanisms of B-cell lymphoma pathogenesis. *Nat Rev Cancer*, **5**, 251-262.
- Leppert, D., Hauser, S.L., Kishiyama, J.L., An, S., Zeng, L. and Goetzl, E.J. (1995) Stimulation of matrix metalloproteinase-dependent migration of T cells by eicosanoids. *Faseb J*, **9**, 1473-1481.
- Levi, E., Fridman, R., Miao, H.Q., Ma, Y.S., Yayon, A. and Vlodavsky, I. (1996) Matrix metalloproteinase 2 releases active soluble ectodomain of fibroblast growth factor receptor 1. *Proc Natl Acad Sci U S A*, **93**, 7069-7074.
- Li, D.Y., Brooke, B., Davis, E.C., Mecham, R.P., Sorensen, L.K., Boak, B.B., Eichwald, E. and Keating, M.T. (1998) Elastin is an essential determinant of arterial morphogenesis. *Nature*, **393**, 276-280.
- Li, Q., Park, P.W., Wilson, C.L. and Parks, W.C. (2002) Matrilysin shedding of syndecan-1 regulates chemokine mobilization and transepithelial efflux of neutrophils in acute lung injury. *Cell*, **111**, 635-646.
- Lim, M., Martinez, T., Jablons, D., Cameron, R., Guo, H., Toole, B., Li, J.D. and Basbaum, C. (1998) Tumor-derived EMMPRIN (extracellular matrix metalloproteinase inducer) stimulates collagenase transcription through MAPK p38. *FEBS Lett*, **441**, 88-92.
- Liu, S., Calderwood, D.A. and Ginsberg, M.H. (2000) Integrin cytoplasmic domain-binding proteins. *J Cell Sci*, **113 (Pt 20)**, 3563-3571.
- Lohi, J., Lehti, K., Valtanen, H., Parks, W.C. and Keski-Oja, J. (2000) Structural analysis and promoter characterization of the human membrane-type matrix metalloproteinase-1 (MT1-MMP) gene. *Gene*, **242**, 75-86.
- McQuibban, G.A., Butler, G.S., Gong, J.H., Bendall, L., Power, C., Clark-Lewis, I. and Overall, C.M. (2001) Matrix metalloproteinase activity inactivates the CXC chemokine stromal cell-derived factor-1. *J Biol Chem*, **276**, 43503-43508.

Bibliografia

- McQuibban, G.A., Gong, J.H., Tam, E.M., McCulloch, C.A., Clark-Lewis, I. and Overall, C.M. (2000) Inflammation dampened by gelatinase A cleavage of monocyte chemoattractant protein-3. *Science*, **289**, 1202-1206.
- McQuibban, G.A., Gong, J.H., Wong, J.P., Wallace, J.L., Clark-Lewis, I. and Overall, C.M. (2002) Matrix metalloproteinase processing of monocyte chemoattractant proteins generates CC chemokine receptor antagonists with anti-inflammatory properties in vivo. *Blood*, **100**, 1160-1167.
- Menu, E., Asosingh, K., Van Riet, I., Croucher, P., Van Camp, B. and Vanderkerken, K. (2004) Myeloma cells (5TMM) and their interactions with the marrow microenvironment. *Blood Cells Mol Dis*, **33**, 111-119.
- Minegishi, M., Tachibana, K., Sato, T., Iwata, S., Nojima, Y. and Morimoto, C. (1996) Structure and function of Cas-L, a 105-kD Crk-associated substrate-related protein that is involved in beta 1 integrin-mediated signaling in lymphocytes. *J Exp Med*, **184**, 1365-1375.
- Mitra, S.K., Hanson, D.A. and Schlaepfer, D.D. (2005) Focal adhesion kinase: in command and control of cell motility. *Nat Rev Mol Cell Biol*, **6**, 56-68.
- Mochizuki, S., Brassart, B. and Hinek, A. (2002) Signaling pathways transduced through the elastin receptor facilitate proliferation of arterial smooth muscle cells. *J Biol Chem*, **277**, 44854-44863.
- Montgomery, A.M., Sabzevari, H. and Reisfeld, R.A. (1993) Production and regulation of gelatinase B by human T-cells. *Biochim Biophys Acta*, **1176**, 265-268.
- Morgunova, E., Tuuttila, A., Bergmann, U. and Tryggvason, K. (2002) Structural insight into the complex formation of latent matrix metalloproteinase 2 with tissue inhibitor of metalloproteinase 2. *Proc Natl Acad Sci U S A*, **99**, 7414-7419.
- Mueller, S.C., Ghersi, G., Akiyama, S.K., Sang, Q.X., Howard, L., Pineiro-Sanchez, M., Nakahara, H., Yeh, Y. and Chen, W.T. (1999) A novel protease-docking function of integrin at invadopodia. *J Biol Chem*, **274**, 24947-24952.

- Murphy, G. and Willenbrock, F. (1995) Tissue inhibitors of matrix metalloendopeptidases. *Methods Enzymol*, **248**, 496-510.
- Nakahara, H., Howard, L., Thompson, E.W., Sato, H., Seiki, M., Yeh, Y. and Chen, W.T. (1997) Transmembrane/cytoplasmic domain-mediated membrane type 1-matrix metalloprotease docking to invadopodia is required for cell invasion. *Proc Natl Acad Sci U S A*, **94**, 7959-7964.
- Nakahara, H., Mueller, S.C., Nomizu, M., Yamada, Y., Yeh, Y. and Chen, W.T. (1998) Activation of beta1 integrin signaling stimulates tyrosine phosphorylation of p190RhoGAP and membrane-protrusive activities at invadopodia. *J Biol Chem*, **273**, 9-12.
- Nikkari, S.T., Hoyhtya, M., Isola, J. and Nikkari, T. (1996) Macrophages contain 92-kd gelatinase (MMP-9) at the site of degenerated internal elastic lamina in temporal arteritis. *Am J Pathol*, **149**, 1427-1433.
- Nojima, Y., Tachibana, K., Sato, T., Schlossman, S.F. and Morimoto, C. (1995) Focal adhesion kinase (pp125FAK) is tyrosine phosphorylated after engagement of alpha 4 beta 1 and alpha 5 beta 1 integrins on human T-lymphoblastic cells. *Cell Immunol*, **161**, 8-13.
- Nolan, K., Lacoste, J. and Parsons, J.T. (1999) Regulated expression of focal adhesion kinase-related nonkinase, the autonomously expressed C-terminal domain of focal adhesion kinase. *Mol Cell Biol*, **19**, 6120-6129.
- Nuenninghoff, D.M., Hunder, G.G., Christianson, T.J., McClelland, R.L. and Matteson, E.L. (2003) Mortality of large-artery complication (aortic aneurysm, aortic dissection, and/or large-artery stenosis) in patients with giant cell arteritis: a population-based study over 50 years. *Arthritis Rheum*, **48**, 3532-3537.
- Oh, J., Takahashi, R., Kondo, S., Mizoguchi, A., Adachi, E., Sasahara, R.M., Nishimura, S., Imamura, Y., Kitayama, H., Alexander, D.B., Ide, C., Horan, T.P., Arakawa, T., Yoshida, H., Nishikawa, S., Itoh, Y., Seiki, M., Itohara, S., Takahashi,

Bibliografia

- C. and Noda, M. (2001) The membrane-anchored MMP inhibitor RECK is a key regulator of extracellular matrix integrity and angiogenesis. *Cell*, **107**, 789-800.
- Okkenhaug, K. and Vanhaesebroeck, B. (2003) PI3K in lymphocyte development, differentiation and activation. *Nat Rev Immunol*, **3**, 317-330.
- Okumura, Y., Sato, H., Seiki, M. and Kido, H. (1997) Proteolytic activation of the precursor of membrane type 1 matrix metalloproteinase by human plasmin. A possible cell surface activator. *FEBS Lett*, **402**, 181-184.
- Olson, M.W., Toth, M., Gervasi, D.C., Sado, Y., Ninomiya, Y. and Fridman, R. (1998) High affinity binding of latent matrix metalloproteinase-9 to the alpha2(IV) chain of collagen IV. *J Biol Chem*, **273**, 10672-10681.
- Opdenakker, G., Nelissen, I. and Van Damme, J. (2003) Functional roles and therapeutic targeting of gelatinase B and chemokines in multiple sclerosis. *Lancet Neurol*, **2**, 747-756.
- Overall, C.M. and Lopez-Otin, C. (2002) Strategies for MMP inhibition in cancer: innovations for the post-trial era. *Nat Rev Cancer*, **2**, 657-672.
- Owen, J.L., Iragavarapu-Charyulu, V., Gunja-Smith, Z., Herbert, L.M., Grosso, J.F. and Lopez, D.M. (2003) Up-regulation of matrix metalloproteinase-9 in T lymphocytes of mammary tumor bearers: role of vascular endothelial growth factor. *J Immunol*, **171**, 4340-4351.
- Owens, L.V., Xu, L., Craven, R.J., Dent, G.A., Weiner, T.M., Kornberg, L., Liu, E.T. and Cance, W.G. (1995) Overexpression of the focal adhesion kinase (p125FAK) in invasive human tumors. *Cancer Res*, **55**, 2752-2755.
- Pellegrino, A., Antonaci, F., Russo, F., Merchionne, F., Ribatti, D., Vacca, A. and Dammacco, F. (2004) CXCR3-binding chemokines in multiple myeloma. *Cancer Lett*, **207**, 221-227.

- Petersen, E., Wagberg, F. and Angquist, K.A. (2002) Proteolysis of the abdominal aortic aneurysm wall and the association with rupture. *Eur J Vasc Endovasc Surg*, **23**, 153-157.
- Pruijt, J.F., Fibbe, W.E., Laterveer, L., Pieters, R.A., Lindley, I.J., Paemen, L., Masure, S., Willemze, R. and Opdenakker, G. (1999) Prevention of interleukin-8-induced mobilization of hematopoietic progenitor cells in rhesus monkeys by inhibitory antibodies against the metalloproteinase gelatinase B (MMP-9). *Proc Natl Acad Sci U S A*, **96**, 10863-10868.
- Puyraimond, A., Fridman, R., Lemesle, M., Arbeille, B. and Menashi, S. (2001) MMP-2 colocalizes with caveolae on the surface of endothelial cells. *Exp Cell Res*, **262**, 28-36.
- Pyo, R., Lee, J.K., Shipley, J.M., Curci, J.A., Mao, D., Ziporin, S.J., Ennis, T.L., Shapiro, S.D., Senior, R.M. and Thompson, R.W. (2000) Targeted gene disruption of matrix metalloproteinase-9 (gelatinase B) suppresses development of experimental abdominal aortic aneurysms. *J Clin Invest*, **105**, 1641-1649.
- Richardson, A. and Parsons, T. (1996) A mechanism for regulation of the adhesion-associated protein tyrosine kinase pp125FAK. *Nature*, **380**, 538-540.
- Richardson, P.G., Schlossman, R.L., Weller, E., Hidemitsu, T., Mitsiades, C., Davies, F., LeBlanc, R., Catley, L.P., Doss, D., Kelly, K., McKenney, M., Mechlowicz, J., Freeman, A., Deocampo, R., Rich, R., Ryoo, J.J., Chauhan, D., Balinski, K., Zeldis, J. and Anderson, K.C. (2002) Immunomodulatory drug CC-5013 overcomes drug resistance and is well tolerated in patients with relapsed multiple myeloma. *Blood*, **100**, 3063-3067.
- Ridley, A.J. (2001) Rho GTPases and cell migration. *J Cell Sci*, **114**, 2713-2722.
- Ridley, A.J., Schwartz, M.A., Burridge, K., Firtel, R.A., Ginsberg, M.H., Borisy, G., Parsons, J.T. and Horwitz, A.R. (2003) Cell migration: integrating signals from front to back. *Science*, **302**, 1704-1709.

Bibliografia

- Rittner, H.L., Kaiser, M., Brack, A., Szweda, L.I., Goronzy, J.J. and Weyand, C.M. (1999) Tissue-destructive macrophages in giant cell arteritis. *Circ Res*, **84**, 1050-1058.
- Robinet, A., Fahem, A., Cauchard, J.H., Huet, E., Vincent, L., Lorimier, S., Antonicelli, F., Soria, C., Crepin, M., Hornebeck, W. and Bellon, G. (2005) Elastin-derived peptides enhance angiogenesis by promoting endothelial cell migration and tubulogenesis through upregulation of MT1-MMP. *J Cell Sci*, **118**, 343-356.
- Rodriguez-Pla, A., Bosch-Gil, J.A., Rossello-Urgell, J., Huguet-Redecilla, P., Stone, J.H. and Vilardell-Tarres, M. (2005) Metalloproteinase-2 and -9 in giant cell arteritis: involvement in vascular remodeling. *Circulation*, **112**, 264-269.
- Rodriguez-Viciiana, P., Warne, P.H., Dhand, R., Vanhaesbroeck, B., Gout, I., Fry, M.J., Waterfield, M.D. and Downward, J. (1994) Phosphatidylinositol-3-OH kinase as a direct target of Ras. *Nature*, **370**, 527-532.
- Romanic, A.M. and Madri, J.A. (1994) The induction of 72-kD gelatinase in T cells upon adhesion to endothelial cells is VCAM-1 dependent. *J Cell Biol*, **125**, 1165-1178.
- Rosenberg, G.A. (2005) Matrix metalloproteinases biomarkers in multiple sclerosis. *Lancet*, **365**, 1291-1293.
- Rosinol, L., Cibeira, M.T., Blade, J., Esteve, J., Aymerich, M., Rozman, M., Segarra, M., Cid, M.C., Filella, X. and Montserrat, E. (2004) Extramedullary multiple myeloma escapes the effect of thalidomide. *Haematologica*, **89**, 832-836.
- Salvarani, C., Cantini, F., Boiardi, L. and Hunder, G.G. (2002) Polymyalgia rheumatica and giant-cell arteritis. *N Engl J Med*, **347**, 261-271.
- Sanchez-Madrid, F. and del Pozo, M.A. (1999) Leukocyte polarization in cell migration and immune interactions. *Embo J*, **18**, 501-511.
- Sansal, I. and Sellers, W.R. (2004) The biology and clinical relevance of the PTEN tumor suppressor pathway. *J Clin Oncol*, **22**, 2954-2963.

- Sato, T., Tachibana, K., Nojima, Y., D'Avirro, N. and Morimoto, C. (1995) Role of the VLA-4 molecule in T cell costimulation. Identification of the tyrosine phosphorylation pattern induced by the ligation of VLA-4. *J Immunol*, **155**, 2938-2947.
- Schaller, M.D. (2001) Biochemical signals and biological responses elicited by the focal adhesion kinase. *Biochim Biophys Acta*, **1540**, 1-21.
- Schaller, M.D., Borgman, C.A., Cobb, B.S., Vines, R.R., Reynolds, A.B. and Parsons, J.T. (1992) pp125FAK a structurally distinctive protein-tyrosine kinase associated with focal adhesions. *Proc Natl Acad Sci USA*, **89**, 5192-5196.
- Schaller, M.D., Hildebrand, J.D., Shannon, J.D., Fox, J.W., Vines, R.R. and Parsons, J.T. (1994) Autophosphorylation of the focal adhesion kinase, pp125FAK, directs SH2-dependent binding of pp60src. *Mol Cell Biol*, **14**, 1680-1688.
- Schey, S.A., Fields, P., Bartlett, J.B., Clarke, I.A., Ashan, G., Knight, R.D., Streetly, M. and Dalgleish, A.G. (2004) Phase I study of an immunomodulatory thalidomide analog, CC-4047, in relapsed or refractory multiple myeloma. *J Clin Oncol*, **22**, 3269-3276.
- Schlaepfer, D.D., Mitra, S.K. and Illic, D. (2004) Control of motile and invasive cell phenotypes by focal adhesion kinase. *Biochim Biophys Acta*, **1692**, 77-102.
- Schnaeker, E.M., Ossig, R., Ludwig, T., Dreier, R., Oberleithner, H., Wilhelm, M. and Schneider, S.W. (2004) Microtubule-dependent matrix metalloproteinase-2/matrix metalloproteinase-9 exocytosis: prerequisite in human melanoma cell invasion. *Cancer Res*, **64**, 8924-8931.
- Segarra, M., Vilardell, C., Matsumoto, K., Esparza, J., Lozano, E., Serra-Pages, C., Urbano-Marquez, A., Yamada, K.M. and Cid, M.C. (2005) Dual function of focal adhesion kinase in regulating integrin-induced MMP-2 and MMP-9 release by human T lymphoid cells. *FASEB J*, 1875-1877.
- Sein, T.T., Thant, A.A., Hiraiwa, Y., Amin, A.R., Sohara, Y., Liu, Y., Matsuda, S., Yamamoto, T. and Hamaguchi, M. (2000) A role for FAK in the Concanavalin A-

Bibliografia

- dependent secretion of matrix metalloproteinase-2 and -9. *Oncogene*, **19**, 5539-5542.
- Senior, R.M., Griffin, G.L., Fliszar, C.J., Shapiro, S.D., Goldberg, G.I. and Welgus, H.G. (1991) Human 92- and 72-kilodalton type IV collagenases are elastases. *J Biol Chem*, **266**, 7870-7875.
- Seo, P. and Stone, J.H. (2004) Large-vessel vasculitis. *Arthritis Rheum*, **51**, 128-139.
- Sieg, D.J., Hauck, C.R. and Schlaepfer, D.D. (1999) Required role of focal adhesion kinase (FAK) for integrin-stimulated cell migration. *J Cell Sci*, **112** (Pt 16), 2677-2691.
- Silletti, S., Kessler, T., Goldberg, J., Boger, D.L. and Cheresh, D.A. (2001) Disruption of matrix metalloproteinase 2 binding to integrin alpha vbeta 3 by an organic molecule inhibits angiogenesis and tumor growth in vivo. *Proc Natl Acad Sci U S A*, **98**, 119-124.
- Simonsen, A., Wurmser, A.E., Emr, S.D. and Stenmark, H. (2001) The role of phosphoinositides in membrane transport. *Curr Opin Cell Biol*, **13**, 485-492.
- Singhal, S., Mehta, J., Desikan, R., Ayers, D., Roberson, P., Eddlemon, P., Munshi, N., Anaissie, E., Wilson, C., Dhodapkar, M., Zeddis, J. and Barlogie, B. (1999) Antitumor activity of thalidomide in refractory multiple myeloma. *N Engl J Med*, **341**, 1565-1571.
- Slack, J.K., Adams, R.B., Rovin, J.D., Bissonette, E.A., Stoker, C.E. and Parsons, J.T. (2001) Alterations in the focal adhesion kinase/Src signal transduction pathway correlate with increased migratory capacity of prostate carcinoma cells. *Oncogene*, **20**, 1152-1163.
- Smith, A., Bracke, M., Leitinger, B., Porter, J.C. and Hogg, N. (2003) LFA-1-induced T cell migration on ICAM-1 involves regulation of MLCK-mediated attachment and ROCK-dependent detachment. *J Cell Sci*, **116**, 3123-3133.

- Smith, A., Carrasco, Y.R., Stanley, P., Kieffer, N., Batista, F.D. and Hogg, N. (2005) A talin-dependent LFA-1 focal zone is formed by rapidly migrating T lymphocytes. *J Cell Biol*, **170**, 141-151.
- Song, G., Ouyang, G. and Bao, S. (2005) The activation of Akt/PKB signaling pathway and cell survival. *J Cell Mol Med*, **9**, 59-71.
- Sorbi, D., French, D.L., Nuovo, G.J., Kew, R.R., Arbeit, L.A. and Gruber, B.L. (1996) Elevated levels of 92-kd type IV collagenase (matrix metalloproteinase 9) in giant cell arteritis. *Arthritis Rheum*, **39**, 1747-1753.
- Springer, T.A. (1994) Traffic signals for lymphocyte recirculation and leukocyte emigration: the multistep paradigm. *Cell*, **76**, 301-314.
- Stacy, K. (2005) Therapeutic mAbs: saving lives and making billions. *The Scientist*, **19**, 14.
- Sternlicht, M.D. and Werb, Z. (2001) How matrix metalloproteinases regulate cell behavior. *Annu Rev Cell Dev Biol*, **17**, 463-516.
- Stetler-Stevenson, M., Mansoor, A., Lim, M., Fukushima, P., Kehrl, J., Marti, G., Ptaszynski, K., Wang, J. and Stetler-Stevenson, W.G. (1997) Expression of matrix metalloproteinases and tissue inhibitors of metalloproteinases in reactive and neoplastic lymphoid cells. *Blood*, **89**, 1708-1715.
- Stocker, W. and Bode, W. (1995) Structural features of a superfamily of zinc-endopeptidases: the metzincins. *Curr Opin Struct Biol*, **5**, 383-390.
- Strongin, A.Y., Collier, I., Bannikov, G., Marmer, B.L., Grant, G.A. and Goldberg, G.I. (1995) Mechanism of cell surface activation of 72-kDa type IV collagenase. Isolation of the activated form of the membrane metalloprotease. *J Biol Chem*, **270**, 5331-5338.
- Stuve, O., Dooley, N.P., Uhm, J.H., Antel, J.P., Francis, G.S., Williams, G. and Yong, V.W. (1996) Interferon beta-1b decreases the migration of T lymphocytes in vitro: effects on matrix metalloproteinase-9. *Ann Neurol*, **40**, 853-863.

Bibliografia

- Summy, J.M. and Gallick, G.E. (2003) Src family kinases in tumor progression and metastasis. *Cancer Metastasis Rev*, **22**, 337-358.
- Tachibana, K., Sato, T., D'Avirro, N. and Morimoto, C. (1995) Direct association of pp125FAK with paxillin, the focal adhesion-targeting mechanism of pp125FAK. *J Exp Med*, **182**, 1089-1099.
- Takagi, J., Petre, B.M., Walz, T. and Springer, T.A. (2002) Global conformational rearrangements in integrin extracellular domains in outside-in and inside-out signaling. *Cell*, **110**, 599-511.
- Takagi, J. and Springer, T.A. (2002) Integrin activation and structural rearrangement. *Immunol Rev*, **186**, 141-163.
- Taraboletti, G., D'Ascenzo, S., Borsotti, P., Giavazzi, R., Pavan, A. and Dolo, V. (2002) Shedding of the matrix metalloproteinases MMP-2, MMP-9, and MT1-MMP as membrane vesicle-associated components by endothelial cells. *Am J Pathol*, **160**, 673-680.
- Taylor, J.M., Hildebrand, J.D., Mack, C.P., Cox, M.E. and Parsons, J.T. (1998) Characterization of graf, the GTPase-activating protein for rho associated with focal adhesion kinase. Phosphorylation and possible regulation by mitogen-activated protein kinase. *J Biol Chem*, **273**, 8063-8070.
- Taylor, J.M., Mack, C.P., Nolan, K., Regan, C.P., Owens, G.K. and Parsons, J.T. (2001) Selective expression of an endogenous inhibitor of FAK regulates proliferation and migration of vascular smooth muscle cells. *Mol Cell Biol*, **21**, 1565-1572.
- Thomas, S.M. and Brugge, J.S. (1997) Cellular functions regulated by Src family kinases. *Annu Rev Cell Dev Biol*, **13**, 513-609.
- Thompson, R.W. and Parks, W.C. (1996) Role of matrix metalloproteinases in abdominal aortic aneurysms. *Ann N Y Acad Sci*, **800**, 157-174.

- Tomita, T. and Imakawa, K. (1998) Matrix metalloproteinases and tissue inhibitors of metalloproteinases in giant cell arteritis: an immunocytochemical study. *Pathology*, **30**, 40-50.
- Trocme, C., Gaudin, P., Berthier, S., Barro, C., Zaoui, P. and Morel, F. (1998) Human B lymphocytes synthesize the 92-kDa gelatinase, matrix metalloproteinase-9. *J Biol Chem*, **273**, 20677-20684.
- Turner, C.E. (2000) Paxillin interactions. *J Cell Sci*, **113 Pt 23**, 4139-4140.
- Vacca, A., Ria, R., Presta, M., Ribatti, D., Iurlaro, M., Merchionne, F., Tanghetti, E. and Dammacco, F. (2001) alpha(v)beta(3) integrin engagement modulates cell adhesion, proliferation, and protease secretion in human lymphoid tumor cells. *Exp Hematol*, **29**, 993-1003.
- Vacca, A., Ribatti, D., Iurlaro, M., Albini, A., Minischetti, M., Bussolino, F., Pellegrino, A., Ria, R., Rusnati, M., Presta, M., Vincenti, V., Persico, M.G. and Dammacco, F. (1998) Human lymphoblastoid cells produce extracellular matrix-degrading enzymes and induce endothelial cell proliferation, migration, morphogenesis, and angiogenesis. *Int J Clin Lab Res*, **28**, 55-68.
- Van den Steen, P.E., Proost, P., Wuyts, A., Van Damme, J. and Opdenakker, G. (2000) Neutrophil gelatinase B potentiates interleukin-8 tenfold by aminoterminal processing, whereas it degrades CTAP-III, PF-4, and GRO-alpha and leaves RANTES and MCP-2 intact. *Blood*, **96**, 2673-2681.
- Van Den Steen, P.E., Wuyts, A., Husson, S.J., Proost, P., Van Damme, J. and Opdenakker, G. (2003) Gelatinase B/MMP-9 and neutrophil collagenase/MMP-8 process the chemokines human GCP-2/CXCL6, ENA-78/CXCL5 and mouse GCP-2/LIX and modulate their physiological activities. *Eur J Biochem*, **270**, 3739-3749.
- Vande Broek, I., Asosingh, K., Allegaert, V., Leleu, X., Facon, T., Vanderkerken, K., Van Camp, B. and Van Riet, I. (2004) Bone marrow endothelial cells increase the

Bibliografia

- invasiveness of human multiple myeloma cells through upregulation of MMP-9: evidence for a role of hepatocyte growth factor. *Leukemia*, **18**, 976-982.
- Vanhaesebroeck, B., Leevers, S.J., Ahmadi, K., Timms, J., Katso, R., Driscoll, P.C., Woscholski, R., Parker, P.J. and Waterfield, M.D. (2001) Synthesis and function of 3-phosphorylated inositol lipids. *Annu Rev Biochem*, **70**, 535-602.
- Vincenti, M.P. and Brinckerhoff, C.E. (2001) Early response genes induced in chondrocytes stimulated with the inflammatory cytokine interleukin-1beta. *Arthritis Res*, **3**, 381-388.
- Visse, R. and Nagase, H. (2003) Matrix metalloproteinases and tissue inhibitors of metalloproteinases: structure, function, and biochemistry. *Circ Res*, **92**, 827-839.
- Vivanco, I. and Sawyers, C.L. (2002) The phosphatidylinositol 3-Kinase AKT pathway in human cancer. *Nat Rev Cancer*, **2**, 489-501.
- Walker, H.A., Whitelock, J.M., Garl, P.J., Nemenoff, R.A., Stenmark, K.R. and Weiser-Evans, M.C. (2003) Perlecan up-regulation of FRNK suppresses smooth muscle cell proliferation via inhibition of FAK signaling. *Mol Biol Cell*, **14**, 1941-1952.
- Walsh, D.A. (1999) Angiogenesis and arthritis. *Rheumatology (Oxford)*, **38**, 103-112.
- Webb, D.J., Donais, K., Whitmore, L.A., Thomas, S.M., Turner, C.E., Parsons, J.T. and Horwitz, A.F. (2004) FAK-Src signalling through paxillin, ERK and MLCK regulates adhesion disassembly. *Nat Cell Biol*, **6**, 154-161.
- Weeks, B.S., Schnaper, H.W., Handy, M., Holloway, E. and Kleinman, H.K. (1993) Human T lymphocytes synthesize the 92 kDa type IV collagenase (gelatinase B). *J Cell Physiol*, **157**, 644-649.
- Werb, Z. (1997) ECM and cell surface proteolysis: regulating cellular ecology. *Cell*, **91**, 439-442.
- Werb, Z., Tremble, P.M., Behrendtsen, O., Crowley, E. and Damsky, C.H. (1989) Signal transduction through the fibronectin receptor induces collagenase and stromelysin gene expression. *J Cell Biol*, **109**, 877-889.

- Weyand, C.M. and Goronzy, J.J. (2003) Medium- and large-vessel vasculitis. *N Engl J Med*, **349**, 160-169.
- Whitney, G.S., Chan, P.Y., Blake, J., Cosand, W.L., Neubauer, M.G., Aruffo, A. and Kanner, S.B. (1993) Human T and B lymphocytes express a structurally conserved focal adhesion kinase, pp125FAK. *DNA Cell Biol*, **12**, 823-830.
- Wierzbicka-Patynowski, I. and Schwarzbauer, J.E. (2003) The ins and outs of fibronectin matrix assembly. *J Cell Sci*, **116**, 3269-3276.
- Will, H., Atkinson, S.J., Butler, G.S., Smith, B. and Murphy, G. (1996) The soluble catalytic domain of membrane type 1 matrix metalloproteinase cleaves the propeptide of progelatinase A and initiates autoproteolytic activation. Regulation by TIMP-2 and TIMP-3. *J Biol Chem*, **271**, 17119-17123.
- Xia, M., Leppert, D., Hauser, S.L., Sreedharan, S.P., Nelson, P.J., Krensky, A.M. and Goetzl, E.J. (1996) Stimulus specificity of matrix metalloproteinase dependence of human T cell migration through a model basement membrane. *J Immunol*, **156**, 160-167.
- Xia, M., Sreedharan, S.P., Dazin, P., Damsky, C.H. and Goetzl, E.J. (1996) Integrin-dependent role of human T cell matrix metalloproteinase activity in chemotaxis through a model basement membrane. *J Cell Biochem*, **61**, 452-458.
- Xu, J., Rodriguez, D., Petitclerc, E., Kim, J.J., Hangai, M., Moon, Y.S., Davis, G.E. and Brooks, P.C. (2001) Proteolytic exposure of a cryptic site within collagen type IV is required for angiogenesis and tumor growth in vivo. *J Cell Biol*, **154**, 1069-1079.
- Yakubenko, V.P., Lobb, R.R., Plow, E.F. and Ugarova, T.P. (2000) Differential induction of gelatinase B (MMP-9) and gelatinase A (MMP-2) in T lymphocytes upon alpha(4)beta(1)-mediated adhesion to VCAM-1 and the CS-1 peptide of fibronectin. *Exp Cell Res*, **260**, 73-84.
- Yang, S.H., Sharrocks, A.D. and Whitmarsh, A.J. (2003) Transcriptional regulation by the MAP kinase signaling cascades. *Gene*, **320**, 3-21.

Bibliografia

- Yeatman, T.J. (2004) A renaissance for SRC. *Nat Rev Cancer*, **4**, 470-480.
- Yong, V.W., Chabot, S., Stuve, O. and Williams, G. (1998) Interferon beta in the treatment of multiple sclerosis: mechanisms of action. *Neurology*, **51**, 682-689.
- Yu, Q. and Stamenkovic, I. (1999) Localization of matrix metalloproteinase 9 to the cell surface provides a mechanism for CD44-mediated tumor invasion. *Genes Dev*, **13**, 35-48.
- Yu, Q. and Stamenkovic, I. (2000) Cell surface-localized matrix metalloproteinase-9 proteolytically activates TGF-beta and promotes tumor invasion and angiogenesis. *Genes Dev*, **14**, 163-176.
- Yushchenko, M., Mader, M., Elitok, E., Bitsch, A., Dressel, A., Tumani, H., Bogumil, T., Kitze, B., Poser, S. and Weber, F. (2003) Interferon-beta-1 b decreased matrix metalloproteinase-9 serum levels in primary progressive multiple sclerosis. *J Neurol*, **250**, 1224-1228.
- Zannettino, A.C., Farrugia, A.N., Kortesidis, A., Manavis, J., To, L.B., Martin, S.K., Diamond, P., Tamamura, H., Lapidot, T., Fujii, N. and Gronthos, S. (2005) Elevated serum levels of stromal-derived factor-1alpha are associated with increased osteoclast activity and osteolytic bone disease in multiple myeloma patients. *Cancer Res*, **65**, 1700-1709.
- Zhang, J., Sarkar, S. and Yong, V.W. (2005) The chemokine stromal cell derived factor-1 (CXCL12) promotes glioma invasiveness through MT2-matrix metalloproteinase. *Carcinogenesis*.
- Zheng, X.M., Wang, Y. and Pallen, C.J. (1992) Cell transformation and activation of pp60c-src by overexpression of a protein tyrosine phosphatase. *Nature*, **359**, 336-339.