

## **8. BIBLIOGRAFÍA**



## 8. BIBLIOGRAFÍA

**Ash, C., Priest, F.G. & Collins, M.D. (1993).** Molecular identification of rRNA group 3 bacilli (Ash, Farrow, Wallbanks and Collins) using a PCR probe test. Proposal for the creation of a new genus *Paenibacillus*. *Antonie Van Leeuwenhoek* **64**, 253-260.

**Akagawa-Matsushita, M., Itoh, T., Katayama, Y., Kuraishi, H. & Yamasato, K. (1992).** Isoprenoid quinone composition of some marine Alteromonas, Marinomonas, Deleya, Pseudomonas and Shewanella species. *J Gen microbiol* **138**, 2275-2281.

**Balows, A., Trüper, H.G., Dworking, M., Harder, Wim, W., Schleifer, K-H. (1991).** The Prokaryotes (Second Edition). Springer-Verlag.

**Barritt, M.M. (1936).** The intensification of the Voges-Proskauer reaction by the addition of Ó-naphtol. *J Path Bact* **42**, 441.

**Bartholomew, J.W. (1962).** Variables influencing results, and the precise definition of steps in Gram staining as a means of standardizing the results obtained. *Stain Technol* **37**, 139-155.

**Bauer, A.N., Kirby, W.M.M., Sherry, J.C. Turck, M. (1966).** Antibiotic susceptibility testing by a standardized single discs method. *Amer J Clin Pathol* **45** (4), 493-496.

**Bergey, D.H., Harrison, F.C., Breed, R.S., Hammer, B.W. & Huntoon F.M. (1923).** Bergey's manual of determinative bacteriology. Baltimore: Williams and Wilkins.

**Blachmann, U., Gilardi, G.L., Pichett, M.J., Slotnick, I.J. & Von Graevenitz, A. (1980).** *Bacillus* spp. strains posing as nonfermentative Gram negative rods. *Clin Microbiol Newslett* **2**, 8.

**Bourgault, A.M. & Lamothe, F. (1988).** Evaluation of the KOH test and the antibiotic disk test in routine clinical anaerobic bacteriology. *J Clin Microbiol* **26**, 2144-2146.

**Bowman, J.P., Cavanagh, J., Austin, J.J. & Sanderson, K. (1996).** Novel *Psychrobacter* species from antarctic ornithogenic soils. *Int J Syst Bacteriol* **46**, 844-848.

**Bowman, J.P., McCammon, S.A., Nichols, D.S., Skerratt, J.H., Rea, S.M. Rea, Nichols, P.D. & McMeekin, T.A. (1997).** *Shewanella gelidimarina* sp. nov. and *Shewanella frigidimarina* sp. nov., novel antarctic species with the ability to produce eicosapentaenoic acid (20:5ω3) and grow anaerobically by dissimilatory Fe(III) reduction. *Int J Syst Bacteriol* **47**, 1040-1047.

**Bozal, N. (1993).** Tesis Doctoral. Caracterización de aislamientos bacterianos adaptados a ecosistemas antárticos. Universitat de Barcelona.

**Brenner, S. & Horne, R.W. (1959).** *Biochim Biophys Acta* **34**, 103.

**British Pharmacopeia (1963).** London: The Pharmaceutical Press.

**Buchanan, R.E. (1925).** General Systematic Bacteriology. Williams & Wilkins. Baltimore.

**Buchanan, R.E. & Gibbons, N.E. (ed.) (1974).** Bergey's Manual of Determinative Bacteriology (Eighth Edition). Williams & Wilkins. Baltimore.

**Buttiaux, R. & Gagnon, P. (1959).** Au sujet de la classification des *Pseudomonas* et des *Achromobacter*. *Ann. Inst Pasteur (Lille)* **10**, 121-149.

**Castellví, J., Fontarnau, R. & Guinea, J. (1992).** Ecosistemas microbianos antárticos. *Investigación y Ciencia* **185**, 54-60.

**Cerny, G. (1976).** Method for the distinction of Gram negative from Gram positive bacteria. *Eur J Appl Microbiol* **3**, 223-225.

**Cerny, G. (1978).** Studies on the aminopeptidase test for the distinction of Gram negative from Gram positive bacteria. *Eur J Appl Microbiol Biotech* **5**, 113-122.

- Claus, D. & Berkeley, R. C. W. (1986).** Genus *Bacillus* Cohn 1872, 174<sup>AL</sup>. In *Bergey's Manual of Systematic Bacteriology*, vol.2, pp. 1105-1140. Edited by Sneath, P. H. A., Mair, N.S., Sharpe, M. E. & Holt, J. G.. Baltimore: Williams & Wilkins.
- Collins, C.H. & Lyne, P. M. (1989).** Métodos microbiológicos. Editorial Acribia. Zaragoza.
- Cowan, S.T. & Steel, L.J. (1993).** Manual for the Identification of Medical Bacteria, 3rd edn. Edited and revised by G.I.Barrow & R.K.A. Feltham. Cambridge University Press.
- Chester, I.R., Meadow, P.M. & Pitt T.L. (1973).** The relationship between the O-antigenic lipopolysaccharides and serological specificity in strains of *Pseudomonas aeruginosa* and of different O-serotypes. *J Gen Microbiol* **78**, 305-318.
- Darveau, R.P. & Hancock R.E.W. (1983).** Procedure for Isolation of Bacterial Lipopolysaccharides from Both Smooth and Rough *Pseudomonas aeruginosa* and *Salmonella typhimurium* strains. *J Bacteriol* **155** (2), 831-838.
- De Boer, S.H. & Sasser, M. (1986).** Differentiation of *Erwinia carotovora* ssp. *carotovora* and *E.carotovora* ssp. *atroseptica* on the basis of cellular fatty acid composition. *Can J Microbiol* **32**, 796-800.
- Dees, S.B., Powell, J., Moss, C.W., Hollis, D.G. & Weaver, R.E. (1981).** Cellular fatty acid composition of organisms frequently associated with human infections resulting from dog bites: *Pasteurella multocida* and groups EF-4, IIj, and DF-2. *J Clin Microbiol* **14**, 612-616.
- De Ley, J., Cattoir, H. & Reynaerts, A. (1970).** The quantitative measurement of DNA hybridization from renaturation rates. *Eur J Biochem* **12**, 133-142.
- Denner, E. B.M., Mark, B., Busse, H. J., Turkiewicz, M. & Lubitz, M. (2001).** *Psychrobacter proteolyticus* sp. nov., a psychrotrophic, halotolerant bacterium isolated from the Antarctic krill *Euphausia superba* Dana, excreting a cold-adapted metalloprotease. *Syst Appl Microbiol* **24**, 44-53.

**Derby, H.A. & Hammer, B.W. (1931).** Bacteriology of butter. IV. Bacteriological studies on surface taint butter. *Iowa Agric Exp Stn Res Bull* 145, 389-416.

**DiChristina, T.J. & DeLong, E. F. (1994).** Isolation of anaerobic respiratory mutants of *Shewanella putrefaciens* and genetic analysis of mutants deficient in anaerobic growth on Fe<sup>3+</sup>. *J Bacteriol* 176, 1468-1474.

**Duguid, J. P. (1959).** *J Gen Microbiol* 21, 271.

**Ezaki, T., Hashimoto, Y. & Yabuuchi, E. (1989).** Fluorimetric deoxyribonucleic acid hybridization in microdilution wells as an alternative to membrane filter hybridization in which radioisotopes are used to determine filter hybridization in which radioisotopes are used to determine genetic relatedness among bacterial strains. *Int J Syst Bacteriol* 39, 224-229.

**Ferragut, C. & Leclerc, H. (1976).** Etude comparative des méthodes de determination de Tm de l'ADN bactérien. *Annu Microbiol* 127, 223-235.

**Fox, J.L. (2005).** Ribosomal Gene milestone Met, Already Left in Dust. Current Topics. *ASM News* 71(1), 6-7.

**Gadebusch, H.H. & Gabriel S. (1956).** Modified stable Kovács reagent for detection of Indol. *Am J Clin Pathol* 26, 1373-1375.

**Gevers, D., Huys, G. & Swings, J. (2001).** Applicability of rep-PCR fingerprinting for identification of *Lactobacillus* species. *FEMS Microbiol Let* 205, 31-36.

**Glauert, A.M., Kerridge, D. & Horne, R.W. (1963).** *J Cell Biol* 18, 327.

**Gillis, M., Kersters, K., Gosselé, F. Swings, J. De Ley, J. Mackenzie, A.R. & Bousfield, I.J. (1983).** The rediscovery of Bertrnad's sorbose bacterium *Acetobacter aceti* subsp. *xylinum*: proposal to designate NCIB 11664 in place of NCIB 4112 (ATCC 23767) as the type strain of *Acetobacter aceti* subsp. *xylinum*. Request for an opinion. *Int J Syst Bacteriol* 33, 122-124.

**Goris, J., Suzuki, K., De Vos, P., Nakase, T. & Kersters, K. (1998).** Evaluation of a microplate DNA-DNA hybridization method compared with the initial renaturation method. *Can J Microbiol* **44**, 1148-1153.

**Gregersen, T. (1978).** Rapid method for distinction of Gram negative from Gram positive bacteria. *Eur J Appl Microbiol Biotech* **5**, 123-127.

**Guinard, B.M. & Snell, E.E. (1981).** Biochemical Factors in Growth. In Manual of Methods for General Bacteriology. Edited by Gerhardt, P., Murray, R.E.G., Costilw, R. N., Nester, E.W., Wood, W.A., Krieg, N.R. & Phillips, G.B. Washington, DC. American Society for Microbiology.

**Halebian, S., Harris, B., Finegold, S.M. & Rolfe, R.D. (1981).** Rapid method that aids in distinguishing Gram positive from Gram negative anaerobic bacteria. *J Clin Microbiol* **13**, 444-448.

**Hanson, R.S. & Phillips, J.A. (1981).** Chemical composition. In Manual of Methods for General Bacteriology, pp 328-364. Edited by Gerhardt, P., Murray, R.E.G., Costilw, R. N., Nester, E.W., Wood, W.A., Krieg, N.R. & Phillips, G.B. Washintong, DC. American Society for Microbiology.

**Hernández Molina, J.M., Martínez, A., Parra, M.C. & Ortega, M.I. (1991).** Utilidad de la prueba de la L-alanina aminopeptidasa para diferenciar la estructura de la pared celular de las bacterias. *Enf Infec y Microbiol Clin* **9** (10), 637-639.

**Hitchcock, P.J. & Brown, T.M. Brown (1983).** Morphological heterogeneity among *Salmonella* lipopolysaccharide chemotypes in silver-stained polyacrylamide gels. *J Bacteriol* **154**, 269-277.

**Holding, A.J. & Colle, J.G. (1971).** Routine biochemical tests. In Methods in Microbiology, vol 6A, pp 1. Edited by Norris, J. R. & Ribbons, D.W.. Academic Press. London.

**Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T., Williams, S.T. (1994).** Bergey's Manual of Determinative Bacteriology (Ninth Edition). Williams & Wilkins. Baltimore.

**Hugh, R. & Leifson, E. (1953).** The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various gram-negative bacteria. *J Bacteriol* **66**, 24-26.

**Hucker, G.J. & Conn, H.J. (1923).** Methos of Gram staining. Technical Bulletin of the New York State Agricultural Experimental Station, **93**.

**Jackman, P.J.H. (1985).** Bacterial taxonomy based on electrophoretic whole-cell protein patterns. In Chemical Mehods in Bacterial Systematics, pp 115-128. Edited by M. Goodfellow & D. Minnikin. Academic Press. London.

**Jeffries, C.D., Holtman, D.F. & Guse, D.G. (1957).** Rapid method for determining the activity of microorganisms on nucleic acids. *J Bact* **73**, 590.

**Jiménez, F. (2003).** Tesis Doctoral. Estudio Taxonómico de una nueva especie bacteriana del género *Streptomices* de origen antártico productora de un antimicrobiano de espectro reducido. Universitat de Barcelona.

**Johnson, J.L. (1981).** Genetic Characterization. In Manual of Methods for General Bacteriology, pp. 450-471. Edited by Gerhardt P., Murray R. E. G., Costilow R. N., Nester E. W., Wood, W. A., Krieg, N. R. & Phillips B. G. American Society for Microbiology. Washintong.

**Juni, E. (1991).** The genus *Psychrobacter*. In The Prokaryotes, pp. 3242-3246. Edited by A. Balows, H.G. Trüper, M. Dworkin, W. Harder & K.H. Schleifer. New York: Springer.

**Juni, E. & Heym, G.A. (1980).** Transformation assay for identification of psychrotrophic achromobacters. *Appl Environ Microbiol* **40**, 1106-1114.

**Kämpfer, P., Albrecht, A., Buczolits, S. & Busse, H. J. (2002).** *Psychrobacter faecalis* sp. nov., a new species from a bioaerosol originating from pigeon faeces. *Syst Appl Microbiol* **25**, 31-36.

**Kersters, K. (1985).** Numerical methods in the classification of bacteria by protein electrophoresis. In Classification of bacteria by protein electrophoresis, pp 337-368. Computer-assisted Bacterial Systematics. Edited by Goodfellow, M. & Jones, D. Academic Press. London.

**Kersters, K. (1991).** Electrophoretic profiles of proteins. Comunicación personal.

**Kersters, K. & De Ley, J. (1980).** Classification and identification of bacteria by electrophoresis of their proteins. In Microbiological Classification and Identification, pp. 223-297. Edited by Goodfellow, M. & Board, R. G.. Academic Press. London.

**Kovács, N. (1928).** Eine vereinfachte Methode zum Nachweis der Indolbildung durch Bakterien. *A Immunforsch* **55**, 311-315.

**Kovács, N. (1956).** Identification of *Pseudomonas pyocianea* by the oxidase reaction. *Nature*. **178**, 703. London.

**Krassilnikov, N.A. (1959).** Diagnostik der Bakterie und Actinomyceten. Edited by Veb Gustav Fischer Verlag. Jena.

**Kwee, S., Dommett, T.W. & Vos, A.C. (1988).** Fluorogenic medium for differential Gram negative, Gram positive and total bacterial counts in liquid milks. *Austral J D Technol* **43**, 50-53.

**Lee, J.V. Gibson, D.M. & Shewan, J.M. (1977).** A numerical taxonomic study of some pseudomonas-like marine bacteria. *J Gen Microbiol* **98**, 439-451.

**Leifson, E. (1963).** Determination of carbohydrate metabolism of marine bacteria. *J Bacteriol* **85**, 1183-1184.

**Lehmann, K.B. & Neumann, R. (1915).** Atlas y Elementos de Bacteriología y el compendio del Diagnóstico Bacteriológico Especial. (Quinta Edición) pp 37. Librería Académica.

**Lelliot, R.A., Billing, E. & Hayward, A.C. (1966).** A determinative scheme for the fluorescent plant pathogenic Pseudomonads. *J Appl Bacteriol* **29**, 470-489.

**Lovely, D.R., Caccavo, F., Jr. & Phillips, E. J. P. (1992).** Acetate oxidation by dissimilatory Fe(III) reducers. *Appl Environ Microbiol* **58**, 3205-3208 (Letter to editor).

**Llarch, A. (1995).** Tesis Doctoral. Contribució a l'estudi taxonòmic de bacteris termòfils de l'illa Decpció (Antàrtida). Universitat de Barcelona.

**Macfarlane, R.G., Oakley, C.L. & Anderson, C.G. (1941).** Haemolysis and the production of opalescence in serum and lecitho-vitellin by the  $\alpha$  toxin of *Clostridium welchii*. *J Path Bact* **52**, 99.

**Manafi, M. & Kneifel, W. (1990).** Rapid methods for differentiating Gram positive from Gram negative aerobic and facultative anaerobic bacteria. *J Appl Bacteriol* **69**, 822-827.

**Mandatori, R. & Penner, J.L. (1989).** Structural and antigenic properties of *Campylobacter coli* lipopolysaccharides. *Infection and Immunity* **57** (11), 3506-3511.

**Mandel, M. & Marmur, J. (1968).** Use of Ultraviolet Absorbance-Temperature Profile for determining the Guanine plus Cytosine Content of DNA. In Methods in Enzymology, vol **12 B**, 195. Edited by L. Grossman & K. Moldave. Academic Press. London and New York.

**Marchant, H.J. & Tomas, D.P. (1983).** Polylysine as an adhesive for the attachment of nanoplankton to substrates for electron microscopy. *J of Microscopy* **131**, 127-129.

**Marmur, J. (1961).** A procedure for the isolation of deoxyribonucleic acids from microorganisms. *J Mol Biol* **3**, 208-218.

**Marmur, J. & Doty, P. (1962).** Determination of the base composition of deoxyribonucleic acid from its thermal denaturation temperature. *J Mol Biol* **5**, 109-118.

**Marshall, B.J. & Ohye, D.F. (1966).** *Bacillus macquariensis* nov. sp., a psychrotrophic bacterium from sub-Antarctic soil. *J Gen Microbiol*, **44**, 41-46.

**Maruyama, A., Honda, D., Yamamoto, H., Kitamura, K. & Higashihara, T. (2000).** Phylogenetic analysis of psychrophilic bacteria isolated from the Japan Trench, including a description of the deep-sea species *Psychrobacter pacificensis* sp. nov. *Int J Syst Evol Microbiol* **50**, 835-846.

**Mesbah, M., Premachandran, U. & Whitman, W. B. (1989).** Precise measurement of the G+C content of deoxyribonucleic acid by high-performance liquid chromatography. *Int J Syst Bacteriol* **39**, 159-167.

**Migula, W. (1897).** System der Bakterien. Handbuch der Morphologie, Entwicklungsgeschichte und Systematik der Bakterien. Erster Band. Allgemeiner Teil. Edited by Verlag von Gustav Fischer. Jena.

**Migula, W. (1900).** System der Bakterien. Handbuch der Morphologie, Entwicklungsgeschichte und Systematik der Bakterien. Zweiter Band. Specielle Systematik der Bakterien. Edited by Verlag von Gustav Fischer. Jena.

**Minnikin, D.E. & Goodfellow, M. (1980).** Lipid Composition in the Classification and Identification of Acid-fast Bacteria. In *Microbiological Classification and Identification*, pp 189-256. Edited by M. Goodfellow & R.G. Board. Academic Press. London.

**Minnikin, D.E., O'Donnell, A.G., Goodfellow, M., Alderson, G., Athalye, M., Schaal, A. & Parlett, J.H. (1984).** An integrated procedure for the extraction of bacterial isoprenoid quinones and polar lipids. *J Microbiol Meth* **2**, 233-241.

**Morita, R. Y. (1975).** Psychrophilic bacteria. *Bacteriological Reviews* **39** (2), 144-167.

**Moss, C.W. (1981).** Gas-liquid chromatography as an analytical tool in microbiology. *J Chromatogr* **203**, 337-347.

**Moss, C.W., Wallance, P.L., Hollis, D.G. & Weaver, R.E. (1988).** Cultural and chemical characterization of CDC groups EO-2, M-5, and M-6, *Moraxella* (*Moraxella*) species, *Oligella urethralis*, *Acinetobacter* species, and *Psychrobacter immobilis*. *J Clin Microbiol* **26**, 484-492.

**Murray, R.G.E., Chairman, Brenner, D.J., Bryant, M.P. Holt, J.G., Krieg, N.R., Moulder, J.W., Pfennig, N., Sneath, P.H.A. & Staley, J.T. (ed).** (1984). Bergey's Manual of Systematic Bacteriology (First Edition). Williams & Wilkins. Baltimore.

**Myers, C.R. & Myers, J.M. (1992).** Localization of Cytochromes to the Outer Membrane of Anaerobically Grown *Shewanella putrefaciens* MR-1. *J Bacteriol* **174** (11), 3429-3438.

**Myers, C.R. & Nealson, K.H. (1988).** Bacterial manganese reduction and growth with manganese oxide as the sole electron acceptor. *Science* **240**, 1319-1321.

**Myers, C.R. & Nealson, K.H. (1990).** Respiration-linked proton translocation coupled to anaerobic reduction of manganese (IV) and iron (III) in *Shewanella putrefaciens* MR-1. *J Bacteriol* **172**, 6232-6238.

**Nagarajan, P. & Bates, L.S. (1981).** A rapid poly-L-lysine schedule for SEM studies of acetolyzed pollen grains. *Pollen et Spores* **23**, 273.

**Nikaido, H. (1979).** Non specific transport through the outer membrane In Bacterial outer membranes: biogenesis and functions, pp. 361-405. Edited by M. Inouye. John Wiley and sons, Inc. New York.

**Nikaido, H. & Nakae, T. (1979).** The outer membrane of Gram negative bacteria. *Adv Microb Physiol* **19**, 163-250.

**Osborn, M.J. (1963).** *Proc Natl Acad Sci. USA.* **50**, 499-506.

**Owen, R.J. & Hill, L.R. (1979).** The estimation of base compositions, base pairing and genome size of bacterial deoxyribonucleic acids. In Identification methods for microbiologists, 2nd ed., pp. 217-296. Edited by Skinner, F. A. & Lovelock, D. W. Academic Press, London, United Kingdom.

**Owen, R.J. & Pitcher, D. (1985).** Current methods for estimating DNA base composition and levels of DNA-DNA hybridization. In Chemical methods in bacterial systematics, pp.67-93. Edited by Goodfellow, M. & Minnikin, E. Academic Press, London.

**Palleroni, N.J. & Doudoroff, M. (1972).** Some properties and taxonomic subdivisions of the genus *Pseudomonas*. *Annu Rev Phytopathol* **10**, 73-100.

**Pinochet de la Barra, O. (1993).** El continente antártico: ese recien llegado del siglo XX. Investigación Española en la Antártida, pp.17.UIMP Santander. CICYT.

**Pitcher, D.G., Saunders, N.A. & Owen R.J. (1989).** Rapid extraction of bacterial genomic DNA with guanidium thiocyanate. *Lett Appl Microbiol* **8**, 151-156.

**Pot, T. & Kersters, K. (1991).** Practical exercise “SDS-PAGE Protein patterns of microorganis”. Advanced course on chemotaxonomic and molecular methods in bacterial taxonomy. Coimbra 16-17 Sept.

**Prévot, A.R. (1961).** Traité de Systématique Bactérienne (Tome I). Edited by Dunod. París.

**Ramsey, W.S., Nowlan, E.D., Simpson, L.B., Messing, R.A. & Takeguchi, M.M. (1980).** Applications of fluorophore-containing microbial growth media. *Appl Environ Microbiol* **39**, 372-375.

**Rapin, A.M.C. & Kalckar, H. M. (1971).** The relation of bacteriophage attachment to lipopolysaccharide structure. In Microbial toxins, **vol 4**, pp. 267-307. Edited by Weinbaum, G., Kadis, S. & S. J. A. Academic Press. Inc. New York.

**Read, R.R. & Costerton, J.W. (1987).** Purification and characterization of adhesive exopolysaccharides from *Pseudomonas putida* and *Pseudomonas fluorescens*. *Can J Microbiol* **33**, 1080-1090.

**Report (1958).** Report of the *Enterobacteriaceae* Subcommittee of the Nomenclature Committee of the International Association of Microbiological Societies. *Int Bull bact Nomencl Taxon* **8**, 25.

**Rest, R.F., Coohey, M.H. & Spitznagel, J.K. (1977).** Susceptibility of lipopolysaccharide mutants to the bactericidal action of human neutrophil lysosomal fractions. *Infect Immun* **16**, 145-151.

**Robertson, D.C., Riley, L.K., Kreutznem, D.L. & Dreyfus (1979).** Intracellular survival of smooth and rough strains of Brucella. In *Microbiology*, pp. 150-153. Edited by Schlessinger . American Society for Microbiology. Washington, D.C.

**Romanenko, L.A., Schumann, P., Rohde, M., Lysenko, A. M., Mikhailov, V.V. & Stackebrandt, E. (2002).** *Psychrobacter submarinus* sp. nov. and *Psychrobacter marincola* sp. nov., psychrophilic halophiles from marine environments. *Int J Syst Evol Microbiol* **52**, 1291-1297.

**Russa, R. Urbanik, T., Kowalcuk, E. & Lorkiewiez (1982).** Correlation between the occurrence of plasmid pUCS202 and lipopolysaccharide alterations in *Rhizobium*. *FEMS Microbiol lett* **13**, 161-165.

**Saffarini, D. A., DiChristina, T. J., Bermudes, D. & Nealson, K.H. (1994).** Anaerobic respiration of *Shewanella putrefaciens* requires both chromosomal and plasmid-borne genes. *FEMS Microbiol Lett* **119**, 271-278.

**Sambrook, J., Fritson, E.F. & Maniatis, T. (1989).** Molecular Cloning: A Laboratory Manual. Second Edition. Cold Spring Harbor Laboratory Press.

- Saiki, R.K., Gelfand, D.H., Stoffe, S., Scharf, S.J., Higuchi, R., Horn, G.T., Mullis, K.B. & Erlich, H.A. (1988).** Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* **239**, 487-491.
- Saitou, N. & Nei, M. (1987).** The neighbour-joining method: a new method for reconstructing phylogenetic trees. *Mol Biol Evol* **4**, 406-425.
- Shaw, B.G. & Shewan, J.M. (1968).** Psychrophilic spolilage bacteria of fish. *J Appl Bacteriol* **31**, 89-96.
- Schaeffer, A. B. & Fulton, M. (1933).** A simplified method of staining endospores. *Science* **77**, 194. New York.
- Shewan, J. M. Hobbs, G. & Hodgkiss, W. (1960).** A determinative scheme for the identification of certain genera of gram-negative bacteria, special reference to the *Pseudomonadaceae*. *J Appl Bacteriol* **23**, 379-390.
- Sierra, G. (1957).** A simple method for the detection of lipolitic activity of micro-organisms and some obervations on the influence of contact between cells and fatty substrates. *Antonie van Leeuwenhoek* **23**, 15.
- Stackebrandt, E. & Goebel, B.M. (1994).** Taxonomic note: a place for DNA-DNA reassociation and 16S rRNA sequence analysis in the present species definition in bacteriology. *Int J Syst Bacteriol* **44**, 846-849.
- Starr, M.P., Stolp, H., Trüper, H.G., Balows, A. & Schlegel (Eds) (1981).** The Prokaryotes. Springer-Verlag.
- Suzuki, K. I. & Komagata, K. (1983).** Taxonomic significant cellular fatty acid composition in some coryneform bacteria. *Int Syst Bacteriol* **33**, 188-200.
- Tamaoka, J., Katayama-Fujimura, Y. & Kuraishi, H. (1983).** Analysis of bacterial menaquinone mixtures by high performance liquid chromatography. *J Appl Bacteriol* **54**, 31-36.

**Teuber, M. & Cerny, G. (1973).** Detection of a single metalindependent aminopeptidase activity in polymyxin-extracts from *Escherichia coli*. *B Arch Mikrobiol* **91**, 235-240.

**Thornley, M.J. (1960).** The differentiation of *Pseudomonas* from other Gram negative bacteria on the basis of arginine metabolism. *J Appl Bacteriol* **23**, 37-52.

**Thornley, M.J. & Horne, R.W. (1962).** *J Gen Microbiol* **28**, 51.

**Tudela, E. (1996).** Tesis Doctoral. Aislamiento y caracterización de bacterias procedentes de Isla de Livingston y Botany Bay. Descripción de una nueva especie de *Pseudoalteromonas*. Universitat de Barcelona.

**Venkateswaran, K., Moser, D.P., Dollhopf, M.E. & 10 other authors. (1999).** Polyphasic taxonomy of the genus *Shewanella* and description of *Shewanella oneidensis* sp. nov. *Int J Syst Bacteriol* **49**, 705-724.

**Wayne, L.G., Brenner, D.J., Colwell, R.R. & 9 other authors (1987).** International Committee on Systematic Bacteriology. Report of the ad hoc committee on reconciliation of approaches to bacterial systematics. *Int J Syst Bacteriol* **37**, 463-464.

**Weisbach, A. & Hurwitz, J. (1959).** *J Biol Chem* **234**, 705-712.

**Whatley, M.H., Bodwin, J., Lippincott, B.B. & Lippincott, J.A. (1976).** Role for *Agrobacterium* cell envelope lipopolysaccharide in infection site attachment. *Infect Immun* **13**, 1080-1083.

**Wicken, A.J. & Konx K.W. (1980).** Bacterial cell surface amphiphiles.. *Biochim Biophys Acta* **604**, 1-26.

**Widdel, F., Kohring, G.W. & Mayer, F. (1983).** Studies on dissimilatory Sulfate-reducing bacteria that decompose fatty acids III.Characterization of the filamentous glinding *Desulfonema limicola* gen. nov. sp. nov., and *Desulfonema magnum* sp. nov. *Arch Microbiol* **134**, 286-294.

**Wilson, K. (1987).** Preparation of genomic DNA from bacteria. In Current Protocols in Molecular Biology, pp. 2.4.1.-2.4.5. Edited by Ausubel, F.M., Brent, R., Kingston, R.E., Moore, D.D., Seidman, J. G., Smith, J. A. & Struhl, K. Greene Publishing and Wiley-Interscience. New York.

**Work, E. (1971).** Cells Wall. In Methods in Microbiology, vol. **5A**, pp. 361-418. Edited by J. R. Norris & D. W. Ribbons. Academic Press. London and New York.

