



Universitat de Barcelona  
Facultat de Química  
Departament de Química Analítica



Institut d'Investigacions Químiques i  
Ambientals de Barcelona IIQAB-CSIC  
Departament de Química Ambiental

# Vigilància ambiental de metil *tert*-butil èter (MTBE), un additiu de la gasolina, en aigües i sòls

Mònica Rosell i Linares  
Juliol 2006

## 7 BIBLIOGRAFIA

- [1] United Nations Environment Programme (UNEP); Organisation for Economic Co-operation and Development (OECD) *Phasing Lead out of Gasoline: An Examination of Policy Approaches in Different Countries*; ISBN: 92-807-1796-0; Paris Cedex, France, 1999.
- [2] US Environmental Protection Agency *The Clean Air Act Amendments: Washington, D.C., 101st Congress of the United States, Sec. 219*; <http://www.epa.gov/oar/caa/caaa.txt>.
- [3] Gertler, A. W.; Sagebiel, J. C.; Dippel, W. A.; O'Connor, C. M. The impact of California Phase 2 reformulated gasoline on real-world vehicle emissions. *Journal of the Air and Waste Management Association* **1999**, *49*, 1339-1346.
- [4] US Environmental Protection Agency *Phase II Reformulated Gasoline: The Next Major Step Toward Cleaner Air*; Air and Radiation (6406J), EPA 420-F-99-042; Washington, DC, USA, 1999.
- [5] Morgenroth, E.; Arvin, E. *The European perspective to MTBE as an oxygenate in fuels*; Proc. of International Congress on Ecosystem Health - Managing for Ecosystem Health. Sacramento, California (USA), 15-20 August, 1999.
- [6] Moran, M. J.; Zogorski, J. S.; Squillace, P. J. MTBE and gasoline hydrocarbons in ground water of the United States. *Ground Water* **2005**, *43*, 615-627.
- [7] Zogorski, J. S.; Morduchowitz, A.; Baehr, A. L.; Bauman, B. J.; Conrad, D. L.; Drew, R. T.; Korte, N. E.; Lapham, W. W.; Pankow, J.; Washington, E. R. *Fuel oxygenates and water quality: Current understanding of sources, occurrence in natural water, environmental behavior, fate, and significance*; Office of Science and Technology Policy, Exec. Office of the president; Washington, DC, USA, 1997.
- [8] Squillace, P. J.; Zogorski, J. S.; Wilber, W. G.; Price, C. V. Preliminary assessment of the occurrence and possible sources of MTBE in groundwater in the United States, 1993-1994. *Environmental Science & Technology* **1996**, *30*, 1721-1730.

## Bibliografia

---

- [9] Fischer, A.; Muller, M.; Klasmeier, J. Determination of Henry's law constant for methyl tert-butyl ether (MTBE) at groundwater temperatures. *Chemosphere* **2004**, *54*, 689-694.
- [10] Lyman, W. J.; Reehl, W. F.; Rosenblatt, D. H. In *Handbook of chemical property estimation methods: Environmental behavior of organic chemicals*; Society, A. C., Ed.: Washington, DC, USA, 1990.
- [11] Mackay, D. M.; Shiu, W. Y.; Ma, K. C. In *Illustrated Handbook of physical-chemical properties and environmental fate of organic chemicals - Monoaromatic hydrocarbons, chlorobenzenes, and PCBs*; Lewis, Ed.: Chelsea, MI, USA, 1992; Vol. 1.
- [12] Mackay, D. M.; Shiu, W. Y.; Ma, K. C. In *Illustrated Handbook of physical-chemical properties and environmental fate of organic chemicals - Volatile organic chemicals*; Lewis, Ed.: Chelsea, MI, USA, 1993; Vol. 3.
- [13] Robbins, G. A.; Wang, S.; Stuart, J. D. Using the static headspace method to determine Henry's Law constants. *Analytical Chemistry* **1993**, *65*, 3113-3118.
- [14] Callender, T.; Davis, L. C. *Environmental behavior of methyl tert-butyl ether: A study of Henry's law constant and the dispersion of MTBE through river bottom sand and soil*; Proc. of Conference on Environmental Research. Manhattan, KS, USA, 21–24 May, 2001.
- [15] Bierwagen, B. G.; Keller, A. A. Measurement of Henry's Law constant for methyl tert-butyl ether using solid-phase microextraction. *Environmental Toxicology and Chemistry* **2001**, *20*, 1625-1629.
- [16] Arp, H. P. H.; Schmidt, T. C. Air-water transfer of MTBE, its degradation products, and alternative fuel oxygenates: The role of temperature. *Environmental Science & Technology* **2004**, *38*, 5405-5412.
- [17] Shelley, S.; Fouhy, K. Drive for cleaner-burning fuel. *Chemical Engineering (New York)* **1994**, *101*, 61-63.
- [18] Ainsworth, S. Oxygenates Seen as Hot Market by Industry. *Chemical & Engineering News* **1992**, *70*, 26-&.

## Bibliografia

---

- [19] Johnson, R.; Pankow, J.; Bender, D.; Price, C.; Zogorski, J. MTBE - To what extent will past releases contaminate community water supply wells? *Environmental Science & Technology* **2000**, *34*, 210A-+.
- [20] US Environmental Protection Agency *MTBE in Fuels*; <http://www.epa.gov/mtbe/gas.htm#background>.
- [21] Schmidt, T. C.; Haderlein, S. B. *Does the use of MTBE pose environmental problems in Switzerland?*; EAWAG; Switzerland, 2000.
- [22] Schmidt, T. C.; Morgenroth, E.; Schirmer, M.; Effenberger, M.; Haderlein, S. B. In *Oxygenates in Gasoline: Environmental Aspects*; Diaz, A. F., Drogos, D. L., Eds.: Washington, DC, USA, 2002; pp 58-79.
- [23] European Union Directive 98/70/EC -Quality of petrol and diesel fuels. *Official Journal of the European Union* **1998**, *L350*, 58-68.
- [24] Ministerio de Industria y Energía Real Decreto 2482/86 por el que se modifica el Decreto 2204/75 por el que se fijan las especificaciones de gasolinas, gas-oil y fuel-oil en concordancia con las establecidas por la CEE. *Boletín Oficial del Estado (BOE)* **1986**, *5*, 12-86.
- [25] European Union Directive 2003/17/CE - which modifies Directive 98/70/CE on the quality of petrol and diesel fuels. *Official Journal of the European Union* **2003**, *L76*, 10-19.
- [26] Chevron corporation *California Phase 2 Reformulated Gasoline, Technical Bulletin*; <http://www.chevron.com/PRODUCTS/prodserv/fuels/bulletin/phase2rfg/>.
- [27] US Environmental Protection Agency *Achieving Clean Air and Clean Water: The Report of the Blue Ribbon Panel on Oxygenates in Gasoline*; EPA420-R-99-021; Washington, DC, USA, 1999.
- [28] DeWitt & Company Inc. *MTBE/Oxygenates clean fuels news letter*; Houston, Texas, USA, 1999.
- [29] European Union Directive 2003/30/EC - On the promotion of the use of biofuels or other renewable fuels for transport. *Official Journal of the European Union* **2003**, *L123*, 42-46.

## Bibliografia

---

- [30] Pérez Pascual, M. A. (2001) Personal communication from: Director Centre Investigació de CEPSA, January 2001
- [31] Squillace, P. J.; Pope, D. A.; Price, C. V. *Ocurrence of the Gasoline Additive MTBE in Shallow Ground Water in Urban and Agricultural Areas*; National Water-Quality Assessment program (NAWQA) of U.S. Geological Survey (USGS); Fact Sheet 114-95; Rapid City, SD, USA, 1995.
- [32] Shih, T.; Rong, Y.; Harmon, T.; Suffet, M. Evaluation of the impact of fuel hydrocarbons and oxygenates on groundwater resources. *Environmental Science & Technology* **2004**, *38*, 42-48.
- [33] Squillace, P. J.; Pankow, J. F.; Korte, N. E.; Zogorski, J. S. Review of the environmental behavior and fate of methyl tert-butyl ether. *Environmental Toxicology and Chemistry* **1997**, *16*, 1836-1844.
- [34] Squillace, P. J.; Pankow, J. F.; Korte, N. E.; Zogorski, J. S. *Environmental Behavior and Fate of Methyl tert-Butyl Ether (MTBE)*; U.S. Department of the Interior - US Geological Survey - NAWQA; Fact Sheet FS-203- 96; 1998.
- [35] Smith, D. F.; Kleindienst, T. E.; Hudgens, E. E.; McIver, C. D.; Bufalini, J. J. Photooxidation of methyl tertiary butyl ether. *International Journal of Chemical Kinetics* **1991**, *23*, 907-924.
- [36] Japar, S. M.; Wallington, T. J.; Richert, J. F. O.; Ball, J. C. Atmospheric chemistry of oxygenated fuel additives. T-butyl alcohol, dimethyl ether, and methyl t-butyl ether. *International Journal of Chemical Kinetics* **1990**, *22*, 1257-1269.
- [37] Church, C. D.; Isabelle, L. M.; Pankow, J. F.; Rose, D. L.; Tratnyek, P. G. Method for Determination of Methyl tert-Butyl Ether and Its Degradation Products in Water. *Environmental science and technology* **1997**, *31*, 3723-3726.
- [38] Acero, J. L.; Haderlein, S. B.; Schmidt, T. C.; Suter, M. J. F.; Von Gunten, U. MTBE oxidation by conventional ozonation and the combination ozone/hydrogen peroxide: Efficiency

## Bibliografia

---

- of the processes and bromate formation. *Environmental Science & Technology* **2001**, *35*, 4252-4259.
- [39] Aguera, A.; Mezcua, M.; Hernando, D.; Malato, S.; Caceres, J.; Fernandez-Alba, A. Application of GC-MS and GC-AED to the evaluation of by-products formed by solar photo-fenton degradation of methyl tert-butyl ether in water. *International Journal of Environmental Analytical Chemistry* **2004**, *84*, 149-159.
- [40] Suflita, J. M.; Mormille, M. R. Anaerobic biodegradation of potential gasoline oxygenates in the terrestrial subsurface. *Environmental science and technology* **1993**, *27*, 976-978.
- [41] Mormile, M. R.; Liu, S.; Suflita, J. M. Anaerobic biodegradation of gasoline oxygenates: extrapolation of information to multiple sites and redox conditions. *Environmental science and technology* **1994**, *28*, 1727-1732.
- [42] Yeh, C. K.; Novak, J. T. Anaerobic biodegradation of gasoline oxygenates in soils. *Water Environment Research* **1994**, *66*, 744-752.
- [43] Bradley, P. M.; Landmeyer, J. E.; Chapelle, F. H. Aerobic mineralization of MTBE and tert-butyl alcohol by stream-bed sediment microorganisms. *Environmental science and technology* **1999**, *33*, 1877-1879.
- [44] Stocking, A. J.; Deeb, R. A.; Flores, A. E.; Stringfellow, W.; Talley, J.; Brownell, R.; Kavanaugh, M. C. Bioremediation of MTBE: a review from a practical perspective. *Biodegradation* **2000**, *11*, 187-201.
- [45] Fayolle, F.; Vandecasteele, J. P.; Monot, F. Microbial degradation and fate in the environment of methyl tert-butyl ether and related fuel oxygenates. *Applied Microbiology and Biotechnology* **2001**, *56*, 339-349.
- [46] Zanardini, E.; Pisoni, C.; Ranalli, G.; Zucchi, M.; Sorlini, C. Methyl tert-butyl ether (MTBE) bioremediation studies. *Annals of Microbiology* **2002**, *52*, 207-221.

## Bibliografia

---

- [47] Schmidt, T. C.; Schirmer, M.; Weiß, H.; Haderlein, S. B. Microbial degradation of methyl tert-butyl ether and tert-butyl alcohol in the subsurface. *Journal of Contaminant Hydrology* **2004**, *70*, 173-203.
- [48] Schirmer, M.; Butler, B. J.; Barker, J. F.; Church, C. D.; Schirmer, K. Evaluation of biodegradation and dispersion as natural attenuation processes of MTBE and benzene at the Borden field site. *Physics and Chemistry of the Earth, Part B: Hydrology, Oceans and Atmosphere* **1999**, *24*, 557-560.
- [49] Church, C. D.; Pankow, J. F.; Tratnyek, P. G. Hydrolysis of tert-butyl formate: Kinetics, products, and implications for the environmental impact of methyl tert-butyl ether. *Environmental Toxicology and Chemistry* **1999**, *18*, 2789-2796.
- [50] Schmidt, T. C. Analysis of methyl tert-butyl ether (MTBE) and tert-butyl alcohol (TBA) in ground and surface water. *TrAC Trends in Analytical Chemistry* **2003**, *22*, 776-784.
- [51] Salanitro, J. P. Understanding the Limitations of Microbial-Metabolism of Ethers Used as Fuel Octane Enhancers. *Current Opinion in Biotechnology* **1995**, *6*, 337-340.
- [52] Steffan, R. J.; McClay, K.; Vainberg, S.; Condee, C. W.; Zhang, D. L. Biodegradation of the gasoline oxygenates methyl tert-butyl ether, ethyl tert-butyl ether, and tert-amyl methyl ether by propane-oxidizing bacteria. *Applied and Environmental Microbiology* **1997**, *63*, 4216-4222.
- [53] Church, C. D.; Tratnyek, P. G.; Scow, K. M. *Pathways for the degradation of MTBE and other fuel oxygenates by isolate PM1*; Proc. of ACS Division of Environmental Chemistry, Preprints. 2000///, 2000.
- [54] US Environmental Protection Agency *Drinking water regulations and health advisories*; Office of Water; EPA-822-R-96-001; Washington, DC, USA, 1996.
- [55] US Environmental Protection Agency *Drinking water advisory: Consumer acceptability advice and health effects analysis on methyl tertiary-butyl ether (MTBE)*; Office of Water; EPA-822-F-97-009; Washington, DC, USA, 1997.

## Bibliografia

---

- [56] Ventura, F.; Romero, J.; Pares, J. Determination of Dicyclopentadiene and Its Derivatives as Compounds Causing Odors in GroundwaterSupplies. *Environmental science and technology* **1997**, *31*, 2368-2374.
- [57] Ministry of the Environment Finland *Risk assessment of methyl tertiary-butyl ether (MTBE), EINECS No 216-653-1, carried out in the framework of European Council Regulation (EEC) 793/93 on the evaluation and control of the risks of existing substances*; Final Report 2002; Helsinki, Finland, 2002.
- [58] Stocking, A. J.; Suffet, I. H.; McGuire, M. J.; Kavanaugh, M. C. Implications of an MTBE odor study for setting drinking water standards. *Journal American Water Works Association* **2001**, *93*, 95-+.
- [59] Dale, M. S.; Moylan, M. S.; Koch, B.; Davis, M. K. *MTBE--taste-and-odor threshold determinations using the flavor profile method*; Proc. of American Water WorksAssociation Water-Quality Technology Conference. La Verne, CA, 1997.
- [60] Begley, R.; Rotman, D. Health complaints fuel federal concern over MTBE. *Chemical Week* **1993**, *152*, 7.
- [61] Moolenaar, R. L.; Hefflin, B. J.; Ashley, D. L.; Middaugh, J. P.; Etzel, R. A. Methyl Tertiary Butyl Ether in Human Blood after Exposure to Oxygenated Fuel in Fairbanks, Alaska. *Archives of Environmental Health* **1994**, *49*, 402-409.
- [62] US Environmental Protection Agency *Health Risk Perspectives on Fuel Oxygenates*; Office of Research and Development; EPA 600/R-94/217; Washington, DC, USA, 1994.
- [63] Ecology and Environment Inc. (E&E) *EPA Shifts MTBE Policy*;  
[http://www.ene.com/services/litigation/dev\\_mtbe.asp](http://www.ene.com/services/litigation/dev_mtbe.asp).
- [64] Werner, I.; Koger, C. S.; Deanovic, L. A.; Hinton, D. E. Toxicity of methyl-tert-butyl ether to freshwater organisms. *Environmental Pollution* **2001**, *111*, 83-88.

## Bibliografia

---

- [65] Wong, D. C. L.; Arnold, W. R.; Rausina, G. A.; Mancini, E. R.; Steen, A. E. Development of a freshwater aquatic toxicity database for ambient water quality criteria for methyl tertiary-butyl ether. *Environmental Toxicology and Chemistry* **2001**, *20*, 1125-1132.
- [66] Rausina, G. A.; Wong, D. C. L.; Arnold, W. R.; Mancini, E. R.; Steen, A. E. Toxicity of methyl tert-butyl ether to marine organisms: ambient water quality criteria calculation. *Chemosphere* **2002**, *47*, 525-534.
- [67] Hernando, M. D.; Ejerhoon, M.; Fernandez-Alba, A. R.; Chisti, Y. Combined toxicity effects of MTBE and pesticides measured with *Vibrio fischeri* and *Daphnia magna* bioassays. *Water Research* **2003**, *37*, 4091-4098.
- [68] Belpoggi, F.; Soffritti, M.; Maltoni, C. Methyl-Tertiary-Butyl Ether (Mtbe) - a Gasoline Additive - Causes Testicular and Lymphohaematopoietic Cancers in Rats. *Toxicology and Industrial Health* **1995**, *11*, 119-149.
- [69] Bird, M. G.; Burleigh-Flayer, H. D.; Chun, J. S.; Douglas, J. F.; Kneiss, J. J.; Andrews, L. S. Oncogenicity studies of inhaled methyl tertiary-butyl ether (MTBE) in CD-1 mice and F-344 rats. *Journal of Applied Toxicology* **1997**, *17*.
- [70] US Department of Health and Human Services *Toxicological profile for methyl tert-butyl ether (MTBE)*; Public Health Service Agency for Toxic Substances and Disease Registry; Atlanta, GA, 1996.
- [71] Cirvello, J. D.; Radovsky, A.; Heath, J. E.; Farnell, D. R.; Lindamood, C. Toxicity and Carcinogenicity of T-Butyl Alcohol in Rats and Mice Following Chronic Exposure in Drinking-Water. *Toxicology and Industrial Health* **1995**, *11*, 151-165.
- [72] World Health Organization *Methyl tertiary-Butyl Ether (MTBE) in Drinking-water, background document for development of WHO Guidelines for Drinking-water Quality*; WHO/SDE/WSH/05.08/122; 2005.
- [73] Achten, C.; Kolb, A.; Puttmann, W. Methyl tert-butyl ether (MTBE) in urban and rural precipitation in Germany. *Atmospheric Environment* **2001**, *35*, 6337-6345.

## Bibliografia

---

- [74] Achten, C.; Kolb, A.; Puttmann, W.; Seel, P.; Gihr, R. Methyl tert-butyl ether (MTBE) in river and wastewater in Germany - 1. *Environmental Science & Technology* **2002**, *36*, 3652-3661.
- [75] Kolb, A.; Puttmann, W. Methyl tert-butyl ether (MTBE) in snow samples in Germany. *Atmospheric Environment* **2006**, *40*, 76-86.
- [76] Umweltbundesamt (UBA) *Umweltrelevanz des Stoffes Methyltertiärbutylether (MTBE) unter besonderer Berücksichtigung des Gewässerschutzes*; <http://www.umweltbundesamt.de/verkehr/kraftubst/additiva/mtbe.htm>.
- [77] Melin, G., Ed. *Treatment Technologies for Removal of Methyl Tertiary Butyl Ether (MTBE) from Drinking Water: Air Stripping, Advanced Oxidation Processes, Granular Activated Carbon, Synthetic Resin Sorbents*; Second ed.; Center for Groundwater Restoration and Protection; National Water Research Institute: Fountain Valley, CA, USA, 2000.
- [78] American Petroleum Institute *A compilation of field-collected cost and treatment effectiveness data for the removal of dissolved gasoline components from groundwater*; Publication No. 4525; Washington, DC, USA, 1990.
- [79] Baus, C.; Sacher, F.; Brauch, H. J. Efficiency of ozonation and AOP for methyl-tert-butylether (MTBE) removal in waterworks. *Ozone-Science & Engineering* **2005**, *27*, 27-35.
- [80] Hung, H. M.; Kang, J. W.; Hoffmann, M. R. The sonolytic destruction of methyl tert-butyl ether present in contaminated groundwater. *Water Environment Research* **2002**, *74*, 545-556.
- [81] Zein, M. M.; Suidan, M. T.; Venosa, A. D. MtBE biodegradation in a gravity flow, high-biomass retaining bioreactor. *Environmental Science & Technology* **2004**, *38*, 3449-3456.
- [82] Collins, C.; Latsch, F.; Nepovim, A. Remediation of BTEX and trichloroethene - Current knowledge with special emphasis on phytoremediation. *Environmental Science and Pollution Research* **2002**, *9*, 86-94.
- [83] Rubin, E.; Ramaswami, A. The potential for phytoremediation of MTBE. *Water Research* **2001**, *35*, 1348-1353.

## Bibliografia

---

- [84] Ramaswami, A.; Rubin, E.; Bonola, S. Non-significance of rhizosphere degradation during phytoremediation of MTBE. *International Journal of Phytoremediation* **2003**, *5*, 315-331.
- [85] Dewulf, J.; Van Langenhove, H. Analysis of volatile organic compounds using gas chromatography. *Trac-Trends in Analytical Chemistry* **2002**, *21*, 637-646.
- [86] Santos, F. J.; Galceran, M. T. The application of gas chromatography to environmental analysis. *Trac-Trends in Analytical Chemistry* **2002**, *21*, 672-685.
- [87] Alvarado, J. S.; Rose, C. Static headspace analysis of volatile organic compounds in soil and vegetation samples for site characterization. *Talanta* **2004**, *62*, 17-23.
- [88] Bellar, T. *Measurement of volatile organic compounds in soils using modified purge-and-trap and capillary gas chromatography/mass spectrometry*; U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory; Cincinnati, OH, USA, 1991.
- [89] US Environmental Protection Agency *Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples*; Office of Solid Waste and Emergency Response; EPA Method 5035A, Draft Revision 1; Washington, DC, USA, 2002.
- [90] Ventura, F.; Romero, J.; Boleda, M. R.; Martí, I. Identificación de contaminantes orgánicos volátiles en agua, Artículos Técnicos. *Tecnología del Agua* **1994**, *131*, 17-28.
- [91] Schmidt, T. C. *Determination of MTBE and TBA in water - an overview of analytical methods*; Proc. of 2nd European Conference on MTBE. Barcelona, Spain, November 4-5, 2004.
- [92] Richardson, S. D. Disinfection by-products and other emerging contaminants in drinking water. *Trac-Trends in Analytical Chemistry* **2003**, *22*, 666-684.
- [93] Esteban, L. In *La Espectrometría de Masas en imágenes*; ACK, Ed.: Madrid, Spain, 1993.
- [94] Richardson, S. D. Environmental mass spectrometry: Emerging contaminants and current issues. *Analytical Chemistry* **2004**, *76*, 3337-3363.
- [95] Delzer, G. C.; Zogorski, J. S.; Lopes, T. J. Occurrence of the gasoline oxygenate MTBE and BTEX compounds in municipal stormwater in the United States, 1991-95. *Abstracts of Papers of the American Chemical Society* **1997**, *213*, 100-ENVR.

## Bibliografia

---

- [96] Rosell, M.; Lacorte, S.; Ginebreda, A.; Barcelo, D. Simultaneous determination of methyl tert.-butyl ether and its degradation products, other gasoline oxygenates and benzene, toluene, ethylbenzene and xylenes in Catalonian groundwater by purge-and-trap-gas chromatography-mass spectrometry. *Journal of Chromatography A* **2003**, *995*, 171-184.
- [97] Rosell, M.; Lacorte, S.; Forner, C.; Rohns, H. P.; Irmscher, R.; Barcelo, D. Fate of gasoline oxygenates in conventional and multilevel wells of a contaminated groundwater table in Dusseldorf, Germany. *Environmental Toxicology and Chemistry* **2005**, *24*, 2785-2795.
- [98] Klinger, J.; Stieler, C.; Sacher, F.; Branch, H. J. MTBE (methyl tertiary-butyl ether) in groundwaters: Monitoring results from Germany. *Journal of Environmental Monitoring* **2002**, *4*, 276-279.
- [99] Tanabe, A.; Tsuchida, Y.; Ibaraki, T.; Kawata, K.; Yasuhara, A.; Shibamoto, T. Investigation of methyl tert-butyl ether levels in river-, ground-, and sewage-waters analyzed using a purge-and-trap interfaced to a gas chromatograph-mass spectrometer. *Journal of Chromatography A* **2005**, *1066*, 159-164.
- [100] Baus, C.; Hung, H.; Sacher, F.; Fleig, M.; Brauch, H. J. MTBE in drinking water production - Occurrence and efficiency of treatment technologies. *Acta Hydrochimica Et Hydrobiologica* **2005**, *33*, 118-132.
- [101] Piazza, F.; Barbieri, A.; Violante, F. S.; Roda, A. A rapid and sensitive method for methyl tert-butyl ether analysis in water samples by use of solid phase microextraction and gas chromatography-mass spectrometry. *Chemosphere* **2001**, *44*, 539-544.
- [102] Brown, J. S.; Bay, S. M.; Greenstein, D. J.; Ray, W. R. Concentrations of methyl-tert-butyl ether (MTBE) in inputs and receiving waters of southern California. *Marine Pollution Bulletin* **2001**, *42*, 957-966.
- [103] Schmidt, T. C.; Haderlein, S. B.; Pfister, R.; Forster, R. Occurrence and fate modeling of MTBE and BTEX compounds in a Swiss Lake used as drinking water supply. *Water Research* **2004**, *38*, 1520-1529.

## Bibliografia

---

- [104] Reuter, J. E.; Allen, B. C.; Richards, R. C.; Pankow, J. F.; Goldman, C. R.; Scholl, R. L.; Seyfried, J. S. Concentrations, sources, and fate of the gasoline oxygenate methyl tert-butyl ether (MTBE) in a multiple use lake. *Environmental Science & Technology* **1998**, *32*, 3666-3672.
- [105] Toran, L.; Lipka, C.; Baehr, A.; Reilly, T.; Baker, R. Seasonal and daily variations in concentrations of methyltertiary-butyl ether (MTBE) at Cranberry Lake, New Jersey. *Water Research* **2003**, *37*, 3756-3766.
- [106] Kolb, A.; Puttmann, W. Methyl tert-butyl ether (MTBE) in finished drinking water in Germany. *Environmental Pollution* **2006**, *140*, 294-303.
- [107] Morgenstern, P.; Versteegh, A. F. M.; de Korte, G. A. L.; Hoogerbrugge, R.; Mooibroek, D.; Bannink, A.; Hogendoorn, E. A. Survey of the occurrence of residues of methyl tertiary butyl ether (MTBE) in Dutch drinking water sources and drinking water. *Journal of Environmental Monitoring* **2003**, *5*, 885-890.
- [108] Mezcua, M.; Aguera, A.; Hernando, M. D.; Piedra, L.; Fernandez-Alba, A. R. Determination of methyl tert.-butyl ether and tert.-butyl alcohol in seawater samples using purge-and-trap enrichment coupled to gas chromatography with atomic emission and mass spectrometric detection. *Journal of Chromatography A* **2003**, *999*, 81-90.
- [109] Guitart, C.; Bayona, J. M.; Readman, J. W. Sources, distribution and behaviour of methyl tert-butyl ether (MTBE) in the Tamar Estuary, UK. *Chemosphere* **2004**, *57*, 429-437.
- [110] Zuccarello, J. L.; Ganske, J. A.; Green, D. B. Determination of MTBE in a recreational harbor using solid-phase microextraction. *Chemosphere* **2003**, *51*, 805-810.
- [111] Eichelberger, J. W.; Munch, J. W.; Bellar, T. A. *Measurement of Purgeable Organic Compounds in Water by Capillary Column Gas Chromatography/Mass Spectrometry*; Environmental Monitoring Systems Laboratory, Office of Research and Development U. S. Environmental Protection Agency; Method 524.2. (Revision 4.0); Cincinnati, OH, 1992.

## Bibliografia

---

- [112] Olivella, L.; Figueras, M.; Fraile, J.; Vilanova, M.; Ginebreda, A.; Barcelo, D. Fate of MTBE and DCPD compounds relative to BTEX in gasoline-contaminated aquifers. *TheScientificWorldJournal [electronic resource]* **2002**, 2, 1108-1114.
- [113] Greene, E. A.; Kay, J. G.; Stehmeier, L. G.; Voordouw, G. Microbial community composition at an ethane pyrolysis plant site at different hydrocarbon inputs. *FEMS Microbiology Ecology* **2002**, 40, 233-241.
- [114] Lopes, T. J.; Bender, D. A. Nonpoint sources of volatile organic compounds in urban areas - relative importance of land surfaces and air. *Environmental Pollution* **1998**, 101, 221-230.
- [115] Martínez, E.; Llobet, I.; Lacorte, S.; Viana, P.; Barcelo, D. Patterns and levels of halogenated volatile compounds in Portuguese surface waters. *Journal of Environmental Monitoring* **2002**, 4, 253-257.
- [116] Squillace, P. J.; Moran, M. J.; Lapham, W. W.; Clawges, R. M.; Zogorski, J. S. Volatile organic compounds in untreated ambient groundwater of the United States, 1985-1995. *Environmental Science & Technology* **1999**, 33, 4176-4187.
- [117] Kotzias, D.; Spartà, C. In *Chemistry and analysis of volatile organic compounds in the environment*; Bloemen, H. J. T., Burn, J., Eds.; Blackie Academic and Professional: New York, USA, 1993; pp 175-201.
- [118] Zwank, L.; Schmidt, T. C.; Haderlein, S. B.; Berg, M. Simultaneous determination of fuel oxygenates and BTEX using direct aqueous injection gas chromatography mass spectrometry (DAI-GC/MS). *Environmental science and technology* **2002**, 36, 2054-2059.
- [119] Achten, C.; Puttmann, W. Determination of methyl tert-butyl ether in surface water by use of solid-phase microextraction. *Environmental Science & Technology* **2000**, 34, 1359-1364.
- [120] Achten, C.; Kolb, A.; Puttmann, W. Sensitive method for determination of methyl tert-butyl ether (MTBE) in water by use of headspace-SPME/GC-MS. *Fresenius Journal of Analytical Chemistry* **2001**, 371, 519-525.

## Bibliografia

---

- [121] Cassada, D. A.; Zhang, Y.; Snow, D. D.; Spalding, R. F. Trace analysis of ethanol, MTBE, and related oxygenate compounds in water using solid-phase microextraction and gas chromatography/mass spectrometry. *Analytical Chemistry* **2000**, *72*, 4654-4658.
- [122] Dewsbury, P.; Thornton, S. F.; Lerner, D. N. Improved analysis of MTBE, TAME, and TBA in petroleum fuel-contaminated groundwater by SPME using deuterated internal standards with GC-MS. *Environmental Science & Technology* **2003**, *37*, 1392-1397.
- [123] Wypych, J.; Manko, T. Determination of volatile organic compounds (VOCs) in water and soil using solid phase microextraction. *Chemia Analityczna* **2002**, *47*, 507-530.
- [124] Schmidt, T. C.; Duong, H.-A.; Berg, M.; Haderlein, S. B. Analysis of fuel oxygenates in the environmental. *Analyst* **2001**, *126*, 405-413.
- [125] Bellar, T. A.; Lichtenberg, J. J. Determining Volatile Organics at Microgram-Per-Liter Levels by Gas-Chromatography. *Journal American Water Works Association* **1974**, *66*, 739-744.
- [126] Raese, J. W.; Rose, D. L.; Sandstrom, M. W. U.S. Geological Survey Laboratory Method for Methyl tert-Butyl Ether and Other Fuel Oxygenates; USGS Fact Sheet FS-219-95; Denver, CO, USA, 1995.
- [127] Rose, D. L.; Connor, B. F.; Abney, S. R.; Raese, J. W. Laboratory Method for Analysis of Small Concentrations of Methyl tert-Butyl Ether and Other Ether Gasoline Oxygenates in Water; U.S. Geological Survey (USGS); USGS Fact Sheet 086-98; Denver, CO, USA, 1998.
- [128] Connor, B. F.; Rose, D. L.; Noriea, M. C.; Murtagh, L. K.; Abney, S. R. Methods of Analysis by the U.S. Geological Survey National Water Quality Laboratory - Determination of 86 Volatile Compounds in Water by Gas Chromatography/Mass Spectrometry, Including Detections Less Than Reporting Limits; U.S. Geological Survey; USGS Open-File Report 97-829; 1997.

## Bibliografia

---

- [129] Moran, M. J.; Zogorski, J. S.; Squillace, P. J. *MTBE in Ground Water of the United States - Occurrence, Potential Sources, and Long-Range Transport*; Proc. of Water Resources Conference. Norfolk, Virginia, Sept. 26-29, 1999.
- [130] Nouri, B.; Fouillet, B.; Toussaint, G.; Chambon, R.; Chambon, P. Complementarity of purge-and-trap and head-space capillary gas chromatographic methods for determination of methyl-tert-butyl ether in water. *Journal of Chromatography A* **1996**, *726*, 153-159.
- [131] Bianchi, F.; Careri, M.; Marengo, E.; Musci, M. Use of experimental design for the purge-and-trap-gas chromatography-mass spectrometry determination of methyl tert.-butyl ether, tert.-butyl alcohol and BTEX in groundwater at trace level. *Journal of Chromatography A* **2002**, *975*, 113-121.
- [132] Munch, J. W.; Eichelberger, J. W. Evaluation of 48 Compounds for Possible Inclusion in United-States Epa Method 524.2, Revision 3.0 - Expansion of the Method Analyte List to a Total of 83 Compounds. *Journal of Chromatographic Science* **1992**, *30*, 471-477.
- [133] Cela, R. In *Avances en Quimiometría Práctica*; Universidad de Santiago de Compostela, Ed., 1994; pp 441-447.
- [134] Miller, J. C.; Miller, J. N. In *Statistics for analytical chemistry*; Ellis Horwood Limited, Ed., 1998; pp 184-187.
- [135] Fraile, J.; Niñerola, J. M.; Olivella, L.; Figueras, M.; Ginebreda, A.; Vilanova, M.; Barcelo, D. Monitoring of the gasoline oxygenate MTBE and BTEX compounds in groundwater in Catalonia (northeast Spain). *TheScientificWorldJournal [electronic resource]* **2002**, *2*, 1235-1242.
- [136] US Environmental Protection Agency *Test Methods for Evaluating Solid Waste*; Department of Commerce, National Technical Information Service; EPA SW-846, 3rd edition; Washington, DC, USA, 1986.
- [137] US Environmental Protection Agency *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods*; EPA SW-846, 3rd edition; Washington, DC, USA, 1996.

## Bibliografia

---

- [138] Pastore, P.; Favaro, G.; Badocco, D.; Lavagnini, I. Headspace solid phase micro extraction GC-ECD determination of volatile organic chlorinated hydrocarbons in soils. *Annali Di Chimica* **2005**, *95*, 741-756.
- [139] Llompart, M.; Li, K.; Fingas, M. Headspace solid phase microextraction (HSSPME) for the determination of volatile and semivolatile pollutants in soils. *Talanta* **1999**, *48*, 451-459.
- [140] Ezquerro, O.; Ortiz, G.; Pons, B.; Tena, M. T. Determination of benzene, toluene, ethylbenzene and xylenes in soils by multiple headspace solid-phase microextraction. *Journal of Chromatography A* **2004**, *1035*, 17-22.
- [141] Ojala, M.; Mattila, I.; Sarme, T.; Ketola, R. A.; Kotiaho, T. A new purge-and-membrane mass spectrometric (PAM-MS) instrument for analysis of volatile organic compounds in soil samples. *Analyst* **1999**, *124*, 1421-1424.
- [142] Ojala, M.; Mattila, I.; Tarkiainen, V.; Sarme, T.; Ketola, R. A.; Maattanen, A.; Kostiainen, R.; Kotiaho, T. Purge-and-membrane mass spectrometry, a screening method for analysis of VOCs from soil samples. *Analytical Chemistry* **2001**, *73*, 3624-3631.
- [143] Hewitt, A. D.; Miyares, P. H.; Leggett, D. C.; Jenkins, T. F. Comparison of Analytical Methods for Determination of Volatile Organic-Compounds in Soils. *Environmental Science & Technology* **1992**, *26*, 1932-1938.
- [144] Voice, T. C.; Kolb, B. Static and Dynamic Headspace Analysis of Volatile Organic-Compounds in Soils. *Environmental Science & Technology* **1993**, *27*, 709-713.
- [145] Bianchi, A.; Varney, M. S. Analysis of Methyl Tert-Butyl Ether and 1,2-Dihaloethanes in Estuarine Water and Sediments Using Purge-and-Trap Gas-Chromatography. *Hrc-Journal of High Resolution Chromatography* **1989**, *12*, 184-186.
- [146] Bianchi, A. P.; Varney, M. S.; Phillips, J. Analysis of Volatile Organic-Compounds in Estuarine Sediments Using Dynamic Headspace and Gas-Chromatography Mass-Spectrometry. *Journal of Chromatography* **1991**, *542*, 413-450.

## Bibliografia

---

- [147] Amaral, O. C.; Olivella, L.; Grimalt, J. O.; Albaiges, J. Combined solvent extraction-purge and trap method for the determination of volatile organic compounds in sediments\*1. *Journal of Chromatography A* **1994**, *675*, 177-187.
- [148] Zuloaga, O.; Etxebarria, N.; Fernandez, L. A.; Madariaga, J. M. MultiSimplex optimisation and comparison of different purge-and-trap extractions of volatile organic compounds in soil samples. *Analytica Chimica Acta* **2000**, *416*, 43-53.
- [149] Campillo, N.; Vinas, P.; Lopez-Garcia, I.; Aguinaga, N.; Hernandez-Cordoba, M. Determination of volatile halogenated organic compounds in soils by purge-and-trap capillary gas chromatography with atomic emission detection. *Talanta* **2004**, *64*, 584-589.
- [150] US Environmental Protection Agency *Closed-System Purge-and-Trap and Extraction for Volatile Organics in Soil and Waste Samples*; EPA Method 5035, Revision 0; Washington, DC, USA, 1996.
- [151] Frye, E. *Summary report on a survey of state experiences with MTBE and other oxygenate contamination at LUST sites*; New England Interstate Water Pollution Control Commission; Lowell, MA, USA, 2003.
- [152] Rong, Y.; Wang, R. F. Monte Carlo vadose zone model for soil remedial criteria. *Soil & Sediment Contamination* **2000**, *9*, 593-610.
- [153] Ahlberg, R.; Gennart, J. P.; Mitchell, R. E.; Schulte-Koerne, E.; Thomas, M. E.; Vahervuori, H.; Vrijhof, H.; Watts, C. D. *An environmental risk assessment of MTBE use in Europe*; EFOA/ECETOC Task Force on Environmental Risk Assessment of MTBE; Brussels, Belgium, 2001.
- [154] Finnish Environment Institute In *EUR 20417 EN - European Union Risk Assessment Report tert-butyl methyl ether*; Hansen, B. G., Munn, S. J., Pakalin, S., Musset, C., Luotamo, M., de Bruijn, J., Berthault, F., Vegro, S., Pellegrini, G., Allanou, R., Scheer, S., Eds.; Office for Official Publications of the European Communities: Luxembourg, 2002; Vol. 19.

## Bibliografia

---

- [155] Atienza, J.; Aragon, P.; Herrero, M. A.; Puchades, R.; Maquieira, A. State of the art in the determination of MTBE in natural waters and soils. *Critical Reviews in Analytical Chemistry* **2005**, *35*, 317-337.
- [156] Moreels, D.; Bastiaens, L.; Ollevier, F.; Merckx, R.; Diels, L.; Springael, D. Evaluation of the intrinsic methyl tert-butyl ether (MTBE) biodegradation potential of hydrocarbon contaminated subsurface soils in batch microcosm systems. *FEMS Microbiology Ecology* **2004**, *49*, 121-128.
- [157] Travis, C. C.; Doty, C. B. Can contaminated aquifers at Superfund sites be remediated? *Environmental Science & Technology* **1990**, *24*, 1464-1466.
- [158] Schirmer, M.; Dahmke, A.; Dietrich, P.; Dietze, M.; Gödeke, S.; Richnow, H. H.; Schirmer, K.; Weiss, H.; Teutsch, G. Natural attenuation research at the contaminated megasite Zeitz. *Journal of Hydrology* **2006**, *In Press, Corrected Proof*.
- [159] Fischer, A.; Oehm, C.; Selle, M.; Werner, P. Biotic and abiotic transformations of methyl tertiary butyl ether (MTBE). *Environmental Science and Pollution Research* **2005**, *12*, 381-386.
- [160] Council, N. R. In *Natural attenuation for groundwater remediation*; National Academy Press: Washington, DC, 2000.
- [161] Kramer, W. H.; Douthit, T. L. *Water Soluble Phase Oxygenates in Gasoline From Five New Jersey Service Stations*; Proc. of NGWA Conference, Petroleum Hydrocarbons and Organic Chemicals in Groundwater: Prevention, Detection and Restoration. Anaheim, California, November 15-17, 2000.
- [162] Clark, J. J. J. In *Oxygenates in Gasoline: Environmental Aspects*; Diaz, A. F., Drogos, D. L., Eds.; American Chemical Society: Washington, DC, USA, 2002; pp 92-106.
- [163] Hanson, J. R.; Ackerman, C. E.; Scow, K. M. Biodegradation of methyl tert-butyl ether by a bacterial pure culture. *Applied and Environmental Microbiology* **1999**, *65*, 4788-4792.

## Bibliografia

---

- [164] Bruns, M. A.; Hanson, J. R.; Mefford, J.; Scow, K. M. Isolate PM1 populations are dominant and novel methyl tert-butyl ether-degrading bacteria in compost biofilter enrichments. *Environmental Microbiology* **2001**, *3*, 220-225.
- [165] Deeb, R. A.; Hu, H. Y.; Hanson, J. R.; Scow, K. M.; Alvarez-Cohen, L. Substrate interactions in BTEX and MTBE mixtures by an MTBE-degrading isolate. *Environmental Science & Technology* **2001**, *35*, 312-317.
- [166] Nakatsu, C. H.; Hristova, K.; Hanada, S.; Meng, X.-Y.; Hanson, J.; Scow, K. M.; Kamagata, Y. *Methylibium petrophilum* PM1<sup>T</sup> gen. nov., sp. nov., a new methyl tert-butyl ether (MTBE) degrading methylotroph of the beta-Proteobacteria. *Int. J. Syst. Evol. Microbiol.* **2006**, *56*, 983-989.
- [167] Hatzinger, P. B.; McClay, K.; Vainberg, S.; Tugusheva, M.; Condee, C. W.; Steffan, R. J. Biodegradation of methyl tert-butyl ether by a pure bacterial culture. *Applied and Environmental Microbiology* **2001**, *67*, 5601-5607.
- [168] Smith, C. A.; O'Reilly, K. T.; Hyman, M. R. Characterization of the initial reactions during the cometabolic oxidation of methyl tert-butyl ether by propane-grown *Mycobacterium vaccae* JOB5. *Applied and Environmental Microbiology* **2003**, *69*, 796-804.
- [169] Johnson, E. L.; Smith, C. A.; O'Reilly, K. T.; Hyman, M. R. Induction of methyl Tertiary butyl ether (MTBE)-oxidizing activity in *Mycobacterium vaccae* JOB5 by MTBE. *Applied and Environmental Microbiology* **2004**, *70*, 1023-1030.
- [170] Francois, A.; Mathis, H.; Godefroy, D.; Piveteau, P.; Fayolle, F.; Monot, F. Biodegradation of methyl tert-butyl ether and other fuel oxygenates by a new strain, *Mycobacterium austroafricanum* IFP 2012. *Applied and Environmental Microbiology* **2002**, *68*, 2754-2762.
- [171] Francois, A.; Garnier, L.; Mathis, H.; Fayolle, F.; Monot, F. Roles of tert-butyl formate, tert-butyl alcohol and acetone in the regulation of methyl tert-butyl ether degradation by

## Bibliografia

---

- Mycobacterium austroafricanum IFP 2012. *Applied Microbiology and Biotechnology* **2003**, *62*, 256-262.
- [172] Hyman, M.; Kwon, P.; Williamson, K.; O'Reilly, K. In *Natural attenuation: chlorinated and recalcitrant compounds*; Wickramanayake, G. B., Hinchee, R. E., Eds.; Battelle: Columbus, OH, 1998; pp 321-326.
- [173] Smith, C. A.; Hyman, M. R. Oxidation of methyl tert-butyl ether by alkane hydroxylase in dicyclopropylketone-induced and n-octane-grown *Pseudomonas putida* GPo1. *Applied and Environmental Microbiology* **2004**, *70*, 4544-4550.
- [174] Hernandez-Perez, G.; Fayolle, F.; Vandecasteele, J. P. Biodegradation of ethyl t-butyl ether (ETBE), methyl t-butyl ether (MTBE) and t-amyl methyl ether (TAME) by *Gordonia terrae*. *Applied Microbiology and Biotechnology* **2001**, *55*, 117-121.
- [175] Beguin, P.; Chauvaux, S.; Miras, I.; Francois, A.; Fayolle, F.; Monot, F. Genes involved in the degradation of ether fuels by bacteria of the Mycobacterium/Rhodococcus group. *Oil & Gas Science and Technology-Revue De L Institut Francais Du Petrole* **2003**, *58*, 489-495.
- [176] Chauvaux, S.; Chevalier, F.; Le Dantec, C.; Fayolle, F.; Miras, I.; Kunst, F.; Beguin, P. Cloning of a genetically unstable cytochrome P-450 gene cluster involved in degradation of the pollutant ethyl tert-butyl ether by *Rhodococcus ruber*. *Journal of Bacteriology* **2001**, *183*, 6551-6557.
- [177] Meckenstock, R. U.; Morasch, B.; Griebler, C.; Richnow, H. H. Stable isotope fractionation analysis as a tool to monitor biodegradation in contaminated aquifers. *Journal of Contaminant Hydrology* **2004**, *75*, 215-255.
- [178] Schmidt, T. C.; Zwank, L.; Elsner, M.; Berg, M.; Meckenstock, R. U.; Haderlein, S. B. Compound-specific stable isotope analysis of organic contaminants in natural environments: a critical review of the state of the art, prospects, and future challenges. *Analytical and Bioanalytical Chemistry* **2004**, *378*, 283-300.

## Bibliografia

---

- [179] Kolhatkar, R.; Kuder, T.; Philp, P.; Allen, J.; Wilson, J. T. Use of compound-specific stable carbon isotope analyses to demonstrate anaerobic biodegradation of MTBE in groundwater at a gasoline release site. *Environmental Science & Technology* **2002**, *36*, 5139-5146.
- [180] Zwank, L.; Berg, M.; Elsner, M.; Schmidt, T. C.; Schwarzenbach, R. P.; Haderlein, S. B. New evaluation scheme for two-dimensional isotope analysis to decipher biodegradation processes: Application to groundwater contamination by MTBE. *Environmental Science & Technology* **2005**, *39*, 1018-1029.
- [181] Zwank, L.; Berg, M.; Schmidt, T. C.; Haderlein, S. B. Compound-specific carbon isotope analysis of volatile organic compounds in the low-microgram per liter range. *Analytical Chemistry* **2003**, *75*, 5575-5583.
- [182] Hunkeler, D.; Butler, B. J.; Aravena, R.; Barker, J. F. Monitoring biodegradation of methyl tert-butyl ether (MTBE) using compound-specific carbon isotope analysis. *Environmental Science & Technology* **2001**, *35*, 676-681.
- [183] Gray, J. R.; Lacrampe-Couloume, G.; Gandhi, D.; Scow, K. M.; Wilson, R. D.; Mackay, D. M.; Lollar, B. S. Carbon and hydrogen isotopic fractionation during biodegradation of methyl tert-butyl ether. *Environmental Science & Technology* **2002**, *36*, 1931-1938.
- [184] Kuder, T.; Philp, P.; Kolhatkar, R.; Wilson, J. T.; Allen, J. *Application of stable carbon and hydrogen isotopic techniques for monitoring biodegradation of MTBE in the field*; National Ground Water Association (NGWA) /API Petroleum Hydrocarbons and Organic Chemicals in Ground Water. American Petroleum Institute; Atlanta, 2002.
- [185] Kuder, T.; Wilson, J. T.; Kaiser, P.; Kolhatkar, R.; Philp, P.; Allen, J. Enrichment of stable carbon and hydrogen isotopes during anaerobic biodegradation of MTBE: Microcosm and field evidence. *Environmental Science & Technology* **2005**, *39*, 213-220.

## Bibliografia

---

- [179] Kolhatkar, R.; Kuder, T.; Philp, P.; Allen, J.; Wilson, J. T. Use of compound-specific stable carbon isotope analyses to demonstrate anaerobic biodegradation of MTBE in groundwater at a gasoline release site. *Environmental Science & Technology* **2002**, *36*, 5139-5146.
- [180] Zwank, L.; Berg, M.; Elsner, M.; Schmidt, T. C.; Schwarzenbach, R. P.; Haderlein, S. B. New evaluation scheme for two-dimensional isotope analysis to decipher biodegradation processes: Application to groundwater contamination by MTBE. *Environmental Science & Technology* **2005**, *39*, 1018-1029.
- [181] Zwank, L.; Berg, M.; Schmidt, T. C.; Haderlein, S. B. Compound-specific carbon isotope analysis of volatile organic compounds in the low-microgram per liter range. *Analytical Chemistry* **2003**, *75*, 5575-5583.
- [182] Hunkeler, D.; Butler, B. J.; Aravena, R.; Barker, J. F. Monitoring biodegradation of methyl tert-butyl ether (MTBE) using compound-specific carbon isotope analysis. *Environmental Science & Technology* **2001**, *35*, 676-681.
- [183] Gray, J. R.; Lacrampe-Couloume, G.; Gandhi, D.; Scow, K. M.; Wilson, R. D.; Mackay, D. M.; Lollar, B. S. Carbon and hydrogen isotopic fractionation during biodegradation of methyl tert-butyl ether. *Environmental Science & Technology* **2002**, *36*, 1931-1938.
- [184] Kuder, T.; Philp, P.; Kolhatkar, R.; Wilson, J. T.; Allen, J. *Application of stable carbon and hydrogen isotopic techniques for monitoring biodegradation of MTBE in the field*; National Ground Water Association (NGWA) /API Petroleum Hydrocarbons and Organic Chemicals in Ground Water. American Petroleum Institute; Atlanta, 2002.
- [185] Kuder, T.; Wilson, J. T.; Kaiser, P.; Kolhatkar, R.; Philp, P.; Allen, J. Enrichment of stable carbon and hydrogen isotopes during anaerobic biodegradation of MTBE: Microcosm and field evidence. *Environmental Science & Technology* **2005**, *39*, 213-220.

## Bibliografia

---

- [186] Somsamak, P.; Richnow, H. H.; Haggblom, M. M. Carbon isotopic fractionation during anaerobic biotransformation of methyl tert-butyl ether and tert-amyl methyl ether. *Environmental Science & Technology* **2005**, 39, 103-109.
- [187] Somsamak, P.; Richnow, H. H.; Haggblom, M. M. Carbon isotope fractionation during anaerobic degradation of methyl tert-butyl ether under sulfate-reducing and methanogenic conditions. *Applied and Environmental Microbiology* **2006**, 72, 1157–1163.
- [188] Rohwerder, T.; Breuer, U.; Benndorf, D.; Lechner, U.; Müller, R. H. The alkyl tertiary butyl ether intermediate 2-hydroxyisobutyrate is degraded via a novel cobalamin-dependent mutase pathway. *Applied and Environmental Microbiology* **2006**, 72, 4128-4135.
- [189] Rohwerder, T.; Held, C.; Zehnsdorf, A.; Rost, H.-J.; Müller, R. H. *Mass cultivation on MTBE in a 400-L reactor for bioaugmentation experiment at the Leuna site (Germany)*; Proc. of 2nd European Conference on MTBE. Barcelona, Spain, November 4-5, 2004.